## Jason B Siegel

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8533201/jason-b-siegel-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104 2,222 25 45 g-index

130 2,792 5.2 5.31 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
104	Iterative Learning-Based Trajectory Optimization Using Fourier Series Basis Functions <b>2022</b> , 6, 2180-218	35	O
103	Comparison of expansion and voltage differential indicators for battery capacity fade. <i>Journal of Power Sources</i> , <b>2022</b> , 518, 230714	8.9	1
102	Comparing power processing system approaches in second-use battery energy buffering for electric vehicle charging. <i>Journal of Energy Storage</i> , <b>2022</b> , 49, 104017	7.8	1
101	An Algorithmic Safety VEST For Li-ion Batteries During Fast Charging. IFAC-PapersOnLine, 2021, 54, 522	-52 <i>7</i>	1
100	Airflow and Power-Split Control Strategy for a Fuel Cell Hybrid Powered Robot. <i>IFAC-PapersOnLine</i> , <b>2021</b> , 54, 387-392	0.7	
99	Modeling Li-ion Battery First Venting Events Before Thermal Runaway. <i>IFAC-PapersOnLine</i> , <b>2021</b> , 54, 528-533	0.7	0
98	Reversible and Irreversible Expansion of Lithium-Ion Batteries Under a Wide Range of Stress Factors. <i>Journal of the Electrochemical Society</i> , <b>2021</b> , 168, 100520	3.9	2
97	Electrochemical Battery State Estimation Under Parameter Uncertainty Caused by Aging Using Expansion Measurements <b>2021</b> ,		2
96	Promise and Challenges of a Data-Driven Approach for Battery Lifetime Prognostics <b>2021</b> ,		2
95	Control of hybrid boosting in highly diluted internal combustion engines. <i>International Journal of Engine Research</i> , <b>2021</b> , 22, 1794-1807	2.7	1
94	Detection of Li-ion battery failure and venting with Carbon Dioxide sensors. <i>ETransportation</i> , <b>2021</b> , 7, 100100	12.7	24
93	The challenge and opportunity of battery lifetime prediction from field data. <i>Joule</i> , <b>2021</b> , 5, 1934-1955	27.8	16
92	Optimal control for fast acquisition of equilibrium voltage for Li-ion batteries. <i>Journal of Energy Storage</i> , <b>2021</b> , 40, 102814	7.8	
91	Power Split Supercharging: A Mild Hybrid Approach to Boost Fuel Economy. <i>Energies</i> , <b>2020</b> , 13, 6580	3.1	3
90	Electrode State of Health Estimation for Lithium Ion Batteries Considering Half-cell Potential Change Due to Aging. <i>Journal of the Electrochemical Society</i> , <b>2020</b> , 167, 090531	3.9	9
89	Hybrid nonlinear observer for battery state-of-charge estimation using nonmonotonic force measurements. <i>Advanced Control for Applications</i> , <b>2020</b> , 2, e38	0.9	1
88	Leveraging Cell Expansion Sensing in State of Charge Estimation: Practical Considerations. <i>Energies</i> , <b>2020</b> , 13, 2653	3.1	8

#### (2019-2020)

87	Parameterization of prismatic lithiumIronphosphate cells through a streamlined thermal/electrochemical model. <i>Journal of Power Sources</i> , <b>2020</b> , 453, 227787	8.9	3
86	Li-ion Battery Fault Detection in Large Packs Using Force and Gas Sensors. <i>IFAC-PapersOnLine</i> , <b>2020</b> , 53, 12491-12496	0.7	1
85	Co-optimization of speed trajectory and power management for a fuel-cell/battery electric vehicle. <i>Applied Energy</i> , <b>2020</b> , 260, 114254	10.7	27
84	Estimation Error Bound of Battery Electrode Parameters With Limited Data Window. <i>IEEE Transactions on Industrial Informatics</i> , <b>2020</b> , 16, 3376-3386	11.9	15
83	Differential Expansion and Voltage Model for Li-ion Batteries at Practical Charging Rates. <i>Journal of the Electrochemical Society</i> , <b>2020</b> , 167, 110561	3.9	11
82	Battery Internal Short Detection Methodology Using Cell Swelling Measurements 2020,		4
81	. IEEE Transactions on Control Systems Technology, <b>2020</b> , 28, 753-765	4.8	22
80	Early Detection for Li-Ion Batteries Thermal Runaway Based on Gas Sensing. <i>ECS Transactions</i> , <b>2019</b> , 89, 85-97	1	11
79	Towards better estimability of electrode-specific state of health: Decoding the cell expansion. Journal of Power Sources, <b>2019</b> , 427, 101-111	8.9	25
78	Modeling and Estimation for Advanced Battery Management. <i>Annual Review of Control, Robotics, and Autonomous Systems</i> , <b>2019</b> , 2, 393-426	11.8	28
77	Unveiling the pseudocapacitive charge storage mechanisms of nanostructured vanadium nitrides using in-situ analyses. <i>Nano Energy</i> , <b>2019</b> , 60, 72-81	17.1	36
76	Synthesis of Pontryagin's Maximum Principle Analysis for Speed Profile Optimization of All-Electric Vehicles. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , <b>2019</b> , 141,	1.6	13
75	. IEEE Transactions on Control Systems Technology, <b>2019</b> , 27, 1165-1180	4.8	9
74	Modeling Li-Ion Battery Temperature and Expansion Force during the Early Stages of Thermal Runaway Triggered by Internal Shorts. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, A2431-A2443	3.9	17
73	Evolution of Dead Lithium Growth in Lithium Metal Batteries: Experimentally Validated Model of the Apparent Capacity Loss. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, A3456-A3463	3.9	21
72	Optimal Energy Management for a Mild Hybrid Vehicle With Electric and Hybrid Engine Boosting Systems. <i>IEEE Transactions on Vehicular Technology</i> , <b>2019</b> , 68, 3386-3399	6.8	21
71	On the Effectiveness of Hybridization Paired with Eco-Driving 2019,		1
70	Minimum-Time Measurement of Open Circuit Voltage of Battery Systems <b>2019</b> ,		1

69	On power denials and lost energy opportunities in downsizing battery packs in hybrid electric vehicles. <i>Journal of Energy Storage</i> , <b>2018</b> , 16, 187-196	7.8	4
68	Assessing a Hybrid Supercharged Engine for Diluted Combustion Using a Dynamic Drive Cycle Simulation. <i>SAE International Journal of Alternative Powertrains</i> , <b>2018</b> , 7,	2	5
67	Cooling Parasitic Considerations for Optimal Sizing and Power Split Strategy for Military Robot Powered by Hydrogen Fuel Cells <b>2018</b> ,		1
66	Fabrication of Multimeasurand Sensor for Monitoring of a Li-Ion Battery. <i>Journal of Electronic Packaging, Transactions of the ASME</i> , <b>2018</b> , 140,	2	12
65	Beyond Estimating Battery State of Health: Identifiability of Individual Electrode Capacity and Utilization <b>2018</b> ,		4
64	Integration of Non-monotonic Cell Swelling Characteristic for State-of-Charge Estimation 2018,		8
63	2018,		1
62	Comparison of Individual-Electrode State of Health Estimation Methods for Lithium Ion Battery <b>2018</b> ,		3
61	Optimal Energy Management for a Hybrid Electric Vehicle with a Power Split Supercharger 2018,		2
60	Modeling Li-Ion Battery Thermal Runaway Using a Three Section Thermal Model 2018,		5
59	Internal short circuit detection method for battery pack based on circuit topology. <i>Science China Technological Sciences</i> , <b>2018</b> , 61, 1502-1511	3.5	16
58	Pseudocapacitive storage via micropores in high-surface area molybdenum nitrides. <i>Nano Energy</i> , <b>2018</b> , 51, 122-127	17.1	25
57	Parameterization of Battery Electrothermal Models Coupled With Finite Element Flow Models for Cooling. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , <b>2017</b> , 139,	1.6	11
56	Topology Comparison for 48V Battery-Supercapacitor Hybrid Energy Storage System * *This work was supported by the National Science Foundation through an SBIR Grant. <i>IFAC-PapersOnLine</i> , <b>2017</b> , 50, 4733-4738	0.7	7
55	Internal Short Circuit Trigger Method for Lithium-Ion Battery Based on Shape Memory Alloy. Journal of the Electrochemical Society, <b>2017</b> , 164, A3038-A3044	3.9	48
54	Fusing Phenomenon of Lithium-Ion Battery Internal Short Circuit. <i>Journal of the Electrochemical Society</i> , <b>2017</b> , 164, A2738-A2745	3.9	34
53	Intercalation Driven Porosity Effects in Coupled Continuum Models for the Electrical, Chemical, Thermal and Mechanical Response of Battery Electrode Materials. <i>Journal of the Electrochemical Society</i> , <b>2017</b> , 164, A2199-A2212	3.9	5
52	On identifying the aging mechanisms in li-ion batteries using two points measurements 2017,		4

### (2014-2017)

51	Model Predictive Control for Real-time Position Tracking of a Catenary-free Tram. <i>IFAC-PapersOnLine</i> , <b>2017</b> , 50, 1000-1005	0.7	3
50	Novel thin temperature and expansion sensors for li-ion battery monitoring 2017,		3
49	Battery Capacity Fading Estimation Using a Force-Based Incremental Capacity Analysis. <i>Journal of the Electrochemical Society</i> , <b>2016</b> , 163, A1584-A1594	3.9	52
48	A novel phenomenological multi-physics model of Li-ion battery cells. <i>Journal of Power Sources</i> , <b>2016</b> , 326, 447-458	8.9	29
47	Phenomenological force and swelling models for rechargeable lithium-ion battery cells. <i>Journal of Power Sources</i> , <b>2016</b> , 310, 118-129	8.9	38
46	Supercapacitor Electrical and Thermal Modeling, Identification, and Validation for a Wide Range of Temperature and Power Applications. <i>IEEE Transactions on Industrial Electronics</i> , <b>2016</b> , 63, 1574-1585	8.9	71
45	Control Strategies for Power Quantized Solid Oxide Fuel Cell Hybrid Powertrains: In Mobile Robot Applications. <i>SAE International Journal of Alternative Powertrains</i> , <b>2016</b> , 5, 58-67	2	5
44	2016,		4
43	Estimating state-of-charge imbalance of batteries using force measurements 2016,		10
42	Observability analysis for surface sensor location in encased battery cells 2015,		5
41	2015,		4
40	Comparison of SOFC and PEM Fuel Cell Hybrid Power Management Strategies for Mobile Robots <b>2015</b> ,		2
39	The Estimation of Temperature Distribution in Cylindrical Battery Cells Under Unknown Cooling Conditions. <i>IEEE Transactions on Control Systems Technology</i> , <b>2014</b> , 22, 2277-2286	4.8	75
38	Optimal power management for a series hybrid electric vehicle cognizant of battery mechanical effects <b>2014</b> ,		7
37	Rate dependence of swelling in lithium-ion cells. <i>Journal of Power Sources</i> , <b>2014</b> , 267, 197-202	8.9	107
36	Hardware-in-the-loop validation of a power management strategy for hybrid powertrains. <i>Control Engineering Practice</i> , <b>2014</b> , 29, 277-286	3.9	21
35	Temperature Estimation in a Battery String Under Frugal Sensor Allocation 2014,		3
34	A Phenomenological Model of Bulk Force in a Li-Ion Battery Pack and Its Application to State of Charge Estimation. <i>Journal of the Electrochemical Society</i> , <b>2014</b> , 161, A2222-A2231	3.9	55

33	Parameterization and Validation of a Distributed Coupled Electro-Thermal Model for Prismatic Cells <b>2014</b> ,		16
32	An Iterative Learning Control Approach to Improving Fidelity in Internet-Distributed Hardware-in-the-Loop Simulation. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , <b>2014</b> , 136,	1.6	16
31	Preliminary results on identification of an electro-thermal model for low temperature and high power operation of cylindrical double layer ultracapacitors <b>2014</b> ,		4
30	A lumped-parameter electro-thermal model for cylindrical batteries. <i>Journal of Power Sources</i> , <b>2014</b> , 257, 1-11	8.9	259
29	Keeping Ground Robots on the Move Through Battery & Mission Management. <i>Mechanical Engineering</i> , <b>2014</b> , 136, S1-S6	0.9	2
28	Degradation phenomena in PEM fuel cell with dead-ended anode. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 11346-11356	6.7	80
27	Optimization of purge cycle for dead-ended anode fuel cell operation. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 5092-5105	6.7	107
26	Online Parameterization of Lumped Thermal Dynamics in Cylindrical Lithium Ion Batteries for Core Temperature Estimation and Health Monitoring. <i>IEEE Transactions on Control Systems Technology</i> , <b>2013</b> , 21, 1745-1755	4.8	144
25	Maximum Power Estimation of Lithium-Ion Batteries Accounting for Thermal and Electrical Constraints <b>2013</b> ,		11
24	Expansion of Lithium Ion Pouch Cell Batteries: Observations from Neutron Imaging. <i>Journal of the Electrochemical Society</i> , <b>2013</b> , 160, A1031-A1038	3.9	65
23	A computationally efficient thermal model of cylindrical battery cells for the estimation of radially distributed temperatures <b>2013</b> ,		4
22	Quadruple adaptive observer of the core temperature in cylindrical Li-ion batteries and their health monitoring <b>2012</b> ,		3
21	On the accuracy and simplifications of battery models using in situ measurements of Lithium concentration in operational cells <b>2012</b> ,		2
20	Modeling and Experiments of Voltage Transients of Polymer Electrolyte Membrane Fuel Cells With the Dead-Ended Anode. <i>Journal of Fuel Cell Science and Technology</i> , <b>2012</b> , 9,		31
19	Parameterization and Validation of an Integrated Electro-Thermal Cylindrical LFP Battery Model <b>2012</b> ,		30
18	Neutron Imaging of Lithium Concentration in LFP Pouch Cell Battery. <i>Journal of the Electrochemical Society</i> , <b>2011</b> , 158, A523	3.9	86
17	Carbon Corrosion in PEM Fuel Cell Dead-Ended Anode Operations. <i>Journal of the Electrochemical Society</i> , <b>2011</b> , 158, B1164	3.9	72
16	Neutron imaging of lithium concentration in battery pouch cells <b>2011</b> ,		4

#### LIST OF PUBLICATIONS

15	Modeling and Experiments of Voltage Transients of PEM Fuel Cells With the Dead-Ended Anode <b>2011</b> ,		1	
14	Multiple Degradation Phenomena in Polymer Electrolyte Fuel Cell Operation With Dead-Ended Anode <b>2011</b> ,		4	
13	Nitrogen blanketing front equilibria in dead end anode fuel cell operation 2011,		1	
12	Nitrogen Front Evolution in Purged Polymer Electrolyte Membrane Fuel Cell with Dead-Ended Anode. <i>Journal of the Electrochemical Society</i> , <b>2010</b> , 157, B1081	3.9	58	
11	Parameterization of gdl liquid water front propagation and channel accumulation for anode purge scheduling in fuel cells <b>2010</b> ,		1	
10	Controllability and Observability Analysis of the Liquid Water Distribution Inside the Gas Diffusion Layer of a Unit Fuel Cell Model. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , <b>2010</b> , 132,	1.6	6	
9	Modeling and Simulations of PEMFCs Operating With Periodically Purged Dead-Ended Anode Channels <b>2010</b> ,		3	
8	Education on vehicle electrification: Battery Systems, Fuel Cells, and Hydrogen <b>2010</b> ,		6	
7	Purge Scheduling for Dead-Ended Anode Operation of PEM Fuel Cells. <i>The Electrical Engineering Handbook</i> , <b>2010</b> , 5-1-5-43		1	
6	Derivation and Simulation Results of a Hybrid Model Predictive Control for Water Purge Scheduling in a Fuel Cell <b>2009</b> ,		1	
5	Stack-level validation of a semi-analytic channel-to-channel fuel cell model for two-phase water distribution boundary value control <b>2008</b> ,		1	
4	2008,		4	
3	Measurement of Liquid Water Accumulation in a PEMFC with Dead-Ended Anode. <i>Journal of the Electrochemical Society</i> , <b>2008</b> , 155, B1168	3.9	98	
2	Parameterization and prediction of temporal fuel cell voltage behavior during flooding and drying conditions. <i>Journal of Power Sources</i> , <b>2008</b> , 178, 207-222	8.9	70	
1	Accelerated Battery Lifetime Simulations Using Adaptive Inter-Cycle Extrapolation Algorithm. Journal of the Electrochemical Society,	3.9	О	