

Reginald M Penner

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8536670/reginald-m-penner-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167
papers

13,329
citations

63
h-index

113
g-index

195
ext. papers

14,800
ext. citations

10.2
avg, IF

6.75
L-index

#	Paper	IF	Citations
167	Rational design approaches of two-dimensional metal oxides for chemiresistive gas sensors: A comprehensive review. <i>MRS Bulletin</i> , 2021 , 46, 1080-1094	3.2	2
166	Investigating the Degradation of Nb2O5 Thin Films Across 10,000 Lithiation/Delithiation Cycles. <i>ACS Applied Energy Materials</i> , 2021 , 4, 6542-6552	6.1	3
165	Sensors Based Upon Nanowires, Nanotubes, and Nanoribbons: 2016-2020. <i>Analytical Chemistry</i> , 2021 , 93, 124-166	7.8	15
164	Enhancing the Sensitivity of the Virus BioResistor by Overoxidation: Detecting IgG Antibodies. <i>Analytical Chemistry</i> , 2021 , 93, 11259-11267	7.8	0
163	Electrode Degradation in Lithium-Ion Batteries. <i>ACS Nano</i> , 2020 , 14, 1243-1295	16.7	209
162	Viruses Masquerading as Antibodies in Biosensors: The Development of the Virus BioResistor. <i>Accounts of Chemical Research</i> , 2020 , 53, 2384-2394	24.3	1
161	Chemiresistive Hydrogen Sensors: Fundamentals, Recent Advances, and Challenges. <i>ACS Nano</i> , 2020 , 14, 14284-14322	16.7	41
160	Moving Electrons Purposefully through Single Molecules and Nanostructures: A Tribute to the Science of Professor Nongjian Tao (1963-2020). <i>ACS Nano</i> , 2020 , 14, 12291-12312	16.7	1
159	Virus Bioresistor (VBR) for Detection of Bladder Cancer Marker DJ-1 in Urine at 10 pM in One Minute. <i>Analytical Chemistry</i> , 2020 , 92, 6654-6666	7.8	11
158	Electrochemical Quantification of Glycated and Non-glycated Human Serum Albumin in Synthetic Urine. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 4757-4765	9.5	11
157	The Virus Bioresistor: Wiring Virus Particles for the Direct, Label-Free Detection of Target Proteins. <i>Nano Letters</i> , 2018 , 18, 3623-3629	11.5	12
156	Energy Storage in Nanomaterials - Capacitive, Pseudocapacitive, or Battery-like?. <i>ACS Nano</i> , 2018 , 12, 2081-2083	16.7	765
155	An Impedance-Transduced Chemiresistor with a Porous Carbon Channel for Rapid, Nonenzymatic, Glucose Sensing. <i>Analytical Chemistry</i> , 2018 , 90, 9338-9346	7.8	11
154	Pt-Functionalized PdO Nanowires for Room Temperature Hydrogen Gas Sensors. <i>ACS Sensors</i> , 2018 , 3, 2152-2158	9.2	46
153	Rapid, Wet Chemical Fabrication of Radial Junction Electroluminescent Wires. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 35344-35353	9.5	2
152	Electrophoretic Deposition of Mesoporous Niobium(V)Oxide Nanoscopic Films. <i>Chemistry of Materials</i> , 2018 , 30, 6549-6558	9.6	11
151	Hierarchical Metal-Organic Framework-Assembled Membrane Filter for Efficient Removal of Particulate Matter. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 19957-19963	9.5	52

150	Sub-6 nm Palladium Nanoparticles for Faster, More Sensitive H Detection Using Carbon Nanotube Ropes. <i>ACS Sensors</i> , 2017 , 2, 282-289	9.2	44
149	Solid-State Ionic Diodes Demonstrated in Conical Nanopores. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 6170-6176	3.8	28
148	Nanoscience and Nanotechnology Cross Borders. <i>ACS Nano</i> , 2017 , 11, 1123-1126	16.7	3
147	Collateral Advantages of a Gel Electrolyte for MnO ₂ Nanowire Capacitors: Higher Voltage and Reduced Volume. <i>ACS Energy Letters</i> , 2017 , 2, 1162-1169	20.1	9
146	Supercharging a MnO Nanowire: An Amine-Altered Morphology Retains Capacity at High Rates and Mass Loadings. <i>Langmuir</i> , 2017 , 33, 9324-9332	4	1
145	Electrically Transduced Sensors Based on Nanomaterials (2012-2016). <i>Analytical Chemistry</i> , 2017 , 89, 249-275	7.8	54
144	Diverse Applications of Nanomedicine. <i>ACS Nano</i> , 2017 , 11, 2313-2381	16.7	714
143	Virus-Enabled Biosensor for Human Serum Albumin. <i>Analytical Chemistry</i> , 2017 , 89, 1373-1381	7.8	27
142	Ion transport in gel and gel-liquid systems for LiClO ₄ -doped PMMA at the meso- and nanoscales. <i>Nanoscale</i> , 2017 , 9, 16232-16243	7.7	13
141	Accelerating Palladium Nanowire H Sensors Using Engineered Nanofiltration. <i>ACS Nano</i> , 2017 , 11, 9276-9285	16.7	123
140	Hollow Pd-Ag Composite Nanowires for Fast Responding and Transparent Hydrogen Sensors. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 39464-39474	9.5	58
139	A Nose for Hydrogen Gas: Fast, Sensitive H Sensors Using Electrodeposited Nanomaterials. <i>Accounts of Chemical Research</i> , 2017 , 50, 1902-1910	24.3	59
138	100k Cycles and Beyond: Extraordinary Cycle Stability for MnO ₂ Nanowires Imparted by a Gel Electrolyte. <i>ACS Energy Letters</i> , 2016 , 1, 57-63	20.1	33
137	Electrodeposited, Transverse Nanowire Electroluminescent Junctions. <i>ACS Nano</i> , 2016 , 10, 8233-42	16.7	7
136	Nano Day: Celebrating the Next Decade of Nanoscience and Nanotechnology. <i>ACS Nano</i> , 2016 , 10, 9093-9103	16.7	56
135	A 30 nm Coaxial Nanowire Photoconductor Enabling Orthogonal Carrier Collection. <i>Nano Letters</i> , 2015 , 15, 5861-7	11.5	4
134	In Situ Electrical Conductivity of Li _x MnO ₂ Nanowires as a Function of x and Size. <i>Chemistry of Materials</i> , 2015 , 27, 3494-3504	9.6	13
133	Lithographically Patterned PEDOT Nanowires for the Detection of Iron(III) with Nanomolar Sensitivity. <i>Analytical Chemistry</i> , 2015 , 87, 11492-500	7.8	32

132	Catalytically activated palladium@platinum nanowires for accelerated hydrogen gas detection. <i>ACS Nano</i> , 2015 , 9, 3215-25	16.7	84
131	Biosensing with Virus Electrode Hybrids. <i>Current Protocols in Chemical Biology</i> , 2015 , 7, 53-72	1.8	2
130	Gold Nanowire Thermophones. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 29101-29107	3.8	25
129	A lithographically patterned capacitor with horizontal nanowires of length 2.5 mm. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 5018-25	9.5	18
128	Electrodeposited Nanophotonics. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 17179-17192	3.8	11
127	Laser annealing of nanocrystalline gold nanowires. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 6808-6814	9.4	6
126	Electroluminescent, polycrystalline cadmium selenide nanowire arrays. <i>ACS Nano</i> , 2013 , 7, 9469-79	16.7	9
125	Electrodeposited Light-Emitting Nanojunctions. <i>Chemistry of Materials</i> , 2013 , 25, 623-631	9.6	5
124	Sub-nanomolar detection of prostate-specific membrane antigen in synthetic urine by synergistic, dual-ligand phage. <i>Journal of the American Chemical Society</i> , 2013 , 135, 7761-7	16.4	49
123	Water oxidation using a cobalt monolayer prepared by underpotential deposition. <i>Langmuir</i> , 2013 , 29, 14728-32	4	7
122	High-throughput fabrication of photoconductors with high detectivity, photosensitivity, and bandwidth. <i>ACS Nano</i> , 2012 , 6, 5627-34	16.7	21
121	The surface scattering-based detection of hydrogen in air using a platinum nanowire. <i>Nano Letters</i> , 2012 , 12, 2924-30	11.5	67
120	Field-effect transistors from lithographically patterned cadmium selenide nanowire arrays. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 4445-52	9.5	10
119	Wafer-scale fabrication of nanofluidic arrays and networks using nanoimprint lithography and lithographically patterned nanowire electrodeposition gold nanowire masters. <i>Analytical Chemistry</i> , 2012 , 84, 5053-8	7.8	7
118	Virus-poly(3,4-ethylenedioxythiophene) biocomposite films. <i>Langmuir</i> , 2012 , 28, 12581-7	4	15
117	Lithographically Patterned Gold/Manganese Dioxide Core/Shell Nanowires for High Capacity, High Rate, and High Cyclability Hybrid Electrical Energy Storage. <i>Chemistry of Materials</i> , 2012 , 24, 2382-2390	9.6	120
116	Chemical sensing with nanowires. <i>Annual Review of Analytical Chemistry</i> , 2012 , 5, 461-85	12.5	92
115	Virus-polymer hybrid nanowires tailored to detect prostate-specific membrane antigen. <i>Analytical Chemistry</i> , 2012 , 84, 2776-83	7.8	46

114	A chemically-responsive nanojunction within a silver nanowire. <i>Nano Letters</i> , 2012 , 12, 1729-35	11.5	18
113	Mesoporous manganese oxide nanowires for high-capacity, high-rate, hybrid electrical energy storage. <i>ACS Nano</i> , 2011 , 5, 8275-87	16.7	150
112	Rapid, wafer-scale laser nanoprinting of polymer surfaces. <i>ACS Nano</i> , 2011 , 5, 690-2	16.7	8
111	Tunable photoconduction sensitivity and bandwidth for lithographically patterned nanocrystalline cadmium selenide nanowires. <i>ACS Nano</i> , 2011 , 5, 7627-39	16.7	47
110	Virus-poly(3,4-ethylenedioxythiophene) composite films for impedance-based biosensing. <i>Analytical Chemistry</i> , 2011 , 83, 2420-4	7.8	34
109	Trace detection of dissolved hydrogen gas in oil using a palladium nanowire array. <i>Analytical Chemistry</i> , 2011 , 83, 9472-7	7.8	36
108	Enhanced thermoelectric metrics in ultra-long electrodeposited PEDOT nanowires. <i>Nano Letters</i> , 2011 , 11, 125-31	11.5	134
107	Electrodeposition of nanowires for the detection of hydrogen gas. <i>MRS Bulletin</i> , 2010 , 35, 771-777	3.2	11
106	20 micros photocurrent response from lithographically patterned nanocrystalline cadmium selenide nanowires. <i>Nano Letters</i> , 2010 , 10, 1481-5	11.5	148
105	Smaller is faster and more sensitive: the effect of wire size on the detection of hydrogen by single palladium nanowires. <i>ACS Nano</i> , 2010 , 4, 5233-44	16.7	181
104	Fabricating nanoscale DNA patterns with gold nanowires. <i>Analytical Chemistry</i> , 2010 , 82, 3365-70	7.8	14
103	High-Throughput Measurement of the Seebeck Coefficient and the Electrical Conductivity of Lithographically Patterned Polycrystalline PbTe Nanowires. <i>Journal of Physical Chemistry Letters</i> , 2010 , 1, 3004-3011	6.4	20
102	Virus-PEDOT nanowires for biosensing. <i>Nano Letters</i> , 2010 , 10, 4858-62	11.5	121
101	Joule heating a palladium nanowire sensor for accelerated response and recovery to hydrogen gas. <i>Small</i> , 2010 , 6, 1422-9	11	111
100	Hydrogen Sensing with a Single Palladium Nanowire. <i>Sensor Letters</i> , 2010 , 8, 534-538	0.9	16
99	Coherent anti-Stokes generation from single nanostructures 2009 ,		2
98	Photovoltaic devices based on electrochemical/chemical deposited CdS and poly(3-octylthiophene) thin films. <i>Solar Energy Materials and Solar Cells</i> , 2009 , 93, 51-54	6.4	26
97	Fast, sensitive hydrogen gas detection using single palladium nanowires that resist fracture. <i>Nano Letters</i> , 2009 , 9, 2177-82	11.5	193

96	Characterization of electrodeposited gold and palladium nanowire gratings with optical diffraction measurements. <i>Analytical Chemistry</i> , 2009 , 81, 5585-92	7.8	14
95	Wafer-scale patterning of lead telluride nanowires: structure, characterization, and electrical properties. <i>ACS Nano</i> , 2009 , 3, 4144-54	16.7	36
94	Electrochemical Step Edge Decoration (ESED): A Versatile Tool for the Nanofabrication of Wires. <i>Modern Aspects of Electrochemistry</i> , 2009 , 175-206		1
93	Reconnectable sub-5 nm nanogaps in ultralong gold nanowires. <i>Nano Letters</i> , 2009 , 9, 2133-8	11.5	36
92	Cheating the diffraction limit: electrodeposited nanowires patterned by photolithography. <i>Chemical Communications</i> , 2009 , 859-73	5.8	63
91	Synthesis of a virus electrode for measurement of prostate specific membrane antigen. <i>Methods in Molecular Biology</i> , 2009 , 504, 255-74	1.4	7
90	The Promise of Phage Display: Customized Affinity and Specificity. <i>Analytical Chemistry</i> , 2008 , 80, 3082-3089	30.8	20
89	Synthesis of PbTe nanowire arrays using lithographically patterned nanowire electrodeposition. <i>Nano Letters</i> , 2008 , 8, 2447-51	11.5	84
88	Lithographically patterned nanowire electrodeposition: a method for patterning electrically continuous metal nanowires on dielectrics. <i>ACS Nano</i> , 2008 , 2, 1939-49	16.7	124
87	Tunable Two-Photon Excited Luminescence in Single Gold Nanowires Fabricated by Lithographically Patterned Nanowire Electrodeposition. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 12721-12727	12.8	37
86	Spatial control of coherent anti-stokes emission with height-modulated gold zig-zag nanowires. <i>Nano Letters</i> , 2008 , 8, 2373-7	11.5	39
85	Polarization-Dependent Surface Enhanced Raman Scattering from Silver 1D Nanoparticle Arrays. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 11609-11613	3.8	39
84	Thermocouples from Electrodeposited Submicrometer Wires Prepared by Electrochemical Step Edge Decoration. <i>Chemistry of Materials</i> , 2008 , 20, 5464-5474	9.6	7
83	Coupled electrooxidation and electrical conduction in a single gold nanowire. <i>Nano Letters</i> , 2008 , 8, 3017-23	11.2	30
82	Covalent virus layer for mass-based biosensing. <i>Analytical Chemistry</i> , 2008 , 80, 933-43	7.8	37
81	Observing Electroluminescence from Yellow Luminescence-Like Defects in GaN High Electron Mobility Transistors. <i>Japanese Journal of Applied Physics</i> , 2008 , 47, 3336-3339	1.4	11
80	Lithographically patterned nanowire electrodeposition. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008 , 5, 3503-3505		9
79	Direct electrical transduction of antibody binding to a covalent virus layer using electrochemical impedance. <i>Analytical Chemistry</i> , 2008 , 80, 5695-705	7.8	34

78	Physical vapor deposition of one-dimensional nanoparticle arrays on graphite: seeding the electrodeposition of gold nanowires. <i>Langmuir</i> , 2007 , 23, 10372-9	4	62
77	Electrodeposited submicron thermocouples with microsecond response times. <i>Nano Letters</i> , 2007 , 7, 3208-13	11.5	17
76	ELECTRODEPOSITION OF NANOSTRUCTURES AND MICROSTRUCTURES ON HIGHLY ORIENTED PYROLYTIC GRAPHITE (HOPG) 2007 , 661-677		1
75	Luminescent Polycrystalline Cadmium Selenide Nanowires Synthesized by Cyclic Electrodeposition/Stripping Coupled with Step Edge Decoration. <i>Chemistry of Materials</i> , 2006 , 18, 3432-3441	9.6	34
74	Shrinking nanowires by kinetically controlled electrooxidation. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 36-41	3.4	20
73	Bismuth telluride (Bi ₂ Te ₃) nanowires: synthesis by cyclic electrodeposition/stripping, thinning by electrooxidation, and electrical power generation. <i>Langmuir</i> , 2006 , 22, 10564-74	4	104
72	Investigation of a single Pd nanowire for use as a hydrogen sensor. <i>Small</i> , 2006 , 2, 356-8	11	143
71	Lithographically patterned nanowire electrodeposition. <i>Nature Materials</i> , 2006 , 5, 914-9	27	274
70	Virus electrodes for universal biodetection. <i>Analytical Chemistry</i> , 2006 , 78, 3265-70	7.8	73
69	Reversible resistance modulation in mesoscopic silver wires induced by exposure to amine vapor. <i>Analytical Chemistry</i> , 2005 , 77, 5205-14	7.8	37
68	Silver Oxide Microwires: Electrodeposition and Observation of Reversible Resistance Modulation upon Exposure to Ammonia Vapor. <i>Chemistry of Materials</i> , 2005 , 17, 6611-6618	9.6	43
67	Molybdenum disulfide nanowires and nanoribbons by electrochemical/chemical synthesis. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 3169-82	3.4	111
66	Shape- and size-selective electrochemical synthesis of dispersed silver(I) oxide colloids. <i>Nano Letters</i> , 2005 , 5, 2319-24	11.5	123
65	Photoconductive cadmium sulfide hemicylindrical shell nanowire ensembles. <i>Nano Letters</i> , 2005 , 5, 1720-5	11.5	137
64	Electrodeposition of metal nanostructures by galvanic displacement powered with insoluble crystals of a ferrocene derivative. <i>ChemPhysChem</i> , 2004 , 5, 1879-84	3.2	18
63	Interactions of gaseous nitric acid with surfaces of environmental interest. <i>Physical Chemistry Chemical Physics</i> , 2004 , 6, 3879	3.6	28
62	Amine Vapor Sensing with Silver Mesowires. <i>Nano Letters</i> , 2004 , 4, 665-670	11.5	127
61	The nature of water on surfaces of laboratory systems and implications for heterogeneous chemistry in the troposphere. <i>Physical Chemistry Chemical Physics</i> , 2004 , 6, 604	3.6	182

60	Polycrystalline Molybdenum Disulfide (2H-MoS ₂) Nano- and Microribbons by Electrochemical/Chemical Synthesis. <i>Nano Letters</i> , 2004 , 4, 277-281	11.5	163
59	Photoluminescence and polarized photodetection of single ZnO nanowires. <i>Applied Physics Letters</i> , 2004 , 85, 6128-6130	3.4	305
58	Bismuth Telluride (Bi ₂ Te ₃) Nanowires Synthesized by Cyclic Electrodeposition/Stripping Coupled with Step Edge Decoration. <i>Nano Letters</i> , 2004 , 4, 2009-2014	11.5	102
57	Nanocrystalline MnO ₂ Nanowires by Electrochemical Step-Edge Decoration. <i>Chemistry of Materials</i> , 2004 , 16, 3402-3405	9.6	78
56	Electrochemically Grown Wires for Individually Addressable Sensor Arrays. <i>Nano Letters</i> , 2004 , 4, 419-422	11.5	213
55	Metal nanowire arrays by electrodeposition. <i>ChemPhysChem</i> , 2003 , 4, 131-8	3.2	124
54	Beaded Bimetallic Nanowires: Wiring Nanoparticles of Metal 1 Using Nanowires of Metal 2. <i>Advanced Materials</i> , 2003 , 15, 396-399	24	40
53	Chemical Vapor Deposition of Silica Micro- and Nanoribbons Using Step-Edge Localized Water. <i>Journal of Physical Chemistry B</i> , 2003 , 107, 5393-5397	3.4	26
52	Multimode detection of hydrogen gas using palladium-covered silicon micro-channels. <i>Analytical Chemistry</i> , 2003 , 75, 4756-65	7.8	40
51	Electronic devices from electrodeposited metal nanowires. <i>Microelectronic Engineering</i> , 2002 , 61-62, 555-561	2.5	66
50	Sensors from electrodeposited metal nanowires. <i>Surface and Interface Analysis</i> , 2002 , 34, 409-412	1.5	102
49	Electrodeposition of silver-copper bimetallic particles having two archetypes by facilitated nucleation. <i>Journal of Electroanalytical Chemistry</i> , 2002 , 522, 86-94	4.1	20
48	Noble and Coinage Metal Nanowires by Electrochemical Step Edge Decoration. <i>Journal of Physical Chemistry B</i> , 2002 , 106, 11407-11411	3.4	168
47	Synthesis of Molybdenum Nanowires with Millimeter-Scale Lengths Using Electrochemical Step Edge Decoration. <i>Chemistry of Materials</i> , 2002 , 14, 3206-3216	9.6	109
46	Electrodeposition of portable, metal nanowire arrays 2002 , 4807, 83		2
45	Palladium mesowire arrays for fast hydrogen sensors and hydrogen-actuated switches. <i>Analytical Chemistry</i> , 2002 , 74, 1546-53	7.8	206
44	Mesoscopic Metal Particles and Wires by Electrodeposition. <i>Journal of Physical Chemistry B</i> , 2002 , 106, 3339-3353	3.4	341
43	Size-Selective Growth of Nanoscale Tetrathiafulvalene Bromide Crystallites on Platinum Particles. <i>Advanced Materials</i> , 2001 , 13, 1567	24	24

42	Size-selective electrodeposition of meso-scale metal particles: a general method. <i>Electrochimica Acta</i> , 2001 , 47, 671-677	6.7	136
41	Hydrogen sensors and switches from electrodeposited palladium mesowire arrays. <i>Science</i> , 2001 , 293, 2227-31	33.3	1187
40	Brownian Dynamics Simulations of the Growth of Metal Nanocrystal Ensembles on Electrode Surfaces in Solution: 2. The Effect of Deposition Rate on Particle Size Dispersion \square <i>Journal of Physical Chemistry B</i> , 2001 , 105, 8672-8678	3.4	53
39	Phase separation in Al _x Ga _{1-x} As nanowhiskers grown by the solution-liquid-solid mechanism. <i>Journal of the American Chemical Society</i> , 2001 , 123, 4502-11	16.4	55
38	Nanocrystalline Nickel Nanoparticles. <i>Advanced Materials</i> , 2000 , 12, 878-883	24	142
37	Molybdenum nanowires by electrodeposition. <i>Science</i> , 2000 , 290, 2120-3	33.3	549
36	Subnanometer Silver Clusters Exhibiting Unexpected Electrochemical Metastability on Graphite. <i>Langmuir</i> , 2000 , 16, 4016-4023	4	101
35	Hybrid electrochemical/chemical synthesis of quantum dots. <i>Accounts of Chemical Research</i> , 2000 , 33, 78-86	24.3	90
34	Size-Selective and Epitaxial Electrochemical/Chemical Synthesis of Sulfur-Passivated Cadmium Sulfide Nanocrystals on Graphite. <i>Journal of the American Chemical Society</i> , 1998 , 120, 9584-9593	16.4	75
33	A Hybrid Electrochemical/Chemical Synthesis of Zinc Oxide Nanoparticles and Optically Intrinsic Thin Films. <i>Chemistry of Materials</i> , 1998 , 10, 1120-1129	9.6	116
32	Transient photocurrent spectroscopy: Electrical detection of optical absorption for supported semiconductor nanocrystals in a simple device geometry. <i>Applied Physics Letters</i> , 1998 , 72, 2301-2303	3.4	9
31	Electrostatic force microscopy of silver nanocrystals with nanometer-scale resolution. <i>Applied Physics Letters</i> , 1997 , 71, 1878-1880	3.4	39
30	Hybrid Electrochemical/Chemical Synthesis of Supported, Luminescent Semiconductor Nanocrystallites with Size Selectivity: Copper(I) Iodide. <i>Journal of the American Chemical Society</i> , 1997 , 119, 1439-1448	16.4	80
29	Electrochemical Deposition of Silver Nanocrystallites on the Atomically Smooth Graphite Basal Plane. <i>The Journal of Physical Chemistry</i> , 1996 , 100, 837-844		204
28	Nanometer-Scale Electropolymerization of Aniline Using the Scanning Tunneling Microscope. <i>The Journal of Physical Chemistry</i> , 1996 , 100, 17041-17049		83
27	Implementation of Electrochemically Synthesized Silver Nanocrystallites for the Preferential SERS Enhancement of Defect Modes on Thermally Etched Graphite Surfaces. <i>Analytical Chemistry</i> , 1996 , 68, 1585-92	7.8	64
26	Observations of a circular, triple-helical polysaccharide using noncontact atomic force microscopy. <i>Macromolecules</i> , 1995 , 28, 6375-6377	5.5	74
25	Self-Assembly of n-Alkanethiolate Monolayers on Silver Nanostructures: Protective Encapsulation. <i>Langmuir</i> , 1995 , 11, 4361-4365	4	19

24	Scanning tunneling microscopic observations of commensurate crystalline structures for horizontally deposited cadmium stearate bilayers on graphite. <i>Analytica Chimica Acta</i> , 1995 , 307, 377-391 ^{6.6}	2
23	Electrochemical Deposition of Metal Nano-Disk Structures Using the Scanning Tunneling Microscope 1995 , 183-192	1
22	Measurement of the Localized Viscosity of Molecular Assemblies Using Nanoscopic Defects Induced with the Scanning Tunneling Microscope. <i>The Journal of Physical Chemistry</i> , 1994 , 98, 2663-2667	3
21	Deposition of metal nanostructures onto Si(111) surfaces by field evaporation in the scanning tunneling microscope. <i>Applied Physics Letters</i> , 1994 , 64, 1350-1352	3-4 33
20	Self-Assembly of n-Alkanethiolate Monolayers on Silver Nanostructures: Determination of the Apparent Thickness of the Monolayer by Scanning Tunneling Microscopy. <i>The Journal of Physical Chemistry</i> , 1994 , 98, 11751-11755	26
19	Enhanced photoemission from short-wavelength photochemically etched porous silicon. <i>The Journal of Physical Chemistry</i> , 1993 , 97, 4505-4508	30
18	Scanning tunneling microscopy investigations of the Si(111) topography produced by etching in 40% NH ₄ F: Observation of an optimum etch duration. <i>Applied Physics Letters</i> , 1993 , 63, 1119-1121	3-4 15
17	Nanometer-scale electrochemical deposition of silver on graphite using a scanning tunneling microscope. <i>Applied Physics Letters</i> , 1992 , 60, 1181-1183	3-4 97
16	A nanometer-scale galvanic cell. <i>The Journal of Physical Chemistry</i> , 1992 , 96, 6529-6532	64
15	Assembly of fatty acid bilayers on hydrophobic substrates using a horizontal deposition procedure. <i>Langmuir</i> , 1992 , 8, 1243-1246	4 16
14	Mechanistic investigations of nanometer-scale lithography at liquid-covered graphite surfaces. <i>Applied Physics Letters</i> , 1991 , 58, 1389-1391	3-4 36
13	Atomic resolution imaging of electrode surfaces in solutions containing reversible redox species. <i>Applied Physics Letters</i> , 1989 , 54, 1421-1423	3-4 10
12	Electrochemical investigations of electronically conductive polymers. 2. Evaluation of charge-transport rates in polypyrrole using an alternating current impedance method. <i>The Journal of Physical Chemistry</i> , 1989 , 93, 984-989	81
11	Preparation and electrochemical characterization of conical and hemispherical ultramicroelectrodes. <i>Analytical Chemistry</i> , 1989 , 61, 1630-1636	7.8 82
10	Electrochemical Investigation of Electronically Conductive Polymers 1989 , 119-139	2
9	Preparation of STM tips for in-situ characterization of electrode surfaces. <i>Journal of Microscopy</i> , 1988 , 152, 651-661	1.9 48
8	Applications of Scanning Tunneling Microscopy to Electrochemistry. <i>ACS Symposium Series</i> , 1988 , 174-204.4	5
7	Electrochemical evaluation of charge-transport rates in polypyrrole. <i>The Journal of Physical Chemistry</i> , 1988 , 92, 5274-5282	76

6	Preparation and electrochemical characterization of ultramicroelectrode ensembles. <i>Analytical Chemistry</i> , 1987 , 59, 2625-2630	7.8	250
5	Electronically Conductive Composite Polymer Membranes. <i>Journal of the Electrochemical Society</i> , 1986 , 133, 310-315	3.9	76
4	Controlling the Morphology of Electronically Conductive Polymers. <i>Journal of the Electrochemical Society</i> , 1986 , 133, 2206-2207	3.9	125
3	Sensors from polymer modified electrodes. <i>Journal of the Chemical Society Faraday Transactions I</i> , 1986 , 82, 1051		109
2	Ion Transporting Composite Membranes: I. Nafion-Impregnated Gore-Tex. <i>Journal of the Electrochemical Society</i> , 1985 , 132, 514-515	3.9	64
1	Nanowires by Electrochemical Step Edge Decoration (ESED)195-207		