

# Andrew Leask

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8537126/andrew-leask-publications-by-citations.pdf>

**Version:** 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157  
papers

9,232  
citations

42  
h-index

94  
g-index

167  
ext. papers

10,039  
ext. citations

5.4  
avg. IF

6.84  
L-index

#	Paper	IF	Citations
157	TGF-beta signaling and the fibrotic response. <i>FASEB Journal</i> , <b>2004</b> , 18, 816-27	0.9	1872
156	All in the CCN family: essential matricellular signaling modulators emerge from the bunker. <i>Journal of Cell Science</i> , <b>2006</b> , 119, 4803-10	5.3	558
155	Potential therapeutic targets for cardiac fibrosis: TGFbeta, angiotensin, endothelin, CCN2, and PDGF, partners in fibroblast activation. <i>Circulation Research</i> , <b>2010</b> , 106, 1675-80	15.7	515
154	CTGF and SMADs, maintenance of scleroderma phenotype is independent of SMAD signaling. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 10594-601	5.4	343
153	Regulation and function of connective tissue growth factor/CCN2 in tissue repair, scarring and fibrosis. <i>Cytokine and Growth Factor Reviews</i> , <b>2008</b> , 19, 133-44	17.9	297
152	Endothelin-1 promotes myofibroblast induction through the ETA receptor via a rac/phosphoinositide 3-kinase/Akt-dependent pathway and is essential for the enhanced contractile phenotype of fibrotic fibroblasts. <i>Molecular Biology of the Cell</i> , <b>2004</b> , 15, 2707-19	3.5	296
151	Connective tissue growth factor gene regulation. Requirements for its induction by transforming growth factor-beta 2 in fibroblasts. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 13008-15	5.4	251
150	Getting to the heart of the matter: new insights into cardiac fibrosis. <i>Circulation Research</i> , <b>2015</b> , 116, 1269-76	15.7	239
149	The role of connective tissue growth factor, a multifunctional matricellular protein, in fibroblast biology. <i>Biochemistry and Cell Biology</i> , <b>2003</b> , 81, 355-63	3.6	228
148	TGFbeta, cardiac fibroblasts, and the fibrotic response. <i>Cardiovascular Research</i> , <b>2007</b> , 74, 207-12	9.9	209
147	Pivotal role of connective tissue growth factor in lung fibrosis: MAPK-dependent transcriptional activation of type I collagen. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 2142-55		184
146	Connective tissue growth factor: a new and important player in the pathogenesis of fibrosis. <i>Current Rheumatology Reports</i> , <b>2002</b> , 4, 136-42	4.9	181
145	Connective tissue growth factor (CTGF, CCN2) gene regulation: a potent clinical bio-marker of fibroproliferative disease?. <i>Journal of Cell Communication and Signaling</i> , <b>2009</b> , 3, 89-94	5.2	145
144	Constitutive ALK5-independent c-Jun N-terminal kinase activation contributes to endothelin-1 overexpression in pulmonary fibrosis: evidence of an autocrine endothelin loop operating through the endothelin A and B receptors. <i>Molecular and Cellular Biology</i> , <b>2006</b> , 26, 5518-27	4.8	141
143	Endothelin is a downstream mediator of profibrotic responses to transforming growth factor beta in human lung fibroblasts. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 4189-94		139
142	Matrix contraction by dermal fibroblasts requires transforming growth factor-beta/activin-linked kinase 5, heparan sulfate-containing proteoglycans, and MEK/ERK: insights into pathological scarring in chronic fibrotic disease. <i>American Journal of Pathology</i> , <b>2005</b> , 167, 1699-711	5.8	120
141	Expression of integrin beta1 by fibroblasts is required for tissue repair in vivo. <i>Journal of Cell Science</i> , <b>2010</b> , 123, 3674-82	5.3	117

140	Dysregulated YAP1/TAZ and TGFβ-signaling mediate hepatocarcinogenesis in Mob1a/1b-deficient mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, E71-80	11.5	115
139	CCN2 is required for bleomycin-induced skin fibrosis in mice. <i>Arthritis and Rheumatism</i> , <b>2011</b> , 63, 239-46		115
138	Inhibition of focal adhesion kinase prevents experimental lung fibrosis and myofibroblast formation. <i>Arthritis and Rheumatism</i> , <b>2012</b> , 64, 1653-64		112
137	Insights into the molecular mechanism of chronic fibrosis: the role of connective tissue growth factor in scleroderma. <i>Journal of Investigative Dermatology</i> , <b>2004</b> , 122, 1-6	4.3	106
136	FAK is required for TGFβ-induced JNK phosphorylation in fibroblasts: implications for acquisition of a matrix-remodeling phenotype. <i>Molecular Biology of the Cell</i> , <b>2007</b> , 18, 2169-78	3.5	105
135	Targeting the TGFβ, endothelin-1 and CCN2 axis to combat fibrosis in scleroderma. <i>Cellular Signalling</i> , <b>2008</b> , 20, 1409-14	4.9	102
134	Constitutive connective tissue growth factor expression in scleroderma fibroblasts is dependent on Sp1. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 41728-33	5.4	90
133	Endogenous endothelin-1 signaling contributes to type I collagen and CCN2 overexpression in fibrotic fibroblasts. <i>Matrix Biology</i> , <b>2007</b> , 26, 625-32	11.4	89
132	Contribution of activin receptor-like kinase 5 (transforming growth factor beta receptor type I) signaling to the fibrotic phenotype of scleroderma fibroblasts. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 1309-16		84
131	CCN2 is necessary for the function of mouse embryonic fibroblasts. <i>Experimental Cell Research</i> , <b>2007</b> , 313, 952-64	4.2	81
130	Program: Novel targets for cancer and connective tissues diseases [A meeting sponsored by the International CCN Society. <i>Journal of Cell Communication and Signaling</i> , <b>2011</b> , 5, 255-257	5.2	78
129	Loss of beta1 integrin in mouse fibroblasts results in resistance to skin scleroderma in a mouse model. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 2817-21		72
128	Requirement of transforming growth factor beta-activated kinase 1 for transforming growth factor beta-induced alpha-smooth muscle actin expression and extracellular matrix contraction in fibroblasts. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 234-41		63
127	Loss of peroxisome proliferator-activated receptor gamma in mouse fibroblasts results in increased susceptibility to bleomycin-induced skin fibrosis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 2822-9		63
126	Genetic Analysis of Connective Tissue Growth Factor as an Effector of Transforming Growth Factor β Signaling and Cardiac Remodeling. <i>Molecular and Cellular Biology</i> , <b>2015</b> , 35, 2154-64	4.8	62
125	Loss of PTEN expression by dermal fibroblasts causes skin fibrosis. <i>Journal of Investigative Dermatology</i> , <b>2011</b> , 131, 1996-2003	4.3	62
124	Mechanical tension increases CCN2/CTGF expression and proliferation in gingival fibroblasts via a TGFβ-dependent mechanism. <i>PLoS ONE</i> , <b>2011</b> , 6, e19756	3.7	58
123	Connective tissue growth factor is secreted through the Golgi and is degraded in the endosome. <i>Experimental Cell Research</i> , <b>2001</b> , 271, 109-17	4.2	56

122	Transcriptional profiling of the scleroderma fibroblast reveals a potential role for connective tissue growth factor (CTGF) in pathological fibrosis. <i>Keio Journal of Medicine</i> , <b>2004</b> , 53, 74-7	1.6	55
121	Neuronal CTGF/CCN2 negatively regulates myelination in a mouse model of tuberous sclerosis complex. <i>Journal of Experimental Medicine</i> , <b>2017</b> , 214, 681-697	16.6	52
120	Anti-connective tissue growth factor (CTGF/CCN2) monoclonal antibody attenuates skin fibrosis in mice models of systemic sclerosis. <i>Arthritis Research and Therapy</i> , <b>2017</b> , 19, 134	5.7	48
119	Connective tissue growth factor is induced in bleomycin-induced skin scleroderma. <i>Journal of Cell Communication and Signaling</i> , <b>2010</b> , 4, 25-30	5.2	47
118	The gene expression profile induced by Wnt 3a in NIH 3T3 fibroblasts. <i>Journal of Cell Communication and Signaling</i> , <b>2007</b> , 1, 175-83	5.2	46
117	Connective tissue growth factor regulates fibrosis-associated renal lymphangiogenesis. <i>Kidney International</i> , <b>2017</b> , 92, 850-863	9.9	44
116	Connective tissue growth factor contributes to joint homeostasis and osteoarthritis severity by controlling the matrix sequestration and activation of latent TGFβ. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 1372-1380	2.4	42
115	Scar wars: is TGFβ the phantom menace in scleroderma?. <i>Arthritis Research and Therapy</i> , <b>2006</b> , 8, 213	5.7	41
114	Rac inhibition reverses the phenotype of fibrotic fibroblasts. <i>PLoS ONE</i> , <b>2009</b> , 4, e7438	3.7	40
113	Focal adhesion kinase and reactive oxygen species contribute to the persistent fibrotic phenotype of lesional scleroderma fibroblasts. <i>Rheumatology</i> , <b>2012</b> , 51, 2146-54	3.9	39
112	Connective tissue growth factor promoter activity in normal and wounded skin. <i>Fibrogenesis and Tissue Repair</i> , <b>2008</b> , 1, 3		39
111	Activation of cancer-associated fibroblasts is required for tumor neovascularization in a murine model of melanoma. <i>Matrix Biology</i> , <b>2018</b> , 74, 52-61	11.4	38
110	Targeting the extracellular matrix: matricellular proteins regulate cell-extracellular matrix communication within distinct niches of the intervertebral disc. <i>Matrix Biology</i> , <b>2014</b> , 37, 124-30	11.4	38
109	Signaling in fibrosis: targeting the TGF beta, endothelin-1 and CCN2 axis in scleroderma. <i>Frontiers in Bioscience - Elite</i> , <b>2009</b> , 1, 115-22	1.6	38
108	Focal Adhesion Kinase: A Key Mediator of Transforming Growth Factor Beta Signaling in Fibroblasts. <i>Advances in Wound Care</i> , <b>2013</b> , 2, 247-249	4.8	37
107	Fibroblast adhesion results in the induction of a matrix remodeling gene expression program. <i>Matrix Biology</i> , <b>2008</b> , 27, 274-81	11.4	37
106	Loss of PPARβ expression by fibroblasts enhances dermal wound closure. <i>Fibrogenesis and Tissue Repair</i> , <b>2012</b> , 5, 5		36
105	Towards an anti-fibrotic therapy for scleroderma: targeting myofibroblast differentiation and recruitment. <i>Fibrogenesis and Tissue Repair</i> , <b>2010</b> , 3, 8		35

104	Gingival fibroblasts display reduced adhesion and spreading on extracellular matrix: a possible basis for scarless tissue repair?. <i>PLoS ONE</i> , <b>2011</b> , 6, e27097	3.7	33
103	Integrin 1: A Mechanosignaling Sensor Essential for Connective Tissue Deposition by Fibroblasts. <i>Advances in Wound Care</i> , <b>2013</b> , 2, 160-166	4.8	32
102	Heparan sulfate-dependent ERK activation contributes to the overexpression of fibrotic proteins and enhanced contraction by scleroderma fibroblasts. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 577-85		32
101	Thrombospondin 1 is a key mediator of transforming growth factor $\beta$ -mediated cell contractility in systemic sclerosis via a mitogen-activated protein kinase kinase (MEK)/extracellular signal-regulated kinase (ERK)-dependent mechanism. <i>Fibrogenesis and Tissue Repair</i> , <b>2011</b> , 4, 9		31
100	Regulation of CCN2 mRNA expression and promoter activity in activated hepatic stellate cells. <i>Journal of Cell Communication and Signaling</i> , <b>2008</b> , 2, 49-56	5.2	31
99	Activation of the connective tissue growth factor (CTGF)-transforming growth factor $\beta$ (TGF- $\beta$ ) axis in hepatitis C virus-expressing hepatocytes. <i>PLoS ONE</i> , <b>2012</b> , 7, e46526	3.7	30
98	Role of Rac1 in a bleomycin-induced scleroderma model using fibroblast-specific Rac1-knockout mice. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 2189-95		30
97	CTGF knockout does not affect cardiac hypertrophy and fibrosis formation upon chronic pressure overload. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2015</b> , 88, 82-90	5.8	29
96	A centralized communication network: Recent insights into the role of the cancer associated fibroblast in the development of drug resistance in tumors. <i>Seminars in Cell and Developmental Biology</i> , <b>2020</b> , 101, 111-114	7.5	29
95	Loss of PTEN expression by mouse fibroblasts results in lung fibrosis through a CCN2-dependent mechanism. <i>Matrix Biology</i> , <b>2015</b> , 43, 35-41	11.4	28
94	CCN2 Expression by Tumor Stroma Is Required for Melanoma Metastasis. <i>Journal of Investigative Dermatology</i> , <b>2015</b> , 135, 2805-2813	4.3	27
93	Analysis of CCN2 promoter activity in PANC-1 cells: regulation by ras/MEK/ERK. <i>Journal of Cell Communication and Signaling</i> , <b>2007</b> , 1, 85-90	5.2	27
92	Fibrosis caused by loss of PTEN expression in mouse fibroblasts is crucially dependent on CCN2. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 2940-4		26
91	The role of endothelin-1 signaling in the fibrosis observed in systemic sclerosis. <i>Pharmacological Research</i> , <b>2011</b> , 63, 502-3	10.2	26
90	Loss of protein kinase Cepsilon results in impaired cutaneous wound closure and myofibroblast function. <i>Journal of Cell Science</i> , <b>2008</b> , 121, 3459-67	5.3	26
89	Inflammatory microenvironment and tumor necrosis factor alpha as modulators of periostin and CCN2 expression in human non-healing skin wounds and dermal fibroblasts. <i>Matrix Biology</i> , <b>2015</b> , 43, 71-84	11.4	25
88	CCN2 expression by fibroblasts is not required for cutaneous tissue repair. <i>Wound Repair and Regeneration</i> , <b>2014</b> , 22, 119-24	3.6	25
87	Skin progenitor cells contribute to bleomycin-induced skin fibrosis. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 707-13	9.5	25

86	CCN2: a novel, specific and valid target for anti-fibrotic drug intervention. <i>Expert Opinion on Therapeutic Targets</i> , <b>2013</b> , 17, 1067-71	6.4	23
85	Genetic manipulation of CCN2/CTGF unveils cell-specific ECM-remodeling effects in injured skeletal muscle. <i>FASEB Journal</i> , <b>2019</b> , 33, 2047-2057	0.9	23
84	Matrix remodeling in systemic sclerosis. <i>Seminars in Immunopathology</i> , <b>2015</b> , 37, 559-63	12	22
83	The Matrix Revolution: Matricellular Proteins and Restructuring of the Cancer Microenvironment. <i>Cancer Research</i> , <b>2020</b> , 80, 2705-2717	10.1	22
82	Possible strategies for anti-fibrotic drug intervention in scleroderma. <i>Journal of Cell Communication and Signaling</i> , <b>2011</b> , 5, 125-9	5.2	22
81	TAK1 is required for dermal wound healing and homeostasis. <i>Journal of Investigative Dermatology</i> , <b>2013</b> , 133, 1646-54	4.3	19
80	Conjunction junction, what's the function? CCN proteins as targets in fibrosis and cancers. <i>American Journal of Physiology - Cell Physiology</i> , <b>2020</b> , 318, C1046-C1054	5.4	18
79	Targeting the jagged/notch pathway: a new treatment for fibrosis?. <i>Journal of Cell Communication and Signaling</i> , <b>2010</b> , 4, 197-8	5.2	18
78	Antioxidants and NOX1/NOX4 inhibition blocks TGF $\beta$ -induced CCN2 and $\alpha$ 5 $\beta$ 1 expression in dermal and gingival fibroblasts. <i>PLoS ONE</i> , <b>2017</b> , 12, e0186740	3.7	18
77	TGF $\beta$ induces phosphorylation of phosphatase and tensin homolog: implications for fibrosis of the trabecular meshwork tissue in glaucoma. <i>Scientific Reports</i> , <b>2017</b> , 7, 812	4.9	17
76	Pericytes display increased CCN2 expression upon culturing. <i>Journal of Cell Communication and Signaling</i> , <b>2009</b> , 3, 61-4	5.2	16
75	Yin and Yang: CCN3 inhibits the pro-fibrotic effects of CCN2. <i>Journal of Cell Communication and Signaling</i> , <b>2009</b> , 3, 161-2	5.2	16
74	Getting out of a sticky situation: targeting the myofibroblast in scleroderma. <i>Open Rheumatology Journal</i> , <b>2012</b> , 6, 163-9	0.2	15
73	Why target the tumor stroma in melanoma?. <i>Journal of Cell Communication and Signaling</i> , <b>2018</b> , 12, 113-118	5.18	15
72	Yin/Yang expression of CCN family members: Transforming growth factor beta 1, via ALK5/FAK/MEK, induces CCN1 and CCN2, yet suppresses CCN3, expression in human dermal fibroblasts. <i>PLoS ONE</i> , <b>2019</b> , 14, e0218178	3.7	14
71	CCN1: a novel target for pancreatic cancer. <i>Journal of Cell Communication and Signaling</i> , <b>2011</b> , 5, 123-4	5.2	13
70	CCN2 expression and localization in melanoma cells. <i>Journal of Cell Communication and Signaling</i> , <b>2011</b> , 5, 219-26	5.2	13
69	Insights into Fibroblast Plasticity: Cellular Communication Network 2 Is Required for Activation of Cancer-Associated Fibroblasts in a Murine Model of Melanoma. <i>American Journal of Pathology</i> , <b>2020</b> , 190, 206-221	5.8	13

68	A CTGF-YAP Regulatory Pathway Is Essential for Angiogenesis and Barrierogenesis in the Retina. <i>IScience</i> , <b>2020</b> , 23, 101184	6.1	13
67	Emerging targets for the treatment of scleroderma. <i>Expert Opinion on Emerging Drugs</i> , <b>2012</b> , 17, 173-9	3.7	11
66	Yin and Yang revisited: CCN3 as an anti-fibrotic therapeutic?. <i>Journal of Cell Communication and Signaling</i> , <b>2015</b> , 9, 97-8	5.2	10
65	CCN2 is required for recruitment of Sox2-expressing cells during cutaneous tissue repair. <i>Journal of Cell Communication and Signaling</i> , <b>2015</b> , 9, 341-6	5.2	10
64	CCN2 in Skin Fibrosis. <i>Methods in Molecular Biology</i> , <b>2017</b> , 1489, 417-421	1.4	10
63	CCN2: a bona fide target for anti-fibrotic drug intervention. <i>Journal of Cell Communication and Signaling</i> , <b>2011</b> , 5, 131-3	5.2	10
62	Targeting the annulus fibrosus of the intervertebral disc: Col1a2-Cre(ER)T mice show specific activity of Cre recombinase in the outer annulus fibrosus. <i>Journal of Cell Communication and Signaling</i> , <b>2016</b> , 10, 137-42	5.2	9
61	CCN1 expression by fibroblasts is required for bleomycin-induced skin fibrosis. <i>Matrix Biology Plus</i> , <b>2019</b> , 3, 100009	5.1	9
60	Monitoring collagen synthesis in fibroblasts using fluorescently labeled tRNA pairs. <i>Journal of Cellular Physiology</i> , <b>2014</b> , 229, 1121-9	7	9
59	Yin and Yang Part Deux: CCN5 inhibits the pro-fibrotic effects of CCN2. <i>Journal of Cell Communication and Signaling</i> , <b>2010</b> , 4, 155-6	5.2	9
58	ALK5 inhibition blocks TGFβ-induced CCN1 expression in human foreskin fibroblasts. <i>Journal of Cell Communication and Signaling</i> , <b>2014</b> , 8, 59-63	5.2	8
57	Sonic advance: CCN1 regulates sonic hedgehog in pancreatic cancer. <i>Journal of Cell Communication and Signaling</i> , <b>2013</b> , 7, 61-2	5.2	8
56	5Z-7-Oxozeanol Inhibits the Effects of TGFβ on Human Gingival Fibroblasts. <i>PLoS ONE</i> , <b>2015</b> , 10, e0123689	3.9	8
55	The Contribution of Peroxisome Proliferator-Activated Receptor Gamma to Cutaneous Wound Healing. <i>Advances in Wound Care</i> , <b>2013</b> , 2, 69-73	4.8	8
54	CCN2 is not required for skin development. <i>Journal of Cell Communication and Signaling</i> , <b>2011</b> , 5, 179-82	5.2	8
53	Periostin and CCN2 Scaffolds Promote the Wound Healing Response in the Skin of Diabetic Mice. <i>Tissue Engineering - Part A</i> , <b>2019</b> , 25, 1326-1339	3.9	8
52	COVID-19: is fibrosis the killer?. <i>Journal of Cell Communication and Signaling</i> , <b>2020</b> , 14, 255	5.2	7
51	Verteporfin inhibits the persistent fibrotic phenotype of lesional scleroderma dermal fibroblasts. <i>Journal of Cell Communication and Signaling</i> , <b>2021</b> , 15, 71-80	5.2	7



50	Epithelial Vasopressin Type-2 Receptors Regulate Myofibroblasts by a YAP-CCN2-Dependent Mechanism in Polycystic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2020</b> , 31, 1697-1710	12.7	6
49	Will o' the wisp: CCN4 as a novel molecular target in osteoarthritis. <i>Journal of Cell Communication and Signaling</i> , <b>2011</b> , 5, 51-2	5.2	6
48	A sticky situation: CCN1 promotes both proliferation and apoptosis of cancer cells. <i>Journal of Cell Communication and Signaling</i> , <b>2010</b> , 4, 71-2	5.2	6
47	The hard problem: Mechanotransduction perpetuates the myofibroblast phenotype in scleroderma fibrosis. <i>Wound Repair and Regeneration</i> , <b>2021</b> , 29, 582-587	3.6	6
46	MEK/ERK inhibitors: proof-of-concept studies in lung fibrosis. <i>Journal of Cell Communication and Signaling</i> , <b>2012</b> , 6, 59-60	5.2	5
45	When there's smoke there's scleroderma: evidence that patients with scleroderma should stop smoking. <i>Journal of Cell Communication and Signaling</i> , <b>2011</b> , 5, 67-8	5.2	5
44	Trial by CCN2: a standardized test for fibroproliferative disease?. <i>Journal of Cell Communication and Signaling</i> , <b>2009</b> , 3, 87-8	5.2	5
43	Thrombin-induced CCN2 expression as a target for anti-fibrotic therapy in scleroderma. <i>Journal of Cell Communication and Signaling</i> , <b>2010</b> , 4, 111-2	5.2	5
42	CCN6 (WISP3): a new anti-cancer therapy?. <i>Journal of Cell Communication and Signaling</i> , <b>2010</b> , 4, 199-200	5.2	5
41	The Starbuck stops here: it's a Smad world. <i>Journal of Cell Communication and Signaling</i> , <b>2008</b> , 2, 1-2	5.2	5
40	A tale of two orgins: do myofibroblasts originate from different sources in wound healing and fibrosis?. <i>Cell and Tissue Research</i> , <b>2016</b> , 365, 507-9	4.2	5
39	Activation of latent TGF $\beta$ by $\alpha$ 1 integrin: of potential importance in myofibroblast activation in fibrosis. <i>Journal of Cell Communication and Signaling</i> , <b>2014</b> , 8, 171-2	5.2	4
38	Toward personalized medicine in scleroderma: classification of scleroderma patients into stable "inflammatory" and "fibrotic" subgroups. <i>Journal of Investigative Dermatology</i> , <b>2012</b> , 132, 1329-31	4.3	4
37	Integrin $\beta$ 1 is required for maintenance of vascular tone in postnatal mice. <i>Journal of Cell Communication and Signaling</i> , <b>2012</b> , 6, 175-80	5.2	4
36	CCN2/decorin interactions: a novel approach to combating fibrosis?. <i>Journal of Cell Communication and Signaling</i> , <b>2011</b> , 5, 249-50	5.2	4
35	Cyclic AMP regulates extracellular matrix gene expression and metabolism in cultured primary rat chondrocytes. <i>Matrix Biology</i> , <b>2009</b> , 28, 354-64	11.4	4
34	Breathe, breathe in the air: the anti-CCN2 antibody pamrevlumab (FG-3019) completes a successful phase II clinical trial for idiopathic pulmonary fibrosis. <i>Journal of Cell Communication and Signaling</i> , <b>2019</b> , 13, 441-442	5.2	4
33	Post-traumatic osteoarthritis development is not modified by postnatal chondrocyte deletion of. <i>DMM Disease Models and Mechanisms</i> , <b>2020</b> , 13,	4.1	3



32	Sp1king out cancer (....and fibrosis?). <i>Journal of Cell Communication and Signaling</i> , <b>2012</b> , 6, 61-2	5.2	3
31	CCN2: a mechanosignaling sensor modulating integrin-dependent connective tissue remodeling in fibroblasts?. <i>Journal of Cell Communication and Signaling</i> , <b>2013</b> , 7, 203-5	5.2	3
30	CCN6: a novel method of aTAKing cancer. <i>Journal of Cell Communication and Signaling</i> , <b>2013</b> , 7, 161-2	5.2	3
29	Studying the CCN Proteins in Fibrosis. <i>Methods in Molecular Biology</i> , <b>2017</b> , 1489, 423-429	1.4	3
28	Death of a tumor: targeting CCN in pancreatic cancer. <i>Journal of Cell Communication and Signaling</i> , <b>2009</b> , 3, 159-60	5.2	3
27	Wnt 10b activates the CCN2 promoter in NIH 3T3 fibroblasts through the Smad response element. <i>Journal of Cell Communication and Signaling</i> , <b>2009</b> , 3, 57-9	5.2	3
26	Getting to the heart of the matter: CCN2 plays a role in cardiomyocyte hypertrophy. <i>Journal of Cell Communication and Signaling</i> , <b>2010</b> , 4, 73-4	5.2	3
25	When there's smoke there's.....CCN2. <i>Journal of Cell Communication and Signaling</i> , <b>2010</b> , 4, 157-8	5.2	3
24	B cell block: is rituximab a new possible treatment for systemic sclerosis?. <i>Journal of Cell Communication and Signaling</i> , <b>2010</b> , 4, 201-2	5.2	3
23	CCN3: A novel function in vivo. <i>Journal of Cell Communication and Signaling</i> , <b>2007</b> , 1, 227-8	5.2	3
22	CCN2 YAPs at cancer. <i>Journal of Cell Communication and Signaling</i> , <b>2008</b> , 2, 47-8	5.2	3
21	Egr-ly awaiting a "personalized medicine" approach to treat scleroderma. <i>Journal of Cell Communication and Signaling</i> , <b>2012</b> , 6, 111-3	5.2	2
20	CCN3: a novel anti-fibrotic treatment in end-stage renal disease?. <i>Journal of Cell Communication and Signaling</i> , <b>2012</b> , 6, 115-6	5.2	2
19	Eureka! Ets a target for fibrosis!. <i>Journal of Cell Communication and Signaling</i> , <b>2011</b> , 5, 325-6	5.2	2
18	It's a knockout: CCN3 suppresses neointimal thickening. <i>Journal of Cell Communication and Signaling</i> , <b>2010</b> , 4, 109-10	5.2	2
17	Ceramide inhibits CCN2 expression in fibroblasts. <i>Journal of Cell Communication and Signaling</i> , <b>2008</b> , 2, 19-23	5.2	2
16	CCN6: a modulator of breast cancer progression. <i>Journal of Cell Communication and Signaling</i> , <b>2016</b> , 10, 163-4	5.2	2
15	Do drugs that target mTOR generate CCN2-mediated fibrogenic side effects?. <i>Journal of Cell Communication and Signaling</i> , <b>2019</b> , 13, 277-278	5.2	1

14	Meeting report: novel targets for cancer and connective tissues diseases. <i>Journal of Cell Communication and Signaling</i> , <b>2011</b> , 5, 251-2	5.2	1
13	Hijacking ZIP codes: posttranscriptional regulation of CCN2 by nucleophosmin. <i>Journal of Cell Communication and Signaling</i> , <b>2009</b> , 3, 85-6	5.2	1
12	Et tu, CCN1 <i>Journal of Cell Communication and Signaling</i> , <b>2020</b> , 14, 355-356	5.2	1
11	Report on the 10th international workshop on the CCN family of genes October 21-24, 2019, Niagara Falls, Canada. <i>Journal of Cell Communication and Signaling</i> , <b>2020</b> , 14, 267-269	5.2	1
10	Report on the 9th international workshop on the CCN family of genes, November 2-7, 2017, Saint-Malo, France. <i>Journal of Cell Communication and Signaling</i> , <b>2018</b> , 12, 505-511	5.2	1
9	JCCS-A journal for translational research. <i>Journal of Cell Communication and Signaling</i> , <b>2010</b> , 4, 113	5.2	0
8	The skinny on CCN2. <i>Journal of Cell Communication and Signaling</i> , <b>2008</b> , 2, 93-4	5.2	0
7	Fixing a hole: CCN2 closes chronic wounds. <i>Journal of Cell Communication and Signaling</i> , <b>2015</b> , 9, 281-2	5.2	
6	CCN3: stopping that achy, breaky aorta. <i>Journal of Cell Communication and Signaling</i> , <b>2017</b> , 11, 93-94	5.2	
5	Canadian connective tissue conference London, Ontario: an editorial. <i>Journal of Cell Communication and Signaling</i> , <b>2015</b> , 9, 301	5.2	
4	Report on the 6th international workshop of the CCN family of genes. <i>Journal of Cell Communication and Signaling</i> , <b>2011</b> , 5, 1-3	5.2	
3	What's in an intron? CCN1 mRNA splicing in cancer. <i>Journal of Cell Communication and Signaling</i> , <b>2009</b> , 3, 151-2	5.2	
2	Matrix contraction by dermal fibroblasts requires syndecan 4: Insights into pathological scarring in chronic fibrotic disease. <i>FASEB Journal</i> , <b>2006</b> , 20, A1098	0.9	
1	Blisters on your fingers. <i>Journal of Cell Communication and Signaling</i> , <b>2021</b> , 15, 465-466	5.2	