

Jens Langhoff-Roos

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8539995/jens-langhoff-roos-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

1,865
citations

24
h-index

42
g-index

56
ext. papers

2,356
ext. citations

3.6
avg, IF

4.84
L-index

#	Paper	IF	Citations
54	Intra-partum care of the perineum matters: new knowledge and remaining gaps. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 593	3.7	
53	Wexner score and quality of life in women with obstetric anal sphincter injury. <i>International Urogynecology Journal</i> , 2020 , 31, 1115-1121	2	4
52	The incidence of obstetric anal sphincter injury depends on both correct diagnosis and preventive strategies. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2019 , 98, 1633-1634	3.8	
51	Changing incidence of obstetric anal sphincter injuries-A result of formal prevention programs?. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2019 , 98, 1455-1463	3.8	12
50	Lessons learnt from anonymized review of cases of peripartum hysterectomy by international experts: A qualitative pilot study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2019 , 98, 955-957	3.8	2
49	Children with dyskinetic cerebral palsy are severely affected as compared to bilateral spastic cerebral palsy. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 1850-1856	3.1	9
48	The International Network of Obstetric Survey Systems study of uterine rupture: a descriptive multi-country population-based study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 370-381	3.7	24
47	Continuous focus on preventive strategies and follow up is important for a change. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2019 , 98, 1636-1637	3.8	
46	Decline in severe spastic cerebral palsy at term in Denmark 1999-2007. <i>European Journal of Paediatric Neurology</i> , 2019 , 23, 94-101	3.8	11
45	FIGO consensus guidelines on placenta accreta spectrum disorders: Epidemiology. <i>International Journal of Gynecology and Obstetrics</i> , 2018 , 140, 265-273	4	153
44	The Danish Medical Birth Register. <i>European Journal of Epidemiology</i> , 2018 , 33, 27-36	12.1	224
43	Long-term anal incontinence after obstetric anal sphincter injury-does grade of tear matter?. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, 232.e1-232.e10	6.4	34
42	Failed manual removal of the placenta after vaginal delivery. <i>Archives of Gynecology and Obstetrics</i> , 2018 , 297, 323-332	2.5	5
41	Recurrent obstetric anal sphincter injury and the risk of long-term anal incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 610.e1-610.e8	6.4	18
40	Endometriosis increases the risk of obstetrical and neonatal complications. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 751-760	3.8	54
39	National Rates of Uterine Rupture are not Associated with Rates of Previous Caesarean Delivery: Results from the Nordic Obstetric Surveillance Study. <i>Paediatric and Perinatal Epidemiology</i> , 2017 , 31, 176-182	2.7	4
38	Anal incontinence after two vaginal deliveries without obstetric anal sphincter rupture. <i>Archives of Gynecology and Obstetrics</i> , 2017 , 295, 1399-1406	2.5	6

37	Mode of first delivery and severe maternal complications in the subsequent pregnancy. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 1053-1062	3.8	17
36	Cervical collagen is reduced in non-pregnant women with a history of cervical insufficiency and a short cervix. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 984-990	3.8	15
35	Diagnosing gestational diabetes mellitus in the Danish National Birth Cohort. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 563-569	3.8	26
34	Gestational diabetes mellitus and exposure to ambient air pollution and road traffic noise: A cohort study. <i>Environment International</i> , 2017 , 108, 253-260	12.9	34
33	Growth and obesity through the first 7 y of life in association with levels of maternal glycemia during pregnancy: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 794-800	7	57
32	Mode of delivery after obstetric anal sphincter injury and the risk of long-term anal incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 733.e1-733.e13	6.4	33
31	Potentially Avoidable Peripartum Hysterectomies in Denmark: A Population Based Clinical Audit. <i>PLoS ONE</i> , 2016 , 11, e0161302	3.7	7
30	Variations in rates of severe perineal tears and episiotomies in 20 European countries: a study based on routine national data in Euro-Peristat Project. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2016 , 95, 746-54	3.8	85
29	Abnormally invasive placenta-prevalence, risk factors and antenatal suspicion: results from a large population-based pregnancy cohort study in the Nordic countries. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 1348-55	3.7	162
28	Recurrence of second trimester miscarriage and extreme preterm delivery at 16-27 weeks of gestation with a focus on cervical insufficiency and prophylactic cerclage. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2016 , 95, 1383-1390	3.8	22
27	Emergency peripartum hysterectomy: results from the prospective Nordic Obstetric Surveillance Study (NOSS). <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2015 , 94, 745-754	3.8	21
26	The Nordic Obstetric Surveillance Study: a study of complete uterine rupture, abnormally invasive placenta, peripartum hysterectomy, and severe blood loss at delivery. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2015 , 94, 734-744	3.8	43
25	Validation of second trimester miscarriages and spontaneous deliveries. <i>Clinical Epidemiology</i> , 2015 , 7, 517-27	5.9	11
24	Pre-emptive treatment with fibrinogen concentrate for postpartum haemorrhage: randomized controlled trial. <i>British Journal of Anaesthesia</i> , 2015 , 114, 623-33	5.4	136
23	The Nordic medical birth registers--a potential goldmine for clinical research. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2014 , 93, 132-7	3.8	80
22	Resektion der Plazentahaftstelle bei pathologischer Plazentainvasion. <i>Der Gynakologe</i> , 2014 , 47, 422-426.		1
21	Modifiable risk factors of obstetric anal sphincter injury in primiparous women: a population-based cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 210, 59.e1-6	6.4	86
20	Venous thromboembolism in pregnancy and the puerperal period: a study of 1210 events. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2013 , 92, 1135-42	3.8	18

19	Severe postpartum haemorrhage and mode of delivery: a retrospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 1018-1018	3.7	1
18	The FIB-PPH trial: fibrinogen concentrate as initial treatment for postpartum haemorrhage: study protocol for a randomised controlled trial. <i>Trials</i> , 2012 , 13, 110	2.8	37
17	Severe postpartum haemorrhage and mode of delivery: a retrospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 596-604	3.7	47
16	Recurring complications in second pregnancy. <i>Obstetrics and Gynecology</i> , 2009 , 113, 1217-1224	4.9	76
15	Multiple birth and cerebral palsy in Europe: a multicenter study 2004 , 83, 548		26
14	Maternal risks and perinatal outcome in a Danish national cohort of 1005 twin pregnancies: the role of in vitro fertilization 2004 , 83, 75		4
13	The development of perinatal audit: 20 years experience. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003 , 82, 780-788	3.8	7
12	Women's experiences of the gynecologic examination: factors associated with discomfort 2003 , 82, 1030		9
11	Perinatal deaths and insufficient antenatal care in Latvia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001 , 80, 1091-5	3.8	10
10	Preterm birth and cerebral palsy. Predictive value of pregnancy complications, mode of delivery, and Apgar scores. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1997 , 76, 843-8	3.8	30
9	Trend in cerebral palsy birth prevalence in eastern Denmark: birth-year period 1979-86. <i>Paediatric and Perinatal Epidemiology</i> , 1997 , 11, 451-60	2.7	44
8	Potentially avoidable perinatal deaths in Denmark and Sweden 1991. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1996 , 75, 820-5	3.8	34
7	New VICRYL* formulation: an improved method of perineal repair?. <i>British Journal of Midwifery</i> , 1996 , 4, 230-234	0.3	12
6	Breech at term--mode of delivery? A register-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1995 , 74, 702-6	3.8	28
5	Uro-genital microbial colonization and threatening preterm delivery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1994 , 73, 460-4	3.8	2
4	Pushing method in the expulsive phase of labor. A randomized trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1993 , 72, 31-5	3.8	46
3	Placental hormones and maternal glucose metabolism. A study of fetal growth in normal pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1989 , 96, 320-6	3.7	14
2	Maternal glucose metabolism and infant birth weight: a study in healthy pregnant women. <i>Diabetes Research</i> , 1988 , 8, 165-70		8

- 1 Analgesia and maternal side effects of pudendal block at delivery. A comparison of three local anesthetics. *Acta Obstetrica Et Gynecologica Scandinavica*, **1985**, 64, 269-72 3.8 16