Madambi K Jayaraj

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8541198/publications.pdf

Version: 2024-02-01

72 papers

1,362 citations

394421 19 h-index 35 g-index

74 all docs

74 docs citations

74 times ranked 1689 citing authors

#	Article	IF	Citations
1	Effect of substrate and substrate temperature on the deposition of MoS2 by radio frequency magnetron sputtering. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2022, 40, .	2.1	3
2	Spike-dependent plasticity modulation in TiO2-based synaptic device. Journal of Materials Science: Materials in Electronics, 2021, 32, 13051-13061.	2.2	10
3	Eggshell Derived Europium Doped Hydroxyapatite Nanoparticles for Cell Imaging Application. Journal of Fluorescence, 2021, 31, 1927-1936.	2.5	11
4	Facile Preparation of Lightweight and Flexible PVA/PEDOT:PSS/MWCNT Ternary Composite for High-Performance EMI Shielding in the X-Band Through Absorption Mechanism. Journal of Electronic Materials, 2020, 49, 1689-1701.	2,2	21
5	Complementary Inverter Circuits Based on p-Cu2O and n-ZTO Thin Film Transistors. Journal of Electronic Materials, 2020, 49, 537-543.	2.2	9
6	Hydrothermal synthesis of MoS2 for supercapacitive application. AIP Conference Proceedings, 2020, , .	0.4	8
7	Optimization of piezoelectric MEMS process on Sr and La co-doped PZT thin films. Journal of Advanced Dielectrics, 2020, 10, 2050010.	2.4	6
8	Fabrication of asymmetric heterojunction carrier selective c-Si solar cell. AIP Conference Proceedings, 2020, , .	0.4	0
9	Chemical vapour deposited graphene: substrate pre-treatment, growth and demonstration as a simple graphene-based SERS substrate. Bulletin of Materials Science, 2020, 43, 1.	1.7	6
10	Effects of temperature and doping on aluminium doped ZnO thin film grown by spray pyrolysis. AIP Conference Proceedings, 2020, , .	0.4	6
11	Novel Boron-Doped p-Type Cu ₂ 0 Thin Films as a Hole-Selective Contact in c-Si Solar Cells. ACS Applied Materials & Samp; Interfaces, 2020, 12, 12972-12981.	8.0	41
12	Sustainable carbon dots as "turn-off―fluorescence sensor for highly sensitive Pb2+ detection. Emergent Materials, 2020, 3, 51-56.	5.7	23
13	Investigation on the improved electrical and optical properties of trivalent boron-doped Cu2O thin film and fabrication of Cu2O:B/c-Si heterojunction diode. Journal of Materials Science: Materials in Electronics, 2020, 31, 10724-10730.	2.2	6
14	Zno-Based Dilute Magnetic Semiconductors. Materials Horizons, 2020, , 233-269.	0.6	3
15	Upconversion Nanophosphors: An Overview. Materials Horizons, 2020, , 47-102.	0.6	3
16	Optical Properties of Metal, Semiconductor and Ceramic Nanostructures Grown by Liquid Phase-Pulsed Laser Ablation. Materials Horizons, 2020, , 103-128.	0.6	1
17	Oxide Luminescent Materials. Materials Horizons, 2020, , 1-46.	0.6	O
18	One-Dimensional ZnO Nanostructure: Growth & Device Applications. Materials Horizons, 2020, , 177-210.	0.6	0

#	Article	IF	CITATIONS
19	Domain Matched Epitaxial Growth of Dielectric Thin Films. Materials Horizons, 2020, , 271-302.	0.6	1
20	Zinc stannate flakes for optoelectronic and antibacterial applications. AIP Conference Proceedings, 2019, , .	0.4	1
21	Synthesis of carbon nanotubes by chemical vapor deposition technique. AIP Conference Proceedings, 2019, , .	0.4	1
22	Facile fabrication of surface enhanced Raman scattering active optical fiber. AIP Conference Proceedings, 2019, , .	0.4	0
23	The field effect behavior of graphene films in air and vacuum. AIP Conference Proceedings, 2019, , .	0.4	0
24	Fabrication of CNT-PEDOT:PSS/Si heterojunction carrier selective solar cell. AIP Conference Proceedings, 2019, , .	0.4	10
25	Enhanced optical, magnetic and hydrogen evolution reaction properties of Mo _{1â^x} Ni _x S ₂ nanoflakes. RSC Advances, 2019, 9, 13465-13475.	3.6	13
26	Perovskite quantum dot based resistive memory with very low operating power. AIP Conference Proceedings, 2019, , .	0.4	1
27	Development of Au doped TiO2 nanofibers for photocatalytic applications. AIP Conference Proceedings, 2019, , .	0.4	5
28	Enhanced room temperature gas sensing properties of low temperature solution processed ZnO/CuO heterojunction. BMC Chemistry, 2019, 13, 4.	3.8	43
29	C-axis oriented growth of ZnO nanorods over Mg:GaN for improved heterojunction device performance. AIP Advances, 2019, 9, 105318.	1.3	2
30	Investigating the evolution of local structure around Er and Yb in ZnO:Er and ZnO:Er, Yb on annealing using X-ray absorption spectroscopy. Journal of Applied Physics, 2018, 123, .	2.5	14
31	Solution-processed CuO/TiO ₂ heterojunction for enhanced room temperature ethanol sensing applications. Physica Scripta, 2018, 93, 055001.	2.5	14
32	Low temperature fabrication of CuxO thin-film transistors and investigation on the origin of low field effect mobility. Journal of Applied Physics, 2018, 123, .	2.5	14
33	Study of nonlinear absorption properties of reduced graphene oxide by Z-scan technique. AIP Conference Proceedings, 2017, , .	0.4	4
34	Structural and electrical properties of pulsed laser deposited BaPbO ₃ conductive thin films and its effect on the ferroelectric properties of PbZr _{0.52} Ti _{0.48} O ₃ /BaPbO ₃ heterostructures. Ferroelectrics, 2017, 510, 71-79.	0.6	3
35	Preparation of ZnO nanoparticles showing upconversion luminescence through simple chemical method. AIP Conference Proceedings, 2016, , .	0.4	0
36	Defect-assisted tuning of electroluminescence from p-GaN/n-ZnO nanorod heterojunction. Bulletin of Materials Science, 2015, 38, 901-907.	1.7	4

#	Article	IF	CITATIONS
37	Annealing effects on the structural and electrical properties of pulsed laser deposited BaPbO3 thin films. , $2014, $, .		O
38	Vertically aligned ZnO nanorod array/CuO heterojunction for UV detector application. Physica Status Solidi (A) Applications and Materials Science, 2014, 211, 2493-2498.	1.8	16
39	Highly luminescent undoped and Mn-doped ZnS nanoparticles by liquid phase pulsed laser ablation. Applied Physics A: Materials Science and Processing, 2014, 116, 1085-1089.	2.3	13
40	Growth, structural, thermal, optical, and electrical properties of potassium succinate–succinic acid crystal. Journal of Materials Science, 2014, 49, 3598-3607.	3.7	28
41	A novel Sr $_{3}$ \$ 3 Pb $_{6}$ \$ 6 Ce $_{2}$ \$ 2 Ti $_{12}$ \$ 12 O $_{36}$ \$ 36 ferroelectric thin film grown by pulsed laser ablation. Applied Physics A: Materials Science and Processing, 2014, 116, 199-206.	2.3	2
42	Magnetic and Raman scattering studies of Co-doped ZnO thin films grown by pulsed laser deposition. Applied Physics A: Materials Science and Processing, 2014, 115, 843-849.	2.3	10
43	Effect of NH4Cl flux on the structural and luminescence properties of SrS:Cu,F phosphor. Journal of Optics (India), 2013, 42, 64-66.	1.7	1
44	Optical and magnetic properties of copper doped ZnO nanorods prepared by hydrothermal method. Journal of Materials Science: Materials in Electronics, 2013, 24, 106-112.	2.2	33
45	Synthesis of chemically pure, luminescent Eu3+ doped HAp nanoparticles: a promising fluorescent probe for in vivo imaging applications. Physical Chemistry Chemical Physics, 2013, 15, 8106.	2.8	40
46	Development of In Situ Laser Blow Off Cleaning Setup for ADITYA Tokamak Window. Fusion Science and Technology, 2013, 64, 54-62.	1.1	0
47	Electroluminescent characteristics of ZnGa ₂ O ₄ :Dy ³⁺ thin film devices fabricated on glass substrates. Physica Status Solidi (A) Applications and Materials Science, 2012, 209, 2641-2645.	1.8	8
48	Liquid Phase Pulsed Laser Ablation of Metal Nanoparticles for Nonlinear Optical Applications. Science of Advanced Materials, 2012, 4, 439-448.	0.7	7
49	Characteristics of A.C Electroluminescence in ZnGa2O4:Mn2+ Thin film Devices. Journal of the Electrochemical Society, 2011, 158, J269.	2.9	9
50	Formation of hydroxyapatite coating on titanium at 200°C through pulsed laser deposition followed by hydrothermal treatment. Bulletin of Materials Science, 2011, 34, 389-399.	1.7	12
51	Co2+ doped ZnO nanoflowers grown by hydrothermal method. Journal of the Ceramic Society of Japan, 2010, 118, 333-336.	1.1	13
52	Red luminescence from hydrothermally synthesized Eu-doped ZnO nanoparticles under visible excitation. Bulletin of Materials Science, 2010, 33, 227-231.	1.7	64
53	Effect of Buffer Layer on the Properties of Laser Ablated PZT Thin Films. Integrated Ferroelectrics, 2010, 117, 104-109.	0.7	2
54	Linear and nonlinear optical properties of rare earth doped ofÂBa0.7Sr0.3TiO3 thin films. Applied Physics B: Lasers and Optics, 2009, 96, 433-437.	2.2	5

#	Article	IF	CITATIONS
55	Size-Dependent Optical Nonlinearity of Au Nanocrystals. Journal of the Electrochemical Society, 2009, 156, K167.	2.9	19
56	Effect of oxygen intercalation on properties of sputtered CuYO2 for potential use as p-type transparent conducting films. Bulletin of Materials Science, 2008, 31, 49-53.	1.7	26
57	p-AgCoO2/n-ZnO heterojunction diode grown by rf magnetron sputtering. Bulletin of Materials Science, 2008, 31, 753-758.	1.7	17
58	Effect of oxygen partial pressure on optical and electrical properties of coâ€sputtered amorphous zinc indium tin oxide thin films. Physica Status Solidi (A) Applications and Materials Science, 2008, 205, 1625-1630.	1.8	7
59	Effect of ZnO Buffer Layer on the Structural and Optical Properties of Zn[sub 2]GeO[sub 4]:Mn[sup 2+] Thin Films. Journal of the Electrochemical Society, 2008, 155, J270.	2.9	6
60	Characterization of ZnO plasma in a radio frequency sputtering system. Journal of Applied Physics, 2008, 103, 123305.	2.5	11
61	Optical and electrical properties of amorphous zinc tin oxide thin films examined for thin film transistor application. Journal of Vacuum Science & Technology B, 2008, 26, 495-501.	1.3	96
62	Luminescence from Surfactant-Free ZnO Quantum Dots Prepared by Laser Ablation in Liquid. Electrochemical and Solid-State Letters, 2008, 11, K14.	2.2	29
63	Optical and Carrier Transport Properties of Cosputtered Zn–In–Sn–O Films and Their Applications to TFTs. Journal of the Electrochemical Society, 2008, 155, H390.	2.9	57
64	Spatial and temporal studies of laser ablated ZnO plasma. Journal of Applied Physics, 2008, 104, 053307.	2.5	5
65	Host Sensitized White Luminescence from ZnGa[sub 2]O[sub 4]:Dy[sup 3+] Phosphor. Journal of the Electrochemical Society, 2007, 154, J310.	2.9	56
66	Effect of Substrate Temperature on the Structural and Luminescent Characteristics of RF-Magnetron-Sputtered ZnGa[sub 2]O[sub 4]:Dy[sup 3+] Thin Films. Journal of the Electrochemical Society, 2007, 154, J379.	2.9	6
67	Transparent conducting zinc oxide thin film prepared by off-axis rf magnetron sputtering. Bulletin of Materials Science, 2002, 25, 227-230.	1.7	96
68	Transparent <i>p-n</i> Heterojunction Thin Film Diodes. Materials Research Society Symposia Proceedings, 2001, 666, 411.	0.1	24
69	Growth and characterization of Zn1 \hat{a} \in " x Mg x S thin films for electroluminescent applications. Journal of Materials Science: Materials in Electronics, 2001, 12, 733-737.	2.2	1
70	Electrical characterization of transparent p–i–n heterojunction diodes. Journal of Applied Physics, 2001, 90, 5763-5767.	2.5	84
71	Transparent p-type conducting CuScO2+x films. Applied Physics Letters, 2000, 77, 1325-1326.	3.3	231
72	AC Thin Film Electroluminescent Devices with Rare Earth Doped ZnS. Journal of the Electrochemical Society, 1991, 138, 1512-1516.	2.9	32