Mario Moric

List of Publications by Citations

Source: https://exaly.com/author-pdf/8543153/mario-moric-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68
papers

4,282
citations

h-index

65
g-index

71
ext. papers

4,916
ext. citations

4
solutions

4
solutions

5.29
L-index

#	Paper	IF	Citations
68	Incidence and trends of anterior cruciate ligament reconstruction in the United States. <i>American Journal of Sports Medicine</i> , 2014 , 42, 2363-70	6.8	555
67	Perioperative oral pregabalin reduces chronic pain after total knee arthroplasty: a prospective, randomized, controlled trial. <i>Anesthesia and Analgesia</i> , 2010 , 110, 199-207	3.9	323
66	Effects of perioperative administration of a selective cyclooxygenase 2 inhibitor on pain management and recovery of function after knee replacement: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 2411-8	27.4	267
65	Upregulation of prostaglandin E2 and interleukins in the central nervous system and peripheral tissue during and after surgery in humans. <i>Anesthesiology</i> , 2006 , 104, 403-10	4.3	225
64	Ethnic similarities and differences in the chronic pain experience: a comparison of african american, Hispanic, and white patients. <i>Pain Medicine</i> , 2005 , 6, 88-98	2.8	197
63	The Mark Coventry Award: diagnosis of early postoperative TKA infection using synovial fluid analysis. <i>Clinical Orthopaedics and Related Research</i> , 2011 , 469, 34-40	2.2	183
62	Does ACL reconstruction alter natural history?: A systematic literature review of long-term outcomes. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96, 292-300	5.6	180
61	Dilute betadine lavage before closure for the prevention of acute postoperative deep periprosthetic joint infection. <i>Journal of Arthroplasty</i> , 2012 , 27, 27-30	4.4	177
60	Risk factors for dislocation after revision total hip arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2013 , 471, 410-6	2.2	126
59	Serum and synovial fluid analysis for diagnosing chronic periprosthetic infection in patients with inflammatory arthritis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012 , 94, 594-600	5.6	124
58	The effect of dexmedetomidine on perioperative hemodynamics in patients undergoing craniotomy. <i>Anesthesia and Analgesia</i> , 2008 , 107, 1340-7	3.9	104
57	Predictors for moderate to severe acute postoperative pain after total hip and knee replacement. <i>International Orthopaedics</i> , 2012 , 36, 2261-7	3.8	103
56	A cross-sectional survey on prevalence and risk factors for persistent postsurgical pain 1 year after total hip and knee replacement. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 415-22	3.4	101
55	Acetabular distraction: an alternative for severe defects with chronic pelvic discontinuity?. <i>Clinical Orthopaedics and Related Research</i> , 2012 , 470, 3156-63	2.2	80
54	The 2013 Frank Stinchfield Award: Diagnosis of infection in the early postoperative period after total hip arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 424-9	2.2	79
53	The Mark Coventry, MD, Award: Oral Antibiotics Reduce Reinfection After Two-Stage Exchange: A Multicenter, Randomized Controlled Trial. <i>Clinical Orthopaedics and Related Research</i> , 2017 , 475, 56-61	2.2	77
52	Classification and management of the unstable total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2012 , 27, 710-5	4.4	77

(2011-2015)

51	Is potential malnutrition associated with septic failure and acute infection after revision total joint arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 175-82	2.2	74	
50	The Incidence and Severity of Postoperative Pain following Inpatient Surgery. <i>Pain Medicine</i> , 2015 , 16, 2277-83	2.8	72	
49	Revising an HTO or UKA to TKA: is it more like a primary TKA or a revision TKA?. <i>Journal of Arthroplasty</i> , 2014 , 29, 229-31	4.4	71	
48	Use of knotless suture for closure of total hip and knee arthroplasties: a prospective, randomized clinical trial. <i>Journal of Arthroplasty</i> , 2012 , 27, 1783-8	4.4	71	
47	Peripheral nerve stimulator for the treatment of supraorbital neuralgia: a retrospective case series. <i>Cephalalgia</i> , 2008 , 28, 355-9	6.1	65	
46	Do serologic and synovial tests help diagnose infection in revision hip arthroplasty with metal-on-metal bearings or corrosion?. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 498-505	2.2	64	
45	Oral and Intravenous Tranexamic Acid Are Equivalent at Reducing Blood Loss Following Total Hip Arthroplasty: A Randomized Controlled Trial. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017 , 99, 373-	3 7 8	63	
44	Is synovial C-reactive protein a useful marker for periprosthetic joint infection?. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 3997-4003	2.2	62	
43	The James A. Rand Young Investigator Award: A Randomized Controlled Trial of Oral and Intravenous Tranexamic Acid in Total Knee Arthroplasty: The Same Efficacy at Lower Cost?. <i>Journal of Arthroplasty</i> , 2016 , 31, 26-30	4.4	61	
42	Outcomes of arthroscopic anterior shoulder instability in the beach chair versus lateral decubitus position: a systematic review and meta-regression analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014 , 30, 1349-65	5.4	60	
41	Local anesthetic sciatic nerve block and nerve fiber damage in diabetic rats. <i>Regional Anesthesia and Pain Medicine</i> , 2010 , 35, 343-50	3.4	57	
40	Is There a Benefit to Head Size Greater Than 36 mm in Total Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2016 , 31, 152-5	4.4	48	
39	Operative treatment of early peri-prosthetic femur fractures following primary total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2013 , 28, 286-91	4.4	46	
38	Revision of the acetabular component without cement. A concise follow-up, at twenty to twenty-four years, of a previous report. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009 , 91, 350-5	5.6	42	
37	Should draining wounds and sinuses associated with hip and knee arthroplasties be cultured?. Journal of Arthroplasty, 2013 , 28, 133-6	4.4	41	
36	Characterization of degenerative human facet joints and facet joint capsular tissues. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 2242-2251	6.2	34	
35	Cerebrospinal fluid neurotransmitter changes during the perioperative period in patients undergoing total knee replacement: a randomized trial. <i>Anesthesia and Analgesia</i> , 2012 , 114, 434-41	3.9	28	
34	Uncomplicated removal of epidural catheters in 4365 patients with international normalized ratio greater than 1.4 during initiation of warfarin therapy. <i>Regional Anesthesia and Pain Medicine</i> , 2011 , 36, 231-5	3.4	26	

33	Acute postoperative pain is an independent predictor of chronic postsurgical pain following total knee arthroplasty at 6 months: a prospective cohort study. <i>Regional Anesthesia and Pain Medicine</i> , 2019 , 44,	3.4	26
32	A prospective randomized trial of mini-incision posterior and two-incision total hip arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2010 , 468, 3348-54	2.2	24
31	The effect of payer type on clinical outcomes in total knee arthroplasty. <i>Journal of Arthroplasty</i> , 2014 , 29, 295-8	4.4	23
30	Revision total knee arthroplasty for stiffness. <i>Journal of Arthroplasty</i> , 2010 , 25, 62-6	4.4	19
29	Continuous Adductor Canal Blocks Provide Superior Ambulation and Pain Control Compared to Epidural Analgesia for Primary Knee Arthroplasty: A Randomized, Controlled Trial. <i>Journal of Arthroplasty</i> , 2018 , 33, 1040-1044.e1	4.4	19
28	Incidence and Changing Trends of Shoulder Stabilization in the United States. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018 , 34, 784-792	5.4	18
27	The use of abduction bracing for the prevention of early postoperative dislocation after revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2012 , 27, 126-9	4.4	17
26	Efficacy of the ketamine metabolite (2R,6R)-hydroxynorketamine in mice models of pain. <i>Regional Anesthesia and Pain Medicine</i> , 2019 , 44, 111-117	3.4	16
25	Intra-operative periprosthetic fractures associated with press fit stems in revision total knee arthroplasty: incidence, management, and outcomes. <i>Journal of Arthroplasty</i> , 2013 , 28, 1310-3	4.4	16
24	Short-term glycemic control is effective in reducing surgical site infection in diabetic rats. <i>Anesthesia and Analgesia</i> , 2015 , 120, 1289-96	3.9	15
23	A Randomized Trial of Static and Articulating Spacers for the Treatment of Infection Following Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , 102, 778-787	5.6	15
22	Diagnosing Infection in the Setting of Periprosthetic Fractures. <i>Journal of Arthroplasty</i> , 2016 , 31, 140-3	4.4	14
21	The inter-observer and intra-observer reliability of the Paprosky femoral bone loss classification system. <i>Journal of Arthroplasty</i> , 2014 , 29, 1482-4	4.4	13
20	Psychosocial factors appear to predict postoperative pain: Interesting, but how can such information be used to reduce risk?. <i>Techniques in Regional Anesthesia and Pain Management</i> , 2011 , 15, 90-99		13
19	Biochemical and Pharmacological Characterization of a Mice Model of Complex Regional Pain Syndrome. <i>Regional Anesthesia and Pain Medicine</i> , 2017 , 42, 507-516	3.4	12
18	Oral Ketamine for Acute Pain Management After Amputation Surgery. <i>Pain Medicine</i> , 2018 , 19, 1265-12	2 7<u>20</u>8	10
17	Relative Contribution of Adjuvants to Local Anesthetic for Prolonging the Duration of Peripheral Nerve Blocks in Rats. <i>Regional Anesthesia and Pain Medicine</i> , 2016 , 41, 589-92	3.4	7
16	Antihyperalgesia effect of AMP-activated protein kinase (AMPK) activators in a mouse model of postoperative pain. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3.4	7

LIST OF PUBLICATIONS

15	Response of chronic pain patients to terrorism: the role of underlying depression. <i>Pain Medicine</i> , 2007 , 8, 425-32	2.8	6
14	Local Vancomycin Effectively Reduces Surgical Site Infection at Implant Site in Rodents. <i>Regional Anesthesia and Pain Medicine</i> , 2018 , 43, 795-804	3.4	5
13	High Failure at a Minimum 5-Year Follow-Up in Primary Total Hip Arthroplasty Using a Modular Femoral Trunnion. <i>Journal of Arthroplasty</i> , 2019 , 34, 1395-1399	4.4	4
12	Early Treatment With Metformin in a Mice Model of Complex Regional Pain Syndrome Reduces Pain and Edema. <i>Anesthesia and Analgesia</i> , 2020 , 130, 525-534	3.9	4
11	Local Drug Infiltration Analgesia During Knee Surgery to Reduce Postoperative Pain in Rats. <i>Regional Anesthesia and Pain Medicine</i> , 2016 , 41, 374-9	3.4	4
10	Local Infiltration of Analgesics at Surgical Wound to Reduce Postoperative Pain After Laparotomy in Rats. <i>Regional Anesthesia and Pain Medicine</i> , 2016 , 41, 691-695	3.4	4
9	AMP-activated protein kinase (AMPK) activator drugs reduce mechanical allodynia in a mouse model of low back pain. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3.4	4
8	The role of neuroticism, pain catastrophizing and pain-related fear in vigilance to pain: a structural equations approach. A comment on Goubert et al. (2004). <i>Pain</i> , 2005 , 115, 214-6; author reply 216-7	8	1
7	Randomized Trial of Static and Articulating Spacers for Treatment of the Infected Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2021 , 36, 2171-2177	4.4	1
6	Therapeutic evaluation of immunomodulators in reducing surgical wound infection <i>FASEB Journal</i> , 2022 , 36, e22090	0.9	1
5	Response to the Letter to the Editor on "Continuous Adductor Canal Blocks Provide Superior Ambulation and Pain Control Compared to Epidural Analgesia for Primary Knee Arthroplasty: A Randomized, Controlled Trial". <i>Journal of Arthroplasty</i> , 2018 , 33, 2696	4.4	
4	Role of a CD21+ follicular dendritic cells in distinguishing bronchus-associated lymphoid tissue from lung acute cellular rejection. <i>Pathology</i> , 2014 , 46, S129-S130	1.6	
3	The causes and management of hip instability: An algorithmic approach. <i>Seminars in Arthroplasty</i> , 2015 , 26, 131-135	0.4	
2	Implementation of a risk-stratified approach to prevent postoperative nausea and vomiting in an institution with high baseline rates of prophylaxis. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2021 , 37, 453-457	1.3	
1	Response to Antihyperalgesia effect of AMP-activated protein kinase (AMPK) activators in a mouse model of postoperative pain Regional Anesthesia and Pain Medicine, 2020, 45, 250-251	3.4	