

Mario Moric

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8543153/mario-moric-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

4,282

citations

33

h-index

65

g-index

71

ext. papers

4,916

ext. citations

4

avg, IF

5.29

L-index

#	Paper	IF	Citations
68	Therapeutic evaluation of immunomodulators in reducing surgical wound infection.. <i>FASEB Journal</i> , 2022 , 36, e22090	0.9	1
67	Implementation of a risk-stratified approach to prevent postoperative nausea and vomiting in an institution with high baseline rates of prophylaxis. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2021 , 37, 453-457	1.3	
66	Randomized Trial of Static and Articulating Spacers for Treatment of the Infected Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2021 , 36, 2171-2177	4.4	1
65	Early Treatment With Metformin in a Mice Model of Complex Regional Pain Syndrome Reduces Pain and Edema. <i>Anesthesia and Analgesia</i> , 2020 , 130, 525-534	3.9	4
64	A Randomized Trial of Static and Articulating Spacers for the Treatment of Infection Following Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , 102, 778-787	5.6	15
63	Response to Antihyperalgesia effect of AMP-activated protein kinase (AMPK) activators in a mouse model of postoperative pain. <i>Regional Anesthesia and Pain Medicine</i> , 2020 , 45, 250-251	3.4	
62	Efficacy of the ketamine metabolite (2R,6R)-hydroxynorketamine in mice models of pain. <i>Regional Anesthesia and Pain Medicine</i> , 2019 , 44, 111-117	3.4	16
61	High Failure at a Minimum 5-Year Follow-Up in Primary Total Hip Arthroplasty Using a Modular Femoral Trunnion. <i>Journal of Arthroplasty</i> , 2019 , 34, 1395-1399	4.4	4
60	Antihyperalgesia effect of AMP-activated protein kinase (AMPK) activators in a mouse model of postoperative pain. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3.4	7
59	AMP-activated protein kinase (AMPK) activator drugs reduce mechanical allodynia in a mouse model of low back pain. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3.4	4
58	Acute postoperative pain is an independent predictor of chronic postsurgical pain following total knee arthroplasty at 6 months: a prospective cohort study. <i>Regional Anesthesia and Pain Medicine</i> , 2019 , 44,	3.4	26
57	Incidence and Changing Trends of Shoulder Stabilization in the United States. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018 , 34, 784-792	5.4	18
56	Oral Ketamine for Acute Pain Management After Amputation Surgery. <i>Pain Medicine</i> , 2018 , 19, 1265-1270	3.4	10
55	Response to the Letter to the Editor on "Continuous Adductor Canal Blocks Provide Superior Ambulation and Pain Control Compared to Epidural Analgesia for Primary Knee Arthroplasty: A Randomized, Controlled Trial". <i>Journal of Arthroplasty</i> , 2018 , 33, 2696	4.4	
54	Continuous Adductor Canal Blocks Provide Superior Ambulation and Pain Control Compared to Epidural Analgesia for Primary Knee Arthroplasty: A Randomized, Controlled Trial. <i>Journal of Arthroplasty</i> , 2018 , 33, 1040-1044.e1	4.4	19
53	Local Vancomycin Effectively Reduces Surgical Site Infection at Implant Site in Rodents. <i>Regional Anesthesia and Pain Medicine</i> , 2018 , 43, 795-804	3.4	5
52	Oral and Intravenous Tranexamic Acid Are Equivalent at Reducing Blood Loss Following Total Hip Arthroplasty: A Randomized Controlled Trial. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017 , 99, 373-378	5.6	63

51	Biochemical and Pharmacological Characterization of a Mice Model of Complex Regional Pain Syndrome. <i>Regional Anesthesia and Pain Medicine</i> , 2017 , 42, 507-516	3.4	12
50	The Mark Coventry, MD, Award: Oral Antibiotics Reduce Reinfection After Two-Stage Exchange: A Multicenter, Randomized Controlled Trial. <i>Clinical Orthopaedics and Related Research</i> , 2017 , 475, 56-61	2.2	77
49	Is There a Benefit to Head Size Greater Than 36 mm in Total Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2016 , 31, 152-5	4.4	48
48	Local Drug Infiltration Analgesia During Knee Surgery to Reduce Postoperative Pain in Rats. <i>Regional Anesthesia and Pain Medicine</i> , 2016 , 41, 374-9	3.4	4
47	Local Infiltration of Analgesics at Surgical Wound to Reduce Postoperative Pain After Laparotomy in Rats. <i>Regional Anesthesia and Pain Medicine</i> , 2016 , 41, 691-695	3.4	4
46	Relative Contribution of Adjuvants to Local Anesthetic for Prolonging the Duration of Peripheral Nerve Blocks in Rats. <i>Regional Anesthesia and Pain Medicine</i> , 2016 , 41, 589-92	3.4	7
45	Diagnosing Infection in the Setting of Periprosthetic Fractures. <i>Journal of Arthroplasty</i> , 2016 , 31, 140-3	4.4	14
44	The James A. Rand Young Investigator Award: A Randomized Controlled Trial of Oral and Intravenous Tranexamic Acid in Total Knee Arthroplasty: The Same Efficacy at Lower Cost?. <i>Journal of Arthroplasty</i> , 2016 , 31, 26-30	4.4	61
43	Characterization of degenerative human facet joints and facet joint capsular tissues. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 2242-2251	6.2	34
42	Is potential malnutrition associated with septic failure and acute infection after revision total joint arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 175-82	2.2	74
41	The Incidence and Severity of Postoperative Pain following Inpatient Surgery. <i>Pain Medicine</i> , 2015 , 16, 2277-83	2.8	72
40	Short-term glycemic control is effective in reducing surgical site infection in diabetic rats. <i>Anesthesia and Analgesia</i> , 2015 , 120, 1289-96	3.9	15
39	The causes and management of hip instability: An algorithmic approach. <i>Seminars in Arthroplasty</i> , 2015 , 26, 131-135	0.4	
38	Do serologic and synovial tests help diagnose infection in revision hip arthroplasty with metal-on-metal bearings or corrosion?. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 498-505	2.2	64
37	Outcomes of arthroscopic anterior shoulder instability in the beach chair versus lateral decubitus position: a systematic review and meta-regression analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014 , 30, 1349-65	5.4	60
36	Incidence and trends of anterior cruciate ligament reconstruction in the United States. <i>American Journal of Sports Medicine</i> , 2014 , 42, 2363-70	6.8	555
35	The effect of payer type on clinical outcomes in total knee arthroplasty. <i>Journal of Arthroplasty</i> , 2014 , 29, 295-8	4.4	23
34	The inter-observer and intra-observer reliability of the Paprosky femoral bone loss classification system. <i>Journal of Arthroplasty</i> , 2014 , 29, 1482-4	4.4	13

33	Revising an HTO or UKA to TKA: is it more like a primary TKA or a revision TKA?. <i>Journal of Arthroplasty</i> , 2014 , 29, 229-31	4.4	71
32	Role of a CD21+ follicular dendritic cells in distinguishing bronchus-associated lymphoid tissue from lung acute cellular rejection. <i>Pathology</i> , 2014 , 46, S129-S130	1.6	
31	Is synovial C-reactive protein a useful marker for periprosthetic joint infection?. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 3997-4003	2.2	62
30	Does ACL reconstruction alter natural history?: A systematic literature review of long-term outcomes. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96, 292-300	5.6	180
29	The 2013 Frank Stinchfield Award: Diagnosis of infection in the early postoperative period after total hip arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 424-9	2.2	79
28	Intra-operative periprosthetic fractures associated with press fit stems in revision total knee arthroplasty: incidence, management, and outcomes. <i>Journal of Arthroplasty</i> , 2013 , 28, 1310-3	4.4	16
27	Should draining wounds and sinuses associated with hip and knee arthroplasties be cultured?. <i>Journal of Arthroplasty</i> , 2013 , 28, 133-6	4.4	41
26	Operative treatment of early peri-prosthetic femur fractures following primary total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2013 , 28, 286-91	4.4	46
25	Risk factors for dislocation after revision total hip arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2013 , 471, 410-6	2.2	126
24	The use of abduction bracing for the prevention of early postoperative dislocation after revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2012 , 27, 126-9	4.4	17
23	Use of knotless suture for closure of total hip and knee arthroplasties: a prospective, randomized clinical trial. <i>Journal of Arthroplasty</i> , 2012 , 27, 1783-8	4.4	71
22	Acetabular distraction: an alternative for severe defects with chronic pelvic discontinuity?. <i>Clinical Orthopaedics and Related Research</i> , 2012 , 470, 3156-63	2.2	80
21	Predictors for moderate to severe acute postoperative pain after total hip and knee replacement. <i>International Orthopaedics</i> , 2012 , 36, 2261-7	3.8	103
20	Dilute betadine lavage before closure for the prevention of acute postoperative deep periprosthetic joint infection. <i>Journal of Arthroplasty</i> , 2012 , 27, 27-30	4.4	177
19	Classification and management of the unstable total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2012 , 27, 710-5	4.4	77
18	A cross-sectional survey on prevalence and risk factors for persistent postsurgical pain 1 year after total hip and knee replacement. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 415-22	3.4	101
17	Serum and synovial fluid analysis for diagnosing chronic periprosthetic infection in patients with inflammatory arthritis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012 , 94, 594-600	5.6	124
16	Cerebrospinal fluid neurotransmitter changes during the perioperative period in patients undergoing total knee replacement: a randomized trial. <i>Anesthesia and Analgesia</i> , 2012 , 114, 434-41	3.9	28

15	Psychosocial factors appear to predict postoperative pain: Interesting, but how can such information be used to reduce risk?. <i>Techniques in Regional Anesthesia and Pain Management</i> , 2011 , 15, 90-99		13
14	Uncomplicated removal of epidural catheters in 4365 patients with international normalized ratio greater than 1.4 during initiation of warfarin therapy. <i>Regional Anesthesia and Pain Medicine</i> , 2011 , 36, 231-5	3.4	26
13	The Mark Coventry Award: diagnosis of early postoperative TKA infection using synovial fluid analysis. <i>Clinical Orthopaedics and Related Research</i> , 2011 , 469, 34-40	2.2	183
12	Perioperative oral pregabalin reduces chronic pain after total knee arthroplasty: a prospective, randomized, controlled trial. <i>Anesthesia and Analgesia</i> , 2010 , 110, 199-207	3.9	323
11	Local anesthetic sciatic nerve block and nerve fiber damage in diabetic rats. <i>Regional Anesthesia and Pain Medicine</i> , 2010 , 35, 343-50	3.4	57
10	A prospective randomized trial of mini-incision posterior and two-incision total hip arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2010 , 468, 3348-54	2.2	24
9	Revision total knee arthroplasty for stiffness. <i>Journal of Arthroplasty</i> , 2010 , 25, 62-6	4.4	19
8	Revision of the acetabular component without cement. A concise follow-up, at twenty to twenty-four years, of a previous report. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009 , 91, 350-5	5.6	42
7	Peripheral nerve stimulator for the treatment of supraorbital neuralgia: a retrospective case series. <i>Cephalalgia</i> , 2008 , 28, 355-9	6.1	65
6	The effect of dexmedetomidine on perioperative hemodynamics in patients undergoing craniotomy. <i>Anesthesia and Analgesia</i> , 2008 , 107, 1340-7	3.9	104
5	Response of chronic pain patients to terrorism: the role of underlying depression. <i>Pain Medicine</i> , 2007 , 8, 425-32	2.8	6
4	Upregulation of prostaglandin E2 and interleukins in the central nervous system and peripheral tissue during and after surgery in humans. <i>Anesthesiology</i> , 2006 , 104, 403-10	4.3	225
3	The role of neuroticism, pain catastrophizing and pain-related fear in vigilance to pain: a structural equations approach. A comment on Goubert et al. (2004). <i>Pain</i> , 2005 , 115, 214-6; author reply 216-7	8	1
2	Ethnic similarities and differences in the chronic pain experience: a comparison of african american, Hispanic, and white patients. <i>Pain Medicine</i> , 2005 , 6, 88-98	2.8	197
1	Effects of perioperative administration of a selective cyclooxygenase 2 inhibitor on pain management and recovery of function after knee replacement: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 2411-8	27.4	267