

Angelo Keramidas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8543755/publications.pdf>

Version: 2024-02-01

39
papers

1,557
citations

331538

21
h-index

315616

38
g-index

41
all docs

41
docs citations

41
times ranked

1888
citing authors

#	ARTICLE	IF	CITATIONS
1	Pharmacological activation of ATF6 remodels the proteostasis network to rescue pathogenic GABA _A receptors. <i>Cell and Bioscience</i> , 2022, 12, 48.	2.1	14
2	Proteostasis Regulators Restore Function of Epilepsy-Associated GABA _A Receptors. <i>Cell Chemical Biology</i> , 2021, 28, 46-59.e7.	2.5	15
3	Regulation of NMDA receptor trafficking and gating by activity-dependent CaMKII β phosphorylation of the GluN2A subunit. <i>Cell Reports</i> , 2021, 36, 109338.	2.9	21
4	A pain-causing and paralytic ant venom glycopeptide. <i>IScience</i> , 2021, 24, 103175.	1.9	7
5	The effects of insecticides on two splice variants of the glutamate-gated chloride channel receptor of the major malaria vector, <i>Anopheles gambiae</i> . <i>British Journal of Pharmacology</i> , 2020, 177, 175-187.	2.7	13
6	A Novel Glycine Receptor Variant with Startle Disease Affects Syndapin I and Glycinergic Inhibition. <i>Journal of Neuroscience</i> , 2020, 40, 4954-4969.	1.7	11
7	Effects of GluN2A and GluN2B gain-of-function epilepsy mutations on synaptic currents mediated by diheteromeric and triheteromeric NMDA receptors. <i>Neurobiology of Disease</i> , 2020, 140, 104850.	2.1	10
8	GluClR-mediated inhibitory postsynaptic currents reveal targets for ivermectin and potential mechanisms of ivermectin resistance. <i>PLoS Pathogens</i> , 2019, 15, e1007570.	2.1	22
9	Structure/Function Studies of the $\alpha 4$ Subunit Reveal Evolutionary Loss of a GlyR Subtype Involved in Startle and Escape Responses. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 23.	1.4	16
10	SAHA (Vorinostat) Corrects Inhibitory Synaptic Deficits Caused by Missense Epilepsy Mutations to the GABA _A Receptor $\beta 2$ Subunit. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 89.	1.4	7
11	Probing the Structural Mechanism of Partial Agonism in Glycine Receptors Using the Fluorescent Artificial Amino Acid, ANAP. <i>ACS Chemical Biology</i> , 2017, 12, 805-813.	1.6	20
12	Multiple sodium channel isoforms mediate the pathological effects of Pacific ciguatoxin-1. <i>Scientific Reports</i> , 2017, 7, 42810.	1.6	67
13	Potent neuroprotection after stroke afforded by a double-knot spider-venom peptide that inhibits acid-sensing ion channel 1a. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 3750-3755.	3.3	180
14	Inhibitory synapse deficits caused by familial $\alpha 1$ GABA _A receptor mutations in epilepsy. <i>Neurobiology of Disease</i> , 2017, 108, 213-224.	2.1	15
15	Physiological and pharmacological properties of inhibitory postsynaptic currents mediated by $\alpha 1\beta 2$, $\alpha 2\beta 2$ and $\alpha 3\beta 2$ GABA _A receptors. <i>Neuropharmacology</i> , 2017, 125, 243-253.	2.0	15
16	Structure-Function Analysis of the GlyR $\alpha 2$ Subunit Autism Mutation p.R323L Reveals a Gain-of-Function. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 158.	1.4	28
17	$\beta 1$ -Containing GABA _A Receptors Cluster at Synapses Where they Mediate Slower Synaptic Currents than $\beta 2$ -Containing GABA _A Receptors. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 178.	1.4	10
18	Effects of glutamate and ivermectin on single glutamate-gated chloride channels of the parasitic nematode <i>H. contortus</i> . <i>PLoS Pathogens</i> , 2017, 13, e1006663.	2.1	27

#	ARTICLE	IF	CITATIONS
19	The Free Zinc Concentration in the Synaptic Cleft of Artificial Glycinergic Synapses Rises to At least 1 $\frac{1}{4}$ M. <i>Frontiers in Molecular Neuroscience</i> , 2016, 9, 88.	1.4	14
20	Investigating the Mechanism by Which Gain-of-function Mutations to the $\alpha 1$ Glycine Receptor Cause Hyperekplexia. <i>Journal of Biological Chemistry</i> , 2016, 291, 15332-15341.	1.6	15
21	Ivermectin-Activated, Cation-Permeable Glycine Receptors for the Chemogenetic Control of Neuronal Excitation. <i>ACS Chemical Neuroscience</i> , 2016, 7, 1647-1657.	1.7	7
22	Zolpidem and eszopiclone prime $\alpha 2$ GABA _A receptors for longer duration of activity. <i>British Journal of Pharmacology</i> , 2015, 172, 3522-3536.	2.7	26
23	Correlating Structural and Energetic Changes in Glycine Receptor Activation. <i>Journal of Biological Chemistry</i> , 2015, 290, 5621-5634.	1.6	23
24	Functional reconstitution of glycinergic synapses incorporating defined glycine receptor subunit combinations. <i>Neuropharmacology</i> , 2015, 89, 391-397.	2.0	24
25	GABA _A Receptor $\alpha 1$ and $\alpha 3$ Subunits Shape Synaptic Currents via Different Mechanisms. <i>Journal of Biological Chemistry</i> , 2014, 289, 5399-5411.	1.6	79
26	An outline of desensitization in pentameric ligand-gated ion channel receptors. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 1241-1253.	2.4	29
27	Novel missense mutations in the glycine receptor $\alpha 2$ subunit gene (GLRB) in startle disease. <i>Neurobiology of Disease</i> , 2013, 52, 137-149.	2.1	54
28	New Hyperekplexia Mutations Provide Insight into Glycine Receptor Assembly, Trafficking, and Activation Mechanisms. <i>Journal of Biological Chemistry</i> , 2013, 288, 33745-33759.	1.6	35
29	The activation mechanism of $\alpha 2$ and $\alpha 3$ GABA _A receptors. <i>Journal of General Physiology</i> , 2010, 135, 59-75.	0.9	36
30	Agonist-dependent Single Channel Current and Gating in $\alpha 4$ and $\alpha 2$ GABA _A Receptors. <i>Journal of General Physiology</i> , 2008, 131, 163-181.	0.9	26
31	Taurine Is a Potent Activator of Extrasynaptic GABA _A Receptors in the Thalamus. <i>Journal of Neuroscience</i> , 2008, 28, 106-115.	1.7	143
32	The pre-M1 segment of the $\alpha 1$ subunit is a transduction element in the activation of the GABA _A receptor. <i>Journal of Physiology</i> , 2006, 575, 11-22.	1.3	30
33	Identification of Molluscan Nicotinic Acetylcholine Receptor (nAChR) Subunits Involved in Formation of Cation- and Anion-Selective nAChRs. <i>Journal of Neuroscience</i> , 2005, 25, 10617-10626.	1.7	63
34	Ligand-gated ion channels: mechanisms underlying ion selectivity. <i>Progress in Biophysics and Molecular Biology</i> , 2004, 86, 161-204.	1.4	175
35	The contribution of proline 250 (P250) to pore diameter and ion selectivity in the human glycine receptor channel. <i>Neuroscience Letters</i> , 2003, 351, 196-200.	1.0	30
36	Single Channel Analysis of Conductance and Rectification in Cation-selective, Mutant Glycine Receptor Channels. <i>Journal of General Physiology</i> , 2002, 119, 411-425.	0.9	44

#	ARTICLE	IF	CITATIONS
37	Cation-selective Mutations in the M2 Domain of the Inhibitory Glycine Receptor Channel Reveal Determinants of Ion-Charge Selectivity. <i>Journal of General Physiology</i> , 2002, 119, 393-410.	0.9	89
38	M2 Pore Mutations Convert the Glycine Receptor Channel from Being Anion- to Cation-Selective. <i>Biophysical Journal</i> , 2000, 79, 247-259.	0.2	112
39	Measurement of the limiting equivalent conductivities and mobilities of the most prevalent ionic species of EGTA (EGTA ²⁻ and EGTA ³⁻) for use in electrophysiological experiments. <i>Journal of Neuroscience Methods</i> , 1999, 89, 41-47.	1.3	5