

# Shashank Mishra

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8543946/shashank-mishra-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80 papers	1,377 citations	22 h-index	34 g-index
89 ext. papers	1,501 ext. citations	5.4 avg, IF	4.84 L-index

#	Paper	IF	Citations
80	Metal-Organic Derivatives with Fluorinated Ligands as Precursors for Inorganic Nanomaterials. <i>Chemical Reviews</i> , <b>2015</b> , 115, 8379-448	68.1	112
79	Anhydrous scandium, yttrium, lanthanide and actinide halide complexes with neutral oxygen and nitrogen donor ligands. <i>Coordination Chemistry Reviews</i> , <b>2008</b> , 252, 1996-2025	23.2	70
78	Metal 2-ethylhexanoates and related compounds as useful precursors in materials science. <i>Chemical Society Reviews</i> , <b>2007</b> , 36, 1770-87	58.5	69
77	Novel barium-organic incorporated iodometalates: do they have template properties for constructing rare heterotrimetallic hybrids?. <i>Inorganic Chemistry</i> , <b>2014</b> , 53, 11721-31	5.1	52
76	Reactions of metal iodides as a simple route to heterometallics: synthesis, structural transformations, thermal and luminescent properties of novel hybrid iodoargentate derivatives templated by [YL8] <sup>3+</sup> or [YL7] <sup>3+</sup> cations (L = DMF or DMSO). <i>Dalton Transactions</i> , <b>2008</b> , 6296-304	4.3	51
75	Novel heterometal-organic complexes as first single source precursors for up-converting NaY(Ln)F <sub>4</sub> (Ln = Yb, Er, Tm) nanomaterials. <i>Dalton Transactions</i> , <b>2012</b> , 41, 1490-502	4.3	49
74	Solid- and solution phase transformations in novel hybrid iodoplumbate derivatives templated by solvated yttrium complexes. <i>Inorganic Chemistry</i> , <b>2008</b> , 47, 9333-43	5.1	47
73	Reduced {001}-TiO photocatalysts: noble-metal-free CO photoreduction for selective CH evolution. <i>Physical Chemistry Chemical Physics</i> , <b>2017</b> , 19, 13875-13881	3.6	42
72	Heterometallic Na-Y(Ln) trifluoroacetate diglyme complexes as novel single-source precursors for upconverting NaYF <sub>4</sub> nanocrystals co-doped with Yb and Er/Tm ions. <i>Chemical Communications</i> , <b>2010</b> , 46, 3756-8	5.8	41
71	Lanthanide complexes in hybrid halometallate materials: interconversion between a novel 2D microporous framework and a 1D zigzag chain structure of iodoargentates templated by octakis-solvated terbium(III) cation. <i>Dalton Transactions</i> , <b>2009</b> , 4954-61	4.3	41
70	Crystal-to-crystal transformations in heterometallic yttrium(III)-copper(I) iodide derivatives in a confined solvent-free environment: influence of solvated yttrium cations on the nuclearity and dimensionality of iodocuprate clusters. <i>Dalton Transactions</i> , <b>2008</b> , 620-30	4.3	40
69	Direct synthesis of hexagonal NaGdF <sub>4</sub> nanocrystals from a single-source precursor: upconverting NaGdF <sub>4</sub> Yb <sup>3+</sup> , Tm <sup>3+</sup> and its composites with TiO <sub>2</sub> for near-IR-driven photocatalysis. <i>Chemistry - an Asian Journal</i> , <b>2014</b> , 9, 2415-21	4.5	39
68	From discrete [Y(DMF) <sub>8</sub> ][Cu <sub>4</sub> (μ <sub>3</sub> -I) <sub>2</sub> (μ <sub>2</sub> -I) <sub>3</sub> I <sub>2</sub> ] ion pairs to extended [Y(DMF) <sub>6</sub> (H <sub>2</sub> O) <sub>2</sub> ][Cu <sub>7</sub> (μ <sub>4</sub> -I) <sub>3</sub> (μ <sub>3</sub> -I) <sub>2</sub> (μ <sub>2</sub> -I) <sub>4</sub> (I)] <sub>n</sub> infinity and [Y(DMF) <sub>6</sub> (H <sub>2</sub> O) <sub>3</sub> ][Cu <sub>7</sub> (μ <sub>4</sub> -I) <sub>3</sub> (μ <sub>3</sub> -I) <sub>2</sub> (μ <sub>2</sub> -I) <sub>4</sub> (I)] <sub>n</sub> infinity arrays by H-bond templating in a confined solvent-free environment. <i>Dalton Transactions</i> , <b>2007</b> , 418-23	4.3	36
67	Heterometallic, Hybrid, Heavy Main-Group Iodometallates Containing Lanthanide Complexes: Template Synthesis, Structures, Thermal, Optical, Luminescent and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , <b>2012</b> , 2012, 2749-2758	2.3	32
66	Homoleptic gallium(III) and indium(III) aminoalkoxides as precursors for sol-gel routes to metal oxide nanomaterials. <i>Dalton Transactions</i> , <b>2009</b> , 2569-77	4.3	30
65	The Interplay between Yttrium and Barium or Copper Trifluoroacetates and N-Methyldiethanolamine: Synthesis of a Heterometallic Y <sub>3</sub> Cu Trifluoroacetate Complex and a Homometallic Ba-TFA 1D Polymer. <i>European Journal of Inorganic Chemistry</i> , <b>2007</b> , 2007, 602-608	2.3	30
64	Novel heteroleptic heterobimetallic alkoxide complexes as facile single-source precursors for Ta(5+) doped TiO <sub>2</sub> -SnO <sub>2</sub> nanoparticles. <i>Inorganic Chemistry</i> , <b>2010</b> , 49, 11184-9	5.1	29

63	Dimethyl selenide complexes of copper, gallium and indium halides as potential precursors for selenium-containing chalcopyrite semiconducting materials. <i>Polyhedron</i> , <b>2010</b> , 29, 500-506	2.7	29
62	Rare example of a polynuclear heterometallic yttrium(III)–copper(I) iodide cluster with a [Y <sub>6</sub> (μ <sub>3</sub> -O)(μ <sub>3</sub> -OH) <sub>8</sub> ] <sup>8+</sup> core structure showing single crystal-to-single crystal transformation. <i>CrystEngComm</i> , <b>2008</b> , 10, 814	3.3	29
61	A molecular precursor approach to monodisperse scintillating CeF <sub>3</sub> nanocrystals. <i>Dalton Transactions</i> , <b>2013</b> , 42, 12633-43	4.3	28
60	Precursor-mediated synthesis of CuSe nanoparticles and their composites with TiO <sub>2</sub> for improved photocatalysis. <i>Dalton Transactions</i> , <b>2018</b> , 47, 8897-8905	4.3	26
59	A Single Source Precursor Route to Group 13 Homo- and Heterometallic Oxides as Highly Active Supports for Gold-Catalyzed Aerobic Epoxidation of trans-Stilbene. <i>European Journal of Inorganic Chemistry</i> , <b>2013</b> , 2013, 500-510	2.3	23
58	Molecular Engineering of Metal Alkoxides for Solution Phase Synthesis of High-Tech Metal Oxide Nanomaterials. <i>Chemistry - A European Journal</i> , <b>2020</b> , 26, 9292-9303	4.8	22
57	Zn-Assisted TiO <sub>2</sub> Photocatalyst with Efficient Charge Separation for Enhanced Photocatalytic Activities. <i>Journal of Physical Chemistry C</i> , <b>2017</b> , 121, 17068-17076	3.8	22
56	Aminoalkoxo-supported heteroleptic hexanuclear gallium(III) wheel as a synthon for group 13 heterometallics: a rare sol-gel precursor for mixed Al-Ga oxide as support for gold catalysts. <i>Dalton Transactions</i> , <b>2010</b> , 39, 7440-3	4.3	22
55	Thermal dehydration of Y(TFA) <sub>3</sub> (H <sub>2</sub> O) <sub>3</sub> : Synthesis and molecular structures of [Y(μ <sub>3</sub> -O)(μ <sub>3</sub> -TFA) <sub>3</sub> (THF)(H <sub>2</sub> O)] <sub>2</sub> ·THF and [Y <sub>4</sub> (μ <sub>3</sub> -OH) <sub>4</sub> (μ <sub>3</sub> -O)(μ <sub>3</sub> -TFA) <sub>6</sub> (μ <sub>3</sub> -TFA)(μ <sub>3</sub> -TFA)(THF) <sub>3</sub> (DMSO)(H <sub>2</sub> O)] <sub>2</sub> ·6THF (TFA=trifluoroacetate). <i>Inorganic Chemistry Communication</i> , <b>2009</b> , 12, 97-100	3.1	22
54	A Facile Molecular Precursor-based Synthesis of Ag <sub>2</sub> Se Nanoparticles and Its Composites with TiO <sub>2</sub> for Enhanced Photocatalytic Activity. <i>Chemistry - an Asian Journal</i> , <b>2016</b> , 11, 1658-63	4.5	19
53	Solid-state structural transformations in metal organic-inorganic hybrids constructed from terbium(III) complexes and iodocuprate clusters. <i>CrystEngComm</i> , <b>2012</b> , 14, 3894	3.3	19
52	Influence of Na <sup>+</sup> ion doping on the phase change and upconversion emissions of the GdF <sub>3</sub> : Yb <sup>3+</sup> , Tm <sup>3+</sup> nanocrystals obtained from the designed molecular precursors. <i>RSC Advances</i> , <b>2015</b> , 5, 100535-100545	3.7	18
51	Structural isomers of iron(III) N-methyl diethanolamine as sol-gel precursors for iron-based oxide nanomaterials. <i>RSC Advances</i> , <b>2016</b> , 6, 1738-1743	3.7	17
50	A convenient and quantitative route to Sn(IV)-M [M = Ti(IV), Nb(V), Ta(V)] heterobimetallic precursors for dense mixed-metal oxide ceramics. <i>Dalton Transactions</i> , <b>2015</b> , 44, 6848-62	4.3	17
49	SYNTHESIS AND SPECTROSCOPIC (IR, <sup>1</sup> H, <sup>13</sup> C, AND <sup>119</sup> Sn NMR) CHARACTERIZATION OF MONO- AND DIORGANOTIN(IV) COMPLEXES CONTAINING STERICALLY HINDERED N-ARYLSALICYLALDIMINATE GROUPS. <i>Main Group Metal Chemistry</i> , <b>2002</b> , 25,	1.6	17
48	Redistribution reactions of heteroleptic barium iodide derivatives: Synthesis and structures of trans-BaI <sub>2</sub> (DME)(triglyme), cis-BaI <sub>2</sub> (DME)(tetraglyme) and [Ba(tetraglyme) <sub>2</sub> ] <sub>2</sub> I <sub>2</sub> ·C <sub>7</sub> H <sub>8</sub> . <i>Polyhedron</i> , <b>2007</b> , 26, 66-72	2.7	16
47	Thermodynamics of nanoparticles: experimental protocol based on a comprehensive Ginzburg-Landau interpretation. <i>Nano Letters</i> , <b>2014</b> , 14, 269-76	11.5	14
46	Heteroleptic Tin(IV) Aminoalkoxides and Aminoalkoxyalkoxides as MOCVD Precursors for Undoped and F-Doped SnO Thin Films. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 7167-7180	5.1	13

45	Modeling Energy Migration for Upconversion Materials. <i>Journal of Physical Chemistry C</i> , <b>2018</b> , 122, 888-893	12
44	Enhanced catalytic activity and near room temperature gas sensing properties of SnO nanoclusters@mesoporous Sn(IV) organophosphonate composite. <i>Dalton Transactions</i> , <b>2017</b> , 46, 8664-8672	11
43	Synthesis and spectroscopic characterization of aryloxide derivatives of titanium(IV) and zirconium(IV). <i>Transition Metal Chemistry</i> , <b>2005</b> , 30, 163-169	2.1 10
42	SYNTHESIS, REACTIONS, AND SPECTRAL [NMR ( <sup>1</sup> H, <sup>13</sup> C, <sup>29</sup> Si), IR] STUDIES OF TRIMETHYLSILYL-SUBSTITUTED N-ARYLSALICYLALDIMINATES. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , <b>2001</b> , 31, 1705-1715	10
41	Room-temperature conversion of CuSe to CuAgSe nanoparticles to enhance the photocatalytic performance of their composites with TiO <sub>2</sub> . <i>Dalton Transactions</i> , <b>2020</b> , 49, 3580-3591	4.3 9
40	Asymmetrically substituted triazenes as poor electron donor ligands in the precursor chemistry of iron(II) for iron-based metallic and intermetallic nanocrystals. <i>Dalton Transactions</i> , <b>2017</b> , 46, 13055-13064	4.3 9
39	High surface area g-C <sub>3</sub> N <sub>4</sub> and g-C <sub>3</sub> N <sub>4</sub> -TiO <sub>2</sub> photocatalytic activity under UV and Visible light: Impact of individual component. <i>Journal of Environmental Chemical Engineering</i> , <b>2021</b> , 9, 105587	6.8 9
38	Molecules versus Nanoparticles: Identifying a Reactive Molecular Intermediate in the Synthesis of Ternary Coinage Metal Chalcogenides. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 7727-7738	5.1 8
37	Activation of dioxygen by an yttrium iodide adduct: First example of an yttrium superoxide displaying also a rare 1,1-bridging mode of the superoxide ligand. <i>Inorganic Chemistry Communication</i> , <b>2007</b> , 10, 15-19	3.1 8
36	Synthesis and spectroscopic studies of homo- and heteroleptic N-arylsalicylaldiminates of titanium(IV), zirconium(IV) and chromium(III). <i>Transition Metal Chemistry</i> , <b>2004</b> , 29, 164-169	2.1 8
35	SYNTHESIS AND SPECTROSCOPIC [IR, NMR ( <sup>1</sup> H, <sup>13</sup> C, <sup>29</sup> Si)] CHARACTERIZATION OF METHYLSILYL N-ARYLSALICYLALDIMINATES. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , <b>2001</b> , 175, 143-152	1 8
34	Multicolor Solar Absorption as a Synergetic UV Upconversion Enhancement Mechanism in LiYF <sub>4</sub> :Yb <sup>3+</sup> , Tm <sup>3+</sup> Nanocrystals. <i>ACS Photonics</i> , <b>2019</b> , 6, 3126-3131	6.3 8
33	Coinage Metal Complexes with Di-tertiary-butyl Sulfide as Precursors with Ultra-Low Decomposition Temperature. <i>Chemistry - A European Journal</i> , <b>2021</b> , 27, 10826-10832	4.8 7
32	Influence of the choice of precursors on the synthesis of two-dimensional transition metal dichalcogenides. <i>Dalton Transactions</i> , <b>2021</b> , 50, 12365-12385	4.3 7
31	Hydrolysis of a (2-Propanol)yttrium Triiodide Complex in the Presence of Glymes: Synthesis and X-ray Structures of Hydroxo-Bridged Dinuclear Yttrium Complexes and Their Applications in Materials Science. <i>European Journal of Inorganic Chemistry</i> , <b>2007</b> , 2007, 2208-2215	2.3 6
30	SYNTHESIS AND CHARACTERISATION OF VOLATILE, NOVEL HETEROTRIMETALLIC DERIVATIVES OF LANTHANIDES(III) CONTAINING NONAISOPROPOXODIZIRCONATE AND TETRAISOPROPOXOALUMINATE LIGANDS. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , <b>2002</b> , 32, 689-702	6
29	Rapid Suzuki-Miyaura cross-coupling reaction catalyzed by zirconium carboxyphosphonate supported mixed valent Pd(0)/Pd(II) catalyst. <i>Applied Organometallic Chemistry</i> , <b>2019</b> , 33, e5017	3.1 5
28	Optimum in the thermoelectric efficiency of nanostructured Nb-doped TiO <sub>2</sub> ceramics: from polarons to Nb-Nb dimers. <i>Physical Chemistry Chemical Physics</i> , <b>2020</b> , 22, 13008-13016	3.6 5

27	Synthesis, characterization and thermal transport properties of heteroleptic N-alkyl triazenide complexes of titanium(IV) and niobium(V). <i>Polyhedron</i> , <b>2018</b> , 152, 84-89	2.7	5
26	SYNTHESIS AND SPECTROSCOPIC (1R AND 1H, 13C, 27Al NMR) CHARACTERIZATION OF SEVERAL ALUMINIUM AND GALLIUM N-ARYLSALICYLALDIMINATE DERIVATIVES. <i>Main Group Metal Chemistry</i> , <b>2001</b> , 24,	1.6	5
25	Chemical Vapor Deposition of Al <sub>13</sub> Fe <sub>4</sub> Highly Selective Catalytic Films for the Semi-Hydrogenation of Acetylene. <i>Physica Status Solidi (A) Applications and Materials Science</i> , <b>2018</b> , 215, 1700692	1.6	5
24	Nanometric NaYF as an Unconventional Support for Gold Catalysts for Oxidation Reactions. <i>ACS Omega</i> , <b>2019</b> , 4, 5852-5861	3.9	4
23	Upconversion Phenomena in Nanofluorides <b>2016</b> , 35-63		4
22	Synthesis and Spectroscopic [Electronic, IR, NMR (1H, 13C, 89Y)] Characterization of Hexaisopropoxoniobates and -Tantalates of Yttrium(III) and Lanthanides(III). <i>Journal of the Chinese Chemical Society</i> , <b>2002</b> , 49, 335-339	1.5	4
21	Quest to enhance up-conversion efficiency: a comparison of anhydrous vs. hydrous synthesis of NaGdF <sub>4</sub> : Yb <sup>3+</sup> and Tm <sup>3+</sup> nanoparticles. <i>Materials Today Chemistry</i> , <b>2020</b> , 17, 100326	6.2	4
20	Heterotri- and -tetrametallic alkoxides of chromium(III) containing aluminium(III), gallium(III) and niobium(V). <i>Transition Metal Chemistry</i> , <b>2002</b> , 27, 541-545	2.1	3
19	Four novel classes of heterobimetallic isopropoxides of chromium(III). <i>Transition Metal Chemistry</i> , <b>2002</b> , 27, 712-715	2.1	2
18	SYNTHESIS AND CHARACTERIZATION OF A NOVEL CLASS OF HETEROBIMETALLIC DERIVATIVES OF YTTRIUM AND LANTHANIDES BASED ON {Zr <sub>2</sub> (OPr <sup>i</sup> ) <sub>8</sub> Cl} <sub>n</sub> UNITS. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , <b>2001</b> , 31, 569-577		2
17	Designed sol-gel precursors for atomically dispersed Nb and Pb within TiO <sub>2</sub> as catalysts for dihydroxyacetone transformation. <i>Dalton Transactions</i> , <b>2021</b> , 50, 1604-1609	4.3	2
16	Pd Nanoparticles Dispersed on Zr <sup>IV</sup> Organophosphonate: A Robust and Reusable Catalyst for Suzuki-Miyaura Cross-Coupling Reactions. <i>European Journal of Inorganic Chemistry</i> , <b>2018</b> , 2018, 751-758	2.3	2
15	Homometallic glycolates containing hydroxyl functionality for anchoring another metal: synthesis and characterization of heterometallic alkoxide glycolates of Ti and Zr incorporating Al and Nb. <i>Journal of Coordination Chemistry</i> , <b>2016</b> , 69, 135-148	1.6	1
14	The Chemistry and Spectroscopy of Nonaisopropoxodistannate and Tetradecaisopropoxotristannate Complexes of Yttrium(III) and Lanthanides(III). <i>Main Group Metal Chemistry</i> , <b>2004</b> , 27,	1.6	1
13	Di-Eaqua-bis({N-[(2-dimethylamino- <i>n</i> -ethyl)-N,N',N'-trimethylethane-1,2-diamine- <i>n</i> ,N']sodium(I)} diiodide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2005</b> , 61, o1528-o1530		1
12	SYNTHESIS AND SPECTRAL CHARACTERIZATION OF FOUR-COORDINATE CYCLIC BORON COMPOUNDS CONTAINING FIVE-AND SIX-MEMBERED RING SYSTEMS. <i>Main Group Metal Chemistry</i> , <b>2001</b> , 24,	1.6	1
11	An anhydrous precursor approach to BaYF <sub>5</sub> -based upconverting nanocrystals. <i>Journal of the Indian Chemical Society</i> , <b>2022</b> , 99, 100322		1
10	Chalcogenoethers as convenient synthons for low-temperature solution-phase synthesis of metal chalcogenide nanocrystals <b>2022</b> , 201-218		1

- 9 Towards Robust Object Detection in Floor Plan Images: A Data Augmentation Approach. *Applied Sciences (Switzerland)*, **2021**, 11, 11174 2.6 ○
- 8 Asymmetry-Induced Redistribution in Sn(IV)/Ti(IV) Hetero-Bimetallic Alkoxide Precursors and Its Impact on Thin-Film Deposition by Metal-Organic Chemical Vapor Deposition. *Crystal Growth and Design*, **2021**, 21, 1117-1125 3.5 ○
- 7 Single source precursor route to nanometric tin chalcogenides. *Dalton Transactions*, **2021**, 50, 17346-17349 4.9 ○
- 6 Effect of High Pressure Spark Plasma Sintering on the Densification of a Nb-Doped TiO<sub>2</sub> Nanopowder. *Ceramics*, **2020**, 3, 507-520 1.7 ○
- 5 Synthesis and Thermal Behavior of Heteroleptic  $\mu$ -Substituted Acetylacetonate-Alkoxides of Titanium. *European Journal of Inorganic Chemistry*, **2021**, 2021, 1976-1983 2.3 ○
- 4 Synthesis and Spectroscopic Characterization of the First Mixed Six- and Seven-Membered Heterocyclic Boron Compounds With Intramolecular N-B Bond. *Main Group Metal Chemistry*, **2009**, 32, 55-64 1.6
- 3 Synthesis and Physico-Chemical Studies of New Types of Heteroleptic Isopropoxometallates of Chromium(III). *Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry*, **2003**, 33, 761-773
- 2 Accessing cationic zirconium phosphonate nanosheets for anion exchange applications. *Inorganica Chimica Acta*, **2022**, 531, 120706 2.7
- 1 Syntheses and characterizations of calcium and strontium based coordination compounds with the 5-(2-pyridyl)tetrazolate ligand, respectively exhibiting extended 1 D and 2 D structures. *Journal of Molecular Structure*, **2022**, 1260, 132757 3.4