Hengxing Ji

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8546680/hengxing-ji-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110	10,979	52	104
papers	citations	h-index	g-index
116 ext. papers	12,591 ext. citations	12.4 avg, IF	6.36 L-index

#	Paper	IF	Citations
110	Microfluidic Oxidation of Graphite in Two Minutes with Capability of Real-Time Monitoring <i>Advanced Materials</i> , 2022 , e2107083	24	O
109	Regulating Sodium Deposition through Gradiently-Graphitized Framework for Dendrite-Free Na Metal Anode <i>Small</i> , 2022 , e2107199	11	2
108	Role of the Metal Atom in a Carbon-Based Single-Atom Electrocatalyst for Li?S Redox Reactions <i>Small</i> , 2022 , e2200395	11	3
107	Isolated Co single atoms in nitrogen-doped graphene for aluminum-sulfur batteries with enhanced kinetic response. <i>Journal of Energy Chemistry</i> , 2021 , 67, 354-354	12	4
106	Monitoring the mechanical properties of the solid electrolyte interphase (SEI) using electrochemical quartz crystal microbalance with dissipation. <i>Chinese Chemical Letters</i> , 2021 , 32, 1139-1	843	8
105	Fundamental Insights into Surface Modification of Silicon Material toward Improved Activity and Durability in Photocatalytic Hydrogen Production: A Case Study of Pre-Lithiation. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 5542-5548	3.8	3
104	Guiding Sodium Deposition through a SodiophobicBodiophilic Gradient Interfacial Layer for Highly Stable Sodium Metal Anodes. <i>ACS Applied Energy Materials</i> , 2021 , 4, 2724-2731	6.1	7
103	TiN nanocrystal anchored on N-doped graphene as effective sulfur hosts for high-performance lithium-sulfur batteries. <i>Journal of Energy Chemistry</i> , 2021 , 54, 16-22	12	18
102	Cobalt and nitrogen atoms co-doped porous carbon for advanced electrical double-layer capacitors. <i>Chinese Chemical Letters</i> , 2021 , 32, 830-833	8.1	3
101	Elimination of Grain Boundaries in Graphene Growth on a Cu N i Alloyed Substrate by Chemical Vapor Deposition. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 18217-18224	3.8	
100	Ascorbic acid-assisted defect healing and stack ordering of graphene films towards high power thermal dispersion. <i>Carbon</i> , 2021 , 182, 799-805	10.4	2
99	Graphene foil as a current collector for NCM material-based cathodes. <i>Nanotechnology</i> , 2020 , 31, 20571	3 .4	7
98	Large-area, periodic, and tunable intrinsic pseudo-magnetic fields in low-angle twisted bilayer graphene. <i>Nature Communications</i> , 2020 , 11, 371	17.4	32
97	Piezoelectric Materials as Sonodynamic Sensitizers to Safely Ablate Tumors: A Case Study Using Black Phosphorus. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 1228-1238	6.4	43
96	A rechargeable aqueous aluminum-sulfur battery through acid activation in water-in-salt electrolyte. <i>Chemical Communications</i> , 2020 , 56, 2023-2026	5.8	35
95	A Black Phosphorus Craphite Composite Anode for Li-/Na-/K-Ion Batteries. <i>Angewandte Chemie</i> , 2020 , 132, 2338-2342	3.6	13
94	A Black Phosphorus-Graphite Composite Anode for Li-/Na-/K-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 2318-2322	16.4	54

(2018-2020)

93	Black phosphorus composites with engineered interfaces for high-rate high-capacity lithium storage. <i>Science</i> , 2020 , 370, 192-197	33.3	156
92	Redistribution of Li-ions using covalent organic frameworks towards dendrite-free lithium anodes: a mechanism based on a Galton Board. <i>Science China Chemistry</i> , 2020 , 63, 1306-1314	7.9	19
91	Highly sensitive flexible pressure sensors based on graphene/graphene scrolls multilayer hybrid films. <i>Chinese Journal of Chemical Physics</i> , 2020 , 33, 365-370	0.9	1
90	Ion transport in porous carbon electrode for supercapacitors probed by electrochemical quartz crystal microbalance. <i>Electrochimica Acta</i> , 2020 , 356, 136780	6.7	O
89	Rechargeable Aluminium-Sulfur Battery with Improved Electrochemical Performance by Cobalt-Containing Electrocatalyst. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 22963-22967	16.4	15
88	Rechargeable AluminiumBulfur Battery with Improved Electrochemical Performance by Cobalt-Containing Electrocatalyst. <i>Angewandte Chemie</i> , 2020 , 132, 23163-23167	3.6	5
87	Solid-Solution-Based Metal Alloy Phase for Highly Reversible Lithium Metal Anode. <i>Journal of the American Chemical Society</i> , 2020 , 142, 8818-8826	16.4	86
86	Isotropic charge screening of anisotropic black phosphorus revealed by potassium adatoms. <i>Physical Review B</i> , 2019 , 100,	3.3	3
85	Identification of graphene oxide and its structural features in solvents by optical microscopy <i>RSC Advances</i> , 2019 , 9, 18559-18564	3.7	0
84	Vacuum Filtration-and-Transfer Technique Helps Electrochemical Quartz Crystal Microbalance to Reveal Accurate Charge Storage in Supercapacitors. <i>Small Methods</i> , 2019 , 3, 1900246	12.8	15
83	Synergy of Black Phosphorus-Graphite-Polyaniline-Based Ternary Composites for Stable High Reversible Capacity Na-Ion Battery Anodes. <i>ACS Applied Materials & District American</i> , 11, 16656-166	5 81 5	35
82	Cobalt in Nitrogen-Doped Graphene as Single-Atom Catalyst for High-Sulfur Content Lithium-Sulfur Batteries. <i>Journal of the American Chemical Society</i> , 2019 , 141, 3977-3985	16.4	626
81	Supercapacitors: Vacuum Filtration-and-Transfer Technique Helps Electrochemical Quartz Crystal Microbalance to Reveal Accurate Charge Storage in Supercapacitors (Small Methods 11/2019). <i>Small Methods</i> , 2019 , 3, 1970037	12.8	0
80	Carbonized-MOF as a Sulfur Host for AluminumBulfur Batteries with Enhanced Capacity and Cycling Life. <i>Advanced Functional Materials</i> , 2019 , 29, 1807676	15.6	59
79	The Charge Storage Mechanisms of 2D Cation-Intercalated Manganese Oxide in Different Electrolytes. <i>Advanced Energy Materials</i> , 2019 , 9, 1802707	21.8	67
78	Azide Passivation of Black Phosphorus Nanosheets: Covalent Functionalization Affords Ambient Stability Enhancement. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 1479-1483	16.4	79
77	Rapid Identification of the Layer Number of Large-Area Graphene on Copper. <i>Chemistry of Materials</i> , 2018 , 30, 2067-2073	9.6	19
76	Degradation Chemistry and Stabilization of Exfoliated Few-Layer Black Phosphorus in Water. Journal of the American Chemical Society, 2018, 140, 7561-7567	16.4	185

75	Mass production and industrial applications of graphene materials. <i>National Science Review</i> , 2018 , 5, 90-101	10.8	158
74	Well-elaborated, mechanochemically synthesized Fe-TPP?ZIF precursors (Fe-TPP = tetraphenylporphine iron) to atomically dispersed ironlitrogen species for oxygen reduction reaction and Zn-air batteries. <i>Nano Energy</i> , 2018 , 52, 29-37	17.1	77
73	Advanced 3D Current Collectors for Lithium-Based Batteries. <i>Advanced Materials</i> , 2018 , 30, e1802014	24	121
72	Hot-Roll-Pressing Mediated Transfer of Chemical Vapor Deposition Graphene for Transparent and Flexible Touch Screen with Low Sheet-Resistance. <i>Journal of Nanoscience and Nanotechnology</i> , 2018 , 18, 4337-4342	1.3	4
71	Robust Expandable Carbon Nanotube Scaffold for Ultrahigh-Capacity Lithium-Metal Anodes. <i>Advanced Materials</i> , 2018 , 30, e1800884	24	132
70	NS codoped carbon nanorods as anode materials for high-performance lithium and sodium ion batteries. <i>Journal of Energy Chemistry</i> , 2018 , 27, 203-208	12	27
69	Origin of the Overpotential for the Oxygen Evolution Reaction on a Well-Defined Graphene Electrode Probed by in Situ Sum Frequency Generation Vibrational Spectroscopy. <i>Journal of the American Chemical Society</i> , 2018 , 140, 15568-15571	16.4	46
68	Azide Passivation of Black Phosphorus Nanosheets: Covalent Functionalization Affords Ambient Stability Enhancement. <i>Angewandte Chemie</i> , 2018 , 131, 1493	3.6	3
67	Stabilizing black phosphorus nanosheets via edge-selective bonding of sacrificial C molecules. <i>Nature Communications</i> , 2018 , 9, 4177	17.4	115
66	Chemical Vapor Deposition Growth of Bernal-Stacked Bilayer Graphene by Edge-Selective Etching with H2O. <i>Chemistry of Materials</i> , 2018 , 30, 7852-7859	9.6	11
65	Direct Laser Writing of Graphene Made from Chemical Vapor Deposition for Flexible, Integratable Micro-Supercapacitors with Ultrahigh Power Output. <i>Advanced Materials</i> , 2018 , 30, e1801384	24	137
64	Highly pressure-sensitive graphene sponge fabricated by Fray irradiation reduction. <i>Science China Materials</i> , 2018 , 61, 1596-1604	7.1	5
63	Black Phosphorus Revisited: A Missing Metal-Free Elemental Photocatalyst for Visible Light Hydrogen Evolution. <i>Advanced Materials</i> , 2017 , 29, 1605776	24	309
62	Amorphous Molybdenum Sulfide/Carbon Nanotubes Hybrid Nanospheres Prepared by Ultrasonic Spray Pyrolysis for Electrocatalytic Hydrogen Evolution. <i>Small</i> , 2017 , 13, 1700111	11	55
61	From 1D Polymers to 2D Polymers: Preparation of Free-Standing Single-Monomer-Thick Two-Dimensional Conjugated Polymers in Water. <i>ACS Nano</i> , 2017 , 11, 7223-7229	16.7	19
60	Nitrogen-Doped Hollow Carbon Nanospheres for High-Performance Li-Ion Batteries. <i>ACS Applied Materials & Amp; Interfaces</i> , 2017 , 9, 14180-14186	9.5	8o
59	Crystalline Copper Phosphide Nanosheets as an Efficient Janus Catalyst for Overall Water Splitting. <i>ACS Applied Materials & amp; Interfaces</i> , 2017 , 9, 2240-2248	9.5	175
58	The correlation between carbon structures and electrochemical properties of sulfur/carbon composites for Li-S batteries. <i>Journal of Power Sources</i> , 2017 , 341, 139-146	8.9	20

(2015-2017)

57	Incorporating Pyrrolic and Pyridinic Nitrogen into a Porous Carbon made from C Molecules to Obtain Superior Energy Storage. <i>Advanced Materials</i> , 2017 , 29, 1603414	24	132
56	High Areal Capacity and Lithium Utilization in Anodes Made of Covalently Connected Graphite Microtubes. <i>Advanced Materials</i> , 2017 , 29, 1700783	24	123
55	KOH assisted activation of microwave exfoliated graphite oxide for selective voltammetric determination of dopamine and uric acid in the presence of ascorbic acid. <i>Journal of Electroanalytical Chemistry</i> , 2017 , 804, 72-77	4.1	8
54	Atom-Thick Interlayer Made of CVD-Grown Graphene Film on Separator for Advanced Lithium-Sulfur Batteries. <i>ACS Applied Materials & Samp; Interfaces</i> , 2017 , 9, 43696-43703	9.5	62
53	ERay Irradiation-Derived MnO/rGO Composites for High Performance Lithium Ion Batteries. <i>Chinese Journal of Chemical Physics</i> , 2017 , 30, 461-466	0.9	2
52	Supercapacitors: A Hierarchical Carbon Derived from Sponge-Templated Activation of Graphene Oxide for High-Performance Supercapacitor Electrodes (Adv. Mater. 26/2016). <i>Advanced Materials</i> , 2016 , 28, 5331	24	7
51	Carbon Nanostructures: Covalently Connected Carbon Nanostructures for Current Collectors in Both the Cathode and Anode of Liß Batteries (Adv. Mater. 41/2016). <i>Advanced Materials</i> , 2016 , 28, 9016	- 30 16	5
50	A Highly Efficient Metal-Free Oxygen Reduction Electrocatalyst Assembled from Carbon Nanotubes and Graphene. <i>Advanced Materials</i> , 2016 , 28, 4606-13	24	178
49	Creating Pores on Graphene Platelets by Low-Temperature KOH Activation for Enhanced Electrochemical Performance. <i>Small</i> , 2016 , 12, 2376-84	11	76
48	Low-Cost Synthesis Route for High-Performance S/C Composite with 90% S Content. <i>Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica</i> , 2016 , 32, 797-799	3.8	4
47	A Hierarchical Carbon Derived from Sponge-Templated Activation of Graphene Oxide for		323
	High-Performance Supercapacitor Electrodes. <i>Advanced Materials</i> , 2016 , 28, 5222-8	24	<i>y</i> - <i>y</i>
46		24	154
	High-Performance Supercapacitor Electrodes. <i>Advanced Materials</i> , 2016 , 28, 5222-8 Covalently Connected Carbon Nanostructures for Current Collectors in Both the Cathode and	24	
46	High-Performance Supercapacitor Electrodes. Advanced Materials, 2016, 28, 5222-8 Covalently Connected Carbon Nanostructures for Current Collectors in Both the Cathode and Anode of Li-S Batteries. Advanced Materials, 2016, 28, 9094-9102 The Origin of Improved Electrical Double-Layer Capacitance by Inclusion of Topological Defects and Dopants in Graphene for Supercapacitors. Angewandte Chemie - International Edition, 2016, 55, 13822-13. The Origin of Improved Electrical Double-Layer Capacitance by Inclusion of Topological Defects and	24	154
46 45	High-Performance Supercapacitor Electrodes. Advanced Materials, 2016, 28, 5222-8 Covalently Connected Carbon Nanostructures for Current Collectors in Both the Cathode and Anode of Li-S Batteries. Advanced Materials, 2016, 28, 9094-9102 The Origin of Improved Electrical Double-Layer Capacitance by Inclusion of Topological Defects and Dopants in Graphene for Supercapacitors. Angewandte Chemie - International Edition, 2016, 55, 13822-1. The Origin of Improved Electrical Double-Layer Capacitance by Inclusion of Topological Defects and Dopants in Graphene for Supercapacitors. Angewandte Chemie, 2016, 128, 14026-14031 Free-standing boron and oxygen co-doped carbon nanofiber films for large volumetric capacitance	²⁴ 3824	154 117
46 45 44	High-Performance Supercapacitor Electrodes. Advanced Materials, 2016, 28, 5222-8 Covalently Connected Carbon Nanostructures for Current Collectors in Both the Cathode and Anode of Li-S Batteries. Advanced Materials, 2016, 28, 9094-9102 The Origin of Improved Electrical Double-Layer Capacitance by Inclusion of Topological Defects and Dopants in Graphene for Supercapacitors. Angewandte Chemie - International Edition, 2016, 55, 13822-13. The Origin of Improved Electrical Double-Layer Capacitance by Inclusion of Topological Defects and Dopants in Graphene for Supercapacitors. Angewandte Chemie, 2016, 128, 14026-14031 Free-standing boron and oxygen co-doped carbon nanofiber films for large volumetric capacitance and high rate capability supercapacitors. Nano Energy, 2015, 15, 235-243	24 3824 3.6 17.1	154 117 12
46 45 44 43	Covalently Connected Carbon Nanostructures for Current Collectors in Both the Cathode and Anode of Li-S Batteries. <i>Advanced Materials</i> , 2016 , 28, 9094-9102 The Origin of Improved Electrical Double-Layer Capacitance by Inclusion of Topological Defects and Dopants in Graphene for Supercapacitors. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 13822-13. The Origin of Improved Electrical Double-Layer Capacitance by Inclusion of Topological Defects and Dopants in Graphene for Supercapacitors. <i>Angewandte Chemie</i> , 2016 , 128, 14026-14031 Free-standing boron and oxygen co-doped carbon nanofiber films for large volumetric capacitance and high rate capability supercapacitors. <i>Nano Energy</i> , 2015 , 15, 235-243 In Situ Activation of Nitrogen-Doped Graphene Anchored on Graphite Foam for a High-Capacity Anode. <i>ACS Nano</i> , 2015 , 9, 8609-16 A robust hydrogen evolution catalyst based on crystalline nickel phosphide nanoflakes on	24 3824 3.6 17.1	154 117 12 94
46 45 44 43 42	Covalently Connected Carbon Nanostructures for Current Collectors in Both the Cathode and Anode of Li-S Batteries. Advanced Materials, 2016, 28, 9094-9102 The Origin of Improved Electrical Double-Layer Capacitance by Inclusion of Topological Defects and Dopants in Graphene for Supercapacitors. Angewandte Chemie - International Edition, 2016, 55, 13822-1. The Origin of Improved Electrical Double-Layer Capacitance by Inclusion of Topological Defects and Dopants in Graphene for Supercapacitors. Angewandte Chemie, 2016, 128, 14026-14031 Free-standing boron and oxygen co-doped carbon nanofiber films for large volumetric capacitance and high rate capability supercapacitors. Nano Energy, 2015, 15, 235-243 In Situ Activation of Nitrogen-Doped Graphene Anchored on Graphite Foam for a High-Capacity Anode. ACS Nano, 2015, 9, 8609-16 A robust hydrogen evolution catalyst based on crystalline nickel phosphide nanoflakes on three-dimensional graphene/nickel foam: high performance for electrocatalytic hydrogen production from pH 0114. Journal of Materials Chemistry A, 2015, 3, 1941-1946	24 3824 3.6 17.1	154 117 12 94 103

39	Scattering of phonons by high-concentration isotopic impurities in ultrathin graphite. <i>Physical Review B</i> , 2015 , 91,	3.3	15
38	Manipulating size of Li3V2(PO4)3 with reduced graphene oxide: towards high-performance composite cathode for lithium ion batteries. <i>Scientific Reports</i> , 2014 , 4, 5768	4.9	21
37	Capacitance of carbon-based electrical double-layer capacitors. <i>Nature Communications</i> , 2014 , 5, 3317	17.4	463
36	Enhanced thermal conductivity of phase change materials with ultrathin-graphite foams for thermal energy storage. <i>Energy and Environmental Science</i> , 2014 , 7, 1185-1192	35.4	410
35	LiFePO4/reduced graphene oxide hybrid cathode for lithium ion battery with outstanding rate performance. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 7812-7818	13	52
34	Copper oxide as a Belf-cleaning Bubstrate for graphene growth. <i>Journal of Materials Research</i> , 2014 , 29, 403-409	2.5	44
33	Controllable atmospheric pressure growth of mono-layer, bi-layer and tri-layer graphene. <i>Chemical Communications</i> , 2014 , 50, 11012-5	5.8	22
32	Graphene-encapsulated Si on ultrathin-graphite foam as anode for high capacity lithium-ion batteries. <i>Advanced Materials</i> , 2013 , 25, 4673-7	24	291
31	Graphene synthesis via magnetic inductive heating of copper substrates. ACS Nano, 2013, 7, 7495-9	16.7	62
30	Selective surface functionalization at regions of high local curvature in graphene. <i>Chemical Communications</i> , 2013 , 49, 677-9	5.8	116
29	Naturally Rolled-Up C/Si/C Trilayer Nanomembranes as Stable Anodes for Lithium-Ion Batteries with Remarkable Cycling Performance. <i>Angewandte Chemie</i> , 2013 , 125, 2382-2386	3.6	51
28	Millimeter-size single-crystal graphene by suppressing evaporative loss of Cu during low pressure chemical vapor deposition. <i>Advanced Materials</i> , 2013 , 25, 2062-5	24	246
27	Naturally rolled-up C/Si/C trilayer nanomembranes as stable anodes for lithium-ion batteries with remarkable cycling performance. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 2326-30	16.4	167
26	Nanoporous Ni(OH)2 thin film on 3D Ultrathin-graphite foam for asymmetric supercapacitor. <i>ACS Nano</i> , 2013 , 7, 6237-43	16.7	925
25	Non-destructive and rapid evaluation of chemical vapor deposition graphene by dark field optical microscopy. <i>Applied Physics Letters</i> , 2013 , 103, 043119	3.4	24
24	Highly conductive and porous activated reduced graphene oxide films for high-power supercapacitors. <i>Nano Letters</i> , 2012 , 12, 1806-12	11.5	782
23	Nitrogen doping of graphene and its effect on quantum capacitance, and a new insight on the enhanced capacitance of N-doped carbon. <i>Energy and Environmental Science</i> , 2012 , 5, 9618	35.4	307
22	Growth mechanism and controlled synthesis of AB-stacked bilayer graphene on Cu-Ni alloy foils. <i>ACS Nano</i> , 2012 , 6, 7731-8	16.7	143

(2007-2012)

21	Thermal transport in three-dimensional foam architectures of few-layer graphene and ultrathin graphite. <i>Nano Letters</i> , 2012 , 12, 2959-64	11.5	285
20	Tuning the doping type and level of graphene with different gold configurations. <i>Small</i> , 2012 , 8, 3129-30	611	59
19	Detection of sulfur dioxide gas with graphene field effect transistor. <i>Applied Physics Letters</i> , 2012 , 100, 163114	3.4	57
18	Low-temperature chemical vapor deposition growth of graphene from toluene on electropolished copper foils. <i>ACS Nano</i> , 2012 , 6, 2471-6	16.7	211
17	Ultrathin graphite foam: a three-dimensional conductive network for battery electrodes. <i>Nano Letters</i> , 2012 , 12, 2446-51	11.5	360
16	Thermal conductivity measurements of suspended graphene with and without wrinkles by micro-Raman mapping. <i>Nanotechnology</i> , 2012 , 23, 365701	3.4	96
15	Cu-Si nanocable arrays as high-rate anode materials for lithium-ion batteries. <i>Advanced Materials</i> , 2011 , 23, 4415-20	24	266
14	Graphene growth using a solid carbon feedstock and hydrogen. ACS Nano, 2011 , 5, 7656-61	16.7	84
13	Surface acoustic wave mediated dielectrophoretic alignment of rolled-up microtubes in microfluidic systems. <i>Applied Physics Letters</i> , 2010 , 96, 134105	3.4	18
12	Stretchable graphene: a close look at fundamental parameters through biaxial straining. <i>Nano Letters</i> , 2010 , 10, 3453-8	11.5	275
11	Swiss roll nanomembranes with controlled proton diffusion as redox micro-supercapacitors. <i>Chemical Communications</i> , 2010 , 46, 3881-3	5.8	46
10	Self-wound composite nanomembranes as electrode materials for lithium ion batteries. <i>Advanced Materials</i> , 2010 , 22, 4591-5	24	92
9	Metal Octaethylporphyrin Nanowire Array and Network toward Electric/Photoelectric Devices. Journal of Physical Chemistry C, 2009 , 113, 16259-16265	3.8	25
8	ZnOEP based phototransistor: signal amplification and light-controlled switch. <i>Chemical Communications</i> , 2008 , 2653-5	5.8	39
7	Controllable crystalline structure of fullerene nanorods and transport properties of an individual nanorod. <i>Journal of Materials Chemistry</i> , 2008 , 18, 328-332		76
6	Ion-Transfer-Based Growth: A Mechanism for CuTCNQ Nanowire Formation. <i>Advanced Materials</i> , 2008 , 20, 4879-4882	24	35
5	Facile solution synthesis of hexagonal Alq3 nanorods and their field emission properties. <i>Chemical Communications</i> , 2007 , 3083-5	5.8	41
4	Controllable Preparation of Submicrometer Single-Crystal C60 Rods and Tubes Trough Concentration Depletion at the Surfaces of Seeds. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 10498-105	ð2 ⁸	89

3	Bis(ethylenedithio)tetrathiafulvalene Charge-Transfer Salt Nanotube Arrays. <i>Advanced Materials</i> , 2006 , 18, 2753-2757	24	14
2	Molecular sieve based Janus separators for Li-ions redistribution to enable stable lithium deposition. <i>Nano Research</i> ,1	10	O
1	Phosphorus-Based Anodes for Fast Charging Lithium-Ion Batteries: Challenges and Opportunities. Small Science, 2200015		3