Ahmed, Am

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8547070/publications.pdf

Version: 2024-02-01

236612 264894 42 49 1,803 25 citations h-index g-index papers 49 49 49 2131 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Zoo Animals as Reservoirs of Gram-Negative Bacteria Harboring Integrons and Antimicrobial Resistance Genes. Applied and Environmental Microbiology, 2007, 73, 6686-6690.	1.4	163
2	Isolation and molecular characterization of Salmonella enterica, Escherichia coli O157:H7 and Shigella spp. from meat and dairy products in Egypt. International Journal of Food Microbiology, 2014, 168-169, 57-62.	2.1	102
3	Molecular characterization of multidrug-resistant avian pathogenic Escherichia coli isolated from septicemic broilers. International Journal of Medical Microbiology, 2013, 303, 475-483.	1.5	90
4	Genetic characterization of multidrug resistance in Shigella spp. from Japan. Journal of Medical Microbiology, 2006, 55, 1685-1691.	0.7	89
5	Emergence of Plasmid-Mediated Colistin Resistance Genemcr-1in a Clinical Escherichia coli Isolate from Egypt. Antimicrobial Agents and Chemotherapy, 2016, 60, 3249-3250.	1.4	89
6	Proteus mirabilis clinical isolate harbouring a new variant of Salmonella genomic island 1 containing the multiple antibiotic resistance region. Journal of Antimicrobial Chemotherapy, 2006, 59, 184-190.	1.3	79
7	Molecular Analysis of Antimicrobial Resistance in Gram-Negative Bacteria Isolated from Fish Farms in Egypt. Journal of Veterinary Medical Science, 2010, 72, 727-734.	0.3	79
8	Molecular analysis of multidrug resistance in Shiga toxin-producing Escherichia coli O157:H7 isolated from meat and dairy products. International Journal of Food Microbiology, 2015, 193, 68-73.	2.1	66
9	Molecular characterization of integrons in non-typhoid Salmonella serovars isolated in Japan: description of an unusual class 2 integron. Journal of Antimicrobial Chemotherapy, 2005, 55, 371-374.	1.3	65
10	A variant type of Vibrio cholerae SXT element in a multidrug-resistant strain of Vibrio fluvialis. FEMS Microbiology Letters, 2005, 242, 241-247.	0.7	64
11	Isolation and Molecular Characterization of Multidrugâ€Resistant Strains ofâ€, <i>Escherichia coli</i> â€,andâ€, <i>Salmonella</i> â€,from Retail Chicken Meat in Japan. Journal of Food Science, 2009, 74, M405-10.	1.5	62
12	Characterisation of the plasmid-mediated colistin resistance gene mcr-1 in Escherichia coli isolated from animals in Egypt. International Journal of Antimicrobial Agents, 2016, 47, 413-414.	1.1	58
13	Characterization of integrons and resistance genes in multidrug-resistant Salmonella enterica isolated from meat and dairy products in Egypt. International Journal of Food Microbiology, 2014, 189, 39-44.	2.1	55
14	New aminoglycoside acetyltransferase gene, aac(3)-ld, in a class 1 integron from a multiresistant strain of Vibrio fluvialis isolated from an infant aged 6 months. Journal of Antimicrobial Chemotherapy, 2004, 53, 947-951.	1.3	48
15	High Carbapenem Resistance in Clinical Gram-Negative Pathogens Isolated in Egypt. Microbial Drug Resistance, 2017, 23, 838-844.	0.9	48
16	Molecular characterization of antimicrobial resistance in Gram-negative bacteria isolated from bovine mastitis in Egypt. Microbiology and Immunology, 2011, 55, 318-327.	0.7	45
17	Molecular characterization of multidrug-resistant Shigella spp. of food origin. International Journal of Food Microbiology, 2015, 194, 78-82.	2.1	43
18	Genetic basis of multidrug resistance in Salmonella enterica serovars Enteritidis and Typhimurium isolated from diarrheic calves in Egypt. Acta Tropica, 2009, 111, 144-149.	0.9	41

#	Article	IF	CITATIONS
19	Molecular characterization of antimicrobial resistance in <i>Salmonella</i> isolated from animals in Japan. Journal of Applied Microbiology, 2009, 106, 402-409.	1.4	39
20	High Prevalence of Antimicrobial Resistance in Gram-Negative Bacteria Isolated from Clinical Settings in Egypt: Recalling for Judicious Use of Conventional Antimicrobials in Developing Nations. Microbial Drug Resistance, 2019, 25, 371-385.	0.9	37
21	Genetic analysis of antimicrobial resistance in Escherichia coli isolated from diarrheic neonatal calves. Veterinary Microbiology, 2009, 136, 397-402.	0.8	36
22	Molecular screening and risk factors of enterotoxigenic Escherichia coli and Salmonella spp. in diarrheic neonatal calves in Egypt. Research in Veterinary Science, 2009, 87, 373-379.	0.9	35
23	Genetic analysis of multiple antimicrobial resistance in <i>Salmonella</i> isolated from diseased broilers in Egypt. Microbiology and Immunology, 2012, 56, 254-261.	0.7	30
24	NDM-4- and NDM-5-Producing Klebsiella pneumoniae Coinfection in a 6-Month-Old Infant. Antimicrobial Agents and Chemotherapy, 2016, 60, 4416-4417.	1.4	29
25	The first characterization of extended-spectrum Â-lactamase-producing Salmonella in Japan. Journal of Antimicrobial Chemotherapy, 2004, 54, 283-284.	1.3	27
26	Emergence of a cefepime- and cefpirome-resistant Citrobacter freundii clinical isolate harbouring a novel chromosomally encoded AmpC \hat{l}^2 -lactamase, CMY-37. International Journal of Antimicrobial Agents, 2008, 32, 256-261.	1.1	25
27	A plasmid-encoded class 1 integron carryingsat, a putative phosphoserine phosphatase gene andaadA2from enterotoxigenicEscherichia coliO159 isolated in Japan. FEMS Microbiology Letters, 2004, 235, 243-248.	0.7	24
28	Characterization of integrons and antimicrobial resistance genes in clinical isolates of Gramâ€negative bacteria from Palestinian hospitals. Microbiology and Immunology, 2009, 53, 595-602.	0.7	24
29	Emergence of an NDM-5-producing clinical Escherichia coli isolate in Egypt. International Journal of Infectious Diseases, 2016, 48, 46-48.	1.5	22
30	Molecular characterization of a multidrug-resistant strain of enteroinvasive Escherichia coli O164 isolated in Japan. Journal of Medical Microbiology, 2005, 54, 273-278.	0.7	21
31	First Characterization and Emergence of SHV-60 in Raw Milk of a Healthy Cow in Japan. Journal of Veterinary Medical Science, 2008, 70, 1269-1272.	0.3	18
32	Class 2 integrons in Vibrio cholerae. Journal of Medical Microbiology, 2006, 55, 643-644.	0.7	17
33	msDNA-St85, a multicopy single-stranded DNA isolated fromSalmonella entericaserovar Typhimurium LT2 with the genomic analysis of its retron. FEMS Microbiology Letters, 2003, 224, 291-297.	0.7	16
34	First report in Africa of two clinical isolates of Proteus mirabilis carrying Salmonella genomic island (SGI1) variants, SGI1- Pm ABB and SGI1-W. Infection, Genetics and Evolution, 2017, 51, 132-137.	1.0	16
35	First Report of Foodborne Klebsiella pneumoniae Coharboring bla VIM-1 , bla NDM-1 , and mcr-9. Antimicrobial Agents and Chemotherapy, 2020, 64, .	1.4	13
36	Genomic analysis of a multidrug-resistant strain of enterohaemorrhagic Escherichia coli O157: H7 causing a family outbreak in Japan. Journal of Medical Microbiology, 2005, 54, 867-872.	0.7	12

#	Article	IF	CITATIONS
37	High Prevalence of ESBL and Plasmid-Mediated Quinolone Resistance Genes in Salmonella enterica Isolated from Retail Meats and Slaughterhouses in Egypt. Antibiotics, 2021, 10, 881.	1.5	12
38	Prevalence of extended-spectrum \hat{l}^2 -lactamase (ESBL)-producing Salmonella enterica from retail fishes in Egypt: A major threat to public health. International Journal of Food Microbiology, 2021, 351, 109268.	2.1	10
39	A plasmid-encoded class 1 integron carrying sat, a putative phosphoserine phosphatase gene and aadA2 from enterotoxigenic Escherichia coli O159 isolated in Japan. FEMS Microbiology Letters, 2004, 235, 243-248.	0.7	10
40	Isolation and molecular characterization of multidrug-resistant Gram-negative bacteria from imported flamingos in Japan. Acta Veterinaria Scandinavica, 2009, 51, 46.	0.5	9
41	Molecular Analysis of Antimicrobial Resistance among Enterobacteriaceae Isolated from Diarrhoeic Calves in Egypt. Animals, 2021, 11, 1712.	1.0	8
42	Seafood as a Reservoir of Gram-negative Bacteria Carrying Integrons and Antimicrobial Resistance Genes in Japan. Biomedical and Environmental Sciences, 2015, 28, 924-7.	0.2	8
43	Occurrence of Salmonella genomic island 1 (SGI1) in two African Proteus mirabilis strains isolated from diseased chicken flocks. Infection, Genetics and Evolution, 2018, 62, 8-10.	1.0	5
44	Staphylococcus aureus and bovine mastitis: molecular typing of methicillinresistance and clinical description of infected quarters. Journal of the Hellenic Veterinary Medical Society, 2019, 70, 1511.	0.1	5
45	A novel retron of Vibrio parahaemolyticus is closely related to retron-Vc95 of Vibrio cholerae. Journal of Microbiology, 2013, 51, 323-328.	1.3	4
46	Clinical and molecular characterization of both methicillin-resistant andsensitive staphylococcus aureus mastitis. Journal of the Hellenic Veterinary Medical Society, 2019, 70, 1743.	0.1	3
47	Characterization of a multidrug-resistant isolate of Salmonella Paratyphi B from Japan. Journal of Antimicrobial Chemotherapy, 2005, 56, 250-250a.	1.3	2
48	Genetic analysis of multiple antimicrobial resistance in Salmonella isolated from diseased broilers in Egypt. Microbiology and Immunology, 2012, , no-no.	0.7	0
49	First Characterization of Class 1 Integron in Corynebacterium bovis Isolated from Subclinical Bovine Mastitis. Advances in Animal and Veterinary Sciences, 2020, 8 , .	0.1	0