List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8547406/publications.pdf Version: 2024-02-01



DONATA RICCI

#	Article	IF	CITATIONS
1	Vepris macrophylla (Baker) I. Verd Essential Oil: An Antifungal Agent against Phytopathogenic Fungi. International Journal of Molecular Sciences, 2020, 21, 2776.	1.8	6
2	Essential Oil of Achillea ligustica (Asteraceae) as an Antifungal Agent against Phytopathogenic Fungi. Natural Product Communications, 2018, 13, 1934578X1801300.	0.2	4
3	Chemical Composition and Antifungal Activity of the Essential Oil of <i>Cotinus coggygria</i> from Marche Region (Italy). Natural Product Communications, 2018, 13, 1934578X1801300.	0.2	2
4	<i>In Vitro</i> Culture for <i>Ex Situ</i> Conservation of "Roveja―and Nutritional Considerations on this Italian Rare Legume. Natural Product Communications, 2018, 13, 1934578X1801300.	0.2	0
5	High Triterpenic Acids Production in Callus Cultures from Fruit Pulp of Two Apple Varieties. Phytochemical Analysis, 2017, 28, 5-15.	1.2	17
6	Establishment and analysis of in vitro biomass from Salvia corrugata Vahl. and evaluation of antimicrobial activity. Phytochemistry, 2016, 122, 276-285.	1.4	19
7	Chemical composition and " in vitro ―anti-inflammatory activity of Vitis vinifera L. (var. Sangiovese) tendrils extract. Journal of Functional Foods, 2016, 20, 291-302.	1.6	15
8	Cocomerina pear: an old and rare fruit with red pulp. Analysis of phenolic content and antioxidant/anti-inflammatory capacity. CYTA - Journal of Food, 2016, 14, 518-522.	0.9	3
9	Activity of Vitis vinifera Tendrils Extract Against Phytopathogenic Fungi. Natural Product Communications, 2015, 10, 1934578X1501000.	0.2	17
10	Essential Oil Composition and Antigermination Activity of Artemisia Dracunculus (Tarragon). Natural Product Communications, 2015, 10, 1934578X1501000.	0.2	10
11	Antioxidant and antifungal activity of different extracts obtained from aerial parts of <i>Inula crithmoides</i> L. Natural Product Research, 2015, 29, 1173-1176.	1.0	18
12	Essential Oil Composition and Antifungal Activity of Aerial Parts of Ballota nigra ssp foetida Collected at Flowering and Fruiting Times. Natural Product Communications, 2014, 9, 1934578X1400900.	0.2	8
13	Flowers Volatile Profile of a Rare Red Apple Tree from Marche Region (Italy). Journal of Oleo Science, 2014, 63, 1195-1201.	0.6	7
14	Polyphenols profile and antioxidant activity of skin and pulp of a rare apple from Marche region (Italy). Chemistry Central Journal, 2014, 8, 45.	2.6	59
15	Essential Oil Composition and Antimicrobial Activity of <i>Angelica archangelica</i> L. (Apiaceae) Roots. Journal of Medicinal Food, 2014, 17, 1043-1047.	0.8	44
16	Chemical Composition and Antimicrobial Activity of the Essential oil of <i>Cotinus coggygria</i> Scoop. from Italy. Journal of Essential Oil-bearing Plants: JEOP, 2014, 17, 366-370.	0.7	9
17	<i>Salvia x jamensis</i> J. Compton: Trichomes, essential oil constituents and cytotoxic-apoptotic activity. Natural Product Research, 2013, 27, 1583-1588.	1.0	0
18	Total polyphenol content, in vitro antifungal and antioxidant activities of callus cultures from Inula crithmoides. Natural Product Communications, 2013, 8, 1587-90.	0.2	8

#	Article	IF	CITATIONS
19	Total phenolic content and antioxidant activity of Salvia spp. exudates. Natural Product Communications, 2012, 7, 201-2.	0.2	7
20	Chemical composition and antimicrobial activity of Salvia x jamensis essential oil. Natural Product Communications, 2012, 7, 1237-40.	0.2	3
21	Data collection and advanced statistical analysis in phytotoxic activity of aerial parts exudates of Salvia spp. Revista Brasileira De Farmacognosia, 2011, 21, 856-863.	0.6	4
22	Protective Effects of Commiphora erythraea Resin Constituents Against Cellular Oxidative Damage. Molecules, 2011, 16, 10357-10369.	1.7	13
23	Anti-inflammatory, antioxidant and antifungal furanosesquiterpenoids isolated from Commiphora erythraea (Ehrenb.) Engl. resin. FìtoterapA¬Ã¢, 2011, 82, 654-661.	1.1	43
24	Phytotoxic clerodane diterpenes from Salvia miniata Fernald (Lamiaceae). Phytochemistry, 2011, 72, 265-275.	1.4	31
25	Phytotoxicity of Salvia spp. exudates. Crop Protection, 2010, 29, 1434-1446.	1.0	18
26	Active principles of <i>Grindelia robusta</i> exert antiinflammatory properties in a macrophage model. Phytotherapy Research, 2010, 24, 1687-1692.	2.8	12
27	<i>In vitro</i> Plant Regeneration from Callus of <i>Citrus x monstruosa</i> (Pompia), an Endemic Citrus of Sardinia. Natural Product Communications, 2010, 5, 1934578X1000500.	0.2	7
28	Composition and antioxidant activity of Inula crithmoides essential oil grown in central Italy (Marche region). Natural Product Communications, 2010, 5, 315-8.	0.2	11
29	Prunus spinosa Fresh Fruit Juice: Antioxidant Activity in Cell-free and Cellular Systems. Natural Product Communications, 2009, 4, 1934578X0900401.	0.2	16
30	Composition and antioxidant activity of Nepeta foliosa essential oil from Sardinia (Italy). Chemistry of Natural Compounds, 2009, 45, 554-556.	0.2	8
31	Essential oil composition and antimicrobial activity of Ballota nigra L. ssp foetida. Natural Product Communications, 2009, 4, 585-8.	0.2	11
32	In vitroplant regeneration from leaf callus ofGrindelia robustaNutt. Plant Biosystems, 2008, 142, 487-490.	0.8	3
33	Chemical Composition and Antioxidant Activity of the Essential Oil of <i>Teucrium massiliense</i> L Journal of Essential Oil Research, 2008, 20, 446-449.	1.3	5
34	Analysis of Essential Oils from Wild and Domesticated Plants ofGlechoma sardoaBég. Journal of Essential Oil Research, 2008, 20, 38-40.	1.3	3
35	Cytoprotective effect of preparations from various parts of Punica granatum L. fruits in oxidatively injured mammalian cells in comparison with their antioxidant capacity in cell free systems. Pharmacological Research, 2007, 56, 18-26.	3.1	50
36	Essential oil composition and antioxidant activity of aerial parts of Grindelia robusta from Central Italy. Fìtoterapìâ, 2007, 78, 443-445.	1.1	20

#	Article	IF	CITATIONS
37	Chemical composition and antifungal activity of the essential oil of Satureja montana from central Italy. Chemistry of Natural Compounds, 2007, 43, 622-624.	0.2	24
38	Chemical Composition, Antifungal and In Vitro Antioxidant Properties ofMonarda didymaL. Essential Oil. Journal of Essential Oil Research, 2006, 18, 581-585.	1.3	27
39	Antioxidant flavonol glycosides from Dorycnium hirsutum. Chemistry of Natural Compounds, 2006, 42, 281-284.	0.2	5
40	Composition and Antifungal Activity of Essential Oil of Salvia sclarea from Italy. Chemistry of Natural Compounds, 2005, 41, 604-606.	0.2	26
41	Chemical composition, antimicrobial and antioxidant activity of the essential oil of Teucrium marum (Lamiaceae). Journal of Ethnopharmacology, 2005, 98, 195-200.	2.0	114
42	Antioxidant activity of Citrus paradisi seeds glyceric extract. Fìtoterapìâ, 2004, 75, 221-224.	1.1	17
43	Volatile constituents of different parts (roots, stems and leaves) ofSmyrnium olusatrum L Flavour and Fragrance Journal, 2004, 19, 522-525.	1.2	33
44	Composition and Antifungal Activity of Two Essential Oils of Hyssop (Hyssopus officinalisL.). Journal of Essential Oil Research, 2004, 16, 617-622.	1.3	46
45	Phospholipase C-dependent phosphoinositide breakdown induced by ELF-EMF in Peganum harmala calli. Biochimie, 2004, 86, 343-349.	1.3	10
46	Volatile constituents of micropropagated plants of Bupleurum fruticosum L Plant Science, 2004, 167, 807-810.	1.7	23
47	Chemical Composition and Antifungal Activity of Essential Oil Obtained from In Vitro Plants of <i>Thymus mastichina</i> L. Journal of Essential Oil Research, 2003, 15, 278-281.	1.3	43
48	The In Vitro Action of Essential Oils on Different Organisms. Journal of Essential Oil Research, 2002, 14, 312-318.	1.3	41
49	Micropropagation of Bupleurum fruticosum: The effect of triacontanol. Plant Cell, Tissue and Organ Culture, 2002, 69, 135-140.	1.2	32
50	Senescence delay and change of antioxidant enzyme levels in Cucumis sativus L. etiolated seedlings by ELF magnetic fields. Plant Science, 2001, 161, 45-53.	1.7	46
51	Composition of the essential oil of Peucedanum verticillare. Biochemical Systematics and Ecology, 2000, 28, 143-147.	0.6	19
52	Effects of UV-C irradiation on phosphoinositide turnover in plant cells: similarities with those occurring via the formation of reactive oxygen intermediates in animal cells. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 1999, 122, 293-299.	0.7	5
53	Composition of Essential Oil as a Taxonomic Marker forCalamintha nepeta(L.) Savi ssp.nepeta. Journal of Essential Oil Research, 1998, 10, 568-570.	1.3	19
54	The Essential Oil from <i>Bupleurum fruticosum</i> L. of the Cyrenaica Region of Eastern Libya and the Problem of Bupleurol. Journal of Essential Oil Research, 1998, 10, 369-374.	1.3	15

#	Article	IF	CITATIONS
55	Auxin activity of diazinecarboxylic acids. Phytochemistry, 1991, 30, 2821-2824.	1.4	4
56	Anti-auxin effects of 3-oxo-1,2-benzisothiazolin-2-ylalkanoic acids. Phytochemistry, 1990, 29, 2787-2791.	1.4	2
57	Epidermis integrity and epicotyl growth in azuki bean. Journal of Plant Growth Regulation, 1988, 7, 95-109.	2.8	4
58	Synthesis and cytokinin-like activity of 7-chloro-imidazo[1,2-c]pyrimidines. Phytochemistry, 1986, 26, 25-29.	1.4	9