
Roman M Janas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8547631/publications.pdf Version: 2024-02-01



ROMAN M IANAS

#	Article	IF	CITATIONS
1	Milk protein intake, the metabolic-endocrine response, and growth in infancy: data from a randomized clinical trial. American Journal of Clinical Nutrition, 2011, 94, S1776-S1784.	4.7	208
2	Regression of target organ damage in children and adolescents with primary hypertension. Pediatric Nephrology, 2010, 25, 2489-2499.	1.7	157
3	Metabolic Abnormalities, Insulin Resistance, and Metabolic Syndrome in Children With Primary Hypertension. American Journal of Hypertension, 2007, 20, 875-882.	2.0	69
4	Inflammatory activation in children with primary hypertension. Pediatric Nephrology, 2010, 25, 1711-1718.	1.7	52
5	Urinary excretion of endothelin-1 (ET-1), transforming growth factor- 1 (TGF- 1) and vascular endothelial growth factor (VEGF165) in paediatric chronic kidney diseases: results of the ESCAPE trial. Nephrology Dialysis Transplantation, 2007, 22, 3487-3494.	0.7	43
6	Change in left ventricular geometry during antihypertensive treatment in children with primary hypertension. Pediatric Nephrology, 2011, 26, 2201-2209.	1.7	41
7	Persistent hypercalciuria and elevated 25-hydroxyvitamin D 3 in children with infantile hypercalcaemia. Pediatric Nephrology, 1997, 11, 2-6.	1.7	38
8	Sex differences in the endocrine system in response to protein intake early in life. American Journal of Clinical Nutrition, 2011, 94, S1920-S1927.	4.7	37
9	High Prevalence of Primary Ovarian Insufficiency in Girls and Young Women with Nijmegen Breakage Syndrome: Evidence from a Longitudinal Study. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 3133-3140.	3.6	33
10	Oxidative stress in hypertensive children before and after 1Âyear of antihypertensive therapy. Pediatric Nephrology, 2012, 27, 1943-1951.	1.7	28
11	Interactions between the growth hormone and cytokines – A review. Advances in Medical Sciences, 2018, 63, 285-289.	2.1	27
12	Fish consumption in mid-childhood and its relationship to neuropsychological outcomes measured in 7–9 year old children using a NUTRIMENTHE neuropsychological battery. Clinical Nutrition, 2016, 35, 1301-1307.	5.0	22
13	Purification of endothelin-1 -inactivating peptidase from the rat kidney. Journal of Hypertension, 1994, 12, 375???382.	0.5	16
14	Neutrophil gelatinaseâ€associated lipocalin in blood in children with inflammatory bowel disease. Journal of Gastroenterology and Hepatology (Australia), 2014, 29, 1883-1889.	2.8	16
15	Endothelin-1 inactivating peptidase in the human kidney and urine. Journal of Hypertension, 2000, 18, 475-483.	0.5	12
16	Evaluation of the immunoradiometric and electrochemiluminescence method for the measurement of serum insulin in children. Journal of Immunoassay and Immunochemistry, 2016, 37, 243-250.	1.1	9
17	Serum Concentrations of Insulin, Ghrelin, Adiponectin, Leptin, Leptin Receptor and Lipocalin-2 in Children with Celiac Disease Who Do and Do Not Adhere to a Gluten-Free Diet. Gut and Liver, 2016, 10, 587-594.	2.9	9
18	Protein Intake in Infancy and Carotid Intima Media Thickness at 5 Years - A Secondary Analysis from a Randomized Trial. Annals of Nutrition and Metabolism, 2015, 66, 51-59.	1.9	8

Roman M Janas

#	Article	IF	CITATIONS
19	Luteinizing hormone secreting adrenal tumour as a cause of precocious puberty. Clinical Endocrinology, 1998, 48, 367-372.	2.4	6
20	Higher protein intake increases cardiac function parameters in healthy children: metabolic programming by infant nutrition—secondary analysis from a clinical trial. Pediatric Research, 2016, 79, 880-888.	2.3	6
21	Neutral endopeptidase activity is not elevated in serum in children with cholestatic liver disease: a unique role of aminopeptidase-m in sequential hydrolysis of peptides. Digestive Diseases and Sciences, 2002, 47, 1766-1774.	2.3	4
22	An aluminum silicate binding assay for quantitationof degradation of cholecystokinin octapeptide and other short peptides. Analytical Biochemistry, 1992, 206, 6-11.	2.4	3
23	Serum carnitine and acyl-carnitine in patients with meningitis due to tick-borne encephalitis virus infection. Advances in Clinical and Experimental Medicine, 2017, 26, 277-280.	1.4	3
24	Methionine enkephalin concentration and enkephalin-degrading activity are elevated in blood in children with cholestasis. European Journal of Gastroenterology and Hepatology, 1994, 6, 539-546.	1.6	2
25	Further studies on aminopeptidase-M in blood in children with cholestatic liver diseases and viral hepatitis. Digestive Diseases and Sciences, 1999, 44, 170-176.	2.3	2
26	Atherosclerotic Risk Factors in Children with Celiac Disease. Gastroenterology Research and Practice, 2020, 2020, 1-9.	1.5	2
27	Generation and Identification of Thymic Epithelial Progenitor Cells pTEC by <i>In-Vitro</i> Processing of Human Thymic Fragments for Allotransplantation. Fetal and Pediatric Pathology, 2011, 30, 88-97.	0.7	1
28	Serum carnitine concentration is decreased in patients with Lyme borreliosis. Postepy Higieny I Medycyny Doswiadczalnej, 2016, 70, 180-185.	0.1	1
29	Role of the rat gastrointestinal mucosa in catabolism of endothelin peptides. Regulatory Peptides, 2008, 151, 7-13.	1.9	0