

Roman M Janas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8547631/publications.pdf>

Version: 2024-02-01

29
papers

857
citations

623188

14
h-index

476904

29
g-index

30
all docs

30
docs citations

30
times ranked

1117
citing authors

#	ARTICLE	IF	CITATIONS
1	Atherosclerotic Risk Factors in Children with Celiac Disease. <i>Gastroenterology Research and Practice</i> , 2020, 2020, 1-9.	0.7	2
2	Interactions between the growth hormone and cytokines – A review. <i>Advances in Medical Sciences</i> , 2018, 63, 285-289.	0.9	27
3	Serum carnitine and acyl-carnitine in patients with meningitis due to tick-borne encephalitis virus infection. <i>Advances in Clinical and Experimental Medicine</i> , 2017, 26, 277-280.	0.6	3
4	Fish consumption in mid-childhood and its relationship to neuropsychological outcomes measured in 7–9 year old children using a NUTRIMENTHE neuropsychological battery. <i>Clinical Nutrition</i> , 2016, 35, 1301-1307.	2.3	22
5	Evaluation of the immunoradiometric and electrochemiluminescence method for the measurement of serum insulin in children. <i>Journal of Immunoassay and Immunochemistry</i> , 2016, 37, 243-250.	0.5	9
6	Higher protein intake increases cardiac function parameters in healthy children: metabolic programming by infant nutrition – secondary analysis from a clinical trial. <i>Pediatric Research</i> , 2016, 79, 880-888.	1.1	6
7	Serum Concentrations of Insulin, Ghrelin, Adiponectin, Leptin, Leptin Receptor and Lipocalin-2 in Children with Celiac Disease Who Do and Do Not Adhere to a Gluten-Free Diet. <i>Gut and Liver</i> , 2016, 10, 587-594.	1.4	9
8	Serum carnitine concentration is decreased in patients with Lyme borreliosis. <i>Postepy Higieny i Medycyny Doswiadczalnej</i> , 2016, 70, 180-185.	0.1	1
9	Protein Intake in Infancy and Carotid Intima Media Thickness at 5 Years - A Secondary Analysis from a Randomized Trial. <i>Annals of Nutrition and Metabolism</i> , 2015, 66, 51-59.	1.0	8
10	Neutrophil gelatinase-associated lipocalin in blood in children with inflammatory bowel disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 1883-1889.	1.4	16
11	Oxidative stress in hypertensive children before and after 1 year of antihypertensive therapy. <i>Pediatric Nephrology</i> , 2012, 27, 1943-1951.	0.9	28
12	Change in left ventricular geometry during antihypertensive treatment in children with primary hypertension. <i>Pediatric Nephrology</i> , 2011, 26, 2201-2209.	0.9	41
13	Generation and Identification of Thymic Epithelial Progenitor Cells pTEC by <i>In-Vitro</i> Processing of Human Thymic Fragments for Allogeneic Transplantation. <i>Fetal and Pediatric Pathology</i> , 2011, 30, 88-97.	0.4	1
14	Sex differences in the endocrine system in response to protein intake early in life. <i>American Journal of Clinical Nutrition</i> , 2011, 94, S1920-S1927.	2.2	37
15	Milk protein intake, the metabolic-endocrine response, and growth in infancy: data from a randomized clinical trial. <i>American Journal of Clinical Nutrition</i> , 2011, 94, S1776-S1784.	2.2	208
16	Inflammatory activation in children with primary hypertension. <i>Pediatric Nephrology</i> , 2010, 25, 1711-1718.	0.9	52
17	Regression of target organ damage in children and adolescents with primary hypertension. <i>Pediatric Nephrology</i> , 2010, 25, 2489-2499.	0.9	157
18	High Prevalence of Primary Ovarian Insufficiency in Girls and Young Women with Nijmegen Breakage Syndrome: Evidence from a Longitudinal Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 3133-3140.	1.8	33

#	ARTICLE	IF	CITATIONS
19	Role of the rat gastrointestinal mucosa in catabolism of endothelin peptides. <i>Regulatory Peptides</i> , 2008, 151, 7-13.	1.9	0
20	Metabolic Abnormalities, Insulin Resistance, and Metabolic Syndrome in Children With Primary Hypertension. <i>American Journal of Hypertension</i> , 2007, 20, 875-882.	1.0	69
21	Urinary excretion of endothelin-1 (ET-1), transforming growth factor-1 (TGF-1) and vascular endothelial growth factor (VEGF165) in paediatric chronic kidney diseases: results of the ESCAPE trial. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 3487-3494.	0.4	43
22	Neutral endopeptidase activity is not elevated in serum in children with cholestatic liver disease: a unique role of aminopeptidase-m in sequential hydrolysis of peptides. <i>Digestive Diseases and Sciences</i> , 2002, 47, 1766-1774.	1.1	4
23	Endothelin-1 inactivating peptidase in the human kidney and urine. <i>Journal of Hypertension</i> , 2000, 18, 475-483.	0.3	12
24	Further studies on aminopeptidase-M in blood in children with cholestatic liver diseases and viral hepatitis. <i>Digestive Diseases and Sciences</i> , 1999, 44, 170-176.	1.1	2
25	Luteinizing hormone secreting adrenal tumour as a cause of precocious puberty. <i>Clinical Endocrinology</i> , 1998, 48, 367-372.	1.2	6
26	Persistent hypercalciuria and elevated 25-hydroxyvitamin D 3 in children with infantile hypercalcaemia. <i>Pediatric Nephrology</i> , 1997, 11, 2-6.	0.9	38
27	Purification of endothelin-1 -inactivating peptidase from the rat kidney. <i>Journal of Hypertension</i> , 1994, 12, 375-382.	0.3	16
28	Methionine enkephalin concentration and enkephalin-degrading activity are elevated in blood in children with cholestasis. <i>European Journal of Gastroenterology and Hepatology</i> , 1994, 6, 539-546.	0.8	2
29	An aluminum silicate binding assay for quantitation of degradation of cholecystokinin octapeptide and other short peptides. <i>Analytical Biochemistry</i> , 1992, 206, 6-11.	1.1	3