Adam P Micolich

List of Publications by Citations

Source: https://exaly.com/author-pdf/8548296/adam-p-micolich-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126 38 1,991 23 h-index g-index citations papers 161 2,240 4.57 5.4 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
126	Fractal analysis of Pollock's drip paintings. <i>Nature</i> , 1999 , 399, 422-422	50.4	206
125	A conducting polymer with enhanced electronic stability applied in cardiac models. <i>Science Advances</i> , 2016 , 2, e1601007	14.3	131
124	What lurks below the last plateau: experimental studies of the 0.7 [2e(2)/h conductance anomaly in one-dimensional systems. <i>Journal of Physics Condensed Matter</i> , 2011 , 23, 443201	1.8	75
123	Zeeman splitting in ballistic hole quantum wires. <i>Physical Review Letters</i> , 2006 , 97, 026403	7.4	75
122	Realizing lateral wrap-gated nanowire FETs: controlling gate length with chemistry rather than lithography. <i>Nano Letters</i> , 2012 , 12, 1-6	11.5	72
121	Nanopore blockade sensors for ultrasensitive detection of proteins in complex biological samples. <i>Nature Communications</i> , 2019 , 10, 2109	17.4	68
120	Authenticating Pollock paintings using fractal geometry. Pattern Recognition Letters, 2007, 28, 695-702	4.7	66
119	Evolution of fractal patterns during a classical-quantum transition. <i>Physical Review Letters</i> , 2001 , 87, 036802	7.4	53
118	Ballistic transport in induced one-dimensional hole systems. <i>Applied Physics Letters</i> , 2006 , 89, 092105	3.4	46
117	The Construction of Jackson Pollock's Fractal Drip Paintings. <i>Leonardo</i> , 2002 , 35, 203-207	0.1	43
116	Conductance quantization and the 0.72e2fl conductance anomaly in one-dimensional hole systems. <i>Applied Physics Letters</i> , 2006 , 88, 012107	3.4	37
115	Impact of long- and short-range disorder on the metallic behaviour of two-dimensional systems. <i>Nature Physics</i> , 2008 , 4, 55-59	16.2	35
114	Role of background impurities in the single-particle relaxation lifetime of a two-dimensional electron gas. <i>Physical Review B</i> , 2009 , 80,	3.3	32
113	Fractal expressionism. <i>Physics World</i> , 1999 , 12, 25-28	0.5	32
112	Fabrication and characterization of ambipolar devices on an undoped AlGaAs/GaAs heterostructure. <i>Applied Physics Letters</i> , 2012 , 100, 052101	3.4	30
111	Quantum transport in open mesoscopic cavities. <i>Chaos, Solitons and Fractals</i> , 1997 , 8, 1299-1324	9.3	30
110	InAs Nanowire Transistors with Multiple, Independent Wrap-Gate Segments. <i>Nano Letters</i> , 2015 , 15, 2836-43	11.5	27

(2010-2008)

109	0.7 Structure and zero bias anomaly in ballistic hole quantum wires. <i>Physical Review Letters</i> , 2008 , 100, 016403	7.4	26	
108	Observation of orientation- andk-dependent Zeeman spin-splitting in hole quantum wires on (100)-oriented AlGaAs/GaAs heterostructures. <i>New Journal of Physics</i> , 2010 , 12, 033043	2.9	25	
107	Fabrication of induced two-dimensional hole systems on (311)A GaAs. <i>Journal of Applied Physics</i> , 2006 , 99, 023707	2.5	25	
106	Geometry-induced fractal behaviour in a semiconductor billiard. <i>Journal of Physics Condensed Matter</i> , 1998 , 10, 1339-1347	1.8	25	
105	Impact of small-angle scattering on ballistic transport in quantum dots. <i>Physical Review Letters</i> , 2012 , 108, 196807	7.4	24	
104	Resistively detected nuclear magnetic resonance in n- and p-type GaAs quantum point contacts. <i>Nano Letters</i> , 2011 , 11, 3147-50	11.5	24	
103	Observation of the Kondo effect in a spin-3/2 hole quantum dot. <i>Physical Review Letters</i> , 2011 , 107, 07	6 8 045	23	
102	Electron-beam patterning of polymer electrolyte films to make multiple nanoscale gates for nanowire transistors. <i>Nano Letters</i> , 2014 , 14, 94-100	11.5	22	
101	Enhanced Zeeman splitting in Ga0.25In0.75As quantum point contacts. <i>Applied Physics Letters</i> , 2008 , 93, 012105	3.4	22	
100	Electromagnetic wave chaos in gradient refractive index optical cavities. <i>Physical Review Letters</i> , 2001 , 86, 5466-9	7.4	22	
99	Hybrid Nanowire Ion-to-Electron Transducers for Integrated Bioelectronic Circuitry. <i>Nano Letters</i> , 2017 , 17, 827-833	11.5	21	
98	Using a tunable quantum wire to measure the large out-of-plane spin splitting of quasi two-dimensional holes in a GaAs nanostructure. <i>Nano Letters</i> , 2013 , 13, 148-52	11.5	21	
97	AlGaAs/GaAs single electron transistor fabricated without modulation doping. <i>Applied Physics Letters</i> , 2010 , 96, 112104	3.4	20	
96	Fabrication and characterization of an induced GaAs single hole transistor. <i>Applied Physics Letters</i> , 2010 , 96, 092103	3.4	20	
95	The interplay between one-dimensional confinement and two-dimensional crystallographic anisotropy effects in ballistic hole quantum wires. <i>New Journal of Physics</i> , 2009 , 11, 043018	2.9	20	
94	Revisiting Pollock's drip paintings (Reply). <i>Nature</i> , 2006 , 444, E10-E11	50.4	19	
93	Extreme sensitivity of the spin-splitting and 0.7 anomaly to confining potential in one-dimensional nanoelectronic devices. <i>Nano Letters</i> , 2012 , 12, 4495-502	11.5	18	
92	Field-orientation dependence of the Zeeman spin splitting in (In,Ga)As quantum point contacts. <i>Physical Review B</i> , 2010 , 81,	3.3	17	

91	Piezoelectric rotator for studying quantum effects in semiconductor nanostructures at high magnetic fields and low temperatures. <i>Review of Scientific Instruments</i> , 2010 , 81, 113905	1.7	17
90	Regaining a Spatial Dimension: Mechanically Transferrable Two-Dimensional InAs Nanofins Grown by Selective Area Epitaxy. <i>Nano Letters</i> , 2019 , 19, 4666-4677	11.5	16
89	Self-similar conductance fluctuations in a Sinai billiard with a mixed chaotic phase space. <i>Physica B: Condensed Matter</i> , 1998 , 249-251, 334-338	2.8	16
88	Single-Material OECT-Based Flexible Complementary Circuits Featuring Polyaniline in Both Conducting Channels. <i>Advanced Functional Materials</i> , 2021 , 31, 2007205	15.6	16
87	Correlation analysis of self-similarity in semiconductor billiards. <i>Physical Review B</i> , 1997 , 56, R12733-R1	23.36	15
86	Environmental coupling and phase breaking in open quantum dots. <i>Journal of Physics Condensed Matter</i> , 1998 , 10, L55-L61	1.8	15
85	Seeing shapes in seemingly random spatial patterns: Fractal analysis of Rorschach inkblots. <i>PLoS ONE</i> , 2017 , 12, e0171289	3.7	14
84	Effect of screening long-range Coulomb interactions on the metallic behavior in two-dimensional hole systems. <i>Physical Review B</i> , 2008 , 77,	3.3	14
83	Three key questions on fractal conductance fluctuations: Dynamics, quantization, and coherence. <i>Physical Review B</i> , 2004 , 70,	3.3	14
82	Evolution of the bilayer ∄1 quantum Hall state under charge imbalance. <i>Physical Review B</i> , 2005 , 71,	3.3	14
81	The influence of atmosphere on the performance of pure-phase WZ and ZB InAs nanowire transistors. <i>Nanotechnology</i> , 2017 , 28, 454001	3.4	12
80	Using Polymer Electrolyte Gates to Set-and-Freeze Threshold Voltage and Local Potential in Nanowire-based Devices and Thermoelectrics. <i>Advanced Functional Materials</i> , 2015 , 25, 255-262	15.6	12
79	Electronic comparison of InAs wurtzite and zincblende phases using nanowire transistors. <i>Physica Status Solidi - Rapid Research Letters</i> , 2013 , 7, 911-914	2.5	12
78	Ground-plane screening of Coulomb interactions in two-dimensional systems: How effectively can one two-dimensional system screen interactions in another. <i>Physical Review B</i> , 2009 , 80,	3.3	12
77	Origin of gate hysteresis in p-type Si-doped AlGaAs/GaAs heterostructures. <i>Physical Review B</i> , 2012 , 86,	3.3	12
76	Phase Breaking as a Probe of the Intrinsic Level Spectrum of Open Quantum Dots. <i>Physica Status Solidi (B): Basic Research</i> , 1997 , 204, 314-317	1.3	12
75	Dependence of fractal conductance fluctuations on soft-wall profile in a double-layer semiconductor billiard. <i>Applied Physics Letters</i> , 2002 , 80, 4381-4383	3.4	12
74	Exact and statistical self-similarity in magnetoconductance fluctuations: A unified picture. <i>Physical Review B</i> , 1998 , 58, 11107-11110	3.3	12

(2019-2013)

73	Scaling of the Kondo zero-bias peak in a hole quantum dot at finite temperatures. <i>Physical Review B</i> , 2013 , 87,	3.3	11	
72	Ohmic conduction of sub-10nm P-doped silicon nanowires at cryogenic temperatures. <i>Applied Physics Letters</i> , 2008 , 92, 052101	3.4	11	
71	Chaos in Quantum Ratchets. <i>Physica Scripta</i> , 2001 , T90, 54	2.6	11	
70	Is it the boundaries or disorder that dominates electron transport in semiconductor 'billiards'?. <i>Fortschritte Der Physik</i> , 2013 , 61, 332-347	5.7	10	
69	Radio-frequency reflectometry on large gated two-dimensional systems. <i>Review of Scientific Instruments</i> , 2008 , 79, 123901	1.7	10	
68	Interaction correction to the longitudinal conductivity and Hall resistivity in high-quality two-dimensional GaAs electron and hole systems. <i>Physical Review B</i> , 2005 , 72,	3.3	10	
67	Using Ultrathin Parylene Films as an Organic Gate Insulator in Nanowire Field-Effect Transistors. <i>Nano Letters</i> , 2018 , 18, 4431-4439	11.5	9	
66	Effects of geometrical ray chaos on the electromagnetic eigenmodes of a gradient index optical cavity. <i>Physical Review E</i> , 2001 , 64, 026203	2.4	9	
65	An investigation of Weierstrass self-similarity in a semiconductor billiard. <i>Europhysics Letters</i> , 2000 , 49, 417-423	1.6	9	
64	Towards low-dimensional hole systems in Be-doped GaAs nanowires. <i>Nanotechnology</i> , 2017 , 28, 13400	5 3.4	8	
63	The 0.7 anomaly in one-dimensional hole quantum wires. <i>Journal of Physics Condensed Matter</i> , 2008 , 20, 164205	1.8	8	
62	Temperature dependent fractal dimension of magneto-conductance fluctuations in semiconductor billiards. <i>Superlattices and Microstructures</i> , 1999 , 25, 157-161	2.8	8	
61	A parylene coating system specifically designed for producing ultra-thin films for nanoscale device applications. <i>Review of Scientific Instruments</i> , 2019 , 90, 083901	1.7	7	
60	The effect of (NH4)2Sx passivation on the (311)A GaAs surface and its use in AlGaAs/GaAs heterostructure devices. <i>Journal of Physics Condensed Matter</i> , 2013 , 25, 325304	1.8	7	
59	An improved process for fabricating high-mobility organic molecular crystal field-effect transistors. Journal of Applied Physics, 2007 , 102, 084511	2.5	7	
58	Quantum ratchets act as heat pumps. <i>Physica B: Condensed Matter</i> , 2002 , 314, 464-468	2.8	7	
57	A physical explanation for the origin of self-similar magnetoconductance fluctuations in semiconductor billiards. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2000 , 7, 726-730	3	7	
56	Achieving short high-quality gate-all-around structures for horizontal nanowire field-effect transistors. <i>Nanotechnology</i> , 2019 , 30, 064001	3.4	7	

55	Probing the sensitivity of electron wave interference to disorder-induced scattering in solid-state devices. <i>Physical Review B</i> , 2012 , 85,	3.3	6
54	Superconductivity in metal-mixed ion-implanted polymer films. <i>Applied Physics Letters</i> , 2006 , 89, 15250	33.4	6
53	Integrated bioelectronic proton-gated logic elements utilizing nanoscale patterned Nafion. <i>Materials Horizons</i> , 2021 , 8, 224-233	14.4	6
52	Using light and heat to controllably switch and reset disorder configuration in nanoscale devices. <i>Physical Review B</i> , 2015 , 91,	3.3	5
51	p-GaAs Nanowire Metal-Semiconductor Field-Effect Transistors with Near-Thermal Limit Gating. <i>Nano Letters</i> , 2018 , 18, 5673-5680	11.5	5
50	Radio-frequency reflectometry on an undoped AlGaAs/GaAs single electron transistor. <i>Applied Physics Letters</i> , 2014 , 104, 012114	3.4	5
49	Fabrication and characterisation of gallium arsenide ambipolar quantum point contacts. <i>Applied Physics Letters</i> , 2015 , 106, 183504	3.4	5
48	Electrometry using the quantum Hall effect in a bilayer two-dimensional electron system. <i>Applied Physics Letters</i> , 2010 , 96, 212102	3.4	5
47	Near-thermal limit gating in heavily doped III-V semiconductor nanowires using polymer electrolytes. <i>Physical Review Materials</i> , 2018 , 2,	3.2	5
46	Emerging challenges in wind energy forecasting for Australia. <i>Australian Meteorological Magazine</i> , 2009 , 58, 99-106		5
45	Nonvolatile Memory Action Due to Hot-Carrier Charge Injection in Graphene-on-Parylene Transistors. <i>ACS Applied Electronic Materials</i> , 2019 , 1, 2260-2267	4	4
44	A study of transport suppression in an undoped AlGaAs/GaAs quantum dot single-electron transistor. <i>Journal of Physics Condensed Matter</i> , 2013 , 25, 505302	1.8	4
43	The influence of environmental coupling on phase breaking in open quantum dots. <i>Solid-State Electronics</i> , 1998 , 42, 1281-1285	1.7	4
42	Comment on B ractal Conductance Fluctuations in a Soft-Wall Stadium and a Sinai Billiard[[] <i>Physical Review Letters</i> , 1999 , 83, 1074-1074	7.4	4
41	Impact of invasive metal probes on Hall measurements in semiconductor nanostructures. <i>Nanoscale</i> , 2020 , 12, 20317-20325	7.7	4
40	An all-organic active pixel photosensor featuring ion-gel transistors 2015 , 3, 8-13		3
39	Tracking the energies of one-dimensional sub-band edges in quantum point contacts using dc conductance measurements. <i>Journal of Physics Condensed Matter</i> , 2011 , 23, 362201	1.8	3
38	Origin of the hysteresis in bilayer two-dimensional systems in the quantum Hall regime. <i>Physical Review B</i> , 2010 , 82,	3.3	3

37	Fractal transistors. Semiconductor Science and Technology, 1997, 12, 1459-1464	1.8	3
36	Wave function scarring and magnetotransport in quantum dots. <i>Physica B: Condensed Matter</i> , 1998 , 249-251, 353-357	2.8	3
35	The effect of temperature and gas flow on the physical vapour growth of mm-scale rubrene crystals for organic FETs 2007 ,		3
34	Scale factor mapping of statistical and exact self-similarity in billiards. <i>Semiconductor Science and Technology</i> , 1998 , 13, A41-A43	1.8	3
33	Observation of Fractal Conductance Fluctuations over Three Orders of Magnitude. <i>Australian Journal of Physics</i> , 1999 , 52, 887		3
32	Is thermal annealing a viable alternative for crystallisation in triethylsilylethynyl anthradithiophene organic transistors? 2014 , 2, 7-14		2
31	Competition between superconductivity and weak localization in metal-mixed ion-implanted polymers. <i>Physical Review B</i> , 2010 , 81,	3.3	2
30	Preparation of metal mixed plastic superconductors: Electrical properties of tin-antimony thin films on plastic substrates. <i>Journal of Applied Physics</i> , 2009 , 105, 093909	2.5	2
29	Ballistic induced hole quantum wires fabricated on a (100)-oriented AlGaAs/GaAs heterostructure. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2010 , 42, 1111-1113	3	2
28	Experimental and theoretical investigations of clusters in the magneto-fingerprints of Sinai billiards. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 1998 , 51, 212-215	3.1	2
27	Ballistic transport in one-dimensional bilayer hole systems. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2006 , 34, 550-552	3	2
26	Fabrication and characterization of a 2D hole system a in novel (311)A GaAs SISFET. <i>Microelectronics Journal</i> , 2005 , 36, 327-330	1.8	2
25	Chaotic ray dynamics and fast optical switching in micro-cavities with a graded refractive index. <i>Physica B: Condensed Matter</i> , 1999 , 272, 484-487	2.8	2
24	Prospects for single-molecule electrostatic detection in molecular motor gliding motility assays. New Journal of Physics,	2.9	2
23	How InAs crystal phase affects the electrical performance of InAs nanowire FETs 2014,		1
22	Determining the stability and activation energy of Si acceptors in AlGaAs using quantum interference in an open hole quantum dot. <i>Physical Review B</i> , 2014 , 89,	3.3	1
21	Radio-frequency reflectometry fast and sensitive measurement method for two-dimensional systems. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2010 , 42, 1192-1195	3	1
20	Quantum transport in one-dimensional GaAs hole systems. <i>International Journal of Nanotechnology</i> , 2008 , 5, 318	1.5	1

19	Screening long-range Coulomb interactions in 2D hole systems using a bilayer heterostructure. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2008 , 40, 1700-1702	3	1
18	Single particle and momentum relaxation times in two-dimensional electron systems (updated May 14, 2008) 2007 ,		1
17	Stability of the bilayer ∄1 quantum Hall state under charge imbalance. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2004 , 22, 40-43	3	1
16	Discrete energy level spectrum dependence of fractal conductance fluctuations in semiconductor billiards. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002 , 13, 683-686	3	1
15	Compact fourth-order finite difference method for solving differential equations. <i>Physical Review E</i> , 2001 , 64, 047701	2.4	1
14	Hybrid nanowire ion-to-electron transducers for integrated bioelectronic circuitry (Conference Presentation) 2016 ,		1
13	The dependence of fractal conductance fluctuations on soft-wall profile in a double-2DEG billiard. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002 , 12, 841-844	3	0
12	Postgrowth Shaping and Transport Anisotropy in Two-Dimensional InAs Nanofins. <i>ACS Nano</i> , 2021 , 15, 7226-7236	16.7	O
11	A tunable metal-organic resistance thermometer. <i>ChemPhysChem</i> , 2011 , 12, 116-21	3.2	
10	(100) GaAs/AlxGa1⊠As heterostructures for Zeeman spin splitting studies of hole quantum wires. <i>Journal of Crystal Growth</i> , 2011 , 323, 48-51	1.6	
9	Ground-plane screening of Coulomb interactions by a nearby two-dimensional system. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2010 , 42, 1228-1231	3	
8	Crystallographic anisotropy of the Zeeman splitting in 1D hole quantum wires. <i>Physica E:</i> Low-Dimensional Systems and Nanostructures, 2010 , 42, 967-970	3	
7	Geometry-induced fractal behaviour:. <i>Physica B: Condensed Matter</i> , 1998 , 249-251, 343-347	2.8	
6	0.7 Structure and zero bias anomaly in one-dimensional hole systems. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2008 , 40, 1501-1503	3	
5	Metallic behavior in low-disorder two-dimensional hole systems in the presence of long- and short-range disorder. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2008 , 40, 1599-1601	3	
4	The dependence of fractal conductance fluctuations on semiconductor billiard parameters. <i>Physica B: Condensed Matter</i> , 2002 , 314, 477-480	2.8	
3	Geometry-independence of fractal ballistic processes. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2003 , 19, 225-229	3	
2	Temperature and size dependence of fractal MCF in semiconductor billiards. <i>Microelectronic Engineering</i> , 2000 , 51-52, 241-247	2.5	

Fractal Transport Behavior in Coupled-Dot System. *Journal of the Physical Society of Japan*, **2003**, 72, 203-204

1.5