

Wei-Chou Lin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8549249/wei-chou-lin-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

2,324
citations

29
h-index

45
g-index

113
ext. papers

2,752
ext. citations

4.6
avg, IF

4.15
L-index

#	Paper	IF	Citations
98	THZ1, a covalent CDK7 inhibitor, enhances gemcitabine-induced cytotoxicity via suppression of Bcl-2 in urothelial carcinoma. <i>American Journal of Cancer Research</i> , 2021 , 11, 171-180	4.4	0
97	LTBP4 affects renal fibrosis by influencing angiogenesis and altering mitochondrial structure. <i>Cell Death and Disease</i> , 2021 , 12, 943	9.8	3
96	CDK7 inhibition by THZ1 suppresses cancer stemness in both chemosensitive and chemoresistant urothelial carcinoma via the hedgehog signaling pathway. <i>Cancer Letters</i> , 2021 , 507, 70-79	9.9	1
95	Alternative Complement Pathway Is Activated and Associated with Galactose-Deficient IgA Antibody in IgA Nephropathy Patients. <i>Frontiers in Immunology</i> , 2021 , 12, 638309	8.4	3
94	Rapid Trio Exome Sequencing for Autosomal Recessive Renal Tubular Dysgenesis in Recurrent Oligohydramnios. <i>Frontiers in Genetics</i> , 2021 , 12, 606970	4.5	0
93	Two-year protocol biopsy after kidney transplantation in clinically stable recipients - a retrospective study. <i>Transplant International</i> , 2021 , 34, 185-193	3	0
92	Distinguishing lupus lymphadenitis from Kikuchi disease based on clinicopathological features and C4d immunohistochemistry. <i>Rheumatology</i> , 2021 , 60, 1543-1552	3.9	2
91	Spectrum of cancer patients receiving renal biopsy. <i>Journal of the Formosan Medical Association</i> , 2021 , 121, 152-152	3.2	
90	Neddylation inhibitor, MLN4924 suppresses angiogenesis in huvecs and solid cancers: and study. <i>American Journal of Cancer Research</i> , 2020 , 10, 953-964	4.4	5
89	The covalent CDK7 inhibitor THZ1 enhances temsirolimus-induced cytotoxicity via autophagy suppression in human renal cell carcinoma. <i>Cancer Letters</i> , 2020 , 471, 27-37	9.9	13
88	Prognostic factors for renal transplant graft survival in a retrospective cohort of 1000 cases: The role of desensitization therapy. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 829-837	3.2	2
87	Presence of Subclinical Hypercortisolism in Clinical Aldosterone-Producing Adenomas Predicts Lower Clinical Success. <i>Hypertension</i> , 2020 , 76, 1537-1544	8.5	13
86	High Concentration of C5a-Induced Mitochondria-Dependent Apoptosis in Murine Kidney Endothelial Cells. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	6
85	Histone Deacetylase Inhibitor, Trichostatin A, Synergistically Enhances Paclitaxel-Induced Cytotoxicity in Urothelial Carcinoma Cells by Suppressing the ERK Pathway. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	12
84	The presentation of proteinuria in an adolescent with new-onset diabetes after heart transplantation. <i>Pediatrics and Neonatology</i> , 2019 , 60, 114-115	1.8	0
83	Trifluoperazine, an Antipsychotic Drug, Effectively Reduces Drug Resistance in Cisplatin-Resistant Urothelial Carcinoma Cells via Suppressing Bcl-xL: An In Vitro and In Vivo Study. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	8
82	The Deubiquitinating Enzyme Inhibitor PR-619 Enhances the Cytotoxicity of Cisplatin via the Suppression of Anti-Apoptotic Bcl-2 Protein: In Vitro and In Vivo Study. <i>Cells</i> , 2019 , 8,	7.9	12

81	Suppression of Angiogenesis by Targeting Cyclin-Dependent Kinase 7 in Human Umbilical Vein Endothelial Cells and Renal Cell Carcinoma: An In Vitro and In Vivo Study. <i>Cells</i> , 2019 , 8,	7.9	6
80	Clinical outcomes in patients with biopsy-proved diabetic nephropathy compared to isolated lupus or crescentic glomerulonephritis. <i>Diabetes Research and Clinical Practice</i> , 2019 , 148, 144-151	7.4	7
79	MLN4924, a Protein Neddylolation Inhibitor, Suppresses the Growth of Human Chondrosarcoma through Inhibiting Cell Proliferation and Inducing Endoplasmic Reticulum Stress-Related Apoptosis. <i>International Journal of Molecular Sciences</i> , 2018 , 20,	6.3	19
78	Trichostatin A, a histone deacetylase inhibitor, induces synergistic cytotoxicity with chemotherapy via suppression of Raf/MEK/ERK pathway in urothelial carcinoma. <i>Journal of Molecular Medicine</i> , 2018 , 96, 1307-1318	5.5	4
77	Impaired microcirculation after subarachnoid hemorrhage in an in vivo animal model. <i>Scientific Reports</i> , 2018 , 8, 13315	4.9	10
76	Enhancing the Detection of Dysmorphic Red Blood Cells and Renal Tubular Epithelial Cells with a Modified Urinalysis Protocol. <i>Scientific Reports</i> , 2017 , 7, 40521	4.9	9
75	Repeated cycles of high-dose intravenous immunoglobulin and plasmapheresis for treatment of late antibody-mediated rejection of renal transplants. <i>Journal of the Formosan Medical Association</i> , 2016 , 115, 845-852	3.2	8
74	Epigallocatechin Gallate Attenuates Partial Bladder Outlet Obstruction-induced Bladder Injury via Suppression of Endoplasmic Reticulum Stress-related Apoptosis-In Vivo Study. <i>Urology</i> , 2016 , 91, 242.e1-9 ⁶		5
73	Inhibition of Rho-associated kinase relieves C5a-induced proteinuria in murine nephrotic syndrome. <i>Cellular and Molecular Life Sciences</i> , 2015 , 72, 3157-71	10.3	4
72	The value of losartan suppression test in the confirmatory diagnosis of primary aldosteronism in patients over 50 years old. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015 , 16, 587-98 ³		4
71	Titanium nanoparticle inhalation induces renal fibrosis in mice via an oxidative stress upregulated transforming growth factor- β pathway. <i>Chemical Research in Toxicology</i> , 2015 , 28, 354-64	4	36
70	MLN4924 Synergistically Enhances Cisplatin-induced Cytotoxicity via JNK and Bcl-xL Pathways in Human Urothelial Carcinoma. <i>Scientific Reports</i> , 2015 , 5, 16948	4.9	29
69	Ureteral involvement and diabetes increase the risk of subsequent bladder recurrence after nephroureterectomy for upper urinary tract urothelial carcinoma. <i>BioMed Research International</i> , 2015 , 2015, 527976	3	5
68	MLN4924, a novel protein neddylolation inhibitor, suppresses proliferation and migration of human urothelial carcinoma: In vitro and in vivo studies. <i>Cancer Letters</i> , 2015 , 363, 127-36	9.9	41
67	MLN4924, a Novel NEDD8-activating enzyme inhibitor, exhibits antitumor activity and enhances cisplatin-induced cytotoxicity in human cervical carcinoma: in vitro and in vivo study. <i>American Journal of Cancer Research</i> , 2015 , 5, 3350-62	4.4	9
66	Prognostic value of semiquantification NP-59 SPECT/CT in primary aldosteronism patients after adrenalectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 41, 1375-84	8.8	18
65	The molecular chaperone Cosmc enhances malignant behaviors of colon cancer cells via activation of Akt and ERK. <i>Molecular Carcinogenesis</i> , 2014 , 53 Suppl 1, E62-71	5	22
64	Streptococcus agalactiae infective endocarditis with large vegetation in a patient with underlying protein S deficiency. <i>Infection</i> , 2013 , 41, 247-50	5.8	5

63	B-crystallin in clear cell renal cell carcinoma: tumor progression and prognostic significance. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1367-77	2.8	20
62	2-methoxyestradiol induces mitotic arrest, apoptosis, and synergistic cytotoxicity with arsenic trioxide in human urothelial carcinoma cells. <i>PLoS ONE</i> , 2013 , 8, e68703	3.7	24
61	Celecoxib-induced cytotoxic effect is potentiated by inhibition of autophagy in human urothelial carcinoma cells. <i>PLoS ONE</i> , 2013 , 8, e82034	3.7	16
60	Utility of hepatocyte nuclear factor-1 α as a diagnostic marker in ovarian carcinomas with clear cells. <i>Histopathology</i> , 2012 , 61, 760-8	7.3	31
59	Fabry disease and immunoglobulin A nephropathy. <i>Nephrology</i> , 2012 , 17, 782-3	2.2	4
58	Serine protease hepsin regulates hepatocyte size and hemodynamic retention of tumor cells by hepatocyte growth factor signaling in mice. <i>Hepatology</i> , 2012 , 56, 1913-23	11.2	25
57	Adrenalectomy improves increased carotid intima-media thickness and arterial stiffness in patients with aldosterone producing adenoma. <i>Atherosclerosis</i> , 2012 , 221, 154-9	3.1	66
56	Honokiol attenuates torsion/detorsion-induced testicular injury in rat testis by way of suppressing endoplasmic reticulum stress-related apoptosis. <i>Urology</i> , 2012 , 79, 967.e5-11	1.6	21
55	Clinical outcomes and predictors for ESRD and mortality in primary GN. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 1401-8	6.9	43
54	A rare cause of childhood-onset nephrotic syndrome: lipoprotein glomerulopathy. <i>Clinical Nephrology</i> , 2012 , 78, 237-40	2.1	9
53	An Unusual Presentation of Prostate Adenocarcinoma Metastatic to the Oral Cavity. <i>Urological Science</i> , 2011 , 22, 83-85	0.3	
52	AP-1 transcription factor JunD confers protection from accelerated nephrotoxic nephritis and control podocyte-specific Vegfa expression. <i>American Journal of Pathology</i> , 2011 , 179, 134-40	5.8	14
51	Combining body mass index and serum potassium to urine potassium clearance ratio is an alternative method to predict primary aldosteronism. <i>Clinica Chimica Acta</i> , 2011 , 412, 1637-42	6.2	4
50	Huge adrenal ganglioneuroma. <i>Urology</i> , 2011 , 78, 58-9	1.6	4
49	Reversal of myocardial fibrosis in patients with unilateral hyperaldosteronism receiving adrenalectomy. <i>Surgery</i> , 2011 , 150, 526-33	3.6	42
48	Stathmin immunoreactivity in pheochromocytomas and paragangliomas: differential expression between benign and malignant neoplasms. <i>Asian Journal of Surgery</i> , 2011 , 34, 15-22	1.6	2
47	Xanthogranulomatous pyelonephritis: critical analysis of 30 patients. <i>International Urology and Nephrology</i> , 2011 , 43, 15-22	2.3	33
46	Nicotinamide N-methyltransferase induces cellular invasion through activating matrix metalloproteinase-2 expression in clear cell renal cell carcinoma cells. <i>Carcinogenesis</i> , 2011 , 32, 138-45	4.6	96

45	Verification and evaluation of aldosteronism demographics in the Taiwan Primary Aldosteronism Investigation Group (TAIPAI Group). <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011 , 12, 348-57	3	40
44	Factors influencing left ventricular mass regression in patients with primary aldosteronism post adrenalectomy. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011 , 12, 48-53	3	25
43	Ex vivo imaging and quantification of liver fibrosis using second-harmonic generation microscopy. <i>Journal of Biomedical Optics</i> , 2010 , 15, 036002	3.5	24
42	Early development of cutaneous cancer revealed by intravital nonlinear optical microscopy. <i>Applied Physics Letters</i> , 2010 , 97, 113702	3.4	6
41	Label-free diagnosis of human hepatocellular carcinoma by multiphoton autofluorescence microscopy. <i>Applied Physics Letters</i> , 2009 , 95, 193703	3.4	7
40	Primary aldosteronism: diagnostic accuracy of the losartan and captopril tests. <i>American Journal of Hypertension</i> , 2009 , 22, 821-7	2.3	58
39	¹³¹ I-6beta-iodomethyl-19-norcholesterol SPECT/CT for primary aldosteronism patients with inconclusive adrenal venous sampling and CT results. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 1631-7	8.9	83
38	Differentiation of normal and cancerous lung tissues by multiphoton imaging. <i>Journal of Biomedical Optics</i> , 2009 , 14, 044034	3.5	45
37	Overexpression of MUC15 activates extracellular signal-regulated kinase 1/2 and promotes the oncogenic potential of human colon cancer cells. <i>Carcinogenesis</i> , 2009 , 30, 1452-8	4.6	42
36	Association of kidney function with residual hypertension after treatment of aldosterone-producing adenoma. <i>American Journal of Kidney Diseases</i> , 2009 , 54, 665-73	7.4	80
35	Primary renal lymphoma. <i>British Journal of Haematology</i> , 2009 , 144, 628	4.5	2
34	MYC pathway is activated in clear cell renal cell carcinoma and essential for proliferation of clear cell renal cell carcinoma cells. <i>Cancer Letters</i> , 2009 , 273, 35-43	9.9	89
33	Expression of stathmin in localized upper urinary tract urothelial carcinoma: correlations with prognosis. <i>Urology</i> , 2009 , 74, 1264-9	1.6	29
32	Pancreatic carcinoma cells stimulate proliferation and matrix synthesis of hepatic stellate cells. <i>Journal of Hepatology</i> , 2009 , 51, 307-14	13.4	14
31	Radical cystectomy in the treatment of bladder cancer: oncological outcome and survival predictors. <i>Journal of the Formosan Medical Association</i> , 2009 , 108, 872-8	3.2	8
30	Primary mucinous adenocarcinoma of renal pelvis with carcinoembryonic antigen production. <i>Urology</i> , 2008 , 71, 984.e7-8	1.6	9
29	Primary synovial sarcoma of the kidney. <i>Journal of the Formosan Medical Association</i> , 2008 , 107, 344-7	3.2	12
28	The role of lymphovascular invasion in predicting the prognosis of clinically localized upper tract urothelial carcinoma (pT1-3cN0M0). <i>Journal of Urology</i> , 2008 , 180, 879-84; discussion 884-5	2.5	18

27	Up-regulation of vascular endothelial growth factor-D expression in clear cell renal cell carcinoma by CD74: a critical role in cancer cell tumorigenesis. <i>Journal of Immunology</i> , 2008 , 181, 6584-94	5.3	32
26	Annexin A4: A novel molecular marker for gastric cancer with Helicobacter pylori infection using proteomics approach. <i>Proteomics - Clinical Applications</i> , 2008 , 2, 619-34	3.1	39
25	Clinical and pathological data of 10 malignant pheochromocytomas: long-term follow up in a single institute. <i>International Journal of Urology</i> , 2007 , 14, 181-5	2.3	26
24	Cytoplasmic CD24 expression is a novel prognostic factor in diffuse-type gastric adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2007 , 14, 2748-58	3.1	50
23	Primary biliary cirrhosis associated with minimal change disease. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 966-7	4.3	
22	Nephrology image. A cyst in a stone?. <i>Kidney International</i> , 2007 , 71, 1081	9.9	
21	Multiphoton fluorescence and second harmonic generation microscopy for imaging infectious keratitis. <i>Journal of Biomedical Optics</i> , 2007 , 12, 024013	3.5	41
20	Multiphoton fluorescence and second-harmonic-generation microscopy for imaging structural alterations in corneal scar tissue in penetrating full-thickness wound. <i>JAMA Ophthalmology</i> , 2007 , 125, 977-8		20
19	Beta1,4-N-acetylgalactosaminyltransferase III enhances malignant phenotypes of colon cancer cells. <i>Molecular Cancer Research</i> , 2007 , 5, 543-52	6.6	31
18	Metastatic prostatic adenocarcinoma in an inguinal hernia sac in a patient with undetectable serum prostate specific antigen level. <i>Journal of the Formosan Medical Association</i> , 2007 , 106, 397-9	3.2	3
17	Quantitative multiphoton imaging for guiding basal-cell carcinoma removal 2007 ,		2
16	Identification of differentially expressed genes in clear cell renal cell carcinoma by analysis of full-length enriched cDNA library. <i>Journal of Biomedical Science</i> , 2006 , 13, 233-40	13.3	12
15	Monitoring photoaging by use of multiphoton fluorescence and second harmonic generation microscopy 2006 ,		2
14	Prediction of heat-induced collagen shrinkage by use of second harmonic generation microscopy. <i>Journal of Biomedical Optics</i> , 2006 , 11, 34020	3.5	37
13	A Diabetic Man with a Palpable Abdominal Wall Mass. <i>Clinical Infectious Diseases</i> , 2006 , 42, 1200-1202	11.6	1
12	Multiphoton fluorescence and second harmonic generation imaging of the structural alterations in keratoconus ex vivo. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 5251-9		74
11	Human immunodeficiency virus-associated nephropathy. <i>Journal of the Formosan Medical Association</i> , 2006 , 105, 680-4	3.2	4
10	Poor renal outcome of antineutrophil cytoplasmic antibody negative Pauci-immune glomerulonephritis in Taiwanese. <i>Journal of the Formosan Medical Association</i> , 2006 , 105, 804-12	3.2	28

9	Primary liver lymphoma in a patient with chronic hepatitis C. <i>Journal of the Formosan Medical Association</i> , 2006 , 105, 242-6	3.2	9
8	Discrimination of basal cell carcinoma from normal dermal stroma by quantitative multiphoton imaging. <i>Optics Letters</i> , 2006 , 31, 2756-8	3	148
7	Multiphoton autofluorescence and second-harmonic generation imaging of the ex vivo porcine eye. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 1216-24		120
6	Multiphoton microscopy for imaging infectious keratitis: demonstration of the pattern of microbial spread in an experimental model 2006 , 6138, 426		
5	Monitoring the thermally induced structural transitions of collagen by use of second-harmonic generation microscopy. <i>Optics Letters</i> , 2005 , 30, 622-4	3	68
4	Evaluating cutaneous photoaging by use of multiphoton fluorescence and second-harmonic generation microscopy. <i>Optics Letters</i> , 2005 , 30, 2275-7	3	173
3	Characterizing the thermally induced structural changes to intact porcine eye, part 1: second harmonic generation imaging of cornea stroma. <i>Journal of Biomedical Optics</i> , 2005 , 10, 054019	3.5	34
2	Antineutrophil cytoplasmic antibody-associated glomerulonephritis in Taiwanese. <i>Nephrology</i> , 2004 , 9, 297-303	2.2	2
1	Case study: Digital spatial profiling of metastatic clear cell carcinoma reveals intra-tumor heterogeneity in epithelial-mesenchymal gradient		