

J Ignacio González-Gordillo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8550232/publications.pdf>

Version: 2024-02-01

56
papers

4,976
citations

430442

18
h-index

174990

52
g-index

56
all docs

56
docs citations

56
times ranked

6295
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | CREATING A SPACE FOR EARLY CAREER RESEARCHERS: EXPERIENCES FROM A CONGRESS OF YOUNG MARINE SCIENTISTS. , 2021, , . | | 0 |
| 2 | An inshoreâ€œoffshore sorting system revealed from global classification of ocean litter. <i>Nature Sustainability</i> , 2021, 4, 484-493. | 11.5 | 178 |
| 3 | Trophic Structure of Neuston Across Tropical and Subtropical Oceanic Provinces Assessed With Stable Isotopes. <i>Frontiers in Marine Science</i> , 2021, 7, . | 1.2 | 6 |
| 4 | DNA barcoding allows identification of undescribed crab megalopas from the open sea. <i>Scientific Reports</i> , 2021, 11, 20573. | 1.6 | 6 |
| 5 | Large deep-sea zooplankton biomass mirrors primary production in the global ocean. <i>Nature Communications</i> , 2020, 11, 6048. | 5.8 | 58 |
| 6 | Revision of the West African species of <i>Scyllarus</i> Fabricius, 1775 (Decapoda: Achelata: Scyllaridae), with the description of three phyllosoma stages of <i>S. caparti</i> Holthuis, 1952 and an updated identification key. <i>Journal of Crustacean Biology</i> , 2020, 40, 412-424. | 0.3 | 4 |
| 7 | ROVâ€™s Video Recordings as a Tool to Estimate Variation in Megabenthic Epifauna Diversity and Community Composition in the Guaymas Basin. <i>Frontiers in Marine Science</i> , 2020, 7, . | 1.2 | 4 |
| 8 | Feeding patterns of transforming and juvenile myctophids that migrate into neustonic layers. <i>Marine Ecology - Progress Series</i> , 2020, 650, 239-252. | 0.9 | 8 |
| 9 | Zooplankton and Micronekton Active Flux Across the Tropical and Subtropical Atlantic Ocean. <i>Frontiers in Marine Science</i> , 2019, 6, . | 1.2 | 56 |
| 10 | Larval development of <i>Petrolisthes tuberculatus</i> (GuÃ©rin, 1835) (Decapoda, Anomura, Porcellanidae) reared in laboratory. <i>Zootaxa</i> , 2019, 4623, 364-380. | 0.2 | 0 |
| 11 | Zooplankton Abundance and Diversity in the Tropical and Subtropical Ocean. <i>Diversity</i> , 2019, 11, 203. | 0.7 | 22 |
| 12 | New record of the non-indigenous copepod <i>Pseudodiaptomus marinus</i> Sato, 1913 (Calanoida,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30</i> 675-683. | 0.1 | 4 |
| 13 | Large-scale ocean connectivity and planktonic body size. <i>Nature Communications</i> , 2018, 9, 142. | 5.8 | 102 |
| 14 | Larval development of the symbiotic pea crab <i>Pinnaxodes chilensis</i> (H.ÂMilne Edwards, 1837) (Decapoda,) <i>Tj ETQq0 0 0 rgBT /Overlock</i> 91-103. | 0.8 | 2 |
| 15 | The Arctic Ocean as a dead end for floating plastics in the North Atlantic branch of the Thermohaline Circulation. <i>Science Advances</i> , 2017, 3, e1600582. | 4.7 | 417 |
| 16 | Possible amphi-Atlantic dispersal of <i>Scyllarus</i> lobsters (Crustacea: Scyllaridae): molecular and larval evidence. <i>Zootaxa</i> , 2017, 4306, . | 0.2 | 10 |
| 17 | chapter 6 Ubiquitous Healthy Diatoms in the Deep Sea Confirm Deep Carbon Injection by the Biological Pump. , 2017, , 123-148. | | 0 |
| 18 | Larval descriptions of the family Porcellanidae: A worldwide annotated compilation of the literature (Crustacea, Decapoda). <i>ZooKeys</i> , 2016, 564, 47-70. | 0.5 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | The contribution of migratory mesopelagic fishes to neuston fish assemblages across the Atlantic, Indian and Pacific Oceans. <i>Marine and Freshwater Research</i> , 2016, 67, 1114. | 0.7 | 28 |
| 20 | Larval development of the pea crab <i>Afropinnotheres monodi</i> Manning, 1993 (Decapoda). <i>Marine Biology Research</i> , 2016, 12, 43-55. | 0.3 | 10 |
| 21 | Plastic Accumulation in the Mediterranean Sea. <i>PLoS ONE</i> , 2015, 10, e0121762. | 1.1 | 553 |
| 22 | Redescription of the early larval stages of the pandalid shrimp <i>Chlorotocus crassicornis</i> (Decapoda). <i>Journal of Crustacean Biology</i> , 2015, 35, 101-110. | 0.2 | 5 |
| 23 | Functional differences in the allometry of the water, carbon and nitrogen content of gelatinous organisms. <i>Journal of Plankton Research</i> , 2015, 37, 989-1000. | 0.8 | 17 |
| 24 | Larval morphology of the family Parthenopidae, with the description of the megalopa stage of <i>Derilambrus angulifrons</i> (Latreille, 1825) (Decapoda: Brachyura), identified by DNA barcode. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2015, 95, 513-521. | 0.4 | 4 |
| 25 | Ubiquitous healthy diatoms in the deep sea confirm deep carbon injection by the biological pump. <i>Nature Communications</i> , 2015, 6, 7608. | 5.8 | 177 |
| 26 | Annotated checklist of brachyuran crabs (Crustacea: Decapoda) of the Iberian Peninsula (SW Europe). <i>Scientia Marina</i> , 2015, 79, 243-256. | 0.3 | 23 |
| 27 | Plastic debris in the open ocean. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 10239-10244. | 3.3 | 2,157 |
| 28 | Polyunsaturated Aldehydes from Large Phytoplankton of the Atlantic Ocean Surface (42°N to 33°S). <i>Marine Drugs</i> , 2014, 12, 682-699. | 2.2 | 23 |
| 29 | Large mesopelagic fishes biomass and trophic efficiency in the open ocean. <i>Nature Communications</i> , 2014, 5, 3271. | 5.8 | 561 |
| 30 | Morphology of the megalopa of the mud crab, <i>Rhithropanopeus harrisi</i> (Gould, 1841) (Decapoda). <i>Journal of Crustacean Biology</i> , 2014, 34, 1-13. | 1.3 | 9 |
| 31 | Cannibalism, post-settlement growth rate and size refuge in a recruitment-limited population of the shore crab <i>Carcinus maenas</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 410, 72-79. | 0.7 | 15 |
| 32 | Early larval morphology of the armed nylon shrimp <i>Heterocarpus ensifer</i> A. Milne-Edwards, 1881 (Decapoda, Caridea, Pandalidae) from laboratory culture. <i>Zootaxa</i> , 2010, 2427, . | 0.2 | 7 |
| 33 | Physical control of zooplankton distribution at the Strait of Gibraltar during an episode of internal wave generation. <i>Marine Ecology - Progress Series</i> , 2010, 408, 79-95. | 0.9 | 19 |
| 34 | Population structure and reproductive biology of the stone crab <i>Xantho poressa</i> (Crustacea) in a fishing area. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 323-334. | 0.4 | 15 |
| 35 | Morphology of the Larval And First Juvenile Stages of Two Jamaican Endemic Crab Species with Abbreviated Development, <i>Sesarma windsor</i> And <i>Metopaulias depressus</i> (Decapoda: Brachyura). <i>Journal of Crustacean Biology</i> , 2010, 30, 1-14. | 0.78 | 14 |
| 36 | Shelf and estuarine transport mechanisms affecting the supply of competent larvae in a suite of brachyuran crabs with different life histories. <i>Marine Ecology - Progress Series</i> , 2010, 410, 125-142. | 0.9 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Description of the first five larval stages of <i>Plesionika narval</i> (Fabricius, 1787) (Crustacea, Decapoda, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 | 0.2 | 9 |
| 38 | Morphology of first seven larval stages of the striped soldier shrimp, <i>Plesionika edwardsii</i> (Brandt,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.2 | 16 |
| 39 | The capacity of crab megalopae to autotomize body appendages and the consequences upon their feeding ability—the price to pay to live another day. <i>Marine and Freshwater Behaviour and Physiology</i> , 2009, 42, 329-341. | 0.4 | 3 |
| 40 | Complete larval development of the crab <i>Illia nucleus</i> (Linnaeus, 1758) (Decapoda: Brachyura:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.3 | 0 |
| 41 | Oceanographic and behavioural processes affecting invertebrate larval dispersal and supply in the western Iberia upwelling ecosystem. <i>Progress in Oceanography</i> , 2007, 74, 174-191. | 1.5 | 85 |
| 42 | Tide and wind control of megalopal supply to estuarine crab populations on the Portuguese west coast. <i>Marine Ecology - Progress Series</i> , 2006, 307, 21-36. | 0.9 | 75 |
| 43 | Planktonic stages of <i>Processa macrodactyla</i> (Decapoda: Caridea: Processidae) reared in the laboratory. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2005, 85, 1449-1460. | 0.4 | 7 |
| 44 | Characterization of the Megalopal Premoult Stages of the Green Crab, <i>Carcinus Maenas</i> (Decapoda,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.3 | 10 |
| 45 | Illustrated keys for the identification of the Pleocyemata (Crustacea: Decapoda) zoeal stages, from the coastal region of south-western Europe. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2004, 84, 205-227. | 0.4 | 48 |
| 46 | Recruitment patterns of decapod crustacean megalopae in a shallow inlet (SW Spain) related to life history strategies. <i>Estuarine, Coastal and Shelf Science</i> , 2003, 56, 593-607. | 0.9 | 19 |
| 47 | Comparative seasonal and spatial distribution of decapod larvae assemblages in three coastal zones off the south-western Iberian Peninsula. <i>Acta Oecologica</i> , 2003, 24, S219-S233. | 0.5 | 30 |
| 48 | The complete larval development of the spider crab, <i>Macropodia parva</i> (Crustacea, Decapoda, Majidae) from laboratory culture. <i>Invertebrate Reproduction and Development</i> , 2001, 39, 135-142. | 0.3 | 5 |
| 49 | Checklist and annotated bibliography of decapod crustacean larvae from the Southwestern European coast (Gibraltar Strait area). <i>Scientia Marina</i> , 2001, 65, 275-305. | 0.3 | 43 |
| 50 | First larval stage of <i>Scyllarus posteli</i> forest, 1963 and <i>Processa macrodactyla</i> Holthuis, 1952 hatched in the laboratory (Crustacea, Decapoda). <i>Ophelia</i> , 2000, 53, 91-99. | 0.3 | 12 |
| 51 | Larval development of <i>Philocheras fasciatus</i> (Risso, 1816) (Decapoda, Caridea) reared in the laboratory, comparison with plankton larvae and occurrence of accelerated development. <i>Journal of Plankton Research</i> , 2000, 22, 1909-1924. | 0.8 | 10 |
| 52 | COMPLETE LARVAL DEVELOPMENT OF PHILOCHERAS MONACANTHUS FROM LABORATORY CULTURE, WITH A KEY TO THE ZOEAE OF THE EUROPEAN SPECIES OF THE GENUS (DECAPODA: CARIDEA: CRANGONIDAE). <i>Journal of Crustacean Biology</i> , 2000, 20, 75-88. | 0.3 | 5 |
| 53 | First zoeal stages of <i>Grapsus adscensionis</i> (Osbeck) and <i>Planes minutus</i> (Linnaeus) (Brachyura:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Grapsinae. <i>Journal of Natural History</i> , 1997, 31, 887-900. | 0.2 | 26 |
| 54 | Studies on the larval development of northeastern Atlantic and Mediterranean Procellanidae (Decapoda, Anomura). I. Redescription of the larval stages of <i>Porcellana platycheles</i> (Pennant, 1777) reared under laboratory conditions. <i>Helgoländer Meeresuntersuchungen</i> , 1996, 50, 517-531. | 0.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Larval development of <i>Brachynotus gemmellari</i> (Rizza, 1839) (Brachyura, Grapsidae) reared under laboratory conditions. <i>Journal of Plankton Research</i> , 1995, 17, 1143-1161. | 0.8 | 10 |
| 56 | Larval stages of <i>Brachynotus atlanticus</i> Forest, 1957 (Crustacea: Decapoda: Grapsidae) reared under laboratory conditions. <i>Journal of Plankton Research</i> , 1992, 14, 867-883. | 0.8 | 15 |