

Hamisa Jane Hassan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8550656/publications.pdf>

Version: 2024-02-01

29
papers

815
citations

567144

15
h-index

501076

28
g-index

31
all docs

31
docs citations

31
times ranked

1210
citing authors

#	ARTICLE	IF	CITATIONS
1	Italian Registry of Congenital Bleeding Disorders. <i>Journal of Clinical Medicine</i> , 2017, 6, 0034.	1.0	14
2	Italian Registries on Bleeding Disorders. <i>Clinical Pharmacology and Therapeutics</i> , 2016, 99, 271-272.	2.3	1
3	Key role of MEK/ERK pathway in sustaining tumorigenicity and in vitro radioresistance of embryonal rhabdomyosarcoma stem-like cell population. <i>Molecular Cancer</i> , 2016, 15, 16.	7.9	75
4	Wharton's jelly mesenchymal stromal cells have contrasting effects on proliferation and phenotype of cancer stem cells from different subtypes of lung cancer. <i>Experimental Cell Research</i> , 2016, 345, 190-198.	1.2	27
5	Induction of Dopaminergic Neurons From Human Wharton's Jelly Mesenchymal Stem Cell by Forskolin. <i>Journal of Cellular Physiology</i> , 2014, 229, 232-244.	2.0	27
6	Therapeutic management and costs of severe haemophilia A patients with inhibitors in Italy. <i>Haemophilia</i> , 2014, 20, e243-50.	1.0	19
7	Cord blood CD34+ cells expanded on Wharton's jelly multipotent mesenchymal stromal cells improve the hematopoietic engraftment in NOD/SCID mice. <i>European Journal of Haematology</i> , 2014, 93, 384-391.	1.1	8
8	Current status of Italian Registries on inherited bleeding disorders. <i>Blood Transfusion</i> , 2014, 12 Suppl 3, s576-81.	0.3	12
9	Valproic acid affects the engraftment of TPO-expanded cord blood cells in NOD/SCID mice. <i>Experimental Cell Research</i> , 2012, 318, 400-407.	1.2	7
10	Consumption of clotting factors in severe haemophilia patients undergoing prophylaxis and on-demand treatment in Italy. <i>Transfusion Medicine</i> , 2011, 21, 280-284.	0.5	10
11	Italian National Survey of Blood Donors: External Quality Assessment (EQA) of Syphilis Testing. <i>Journal of Clinical Microbiology</i> , 2010, 48, 753-757.	1.8	5
12	Long-term platelet production assessed in NOD/SCID mice injected with cord blood CD34+ cells, thrombopoietin-amplified in clinical grade serum-free culture. <i>Experimental Hematology</i> , 2008, 36, 244-252.	0.2	29
13	Nucleic acid testing (NAT) for HCV RNA in Italian transfusion centres: An external quality assessment. <i>Journal of Clinical Virology</i> , 2008, 41, 277-282.	1.6	3
14	The first data from the haemovigilance system in Italy. <i>Blood Transfusion</i> , 2007, 5, 66-74.	0.3	15
15	HDAC inhibition is associated to valproic acid induction of early megakaryocytic markers. <i>Experimental Cell Research</i> , 2006, 312, 1590-1597.	1.2	15
16	Haemovigilance. <i>Vox Sanguinis</i> , 2006, 90, 207-241.	0.7	37
17	Platelet gel ? the Italian way: a call for procedure standardization and quality control. <i>Transfusion Medicine</i> , 2006, 16, 303-304.	0.5	19
18	Engraftment in NOD/SCID Mice of TPO Amplified CB Cells To Promote Platelet Development.. <i>Blood</i> , 2006, 108, 3647-3647.	0.6	0

#	ARTICLE	IF	CITATIONS
19	Residual risk of transfusion-transmitted human immunodeficiency virus, hepatitis C virus, and hepatitis B virus infections in Italy. <i>Transfusion</i> , 2005, 45, 1670-1675.	0.8	50
20	Factor-V expression in platelets from human megakaryocytic culture. <i>British Journal of Haematology</i> , 2005, 128, 108-111.	1.2	23
21	Different ploidy levels of megakaryocytes generated from peripheral or cord blood CD34+ cells are correlated with different levels of platelet release. <i>Blood</i> , 2002, 99, 888-897.	0.6	210
22	Stromal cell-derived factor 1 increases polyploidization of megakaryocytes generated by human hematopoietic progenitor cells. <i>Blood</i> , 2001, 97, 2587-2595.	0.6	67
23	Terminal megakaryocytic differentiation of TF-1 cells is induced by phorbol esters and thrombopoietin and is blocked by expression of PML/RAR fusion protein. <i>Leukemia</i> , 1998, 12, 563-570.	3.3	20
24	PCR analysis of HIV-1 sequences and differential immunological features in seronegative and seropositive haemophiliacs. <i>British Journal of Haematology</i> , 1992, 81, 558-567.	1.2	3
25	Carrier detection for hemophilia B: Evaluation of multiple polymorphic sites. <i>American Journal of Hematology</i> , 1990, 33, 1-7.	2.0	10
26	Hereditary thrombophilia: identification of nonsense and missense mutations in the protein C gene.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 2829-2832.	3.3	50
27	Structural or functional heterogeneity of normal human serum albumin, allo albumin, bisalbumin. <i>Clinica Chimica Acta</i> , 1981, 113, 43-49.	0.5	8
28	Multicenter evaluation of a new chromogenic factor X assay in plasma of patients on oral anticoagulants. <i>Thrombosis Research</i> , 1980, 19, 493-502.	0.8	20
29	Factor VII activity and cross reacting material in normal individuals. <i>Thrombosis Research</i> , 1979, 14, 241-244.	0.8	14