

Laura Maggi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8551943/laura-maggi-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

6,749
citations

35
h-index

82
g-index

86
ext. papers

8,198
ext. citations

7.2
avg, IF

5.13
L-index

#	Paper	IF	Citations
84	SARS-CoV-2 Spike-Specific CD4+ T Cell Response Is Conserved Against Variants of Concern, Including Omicron.. <i>Frontiers in Immunology</i> , 2022 , 13, 801431	8.4	6
83	SARS-CoV-2 infection and vaccination trigger long-lived B and CD4+ T lymphocytes: implications for booster strategies.. <i>Journal of Clinical Investigation</i> , 2022 ,	15.9	3
82	Serum NMR Profiling Reveals Differential Alterations in the Lipoproteome Induced by Pfizer-BioNTech Vaccine in COVID-19 Recovered Subjects and Naïve Subjects.. <i>Frontiers in Molecular Biosciences</i> , 2022 , 9, 839809	5.6	2
81	Variants Disrupting CD40L Transmembrane Domain and Atypical X-Linked Hyper-IgM Syndrome: A Case Report With Leishmaniasis and Review of the Literature.. <i>Frontiers in Immunology</i> , 2022 , 13, 840767	8.4	0
80	Guidelines for the use of flow cytometry and cell sorting in immunological studies (third edition).. <i>European Journal of Immunology</i> , 2021 , 51, 2708-3145	6.1	12
79	Hallmarks of immune response in COVID-19: Exploring dysregulation and exhaustion. <i>Seminars in Immunology</i> , 2021 , 101508	10.7	3
78	Thymic stromal lymphopoietin and alarmins as possible therapeutical targets for asthma. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2021 , 21, 590-596	3.3	0
77	T Cell Response Toward Tissue-and Epidermal-Transglutaminases in Coeliac Disease Patients Developing Dermatitis Herpetiformis. <i>Frontiers in Immunology</i> , 2021 , 12, 645143	8.4	3
76	Activated IL-6 signaling contributes to the pathogenesis of, and is a novel therapeutic target for, CALR-mutated MPNs. <i>Blood Advances</i> , 2021 , 5, 2184-2195	7.8	2
75	IL411 Is Expressed by Head-Neck Cancer-Derived Mesenchymal Stromal Cells and Contributes to Suppress T Cell Proliferation. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	4
74	First-dose mRNA vaccination is sufficient to reactivate immunological memory to SARS-CoV-2 in subjects who have recovered from COVID-19. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	60
73	COVID-19 in a kidney transplant recipient after mRNA-based SARS-CoV-2 vaccination. <i>Transplant Infectious Disease</i> , 2021 , 23, e13649	2.7	3
72	Th17 lymphocyte-dependent degradation of joint cartilage by synovial fibroblasts in a humanized mouse model of arthritis and reversal by secukinumab. <i>European Journal of Immunology</i> , 2021 , 51, 220-230	6.1	1
71	Compassionate use of JAK1/2 inhibitor ruxolitinib for severe COVID-19: a prospective observational study. <i>Leukemia</i> , 2021 , 35, 1121-1133	10.7	35
70	Study of Signal Transduction Pathways by Phospho-Protein Evaluation. <i>Methods in Molecular Biology</i> , 2021 , 2285, 191-200	1.4	0
69	Human T-Cell Cloning by Limiting Dilution. <i>Methods in Molecular Biology</i> , 2021 , 2285, 165-172	1.4	0
68	Innate lymphoid cells type 2 in LTP-allergic patients and their modulation during sublingual immunotherapy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 2253-2256	9.3	4

67	Metabolomic/lipidomic profiling of COVID-19 and individual response to tocilizumab. <i>PLoS Pathogens</i> , 2021 , 17, e1009243	7.6	36
66	Impaired response to first SARS-CoV-2 dose vaccination in myeloproliferative neoplasm patients receiving ruxolitinib. <i>American Journal of Hematology</i> , 2021 , 96, E408-E410	7.1	14
65	The dual function of ILC2: From host protection to pathogenic players in type 2 asthma. <i>Molecular Aspects of Medicine</i> , 2021 , 80, 100981	16.7	3
64	Impaired immune cell cytotoxicity in severe COVID-19 is IL-6 dependent. <i>Journal of Clinical Investigation</i> , 2020 , 130, 4694-4703	15.9	261
63	Plasticity and regulatory mechanisms of human ILC2 functions. <i>Immunology Letters</i> , 2020 , 227, 109-116	4.1	3
62	Cell-mediated and humoral adaptive immune responses to SARS-CoV-2 are lower in asymptomatic than symptomatic COVID-19 patients. <i>European Journal of Immunology</i> , 2020 , 50, 2013-2024	6.1	35
61	Pulmonary vascular improvement in severe COVID-19 patients treated with tocilizumab. <i>Immunology Letters</i> , 2020 , 228, 122-128	4.1	6
60	Quantitative and qualitative alterations of circulating myeloid cells and plasmacytoid DC in SARS-CoV-2 infection. <i>Immunology</i> , 2020 , 161, 345-353	7.8	42
59	Disseminated Mycobacterium xenopi in an Adult with IL-12R β Deficiency. <i>Journal of Clinical Immunology</i> , 2020 , 40, 1166-1170	5.7	
58	Human T cells interacting with HNSCC-derived mesenchymal stromal cells acquire tissue-resident memory like properties. <i>European Journal of Immunology</i> , 2020 , 50, 1571-1579	6.1	1
57	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , 2019 , 49, 1457-1973	6.1	485
56	Biological and clinical significance of T helper 17 cell plasticity. <i>Immunology</i> , 2019 , 158, 287-295	7.8	22
55	The protease systems and their pathogenic role in juvenile idiopathic arthritis. <i>Autoimmunity Reviews</i> , 2019 , 18, 761-766	13.6	4
54	Th17 and Th1 Lymphocytes in Oligoarticular Juvenile Idiopathic Arthritis. <i>Frontiers in Immunology</i> , 2019 , 10, 450	8.4	20
53	Eomes controls the development of Th17-derived (non-classic) Th1 cells during chronic inflammation. <i>European Journal of Immunology</i> , 2019 , 49, 79-95	6.1	34
52	Biologics targeting type 2 immunity: Lessons learned from asthma, chronic urticaria and atopic dermatitis. <i>European Journal of Immunology</i> , 2019 , 49, 1334-1343	6.1	10
51	Human neutrophils activated via TLR8 promote Th17 polarization through IL-23. <i>Journal of Leukocyte Biology</i> , 2019 , 105, 1155-1165	6.5	17
50	Absence of Calreticulin Phenocopies Cellular Abnormalities Induced By Calreticulin Exon-9 Mutation in Myeloproliferative Neoplasms. <i>Blood</i> , 2018 , 132, 1780-1780	2.2	

49	Omalizumab dampens type 2 inflammation in a group of long-term treated asthma patients and detaches IgE from Fc β I. <i>European Journal of Immunology</i> , 2018 , 48, 2005-2014	6.1	29
48	Musculin inhibits human T-helper 17 cell response to interleukin 2 by controlling STAT5B activity. <i>European Journal of Immunology</i> , 2017 , 47, 1427-1442	6.1	13
47	Role of Type 2 Innate Lymphoid Cells in Allergic Diseases. <i>Current Allergy and Asthma Reports</i> , 2017 , 17, 66	5.6	34
46	Strategies for T Helper Cell Subset Differentiation from Naïve Precursors. <i>Methods in Molecular Biology</i> , 2017 , 1514, 127-137	1.4	1
45	Human circulating group 2 innate lymphoid cells can express CD154 and promote IgE production. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 964-976.e4	11.5	61
44	Fractalkine receptor deficiency impairs microglial and neuronal responsiveness to chronic stress. <i>Brain, Behavior, and Immunity</i> , 2016 , 55, 114-125	16.6	136
43	Overexpression of the transmembrane carbonic anhydrase isoforms IX and XII in the inflamed synovium. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016 , 31, 60-63	5.6	72
42	T cell subpopulations in juvenile idiopathic arthritis and their modifications after biotherapies. <i>Autoimmunity Reviews</i> , 2016 , 15, 1141-1144	13.6	15
41	The chemokine CXCL16 modulates neurotransmitter release in hippocampal CA1 area. <i>Scientific Reports</i> , 2016 , 6, 34633	4.9	26
40	Immunosuppressive Activity of Abatacept on Circulating T Helper Lymphocytes from Juvenile Idiopathic Arthritis Patients. <i>International Archives of Allergy and Immunology</i> , 2016 , 171, 45-53	3.7	14
39	Th1-Induced CD106 Expression Mediates Leukocytes Adhesion on Synovial Fibroblasts from Juvenile Idiopathic Arthritis Patients. <i>PLoS ONE</i> , 2016 , 11, e0154422	3.7	13
38	Chitinase 3-like-1 is produced by human Th17 cells and correlates with the level of inflammation in juvenile idiopathic arthritis patients. <i>Clinical and Molecular Allergy</i> , 2016 , 14, 16	3.7	8
37	T-cell clones from Th1, Th17 or Th1/17 lineages and their signature cytokines have different capacity to activate endothelial cells or synoviocytes. <i>Cytokine</i> , 2016 , 88, 241-250	4	8
36	Dysregulation of sphingosine 1 phosphate receptor-1 (S1P1) signaling and regulatory lymphocyte-dependent immunosuppression in a model of post-fingolimod MS rebound. <i>Brain, Behavior, and Immunity</i> , 2015 , 50, 78-86	16.6	37
35	Demethylation of the RORC2 and IL17A in human CD4+ T lymphocytes defines Th17 origin of nonclassic Th1 cells. <i>Journal of Immunology</i> , 2015 , 194, 3116-26	5.3	54
34	Perianal Crohn's disease and hidradenitis suppurativa: a possible common immunological scenario. <i>Clinical and Molecular Allergy</i> , 2015 , 13, 12	3.7	15
33	Brief report: etanercept inhibits the tumor necrosis factor β -driven shift of Th17 lymphocytes toward a nonclassic Th1 phenotype in juvenile idiopathic arthritis. <i>Arthritis and Rheumatology</i> , 2014 , 66, 1372-7	9.5	38
32	IL-4-induced gene 1 maintains high Tob1 expression that contributes to TCR unresponsiveness in human T helper 17 cells. <i>European Journal of Immunology</i> , 2014 , 44, 654-61	6.1	25

31	Th17 plasticity: pathophysiology and treatment of chronic inflammatory disorders. <i>Current Opinion in Pharmacology</i> , 2014 , 17, 12-6	5.1	41
30	T helper cells plasticity in inflammation. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2014 , 85, 36-42	4.6	162
29	Reasons for rarity of Th17 cells in inflammatory sites of human disorders. <i>Seminars in Immunology</i> , 2013 , 25, 299-304	10.7	21
28	Fractalkine (CX3CL1) enhances hippocampal N-methyl-D-aspartate receptor (NMDAR) function via D-serine and adenosine receptor type A2 (A2AR) activity. <i>Journal of Neuroinflammation</i> , 2013 , 10, 108	10.1	49
27	A novel allergen-adjuvant conjugate suitable for specific immunotherapy of respiratory allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 84-92	11.5	12
26	Loss of methylation at the IFNG promoter and CNS-1 is associated with the development of functional IFN- γ memory in human CD4(+) T lymphocytes. <i>European Journal of Immunology</i> , 2013 , 43, 793-804	6.1	34
25	IL-1 and T Helper Immune Responses. <i>Frontiers in Immunology</i> , 2013 , 4, 182	8.4	80
24	CD4+CD161+ T lymphocytes infiltrate Crohn's disease-associated perianal fistulas and are reduced by anti-TNF- α local therapy. <i>International Archives of Allergy and Immunology</i> , 2013 , 161, 81-6	3.7	39
23	A3.7 Comparison of the Effects of Th17 and Th1 Cells on Endothelial Cells and Synoviocytes. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A15.3-A16	2.4	
22	Distinctive features of classic and nonclassic (Th17 derived) human Th1 cells. <i>European Journal of Immunology</i> , 2012 , 42, 3180-8	6.1	87
21	Rarity of human T helper 17 cells is due to retinoic acid orphan receptor-dependent mechanisms that limit their expansion. <i>Immunity</i> , 2012 , 36, 201-14	32.3	93
20	Etanercept downregulates the Th17 pathway and decreases the IL-17+/IL-10+ cell ratio in patients with psoriasis vulgaris. <i>Journal of Clinical Immunology</i> , 2012 , 32, 1221-32	5.7	23
19	CX(3)CR1 deficiency alters hippocampal-dependent plasticity phenomena blunting the effects of enriched environment. <i>Frontiers in Cellular Neuroscience</i> , 2011 , 5, 22	6.1	102
18	Frequency of regulatory T cells in peripheral blood and in tumour-infiltrating lymphocytes correlates with poor prognosis in renal cell carcinoma. <i>BJU International</i> , 2011 , 107, 1500-6	5.6	81
17	Evidence of the transient nature of the Th17 phenotype of CD4+CD161+ T cells in the synovial fluid of patients with juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2011 , 63, 2504-15		160
16	The TLR7 ligand 9-benzyl-2-butoxy-8-hydroxy adenine inhibits IL-17 response by eliciting IL-10 and IL-10-inducing cytokines. <i>Journal of Immunology</i> , 2011 , 186, 4707-15	5.3	31
15	Identification of a novel subset of human circulating memory CD4(+) T cells that produce both IL-17A and IL-4. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 125, 222-30.e1-4	11.5	228
14	Evidence for a cross-talk between human neutrophils and Th17 cells. <i>Blood</i> , 2010 , 115, 335-43	2.2	520

13	CD161 is a marker of all human IL-17-producing T-cell subsets and is induced by RORC. <i>European Journal of Immunology</i> , 2010 , 40, 2174-81	6.1	266
12	Modified adenine (9-benzyl-2-butoxy-8-hydroxyadenine) redirects Th2-mediated murine lung inflammation by triggering TLR7. <i>Journal of Immunology</i> , 2009 , 182, 880-9	5.3	22
11	LTP impairment by fractalkine/CX3CL1 in mouse hippocampus is mediated through the activity of adenosine receptor type 3 (A3R). <i>Journal of Neuroimmunology</i> , 2009 , 215, 36-42	3.5	65
10	TGF-beta indirectly favors the development of human Th17 cells by inhibiting Th1 cells. <i>European Journal of Immunology</i> , 2009 , 39, 207-15	6.1	118
9	Human immature myeloid dendritic cells trigger a TH2-polarizing program via Jagged-1/Notch interaction. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 121, 1000-5.e8	11.5	61
8	Human interleukin 17-producing cells originate from a CD161+CD4+ T cell precursor. <i>Journal of Experimental Medicine</i> , 2008 , 205, 1903-16	16.6	569
7	Demonstration of circulating allergen-specific CD4+CD25highFoxp3+ T-regulatory cells in both nonatopic and atopic individuals. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 120, 429-36	11.5	61
6	IL-10 is excluded from the functional cytokine memory of human CD4+ memory T lymphocytes. <i>Journal of Immunology</i> , 2007 , 179, 2389-96	5.3	46
5	Regenerative potential of embryonic renal multipotent progenitors in acute renal failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 3128-38	12.7	172
4	Phenotypic and functional features of human Th17 cells. <i>Journal of Experimental Medicine</i> , 2007 , 204, 1849-61	16.6	1476
3	Chemokine fractalkine/CX3CL1 negatively modulates active glutamatergic synapses in rat hippocampal neurons. <i>Journal of Neuroscience</i> , 2006 , 26, 10488-98	6.6	96
2	CXCR3-mediated opposite effects of CXCL10 and CXCL4 on TH1 or TH2 cytokine production. <i>Journal of Allergy and Clinical Immunology</i> , 2005 , 116, 1372-9	11.5	86
1	CD14+CD34low cells with stem cell phenotypic and functional features are the major source of circulating endothelial progenitors. <i>Circulation Research</i> , 2005 , 97, 314-22	15.7	218