
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8552420/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | A Critical Review of the Ability of Continuous Cardiac Output Monitors to Measure Trends in Cardiac<br>Output. Anesthesia and Analgesia, 2010, 111, 1180-1192.  | 1.1 | 951       |
| 2  | Revised STandards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): Extending the CONSORT Statement. PLoS Medicine, 2010, 7, e1000261.   | 3.9 | 801       |
| 3  | Prospective evaluation of patients refused admission to an intensive care unit: triage, futility and outcome. Intensive Care Medicine, 2001, 27, 1459-1465.   | 3.9 | 788       |
| 4  | The Medical Emergency Team. Anaesthesia and Intensive Care, 1995, 23, 183-186.  | 0.2 | 508       |
| 5  | A Quantitative, Systematic Review of Randomized Controlled Trials of Ephedrine Versus Phenylephrine<br>for the Management of Hypotension During Spinal Anesthesia for Cesarean Delivery. Anesthesia and<br>Analgesia, 2002, 94, 920-926.  | 1.1 | 391       |
| 6  | Social media for rapid knowledge dissemination: early experience from the <scp>COVID</scp> â€19<br>pandemic. Anaesthesia, 2020, 75, 1579-1582.  | 1.8 | 345       |
| 7  | The Use of Nonpharmacologic Techniques to Prevent Postoperative Nausea and Vomiting. Anesthesia<br>and Analgesia, 1999, 88, 1362-1369.  | 1.1 | 292       |
| 8  | Comparative analysis of multiple-casualty incident triage algorithms. Annals of Emergency Medicine, 2001, 38, 541-548.  | 0.3 | 266       |
| 9  | A Systematic Review (Meta-Analysis) of the Accuracy of the Mallampati Tests to Predict the Difficult<br>Airway. Anesthesia and Analgesia, 2006, 102, 1867-1878.   | 1.1 | 245       |
| 10 | A Systematic Review of the Safety and Effectiveness of Fast-track Cardiac Anesthesia. Anesthesiology,<br>2003, 99, 982-987.   | 1.3 | 227       |
| 11 | Revised Standards for Reporting Interventions in Clinical Trials of Acupuncture (Stricta): Extending the Consort Statement. Acupuncture in Medicine, 2010, 28, 83-93.   | 0.4 | 211       |
| 12 | Stimulation of the wrist acupuncture point PC6 for preventing postoperative nausea and vomiting.<br>The Cochrane Library, 2016, 2016, CD003281.   | 1.5 | 207       |
| 13 | Assessment of Trending Ability of Cardiac Output Monitors by Polar Plot Methodology. Journal of<br>Cardiothoracic and Vascular Anesthesia, 2011, 25, 536-546.   | 0.6 | 201       |
| 14 | A Randomized Double-Blinded Comparison of Phenylephrine and Ephedrine Infusion Combinations to<br>Maintain Blood Pressure During Spinal Anesthesia for Cesarean Delivery: The Effects on Fetal<br>Acid-Base Status and Hemodynamic Control. Anesthesia and Analgesia, 2008, 107, 1295-1302. | 1.1 | 187       |
| 15 | The Use of Nonpharmacologic Techniques to Prevent Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 1999, 88, 1362-1369.   | 1.1 | 158       |
| 16 | Evaluation of an uncalibrated arterial pulse contour cardiac output monitoring system in cirrhotic patients undergoing liver surgery. British Journal of Anaesthesia, 2009, 102, 47-54.   | 1.5 | 156       |
| 17 | Stimulation of the wrist acupuncture point P6 for preventing postoperative nausea and vomiting. , 2009, , CD003281.   |     | 154       |
| 18 | ADDITION OF PHYSICIANS TO PARAMEDIC HELICOPTER SERVICES DECREASES BLUNT TRAUMA MORTALITY.<br>ANZ Journal of Surgery, 1999, 69, 697-701.   | 0.3 | 151       |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Comparison of high-flow nasal cannula versus oxygen face mask for environmental bacterial contamination in critically ill pneumonia patients: a randomized controlled crossover trial. Journal of Hospital Infection, 2019, 101, 84-87. | 1.4 | 147       |
| 20 | Intra-abdominal pressure measurement using a modified nasogastric tube: Description and validation of a new technique. Intensive Care Medicine, 1994, 20, 588-590.  | 3.9 | 119       |
| 21 | Revised STandards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): Extending the CONSORT Statement. Journal of Alternative and Complementary Medicine, 2010, 16, ST-1-ST-14.                                    | 2.1 | 111       |
| 22 | Intraabdominal Pressure and Gastric Intramucosal pH: Is There an Association?. World Journal of Surgery, 1996, 20, 988-991.   | 0.8 | 108       |
| 23 | Educating Patients About Anesthesia: A Systematic Review of Randomized Controlled Trials of<br>Media-Based Interventions. Anesthesia and Analgesia, 2003, 96, 1424-1431.  | 1.1 | 108       |
| 24 | Does Thromboelastography Predict Postoperative Thromboembolic Events? A Systematic Review of the Literature. Anesthesia and Analgesia, 2009, 108, 734-742.  | 1.1 | 108       |
| 25 | Antibiotics for the prevention of urinary tract infection in children: A systematic review of randomized controlled trials. Journal of Pediatrics, 2001, 138, 868-874.  | 0.9 | 107       |
| 26 | Thoracic Paravertebral Block and Its Effects on Chronic Pain and Health-Related Quality of Life After<br>Modified Radical Mastectomy. Regional Anesthesia and Pain Medicine, 2014, 39, 289-298.   | 1.1 | 103       |
| 27 | Bedside tests for predicting difficult airways: an abridged Cochrane diagnostic test accuracy systematic review. Anaesthesia, 2019, 74, 915-928.  | 1.8 | 103       |
| 28 | Are high nurse workload/staffing ratios associated with decreased survival in critically ill patients?<br>A cohort study. Annals of Intensive Care, 2017, 7, 46.  | 2.2 | 100       |
| 29 | Heliox vs Air-Oxygen Mixtures for the Treatment of Patients With Acute Asthmaa. Chest, 2003, 123, 882-890.  | 0.4 | 99        |
| 30 | Do nurses know when to summon emergency assistance?. Intensive and Critical Care Nursing, 1994, 10,<br>115-120.   | 1.4 | 98        |
| 31 | Testing the Reliability of a New Ultrasonic Cardiac Output Monitor, the USCOM, by Using Aortic Flowprobes in Anesthetized Dogs. Anesthesia and Analgesia, 2005, 100, 748-753.   | 1.1 | 96        |
| 32 | Fast-track cardiac care for adult cardiac surgical patients. The Cochrane Library, 2016, 2016, CD003587.  | 1.5 | 95        |
| 33 | Airway physical examination tests for detection of difficult airway management in apparently normal adult patients. The Cochrane Library, 2018, 5, CD008874.  | 1.5 | 93        |
| 34 | Spinal Ropivacaine for Cesarean Delivery: A Comparison of Hyperbaric and Plain Solutions. Anesthesia<br>and Analgesia, 2002, 94, 680-685.   | 1.1 | 89        |
| 35 | Multivariate analysis of factors associated with umbilical arterial pH and standard base excess after<br>Caesarean section under spinal anaesthesia*. Anaesthesia, 2003, 58, 125-130.   | 1.8 | 87        |
| 36 | Evaluation of a New Software Version of the FloTrac/Vigileo (Version 3.02) and a Comparison with<br>Previous Data in Cirrhotic Patients Undergoing Liver Transplant Surgery. Anesthesia and Analgesia,<br>2011, 113, 515-522.           | 1.1 | 85        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | The Effect of Renal Replacement Therapy and Antibiotic Dose on Antibiotic Concentrations in<br>Critically III Patients: Data From the Multinational Sampling Antibiotics in Renal Replacement Therapy<br>Study. Clinical Infectious Diseases, 2021, 72, 1369-1378. | 2.9 | 85        |
| 38 | Prophylactic ephedrine prevents hypotension during spinal anesthesia for Cesarean delivery but does<br>not improve neonatal outcome: a quantitative systematic review. Canadian Journal of Anaesthesia,<br>2002, 49, 588-599.                                      | 0.7 | 82        |
| 39 | Fast-track cardiac care for adult cardiac surgical patients. , 2012, 10, CD003587.   |     | 81        |
| 40 | A Dose-Response Meta-Analysis of Prophylactic Intravenous Ephedrine for the Prevention of<br>Hypotension During Spinal Anesthesia for Elective Cesarean Delivery. Anesthesia and Analgesia, 2004,<br>98, 483-490.  | 1.1 | 78        |
| 41 | Stimulation of the wrist acupuncture point P6 for preventing postoperative nausea and vomiting. , 2004, , CD003281.  |     | 73        |
| 42 | Educating patients about anaesthesia: effect of various modes on patients' knowledge, anxiety and satisfaction. Current Opinion in Anaesthesiology, 2005, 18, 205-208.   | 0.9 | 69        |
| 43 | Long-term antibiotics for preventing recurrent urinary tract infection in children. , 2006, , CD001534.  |     | 68        |
| 44 | Measuring Anaesthetic Outcomes. Anaesthesia and Intensive Care, 1996, 24, 685-693.   | 0.2 | 65        |
| 45 | The Use of a Video to Convey Preanesthetic Information to Patients Undergoing Ambulatory Surgery.<br>Anesthesia and Analgesia, 1998, 87, 531-536.  | 1.1 | 65        |
| 46 | Cancellation of elective operations on the day of intended surgery in a Hong Kong hospital: point prevalence and reasons. Hong Kong Medical Journal, 2012, 18, 5-10.   | 0.1 | 59        |
| 47 | Effects of nonsteroidal anti-inflammatory drugs on postoperative renal function in adults with normal renal function. The Cochrane Library, 2007, , CD002765.  | 1.5 | 58        |
| 48 | Risk prediction models for delirium in the intensive care unit after cardiac surgery: a systematic review and independent external validation. British Journal of Anaesthesia, 2017, 118, 391-399.   | 1.5 | 57        |
| 49 | Air medical scene response to blunt trauma: effect on early survival. Medical Journal of Australia,<br>1998, 169, 612-616.   | 0.8 | 56        |
| 50 | Possible Interaction Between Sevoflurane and Aloe vera. Annals of Pharmacotherapy, 2004, 38, 1651-1654.  | 0.9 | 55        |
| 51 | Perioperative Systems as a quality model of perioperative medicine and surgical care. Health Policy, 2011, 102, 214-222.   | 1.4 | 55        |
| 52 | A Comparison of Patients??? and Health Care Professionals??? Preferences for Symptoms During<br>Immediate Postoperative Recovery and the Management of Postoperative Nausea and Vomiting.<br>Anesthesia and Analgesia, 2005, 100, 87-93.                           | 1.1 | 54        |
| 53 | Pharmacologic Agents for the Prevention and Treatment of Delirium in Patients Undergoing Cardiac<br>Surgery. Critical Care Medicine, 2015, 43, 194-204.  | 0.4 | 54        |
| 54 | The Perioperative System: A New Approach to Managing Elective Surgery. Anaesthesia and Intensive<br>Care, 1995, 23, 591-596.   | 0.2 | 53        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Incidence and Risk of Adverse Perioperative Events among Surgical Patients Taking Traditional Chinese<br>Herbal Medicines. Anesthesiology, 2006, 105, 454-461.   | 1.3 | 50        |
| 56 | Attitudes towards ethical problems in critical care medicine: the Chinese perspective. Intensive Care Medicine, 2011, 37, 655-664.   | 3.9 | 50        |
| 57 | Tips for Teachers of Evidence-Based Medicine: Understanding Odds Ratios and Their Relationship to<br>Risk Ratios. Journal of General Internal Medicine, 2008, 23, 635-640.   | 1.3 | 48        |
| 58 | The Medical Emergency Team: a new strategy to identify and intervene in high-risk patients. , 0, .   |     | 48        |
| 59 | Level of prehospital care and risk of mortality in patients with and without severe blunt head injury.<br>Injury, 2003, 34, 815-819.   | 0.7 | 47        |
| 60 | Synergistic Interaction between Fentanyl and Bupivacaine Given Intrathecally for Labor Analgesia.<br>Anesthesiology, 2014, 120, 1126-1136.   | 1.3 | 46        |
| 61 | Effects of nonsteroidal anti-inflammatory drugs on post-operative renal function in normal adults.<br>The Cochrane Library, 2000, , CD002765.  | 1.5 | 43        |
| 62 | The Costs and Benefits of Extending the Role of the Acute Pain Service on Clinical Outcomes After<br>Major Elective Surgery. Anesthesia and Analgesia, 2010, 111, 1042-1050.   | 1.1 | 40        |
| 63 | Efficacy of prehospital critical care teams for severe blunt head injury in the Australian setting.<br>Injury, 2001, 32, 455-460.  | 0.7 | 39        |
| 64 | A Randomized Controlled Trial of Adaptive Support Ventilation Mode to Wean Patients after<br>Fast-track Cardiac Valvular Surgery. Anesthesiology, 2015, 122, 832-840.  | 1.3 | 39        |
| 65 | Using illness scripts to teach clinical reasoning skills to medical students. Family Medicine, 2010, 42, 255-61.   | 0.3 | 39        |
| 66 | Supplementary oxygen for elective Caesarean section under spinal anaesthesia: useful in prolonged uterine incision-to-delivery interval? â€. British Journal of Anaesthesia, 2004, 92, 518-522.                            | 1.5 | 38        |
| 67 | Simulation of survivorship bias in observational studies on plasma to red blood cell ratios in massive transfusion for trauma. British Journal of Surgery, 2011, 99, 132-139.  | 0.1 | 38        |
| 68 | A systematic review of information format and timing before scheduled adult surgery for<br>periâ€operative anxiety. Anaesthesia, 2017, 72, 1265-1272.  | 1.8 | 37        |
| 69 | The Effects of Nonsteroidal Anti-Inflammatory Drugs (NSAIDs) on Postoperative Renal Function: A<br>Meta-Analysis. Anaesthesia and Intensive Care, 1999, 27, 574-580.   | 0.2 | 36        |
| 70 | Norepinephrine or phenylephrine during spinal anaesthesia for Caesarean delivery: a randomised<br>double-blind pragmatic non-inferiority study of neonatal outcome. British Journal of Anaesthesia,<br>2020, 125, 588-595. | 1.5 | 36        |
| 71 | Survey of current status of intensive care teaching in English-speaking medical schools. Critical Care<br>Medicine, 2003, 31, 293-298.   | 0.4 | 35        |
| 72 | Effect of Hypovitaminosis D on Postoperative Pain Outcomes and Short-Term Health-Related Quality of<br>Life After Knee Arthroplasty. Medicine (United States), 2015, 94, e1812.  | 0.4 | 34        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Economic Evaluations of Acute Pain Service Programs. Clinical Journal of Pain, 2007, 23, 726-733.   | 0.8 | 33        |
| 74 | Changes in Medical Students' Attitudes Towards End-of-Life Decisions Across Different Years of<br>Medical Training. Journal of General Internal Medicine, 2008, 23, 1608-1614.  | 1.3 | 33        |
| 75 | Early postoperative emergencies requiring an intensive care team interventionThe role of ASA physical status and after-hours surgery. Anaesthesia, 1998, 53, 529-535.   | 1.8 | 32        |
| 76 | Determination and Comparison of Graded Dose–Response Curves for Epidural Bupivacaine and<br>Ropivacaine for Analgesia in Laboring Nulliparous Women. Anesthesiology, 2010, 113, 445-453.                                    | 1.3 | 32        |
| 77 | The Use of a Video to Convey Preanesthetic Information to Patients Undergoing Ambulatory Surgery.<br>Anesthesia and Analgesia, 1998, 87, 531-536.   | 1.1 | 31        |
| 78 | Practicality of performing medical procedures in chemical protective ensembles. EMA - Emergency<br>Medicine Australasia, 2004, 16, 108-113.   | 0.5 | 30        |
| 79 | Survival Analysis of Patients with Breast Cancer Undergoing a Modified Radical Mastectomy With or<br>Without a Thoracic Paravertebral Block: a 5-Year Follow-up of a Randomized Controlled Trial. , 2017,<br>37, 5813-5820. |     | 30        |
| 80 | Long-term antibiotics for preventing recurrent urinary tract infection in children. , 2001, , CD001534.   |     | 27        |
| 81 | Medical students and professionalism – Do the hidden curriculum and current role models fail our future doctors?. Medical Teacher, 2018, 40, 395-399.   | 1.0 | 26        |
| 82 | Risk of unanticipated intraoperative events in patients assessed at a preanaesthetic clinic. Canadian<br>Journal of Anaesthesia, 1997, 44, 946-954.   | 0.7 | 25        |
| 83 | Revised Standards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): Extending the CONSORT statement. Acupuncture and Related Therapies, 2015, 3, 35-46.  | 0.3 | 25        |
| 84 | Effect of preparative rehabilitation on recovery after cardiac surgery: A systematic review. Annals of<br>Physical and Rehabilitation Medicine, 2021, 64, 101391.   | 1.1 | 25        |
| 85 | Interhospital transfers. Critical Care Medicine, 1996, 24, 618-622.   | 0.4 | 25        |
| 86 | Alfentanil Dosage When Inserting the Classic Laryngeal Mask Airway. Anesthesiology, 2006, 105,<br>684-688.  | 1.3 | 24        |
| 87 | Estimating with confidence the risk of rare adverse events, including those with observed rates of zeroâ~†. Regional Anesthesia and Pain Medicine, 2002, 27, 207-210.   | 1.1 | 23        |
| 88 | Fast-Track Failure After Cardiac Surgery. Critical Care Medicine, 2013, 41, 1205-1213.  | 0.4 | 23        |
| 89 | Opioid Requirements and Responses in Asians. Anaesthesia and Intensive Care, 1997, 25, 665-670.   | 0.2 | 22        |
| 90 | Tips for Teachers of Evidence-based Medicine: Clinical Prediction Rules (CPRs) and Estimating Pretest<br>Probability. Journal of General Internal Medicine, 2008, 23, 1261-1268.  | 1.3 | 22        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Altered Pharmacokinetics in Prolonged Infusions of Sedatives and Analgesics Among Adult Critically<br>Ill Patients: A Systematic Review. Clinical Therapeutics, 2018, 40, 1598-1615.e2.  | 1.1 | 21        |
| 92  | Fentanyl dose?response curves when inserting the LMA Classic?laryngeal mask airway. Anaesthesia, 2007, 62, 654-660.  | 1.8 | 20        |
| 93  | Effect of preoperative education and ICU tour on patient and family satisfaction and anxiety in the intensive care unit after elective cardiac surgery: a randomised controlled trial. BMJ Quality and Safety, 2021, 30, 228-235.  | 1.8 | 20        |
| 94  | Acupuncture and anaesthesia. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2006, 20, 303-314.  | 1.7 | 19        |
| 95  | Physician staffed helicopter emergency medical service dispatch via centralised control or directly by<br>crew – case identification rates and effect on the Sydney paediatric trauma system. Scandinavian<br>Journal of Trauma, Resuscitation and Emergency Medicine, 2012, 20, 82. | 1.1 | 19        |
| 96  | PREhabilitation for improving QUality of recovery after ELective cardiac surgery (PREQUEL) study: protocol of a randomised controlled trial. BMJ Open, 2019, 9, e027974.   | 0.8 | 19        |
| 97  | Success and complications by team composition for prehospital paediatric intubation: a systematic review and meta-analysis. Critical Care, 2020, 24, 149.  | 2.5 | 18        |
| 98  | Tips for Teachers of Evidence-based Medicine: Making Sense of Diagnostic Test Results Using<br>Likelihood Ratios. Journal of General Internal Medicine, 2008, 23, 87-92.   | 1.3 | 17        |
| 99  | Quantitative evaluation of the echo intensity of the median nerve and flexor muscles of the forearm in the young and the elderly. British Journal of Radiology, 2012, 85, e140-e145.   | 1.0 | 17        |
| 100 | Publication bias affected the estimate of postoperative nausea in an acupoint stimulation systematic review. Journal of Clinical Epidemiology, 2006, 59, 980-983.  | 2.4 | 16        |
| 101 | The Accuracy of Urinary Cotinine Immunoassay Test Strip as an Add-on Test to Self-Reported Smoking<br>Before Major Elective Surgery. Nicotine and Tobacco Research, 2013, 15, 1690-1695.   | 1.4 | 16        |
| 102 | Patient and family satisfaction levels in the intensive care unit after elective cardiac surgery: study protocol for a randomised controlled trial of a preoperative patient education intervention. BMJ Open, 2016, 6, e011341.   | 0.8 | 16        |
| 103 | Tips for Teachers of Evidence-based Medicine: Making Sense of Decision Analysis Using a Decision Tree.<br>Journal of General Internal Medicine, 2009, 24, 642-648.   | 1.3 | 15        |
| 104 | Auricular Acupressure for Smoking Cessation: A Pilot Randomized Controlled Trial. Medical Acupuncture, 2010, 22, 265-271.  | 0.3 | 14        |
| 105 | Effect of motor subtypes of delirium in the intensive care unit on fast-track failure after cardiac surgery. Journal of Thoracic and Cardiovascular Surgery, 2018, 155, 268-275.e1.  | 0.4 | 14        |
| 106 | Identifying the general ward patient at high risk of cardiac arrest. , 0, .  |     | 14        |
| 107 | A Survey of Chinese Herbal Medicine Intake Amongst Preoperative Patients in Hong Kong. Anaesthesia<br>and Intensive Care, 2005, 33, 506-513.   | 0.2 | 13        |
| 108 | Factors associated with failure of enhanced recovery protocol in patients undergoing major<br>hepatobiliary and pancreatic surgery: a retrospective cohort study. BMJ Open, 2014, 4, e005330-e005330.  | 0.8 | 13        |

| #   | Article  | IF        | CITATIONS                  |
|-----|--|-----------|----------------------------|
| 109 | Short-Term Changes in Postoperative Cognitive Function in Children Aged 5 to 12 Years Undergoing<br>General Anesthesia. Medicine (United States), 2016, 95, e3250.   | 0.4       | 12                         |
| 110 | A surveillance method to identify patients with sepsis from electronic health records in Hong Kong: a single centre retrospective study. BMC Infectious Diseases, 2020, 20, 652.   | 1.3       | 12                         |
| 111 | The use of 5% lidocaine medicated plaster for acute postoperative pain after gynecological surgery.<br>Medicine (United States), 2018, 97, e12582.   | 0.4       | 11                         |
| 112 | The Effect of a Freely Available Flipped Classroom Course on Health Care Worker Patient Safety<br>Culture: A Prospective Controlled Study. Journal of Medical Internet Research, 2016, 18, e180.                                       | 2.1       | 10                         |
| 113 | Agreements Between the Prothrombin Times of Blood Treated In Vitro with Heparinase During<br>Cardiopulmonary Bypass (CPB) and Blood Sampled After CPB and Systemic Protamine. Anesthesia and<br>Analgesia, 2003, 96, 15-20.            | 1.1       | 9                          |
| 114 | Risk of Perioperative Respiratory Complications and Postoperative Morbidity in a Cohort of Adults Exposed to Passive Smoking. Annals of Surgery, 2015, 261, 297-303.   | 2.1       | 9                          |
| 115 | Revised STandards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): Extending the CONSORT Statement. Medical Acupuncture, 2010, 22, 167-180.  | 0.3       | 8                          |
| 116 | Referral of Surgical Patients to an Anaesthetic Clinic: A Decision-making Analysis. Anaesthesia and<br>Intensive Care, 1994, 22, 562-567.  | 0.2       | 7                          |
| 117 | Anesthesia Preoperative Evaluation Clinic. Anesthesiology, 1997, 86, 260-261.  | 1.3       | 7                          |
| 118 | Add-on tests for improving risk-stratification in emergency department patients with chest pain who<br>are at low to moderate risk of 30-day major adverse cardiac events. International Journal of<br>Cardiology, 2016, 220, 299-306. | 0.8       | 7                          |
| 119 | Early Exclusion of Major Adverse Cardiac Events in Emergency Department Chest Pain Patients: A<br>Prospective Observational Study. Journal of Emergency Medicine, 2017, 53, 287-294.   | 0.3       | 7                          |
| 120 | Physician-staffed helicopter emergency medical services augment ground ambulance paediatric airway<br>management in urban areas: a retrospective cohort study. Emergency Medicine Journal, 2019, 36,<br>678-683.                       | 0.4       | 7                          |
| 121 | Brief compression-only cardiopulmonary resuscitation and automated external defibrillator course for secondary school students: a multischool feasibility study. BMJ Open, 2020, 10, e040469.  | 0.8       | 7                          |
| 122 | Legionnaires' disease outbreak in south western Sydney, 1992: Clinical aspects. Medical Journal of<br>Australia, 1994, 160, 274-277.   | 0.8       | 6                          |
| 123 | Tips for Teachers of Evidence-Based Medicine: Adjusting for Prognostic Imbalances (Confounding) Tj ETQq1 1 0.  | 784314 rg | gBT <sub>6</sub> /Overlock |
| 124 | Prediction models for the risk of postoperative nausea and vomiting. The Cochrane Library, 0, , .  | 1.5       | 6                          |
| 125 | Physician staffed helicopter emergency medical service case identification - a before and after study in children. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2016, 24, 92.                                 | 1.1       | 6                          |
| 126 | Performance comparison of improvised prehospital blood warming techniques and a commercial blood warmer. Injury, 2016, 47, 1824-1827.  | 0.7       | 6                          |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Psychometric validation of the Chinese patient- and family satisfaction in the intensive care unit questionnaires. Journal of Critical Care, 2019, 54, 58-64.   | 1.0 | 6         |
| 128 | Nearâ€infrared spectroscopy monitoring in a preâ€hospital trauma patient cohort: An analysis of<br>successful signal collection. Acta Anaesthesiologica Scandinavica, 2020, 64, 117-123.  | 0.7 | 6         |
| 129 | Mechanical Ventilation Discontinuation Practices in Asia: A Multinational Survey. Annals of the American Thoracic Society, 2021, 18, 1352-1359.   | 1.5 | 6         |
| 130 | Surgeons' attitudes and perception of an acute pain service. Hong Kong Medical Journal, 2008, 14, 342-7.  | 0.1 | 6         |
| 131 | The Basic Knowledge Assessment Tool: Is It Useful?. Australian Critical Care, 1994, 7, 18-23.   | 0.6 | 5         |
| 132 | Applying the Results of Quantitative Systematic Reviews to Clinical Practice. Anesthesia and Analgesia, 2002, 94, 372-377.  | 1.1 | 5         |
| 133 | Airway physical examination tests for detection of difficult airway management in apparently normal patients. The Cochrane Library, 0, , .  | 1.5 | 5         |
| 134 | The cost-effectiveness of an outpatient anesthesia consultation clinic before surgery: a matched<br>Hong Kong cohort study. Perioperative Medicine (London, England), 2012, 1, 3.   | 0.6 | 5         |
| 135 | Non-resuscitative first aid training and assessment for junior secondary school students. Medicine<br>(United States), 2021, 100, e27051.   | 0.4 | 5         |
| 136 | Influence of general health and degree of surgical insult on long-term survival. British Journal of<br>Surgery, 2010, 97, 782-788.  | 0.1 | 4         |
| 137 | Determinants of Serum 25-Hydroxyvitamin D Concentrations and a Screening Test for<br>Moderate-to-Severe Hypovitaminosis D in Chinese Patients Undergoing Total Joint Arthroplasty.<br>Journal of Arthroplasty, 2016, 31, 1921-1926. | 1.5 | 4         |
| 138 | Comparison of portable bloodâ€warming devices under simulated preâ€hospital conditions: a randomised<br>inâ€vitro blood circuit study. Anaesthesia, 2019, 74, 1026-1032.  | 1.8 | 4         |
| 139 | Applying the Results of Quantitative Systematic Reviews to Clinical Practice. Anesthesia and Analgesia, 2002, 94, 372-377.  | 1.1 | 3         |
| 140 | Effect of an integrated teaching intervention on clinical decision analysis: a randomized, controlled study of undergraduate medical students. Medical Teacher, 2007, 29, 231-236.  | 1.0 | 3         |
| 141 | Study protocol for the PHANTOM study: prehospital assessment of noninvasive tissue oximetry monitoring. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2014, 22, 57.   | 1.1 | 3         |
| 142 | Prolonged infusion of sedatives and analgesics in adult intensive care patients: A systematic review of pharmacokinetic data reporting and quality of evidence. Pharmacological Research, 2017, 117, 156-165.                       | 3.1 | 3         |
| 143 | Large inter-individual variability in pharmacokinetics of dexmedetomidine and its two major<br>N-glucuronides in adult intensive care unit patients. Journal of Pharmaceutical and Biomedical<br>Analysis, 2019, 175, 112777.       | 1.4 | 3         |
| 144 | First experience with the abdominal aortic and junctional tourniquet in prehospital traumatic cardiac arrest. Resuscitation, 2020, 156, 210-214.  | 1.3 | 3         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Perioperative changes in haemoglobin and ferritin concentrations from preoperative intravenous<br>iron isomaltoside for iron deficiency anaemia in patients with colorectal cancer: A pilot randomised<br>controlled trial. PLoS ONE, 2022, 17, e0270640. | 1.1 | 3         |
| 146 | Fentanyl Dosage and Timing when Inserting the Laryngeal Mask Airway. Anaesthesia and Intensive Care, 2010, 38, 55-64.   | 0.2 | 2         |
| 147 | Multiâ€dimensional response–probability–dose curves for bupivacaine and ropivacaine epidural labour<br>analgesia. Anaesthesia, 2013, 68, 368-376.   | 1.8 | 2         |
| 148 | Survival of mechanically ventilated ward patients and association with organisational factors: a multicentre prospective study. BMJ Open, 2021, 11, e052462.  | 0.8 | 2         |
| 149 | What outcomes should be measured after anaesthesia?. Bailliere's Best Practice and Research in<br>Clinical Anaesthesiology, 2001, 15, 531-540.  | 1.7 | 1         |
| 150 | The timing for the use of heparinase and thromboelastography to prevent excessive bleeding after coronary artery bypass graft surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2003, 17, 413-414.  | 0.6 | 1         |
| 151 | Laparoscopic versus open appendicectomy: a prospective evaluation. British Journal of Surgery, 2005, 80, 263-263.   | 0.1 | 1         |
| 152 | Quality of evidence in Cochrane systematic reviews in anaesthesia, critical care and emergency medicine. European Journal of Anaesthesiology, 2018, 35, 636-00.   | 0.7 | 1         |
| 153 | Protein Binding and Population Pharmacokinetics of Dexmedetomidine after Prolonged Infusions in Adult Critically III Patients. Clinical Therapeutics, 2021, 43, 1356-1369.e1.   | 1.1 | 1         |
| 154 | From Evidence to Implementation. , 0, , 167-174.  |     | 1         |
| 155 | Antibiotic dosing in sustained low-efficiency daily dialysis (SLEDD): Basic concepts and dosing strategies. Journal of Critical Care, 2022, 67, 104-107.  | 1.0 | 1         |
| 156 | Evaluation of tissue oximetry in perioperative monitoring of colorectal surgery. British Journal of Surgery, 2005, 79, 1246-1246.   | 0.1 | 0         |
| 157 | Importance of realistic sample size calculations and why the next randomized trial needs to be large and multicentered. Critical Care Medicine, 2007, 35, 675-676.  | 0.4 | 0         |
| 158 | Decision analysis. Anaesthesia, 2007, 62, 93-93.  | 1.8 | 0         |
| 159 | Reply to bedside predictors of difficult airway – neck mobility. Anaesthesia, 2019, 74, 1617-1617.  | 1.8 | 0         |
| 160 | Relative survival in adults with new delirium, cerebrovascular events or both after cardiac surgery.<br>European Journal of Anaesthesiology, 2021, 38, 558-560.   | 0.7 | 0         |