Anna Lee

List of Publications by Citations

Source: https://exaly.com/author-pdf/8552420/anna-lee-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159 papers

8,359 citations

46 h-index

g-index

167 ext. papers

9,614 ext. citations

3.9 avg, IF

6.08 L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 159 | A critical review of the ability of continuous cardiac output monitors to measure trends in cardiac output. <i>Anesthesia and Analgesia</i> , 2010 , 111, 1180-92 | 3.9 | 867 |
| 158 | Prospective evaluation of patients refused admission to an intensive care unit: triage, futility and outcome. <i>Intensive Care Medicine</i> , 2001 , 27, 1459-65 | 14.5 | 762 |
| 157 | Revised STandards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): extending the CONSORT statement. <i>PLoS Medicine</i> , 2010 , 7, e1000261 | 11.6 | 477 |
| 156 | The Medical Emergency Team. <i>Anaesthesia and Intensive Care</i> , 1995 , 23, 183-6 | 1.1 | 406 |
| 155 | A quantitative, systematic review of randomized controlled trials of ephedrine versus phenylephrine for the management of hypotension during spinal anesthesia for cesarean delivery. <i>Anesthesia and Analgesia</i> , 2002 , 94, 920-6, table of contents | 3.9 | 305 |
| 154 | The Use of Nonpharmacologic Techniques to Prevent Postoperative Nausea and Vomiting. <i>Anesthesia and Analgesia</i> , 1999 , 88, 1362-1369 | 3.9 | 240 |
| 153 | Comparative analysis of multiple-casualty incident triage algorithms. <i>Annals of Emergency Medicine</i> , 2001 , 38, 541-8 | 2.1 | 230 |
| 152 | A systematic review (meta-analysis) of the accuracy of the Mallampati tests to predict the difficult airway. <i>Anesthesia and Analgesia</i> , 2006 , 102, 1867-78 | 3.9 | 191 |
| 151 | A systematic review of the safety and effectiveness of fast-track cardiac anesthesia. <i>Anesthesiology</i> , 2003 , 99, 982-7 | 4.3 | 179 |
| 150 | Assessment of trending ability of cardiac output monitors by polar plot methodology. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011 , 25, 536-46 | 2.1 | 168 |
| 149 | Revised STandards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): extending the CONSORT statement. <i>Acupuncture in Medicine</i> , 2010 , 28, 83-93 | 1.9 | 151 |
| 148 | A randomized double-blinded comparison of phenylephrine and ephedrine infusion combinations to maintain blood pressure during spinal anesthesia for cesarean delivery: the effects on fetal acid-base status and hemodynamic control. <i>Anesthesia and Analgesia</i> , 2008 , 107, 1295-302 | 3.9 | 148 |
| 147 | Evaluation of an uncalibrated arterial pulse contour cardiac output monitoring system in cirrhotic patients undergoing liver surgery. <i>British Journal of Anaesthesia</i> , 2009 , 102, 47-54 | 5.4 | 135 |
| 146 | Stimulation of the wrist acupuncture point P6 for preventing postoperative nausea and vomiting. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD003281 | | 134 |
| 145 | Addition of physicians to paramedic helicopter services decreases blunt trauma mortality. <i>ANZ Journal of Surgery</i> , 1999 , 69, 697-701 | 1 | 123 |
| 144 | Comparison of high-flow nasal cannula versus oxygen face mask for environmental bacterial contamination in critically ill pneumonia patients: a randomized controlled crossover trial. <i>Journal of Hospital Infection</i> , 2019 , 101, 84-87 | 6.9 | 110 |
| 143 | Does thromboelastography predict postoperative thromboembolic events? A systematic review of the literature. <i>Anesthesia and Analgesia</i> , 2009 , 108, 734-42 | 3.9 | 98 |

(2004-1994)

| 142 | Intra-abdominal pressure measurement using a modified nasogastric tube: description and validation of a new technique. <i>Intensive Care Medicine</i> , 1994 , 20, 588-90 | 14.5 | 95 |
|-----|---|-------------------|----|
| 141 | Intraabdominal pressure and gastric intramucosal pH: is there an association?. <i>World Journal of Surgery</i> , 1996 , 20, 988-91 | 3.3 | 93 |
| 140 | Antibiotics for the prevention of urinary tract infection in children: A systematic review of randomized controlled trials. <i>Journal of Pediatrics</i> , 2001 , 138, 868-74 | 3.6 | 87 |
| 139 | Do nurses know when to summon emergency assistance?. <i>Intensive and Critical Care Nursing</i> , 1994 , 10, 115-20 | 3.1 | 84 |
| 138 | Thoracic paravertebral block and its effects on chronic pain and health-related quality of life after modified radical mastectomy. <i>Regional Anesthesia and Pain Medicine</i> , 2014 , 39, 289-98 | 3.4 | 82 |
| 137 | The use of nonpharmacologic techniques to prevent postoperative nausea and vomiting: a meta-analysis. <i>Anesthesia and Analgesia</i> , 1999 , 88, 1362-9 | 3.9 | 81 |
| 136 | Testing the reliability of a new ultrasonic cardiac output monitor, the USCOM, by using aortic flowprobes in anesthetized dogs. <i>Anesthesia and Analgesia</i> , 2005 , 100, 748-753 | 3.9 | 8o |
| 135 | Educating patients about anesthesia: a systematic review of randomized controlled trials of media-based interventions. <i>Anesthesia and Analgesia</i> , 2003 , 96, 1424-1431 | 3.9 | 79 |
| 134 | Heliox vs air-oxygen mixtures for the treatment of patients with acute asthma: a systematic overview. <i>Chest</i> , 2003 , 123, 882-90 | 5.3 | 76 |
| 133 | Spinal ropivacaine for cesarean delivery: a comparison of hyperbaric and plain solutions. <i>Anesthesia and Analgesia</i> , 2002 , 94, 680-5; table of contents | 3.9 | 76 |
| 132 | Evaluation of a new software version of the FloTrac/Vigileo (version 3.02) and a comparison with previous data in cirrhotic patients undergoing liver transplant surgery. <i>Anesthesia and Analgesia</i> , 2011 , 113, 515-22 | 3.9 | 74 |
| 131 | Stimulation of the wrist acupuncture point PC6 for preventing postoperative nausea and vomiting. <i>The Cochrane Library</i> , 2015 , CD003281 | 5.2 | 73 |
| 130 | Fast-track cardiac care for adult cardiac surgical patients. <i>Cochrane Database of Systematic Reviews</i> , 2012 , 10, CD003587 | | 72 |
| 129 | Revised STandards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): extending the CONSORT statement. <i>Journal of Alternative and Complementary Medicine</i> , 2010 , 16, ST1- | 1 4 ·4 | 67 |
| 128 | Prophylactic ephedrine prevents hypotension during spinal anesthesia for Cesarean delivery but does not improve neonatal outcome: a quantitative systematic review. <i>Canadian Journal of Anaesthesia</i> , 2002 , 49, 588-99 | 3 | 62 |
| 127 | Are high nurse workload/staffing ratios associated with decreased survival in critically ill patients? A cohort study. <i>Annals of Intensive Care</i> , 2017 , 7, 46 | 8.9 | 60 |
| 126 | Multivariate analysis of factors associated with umbilical arterial pH and standard base excess after Caesarean section under spinal anaesthesia. <i>Anaesthesia</i> , 2003 , 58, 125-30 | 6.6 | 60 |
| 125 | A dose-response meta-analysis of prophylactic intravenous ephedrine for the prevention of hypotension during spinal anesthesia for elective cesarean delivery. <i>Anesthesia and Analgesia</i> , 2004 , 98, 483-490 | 3.9 | 58 |

| 124 | The Use of a Video to Convey Preanesthetic Information to Patients Undergoing Ambulatory Surgery. <i>Anesthesia and Analgesia</i> , 1998 , 87, 531-536 | 3.9 | 58 |
|-----|---|------|----|
| 123 | Long-term antibiotics for preventing recurrent urinary tract infection in children. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD001534 | | 56 |
| 122 | Stimulation of the wrist acupuncture point P6 for preventing postoperative nausea and vomiting. <i>Cochrane Database of Systematic Reviews</i> , 2004 , CD003281 | | 56 |
| 121 | Educating patients about anaesthesia: effect of various modes on patients' knowledge, anxiety and satisfaction. <i>Current Opinion in Anaesthesiology</i> , 2005 , 18, 205-8 | 2.9 | 51 |
| 120 | Measuring anaesthetic outcomes. <i>Anaesthesia and Intensive Care</i> , 1996 , 24, 685-93 | 1.1 | 51 |
| 119 | Airway physical examination tests for detection of difficult airway management in apparently normal adult patients. <i>The Cochrane Library</i> , 2018 , 5, CD008874 | 5.2 | 51 |
| 118 | Bedside tests for predicting difficult airways: an abridged Cochrane diagnostic test accuracy systematic review. <i>Anaesthesia</i> , 2019 , 74, 915-928 | 6.6 | 50 |
| 117 | Effects of nonsteroidal anti-inflammatory drugs on postoperative renal function in adults with normal renal function. <i>The Cochrane Library</i> , 2007 , CD002765 | 5.2 | 49 |
| 116 | Air medical scene response to blunt trauma: effect on early survival. <i>Medical Journal of Australia</i> , 1998 , 169, 612-6 | 4 | 49 |
| 115 | A comparison of patients' and health care professionals' preferences for symptoms during immediate postoperative recovery and the management of postoperative nausea and vomiting. <i>Anesthesia and Analgesia</i> , 2005 , 100, 87-93 | 3.9 | 47 |
| 114 | The perioperative system: a new approach to managing elective surgery. <i>Anaesthesia and Intensive Care</i> , 1995 , 23, 591-6 | 1.1 | 46 |
| 113 | The Medical Emergency Team: a new strategy to identify and intervene in high-risk patients | | 45 |
| 112 | Pharmacologic agents for the prevention and treatment of delirium in patients undergoing cardiac surgery: systematic review and metaanalysis. <i>Critical Care Medicine</i> , 2015 , 43, 194-204 | 1.4 | 44 |
| 111 | Possible interaction between sevoflurane and Aloe vera. <i>Annals of Pharmacotherapy</i> , 2004 , 38, 1651-4 | 2.9 | 44 |
| 110 | Perioperative Systems as a quality model of perioperative medicine and surgical care. <i>Health Policy</i> , 2011 , 102, 214-22 | 3.2 | 42 |
| 109 | Level of prehospital care and risk of mortality in patients with and without severe blunt head injury. <i>Injury</i> , 2003 , 34, 815-9 | 2.5 | 41 |
| 108 | Fast-track cardiac care for adult cardiac surgical patients. <i>The Cochrane Library</i> , 2016 , 9, CD003587 | 5.2 | 40 |
| 107 | Attitudes towards ethical problems in critical care medicine: the Chinese perspective. <i>Intensive Care Medicine</i> , 2011 , 37, 655-64 | 14.5 | 40 |

(2008-2008)

| 106 | Tips for teachers of evidence-based medicine: understanding odds ratios and their relationship to risk ratios. <i>Journal of General Internal Medicine</i> , 2008 , 23, 635-40 | 4 | 39 |
|-----|---|---------------|----|
| 105 | Risk prediction models for delirium in the intensive care unit after cardiac surgery: a systematic review and independent external validation. <i>British Journal of Anaesthesia</i> , 2017 , 118, 391-399 | 5.4 | 37 |
| 104 | Incidence and risk of adverse perioperative events among surgical patients taking traditional Chinese herbal medicines. <i>Anesthesiology</i> , 2006 , 105, 454-61 | 4.3 | 37 |
| 103 | The Effect of Renal Replacement Therapy and Antibiotic Dose on Antibiotic Concentrations in Critically Ill Patients: Data From the Multinational Sampling Antibiotics in Renal Replacement Therapy Study. <i>Clinical Infectious Diseases</i> , 2021 , 72, 1369-1378 | 11.6 | 37 |
| 102 | Using illness scripts to teach clinical reasoning skills to medical students. Family Medicine, 2010, 42, 255 | - 61 8 | 37 |
| 101 | Synergistic interaction between fentanyl and bupivacaine given intrathecally for labor analgesia. <i>Anesthesiology</i> , 2014 , 120, 1126-36 | 4.3 | 36 |
| 100 | Cancellation of elective operations on the day of intended surgery in a Hong Kong hospital: point prevalence and reasons. <i>Hong Kong Medical Journal</i> , 2012 , 18, 5-10 | 0.7 | 35 |
| 99 | Efficacy of prehospital critical care teams for severe blunt head injury in the Australian setting. <i>Injury</i> , 2001 , 32, 455-60 | 2.5 | 32 |
| 98 | A randomized controlled trial of adaptive support ventilation mode to wean patients after fast-track cardiac valvular surgery. <i>Anesthesiology</i> , 2015 , 122, 832-40 | 4.3 | 31 |
| 97 | Supplementary oxygen for elective Caesarean section under spinal anaesthesia: useful in prolonged uterine incision-to-delivery interval?. <i>British Journal of Anaesthesia</i> , 2004 , 92, 518-22 | 5.4 | 31 |
| 96 | The effects of nonsteroidal anti-inflammatory drugs (NSAIDs) on postoperative renal function: a meta-analysis. <i>Anaesthesia and Intensive Care</i> , 1999 , 27, 574-80 | 1.1 | 29 |
| 95 | Simulation of survivorship bias in observational studies on plasma to red blood cell ratios in massive transfusion for trauma. <i>British Journal of Surgery</i> , 2012 , 99 Suppl 1, 132-9 | 5.3 | 28 |
| 94 | Effect of Hypovitaminosis D on Postoperative Pain Outcomes and Short-Term Health-Related Quality of Life After Knee Arthroplasty: A Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1812 | 1.8 | 27 |
| 93 | The costs and benefits of extending the role of the acute pain service on clinical outcomes after major elective surgery. <i>Anesthesia and Analgesia</i> , 2010 , 111, 1042-50 | 3.9 | 27 |
| 92 | Survey of current status of intensive care teaching in English-speaking medical schools. <i>Critical Care Medicine</i> , 2003 , 31, 293-8 | 1.4 | 27 |
| 91 | Early postoperative emergencies requiring an intensive care team intervention. The role of ASA physical status and after-hours surgery. <i>Anaesthesia</i> , 1998 , 53, 529-35 | 6.6 | 26 |
| 90 | Long-term antibiotics for preventing recurrent urinary tract infection in children. <i>Cochrane Database of Systematic Reviews</i> , 2001 , CD001534 | | 26 |
| 89 | Changes in medical students' attitudes towards end-of-life decisions across different years of medical training. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1608-14 | 4 | 25 |

| 88 | Economic evaluations of acute pain service programs: a systematic review. <i>Clinical Journal of Pain</i> , 2007 , 23, 726-33 | 3.5 | 25 |
|----|---|-----|----|
| 87 | Practicality of performing medical procedures in chemical protective ensembles. <i>EMA - Emergency Medicine Australasia</i> , 2004 , 16, 108-13 | 1.5 | 25 |
| 86 | Determination and comparison of graded dose-response curves for epidural bupivacaine and ropivacaine for analgesia in laboring nulliparous women. <i>Anesthesiology</i> , 2010 , 113, 445-53 | 4.3 | 23 |
| 85 | Risk of unanticipated intraoperative events in patients assessed at a preanaesthetic clinic. <i>Canadian Journal of Anaesthesia</i> , 1997 , 44, 946-54 | 3 | 23 |
| 84 | A systematic review of information format and timing before scheduled adult surgery for peri-operative anxiety. <i>Anaesthesia</i> , 2017 , 72, 1265-1272 | 6.6 | 22 |
| 83 | Tips for teachers of evidence-based medicine: clinical prediction rules (CPRs) and estimating pretest probability. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1261-8 | 4 | 21 |
| 82 | Fentanyl dose-response curves when inserting the LMA Classic laryngeal mask airway. <i>Anaesthesia</i> , 2007 , 62, 654-60 | 6.6 | 20 |
| 81 | Interhospital transfers: decision-making in critical care areas. <i>Critical Care Medicine</i> , 1996 , 24, 618-22 | 1.4 | 20 |
| 80 | Fast-track failure after cardiac surgery: external model validation and implications to ICU bed utilization. <i>Critical Care Medicine</i> , 2013 , 41, 1205-13 | 1.4 | 19 |
| 79 | The use of a video to convey preanesthetic information to patients undergoing ambulatory surgery. <i>Anesthesia and Analgesia</i> , 1998 , 87, 531-6 | 3.9 | 18 |
| 78 | Alfentanil dosage when inserting the classic laryngeal mask airway. <i>Anesthesiology</i> , 2006 , 105, 684-8 | 4.3 | 17 |
| 77 | Estimating with confidence the risk of rare adverse events, including those with observed rates of zero. <i>Regional Anesthesia and Pain Medicine</i> , 2002 , 27, 207-10 | 3.4 | 17 |
| 76 | Physician staffed helicopter emergency medical service dispatch via centralised control or directly by crew - case identification rates and effect on the Sydney paediatric trauma system. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2012 , 20, 82 | 3.6 | 16 |
| 75 | The accuracy of urinary cotinine immunoassay test strip as an add-on test to self-reported smoking before major elective surgery. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 1690-5 | 4.9 | 16 |
| 74 | Survival Analysis of Patients with Breast Cancer Undergoing a Modified Radical Mastectomy With or Without a Thoracic Paravertebral Block: a 5-Year Follow-up of a Randomized Controlled Trial. <i>Anticancer Research</i> , 2017 , 37, 5813-5820 | 2.3 | 16 |
| 73 | Medical students and professionalism - Do the hidden curriculum and current role models fail our future doctors?. <i>Medical Teacher</i> , 2018 , 40, 395-399 | 3 | 15 |
| 72 | Acupuncture and anaesthesia. <i>Bailliereis Best Practice and Research in Clinical Anaesthesiology</i> , 2006 , 20, 303-14 | 4 | 15 |
| 71 | Altered Pharmacokinetics in Prolonged Infusions of Sedatives and Analgesics Among Adult Critically Ill Patients: A Systematic Review. <i>Clinical Therapeutics</i> , 2018 , 40, 1598-1615.e2 | 3.5 | 15 |

(2010-2012)

| 70 | Quantitative evaluation of the echo intensity of the median nerve and flexor muscles of the forearm in the young and the elderly. <i>British Journal of Radiology</i> , 2012 , 85, e140-5 | 3.4 | 14 | |
|----|---|-----|----|--|
| 69 | Tips for teachers of evidence-based medicine: making sense of decision analysis using a decision tree. <i>Journal of General Internal Medicine</i> , 2009 , 24, 642-8 | 4 | 13 | |
| 68 | Opioid requirements and responses in Asians. <i>Anaesthesia and Intensive Care</i> , 1997 , 25, 665-70 | 1.1 | 13 | |
| 67 | Tips for teachers of evidence-based medicine: making sense of diagnostic test results using likelihood ratios. <i>Journal of General Internal Medicine</i> , 2008 , 23, 87-92 | 4 | 13 | |
| 66 | Patient and family satisfaction levels in the intensive care unit after elective cardiac surgery: study protocol for a randomised controlled trial of a preoperative patient education intervention. <i>BMJ Open</i> , 2016 , 6, e011341 | 3 | 13 | |
| 65 | Identifying the general ward patient at high risk of cardiac arrest | | 12 | |
| 64 | Revised Standards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): Extending the CONSORT statement. <i>Acupuncture and Related Therapies</i> , 2015 , 3, 35-46 | | 11 | |
| 63 | Publication bias affected the estimate of postoperative nausea in an acupoint stimulation systematic review. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 980-3 | 5.7 | 11 | |
| 62 | A survey of Chinese herbal medicine intake amongst preoperative patients in Hong Kong. <i>Anaesthesia and Intensive Care</i> , 2005 , 33, 506-13 | 1.1 | 11 | |
| 61 | PREhabilitation for improving QUality of recovery after ELective cardiac surgery (PREQUEL) study: protocol of a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e027974 | 3 | 11 | |
| 60 | Auricular Acupressure for Smoking Cessation: A Pilot Randomized Controlled Trial. <i>Medical Acupuncture</i> , 2010 , 22, 265-271 | 1.1 | 10 | |
| 59 | Norepinephrine or phenylephrine during spinal anaesthesia for Caesarean delivery: a randomised double-blind pragmatic non-inferiority study of neonatal outcome. <i>British Journal of Anaesthesia</i> , 2020 , 125, 588-595 | 5.4 | 10 | |
| 58 | Factors associated with failure of enhanced recovery protocol in patients undergoing major hepatobiliary and pancreatic surgery: a retrospective cohort study. <i>BMJ Open</i> , 2014 , 4, e005330 | 3 | 9 | |
| 57 | Risk of perioperative respiratory complications and postoperative morbidity in a cohort of adults exposed to passive smoking. <i>Annals of Surgery</i> , 2015 , 261, 297-303 | 7.8 | 8 | |
| 56 | Agreements between the prothrombin times of blood treated In Vitro with heparinase during cardiopulmonary bypass (CPB) and blood sampled after CPB and systemic protamine. <i>Anesthesia and Analgesia</i> , 2003 , 96, 15-20, table of contents | 3.9 | 8 | |
| 55 | Effect of motor subtypes of delirium in the intensive care unit on fast-track failure after cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018 , 155, 268-275.e1 | 1.5 | 7 | |
| 54 | Referral of surgical patients to an anaesthetic clinic: a decision-making analysis. <i>Anaesthesia and Intensive Care</i> , 1994 , 22, 562-7 | 1.1 | 7 | |
| 53 | Revised STandards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): Extending the CONSORT Statement. <i>Medical Acupuncture</i> , 2010 , 22, 167-180 | 1.1 | 6 | |

| 52 | Anesthesia preoperative evaluation clinic. <i>Anesthesiology</i> , 1997 , 86, 260-3 | 4.3 | 6 |
|----|---|--------------------|---|
| 51 | The Effect of a Freely Available Flipped Classroom Course on Health Care Worker Patient Safety Culture: A Prospective Controlled Study. <i>Journal of Medical Internet Research</i> , 2016 , 18, e180 | 7.6 | 6 |
| 50 | Short-Term Changes in Postoperative Cognitive Function in Children Aged 5 to 12 Years Undergoing General Anesthesia: A Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e3250 | 1.8 | 6 |
| 49 | The use of 5% lidocaine medicated plaster for acute postoperative pain after gynecological surgery: A pilot randomized controlled feasibility trial. <i>Medicine (United States)</i> , 2018 , 97, e12582 | 1.8 | 6 |
| 48 | Early Exclusion of Major Adverse Cardiac Events in Emergency Department Chest Pain Patients: A Prospective Observational Study. <i>Journal of Emergency Medicine</i> , 2017 , 53, 287-294 | 1.5 | 5 |
| 47 | Add-on tests for improving risk-stratification in emergency department patients with chest pain who are at low to moderate risk of 30-day major adverse cardiac events. <i>International Journal of Cardiology</i> , 2016 , 220, 299-306 | 3.2 | 5 |
| 46 | Prediction models for the risk of postoperative nausea and vomiting. The Cochrane Library, 2014, | 5.2 | 5 |
| 45 | Effects of nonsteroidal anti-inflammatory drugs on post-operative renal function in adults. <i>The Cochrane Library</i> , 2000 , CD002765 | 5.2 | 5 |
| 44 | The basic knowledge assessment tool: is it useful?. Australian Critical Care, 1994, 7, 18-23 | 2.9 | 5 |
| 43 | A surveillance method to identify patients with sepsis from electronic health records in Hong Kong: a single centre retrospective study. <i>BMC Infectious Diseases</i> , 2020 , 20, 652 | 4 | 5 |
| 42 | Physician staffed helicopter emergency medical service case identification - a before and after study in children. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016 , 24, 92 | 3.6 | 5 |
| 41 | Surgeons' attitudes and perception of an acute pain service. <i>Hong Kong Medical Journal</i> , 2008 , 14, 342- | 7 0.7 | 5 |
| 40 | Applying the Results of Quantitative Systematic Reviews to Clinical Practice. <i>Anesthesia and Analgesia</i> , 2002 , 94, 372-377 | 3.9 | 4 |
| 39 | LegionnairesIdisease outbreak in south western Sydney, 1992: Clinical aspects. <i>Medical Journal of Australia</i> , 1994 , 160, 274-277 | 4 | 4 |
| 38 | Determinants of Serum 25-Hydroxyvitamin D Concentrations and a Screening Test for Moderate-to-Severe Hypovitaminosis D in Chinese Patients Undergoing Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2016 , 31, 1921-6 | 4.4 | 4 |
| 37 | Performance comparison of improvised prehospital blood warming techniques and a commercial blood warmer. <i>Injury</i> , 2016 , 47, 1824-7 | 2.5 | 4 |
| 36 | Success and complications by team composition for prehospital paediatric intubation: a systematic review and meta-analysis. <i>Critical Care</i> , 2020 , 24, 149 | 10.8 | 4 |
| 35 | Prolonged infusion of sedatives and analgesics in adult intensive care patients: A systematic review of pharmacokinetic data reporting and quality of evidence. <i>Pharmacological Research</i> , 2017 , 117, 156-1 | 65 ^{10.2} | 3 |

(2021-2014)

| 34 | Study protocol for the PHANTOM study: prehospital assessment of noninvasive tissue oximetry monitoring. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014 , 22, 57 | 3.6 | 3 |
|----|--|-----|---|
| 33 | The cost-effectiveness of an outpatient anesthesia consultation clinic before surgery: a matched Hong Kong cohort study. <i>Perioperative Medicine (London, England)</i> , 2012 , 1, 3 | 2.8 | 3 |
| 32 | Airway physical examination tests for detection of difficult airway management in apparently normal patients. <i>The Cochrane Library</i> , 2010 , | 5.2 | 3 |
| 31 | Influence of general health and degree of surgical insult on long-term survival. <i>British Journal of Surgery</i> , 2010 , 97, 782-8 | 5.3 | 3 |
| 30 | Effect of an integrated teaching intervention on clinical decision analysis: a randomized, controlled study of undergraduate medical students. <i>Medical Teacher</i> , 2007 , 29, 231-6 | 3 | 3 |
| 29 | Tips for teachers of evidence-based medicine: adjusting for prognostic imbalances (confounding variables) in studies on therapy or harm. <i>Journal of General Internal Medicine</i> , 2008 , 23, 337-43 | 4 | 3 |
| 28 | Physician-staffed helicopter emergency medical services augment ground ambulance paediatric airway management in urban areas: a retrospective cohort study. <i>Emergency Medicine Journal</i> , 2019 , 36, 678-683 | 1.5 | 3 |
| 27 | Effect of preparative rehabilitation on recovery after cardiac surgery: A systematic review. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021 , 64, 101391 | 3.8 | 3 |
| 26 | Mechanical Ventilation Discontinuation Practices in Asia: A Multinational Survey. <i>Annals of the American Thoracic Society</i> , 2021 , 18, 1352-1359 | 4.7 | 3 |
| 25 | Comparison of portable blood-warming devices under simulated pre-hospital conditions: a randomised in-vitro blood circuit study. <i>Anaesthesia</i> , 2019 , 74, 1026-1032 | 6.6 | 2 |
| 24 | Large inter-individual variability in pharmacokinetics of dexmedetomidine and its two major N-glucuronides in adult intensive care unit patients. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 175, 112777 | 3.5 | 2 |
| 23 | Psychometric validation of the Chinese patient- and family satisfaction in the intensive care unit questionnaires. <i>Journal of Critical Care</i> , 2019 , 54, 58-64 | 4 | 2 |
| 22 | Multi-dimensional response-probability-dose curves for bupivacaine and ropivacaine epidural labour analgesia. <i>Anaesthesia</i> , 2013 , 68, 368-76 | 6.6 | 2 |
| 21 | Fentanyl dosage and timing when inserting the laryngeal mask airway. <i>Anaesthesia and Intensive Care</i> , 2010 , 38, 55-64 | 1.1 | 2 |
| 20 | Culture, Brain, and Analgesia 2012 , | | 2 |
| 19 | Brief compression-only cardiopulmonary resuscitation and automated external defibrillator course for secondary school students: a multischool feasibility study. <i>BMJ Open</i> , 2020 , 10, e040469 | 3 | 2 |
| 18 | Near-infrared spectroscopy monitoring in a pre-hospital trauma patient cohort: An analysis of successful signal collection. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 117-123 | 1.9 | 2 |
| 17 | Effect of preoperative education and ICU tour on patient and family satisfaction and anxiety in the intensive care unit after elective cardiac surgery: a randomised controlled trial. <i>BMJ Quality and Safety</i> , 2021 , 30, 228-235 | 5.4 | 2 |

| 16 | Different formats and timing of educational interventions for surgical patients 2013, | | 1 |
|----|--|-----|---|
| 15 | The timing for the use of heparinase and tromboelastography to prevent excessive bleeding coronary artery bypass graft surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003 , 17, 413-4; author reply 414-5 | 2.1 | 1 |
| 14 | Laparoscopic versus open appendicectomy: a prospective evaluation. <i>British Journal of Surgery</i> , 1993 , 80, 263-4 | 5.3 | 1 |
| 13 | What outcomes should be measured after anaesthesia?. <i>Bailliereis Best Practice and Research in Clinical Anaesthesiology</i> , 2001 , 15, 531-540 | 4 | 1 |
| 12 | Applying the results of quantitative systematic reviews to clinical practice. <i>Anesthesia and Analgesia</i> , 2002 , 94, 372-7 | 3.9 | 1 |
| 11 | First experience with the abdominal aortic and junctional tourniquet in prehospital traumatic cardiac arrest. <i>Resuscitation</i> , 2020 , 156, 210-214 | 4 | 1 |
| 10 | Quality of evidence in Cochrane systematic reviews in anaesthesia, critical care and emergency medicine. <i>European Journal of Anaesthesiology</i> , 2018 , 35, 636-0 | 2.3 | 1 |
| 9 | Non-resuscitative first aid training and assessment for junior secondary school students: A pre-post study. <i>Medicine (United States)</i> , 2021 , 100, e27051 | 1.8 | 1 |
| 8 | From Evidence to Implementation167-174 | | 1 |
| 7 | Survival of mechanically ventilated ward patients and association with organisational factors: a multicentre prospective study <i>BMJ Open</i> , 2021 , 11, e052462 | 3 | O |
| 6 | Reply to bedside predictors of difficult airway - neck mobility. <i>Anaesthesia</i> , 2019 , 74, 1617 | 6.6 | |
| 5 | Decision analysis. <i>Anaesthesia</i> , 2007 , 62, 93; author reply 93 | 6.6 | |
| 4 | Importance of realistic sample size calculations and why the next randomized trial needs to be large and multicentered. <i>Critical Care Medicine</i> , 2007 , 35, 675-6 | 1.4 | |
| 3 | Evaluation of tissue oximetry in perioperative monitoring of colorectal surgery. <i>British Journal of Surgery</i> , 1992 , 79, 1246 | 5.3 | |
| 2 | Relative survival in adults with new delirium, cerebrovascular events or both after cardiac surgery: A prospective cohort study. <i>European Journal of Anaesthesiology</i> , 2021 , 38, 558-560 | 2.3 | |
| 1 | Protein Binding and Population Pharmacokinetics of Dexmedetomidine after Prolonged Infusions in Adult Critically Ill Patients. <i>Clinical Therapeutics</i> , 2021 , 43, 1356-1369.e1 | 3.5 | |