Anna Lee

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8552420/anna-lee-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 159
 8,359
 46
 89

 papers
 h-index
 g-index

 167
 9,614
 3.9
 6.08

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
159	Relative survival in adults with new delirium, cerebrovascular events or both after cardiac surgery: A prospective cohort study. <i>European Journal of Anaesthesiology</i> , 2021 , 38, 558-560	2.3	
158	Protein Binding and Population Pharmacokinetics of Dexmedetomidine after Prolonged Infusions in Adult Critically Ill Patients. <i>Clinical Therapeutics</i> , 2021 , 43, 1356-1369.e1	3.5	
157	Effect of preoperative education and ICU tour on patient and family satisfaction and anxiety in the intensive care unit after elective cardiac surgery: a randomised controlled trial. <i>BMJ Quality and Safety</i> , 2021 , 30, 228-235	5.4	2
156	The Effect of Renal Replacement Therapy and Antibiotic Dose on Antibiotic Concentrations in Critically Ill Patients: Data From the Multinational Sampling Antibiotics in Renal Replacement Therapy Study. <i>Clinical Infectious Diseases</i> , 2021 , 72, 1369-1378	11.6	37
155	Effect of preparative rehabilitation on recovery after cardiac surgery: A systematic review. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021 , 64, 101391	3.8	3
154	Mechanical Ventilation Discontinuation Practices in Asia: A Multinational Survey. <i>Annals of the American Thoracic Society</i> , 2021 , 18, 1352-1359	4.7	3
153	Non-resuscitative first aid training and assessment for junior secondary school students: A pre-post study. <i>Medicine (United States)</i> , 2021 , 100, e27051	1.8	1
152	Survival of mechanically ventilated ward patients and association with organisational factors: a multicentre prospective study <i>BMJ Open</i> , 2021 , 11, e052462	3	0
151	First experience with the abdominal aortic and junctional tourniquet in prehospital traumatic cardiac arrest. <i>Resuscitation</i> , 2020 , 156, 210-214	4	1
150	Norepinephrine or phenylephrine during spinal anaesthesia for Caesarean delivery: a randomised double-blind pragmatic non-inferiority study of neonatal outcome. <i>British Journal of Anaesthesia</i> , 2020 , 125, 588-595	5.4	10
149	Brief compression-only cardiopulmonary resuscitation and automated external defibrillator course for secondary school students: a multischool feasibility study. <i>BMJ Open</i> , 2020 , 10, e040469	3	2
148	A surveillance method to identify patients with sepsis from electronic health records in Hong Kong: a single centre retrospective study. <i>BMC Infectious Diseases</i> , 2020 , 20, 652	4	5
147	Near-infrared spectroscopy monitoring in a pre-hospital trauma patient cohort: An analysis of successful signal collection. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 117-123	1.9	2
146	Success and complications by team composition for prehospital paediatric intubation: a systematic review and meta-analysis. <i>Critical Care</i> , 2020 , 24, 149	10.8	4
145	Comparison of portable blood-warming devices under simulated pre-hospital conditions: a randomised in-vitro blood circuit study. <i>Anaesthesia</i> , 2019 , 74, 1026-1032	6.6	2
144	Bedside tests for predicting difficult airways: an abridged Cochrane diagnostic test accuracy systematic review. <i>Anaesthesia</i> , 2019 , 74, 915-928	6.6	50
143	Large inter-individual variability in pharmacokinetics of dexmedetomidine and its two major N-glucuronides in adult intensive care unit patients. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 175, 112777	3.5	2

(2016-2019)

142	Psychometric validation of the Chinese patient- and family satisfaction in the intensive care unit questionnaires. <i>Journal of Critical Care</i> , 2019 , 54, 58-64	4	2
141	Reply to bedside predictors of difficult airway - neck mobility. <i>Anaesthesia</i> , 2019 , 74, 1617	6.6	
140	PREhabilitation for improving QUality of recovery after ELective cardiac surgery (PREQUEL) study: protocol of a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e027974	3	11
139	Physician-staffed helicopter emergency medical services augment ground ambulance paediatric airway management in urban areas: a retrospective cohort study. <i>Emergency Medicine Journal</i> , 2019 , 36, 678-683	1.5	3
138	Comparison of high-flow nasal cannula versus oxygen face mask for environmental bacterial contamination in critically ill pneumonia patients: a randomized controlled crossover trial. <i>Journal of Hospital Infection</i> , 2019 , 101, 84-87	6.9	110
137	Medical students and professionalism - Do the hidden curriculum and current role models fail our future doctors?. <i>Medical Teacher</i> , 2018 , 40, 395-399	3	15
136	Effect of motor subtypes of delirium in the intensive care unit on fast-track failure after cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018 , 155, 268-275.e1	1.5	7
135	Quality of evidence in Cochrane systematic reviews in anaesthesia, critical care and emergency medicine. <i>European Journal of Anaesthesiology</i> , 2018 , 35, 636-0	2.3	1
134	The use of 5% lidocaine medicated plaster for acute postoperative pain after gynecological surgery: A pilot randomized controlled feasibility trial. <i>Medicine (United States)</i> , 2018 , 97, e12582	1.8	6
133	Altered Pharmacokinetics in Prolonged Infusions of Sedatives and Analgesics Among Adult Critically Ill Patients: A Systematic Review. <i>Clinical Therapeutics</i> , 2018 , 40, 1598-1615.e2	3.5	15
132	Airway physical examination tests for detection of difficult airway management in apparently normal adult patients. <i>The Cochrane Library</i> , 2018 , 5, CD008874	5.2	51
131	Are high nurse workload/staffing ratios associated with decreased survival in critically ill patients? A cohort study. <i>Annals of Intensive Care</i> , 2017 , 7, 46	8.9	60
130	Risk prediction models for delirium in the intensive care unit after cardiac surgery: a systematic review and independent external validation. <i>British Journal of Anaesthesia</i> , 2017 , 118, 391-399	5.4	37
129	Prolonged infusion of sedatives and analgesics in adult intensive care patients: A systematic review of pharmacokinetic data reporting and quality of evidence. <i>Pharmacological Research</i> , 2017 , 117, 156-10	65 ^{10.2}	3
128	A systematic review of information format and timing before scheduled adult surgery for peri-operative anxiety. <i>Anaesthesia</i> , 2017 , 72, 1265-1272	6.6	22
127	Early Exclusion of Major Adverse Cardiac Events in Emergency Department Chest Pain Patients: A Prospective Observational Study. <i>Journal of Emergency Medicine</i> , 2017 , 53, 287-294	1.5	5
126	Survival Analysis of Patients with Breast Cancer Undergoing a Modified Radical Mastectomy With or Without a Thoracic Paravertebral Block: a 5-Year Follow-up of a Randomized Controlled Trial. <i>Anticancer Research</i> , 2017 , 37, 5813-5820	2.3	16
125	Fast-track cardiac care for adult cardiac surgical patients. <i>The Cochrane Library</i> , 2016 , 9, CD003587	5.2	40

124	Add-on tests for improving risk-stratification in emergency department patients with chest pain who are at low to moderate risk of 30-day major adverse cardiac events. <i>International Journal of Cardiology</i> , 2016 , 220, 299-306	3.2	5
123	The Effect of a Freely Available Flipped Classroom Course on Health Care Worker Patient Safety Culture: A Prospective Controlled Study. <i>Journal of Medical Internet Research</i> , 2016 , 18, e180	7.6	6
122	Physician staffed helicopter emergency medical service case identification - a before and after study in children. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016 , 24, 92	3.6	5
121	Short-Term Changes in Postoperative Cognitive Function in Children Aged 5 to 12 Years Undergoing General Anesthesia: A Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e3250	1.8	6
120	Patient and family satisfaction levels in the intensive care unit after elective cardiac surgery: study protocol for a randomised controlled trial of a preoperative patient education intervention. <i>BMJ Open</i> , 2016 , 6, e011341	3	13
119	Determinants of Serum 25-Hydroxyvitamin D Concentrations and a Screening Test for Moderate-to-Severe Hypovitaminosis D in Chinese Patients Undergoing Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2016 , 31, 1921-6	4.4	4
118	Performance comparison of improvised prehospital blood warming techniques and a commercial blood warmer. <i>Injury</i> , 2016 , 47, 1824-7	2.5	4
117	Risk of perioperative respiratory complications and postoperative morbidity in a cohort of adults exposed to passive smoking. <i>Annals of Surgery</i> , 2015 , 261, 297-303	7.8	8
116	Revised Standards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): Extending the CONSORT statement. <i>Acupuncture and Related Therapies</i> , 2015 , 3, 35-46		11
115	A randomized controlled trial of adaptive support ventilation mode to wean patients after fast-track cardiac valvular surgery. <i>Anesthesiology</i> , 2015 , 122, 832-40	4.3	31
114	Stimulation of the wrist acupuncture point PC6 for preventing postoperative nausea and vomiting. <i>The Cochrane Library</i> , 2015 , CD003281	5.2	73
113	Effect of Hypovitaminosis D on Postoperative Pain Outcomes and Short-Term Health-Related Quality of Life After Knee Arthroplasty: A Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1812	1.8	27
112	Pharmacologic agents for the prevention and treatment of delirium in patients undergoing cardiac surgery: systematic review and metaanalysis. <i>Critical Care Medicine</i> , 2015 , 43, 194-204	1.4	44
111	Prediction models for the risk of postoperative nausea and vomiting. The Cochrane Library, 2014,	5.2	5
110	Factors associated with failure of enhanced recovery protocol in patients undergoing major hepatobiliary and pancreatic surgery: a retrospective cohort study. <i>BMJ Open</i> , 2014 , 4, e005330	3	9
109	Study protocol for the PHANTOM study: prehospital assessment of noninvasive tissue oximetry monitoring. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014 , 22, 57	3.6	3
108	Thoracic paravertebral block and its effects on chronic pain and health-related quality of life after modified radical mastectomy. <i>Regional Anesthesia and Pain Medicine</i> , 2014 , 39, 289-98	3.4	82
107	Synergistic interaction between fentanyl and bupivacaine given intrathecally for labor analgesia. <i>Anesthesiology</i> , 2014 , 120, 1126-36	4.3	36

Different formats and timing of educational interventions for surgical patients 2013, 106 1 Fast-track failure after cardiac surgery: external model validation and implications to ICU bed 105 1.4 19 utilization. Critical Care Medicine, 2013, 41, 1205-13 The accuracy of urinary cotinine immunoassay test strip as an add-on test to self-reported smoking 16 104 4.9 before major elective surgery. Nicotine and Tobacco Research, 2013, 15, 1690-5 Multi-dimensional response-probability-dose curves for bupivacaine and ropivacaine epidural 6.6 103 labour analgesia. Anaesthesia, 2013, 68, 368-76 The cost-effectiveness of an outpatient anesthesia consultation clinic before surgery: a matched 2.8 102 3 Hong Kong cohort study. Perioperative Medicine (London, England), 2012, 1, 3 Fast-track cardiac care for adult cardiac surgical patients. Cochrane Database of Systematic Reviews, 101 72 2012, 10, CD003587 Physician staffed helicopter emergency medical service dispatch via centralised control or directly by crew - case identification rates and effect on the Sydney paediatric trauma system. Scandinavian 3.6 16 100 Journal of Trauma, Resuscitation and Emergency Medicine, 2012, 20, 82 Simulation of survivorship bias in observational studies on plasma to red blood cell ratios in 28 99 5.3 massive transfusion for trauma. British Journal of Surgery, 2012, 99 Suppl 1, 132-9 Quantitative evaluation of the echo intensity of the median nerve and flexor muscles of the 98 3.4 14 forearm in the young and the elderly. British Journal of Radiology, 2012, 85, e140-5 Culture, Brain, and Analgesia 2012, 97 Cancellation of elective operations on the day of intended surgery in a Hong Kong hospital: point 96 0.7 35 prevalence and reasons. Hong Kong Medical Journal, 2012, 18, 5-10 Perioperative Systems as a quality model of perioperative medicine and surgical care. Health Policy, 3.2 95 42 **2011**, 102, 214-22 Assessment of trending ability of cardiac output monitors by polar plot methodology. Journal of 168 2.1 94 Cardiothoracic and Vascular Anesthesia, 2011, 25, 536-46 Evaluation of a new software version of the FloTrac/Vigileo (version 3.02) and a comparison with previous data in cirrhotic patients undergoing liver transplant surgery. Anesthesia and Analgesia, 93 3.9 74 **2011**, 113, 515-22 Attitudes towards ethical problems in critical care medicine: the Chinese perspective. Intensive Care 92 14.5 40 Medicine, **2011**, 37, 655-64 Fentanyl dosage and timing when inserting the laryngeal mask airway. Anaesthesia and Intensive 91 1.1 Care, 2010, 38, 55-64 Revised STandards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): 90 67 extending the CONSORT statement. Journal of Alternative and Complementary Medicine, 2010, 16, ST1- $1\overset{2}{4}$ Revised STandards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): 89 6 1.1 Extending the CONSORT Statement. Medical Acupuncture, 2010, 22, 167-180

88	Auricular Acupressure for Smoking Cessation: A Pilot Randomized Controlled Trial. <i>Medical Acupuncture</i> , 2010 , 22, 265-271	1.1	10
87	Revised STandards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): extending the CONSORT statement. <i>Acupuncture in Medicine</i> , 2010 , 28, 83-93	1.9	151
86	Airway physical examination tests for detection of difficult airway management in apparently normal patients. <i>The Cochrane Library</i> , 2010 ,	5.2	3
85	The costs and benefits of extending the role of the acute pain service on clinical outcomes after major elective surgery. <i>Anesthesia and Analgesia</i> , 2010 , 111, 1042-50	3.9	27
84	A critical review of the ability of continuous cardiac output monitors to measure trends in cardiac output. <i>Anesthesia and Analgesia</i> , 2010 , 111, 1180-92	3.9	867
83	Determination and comparison of graded dose-response curves for epidural bupivacaine and ropivacaine for analgesia in laboring nulliparous women. <i>Anesthesiology</i> , 2010 , 113, 445-53	4.3	23
82	Influence of general health and degree of surgical insult on long-term survival. <i>British Journal of Surgery</i> , 2010 , 97, 782-8	5.3	3
81	Revised STandards for Reporting Interventions in Clinical Trials of Acupuncture (STRICTA): extending the CONSORT statement. <i>PLoS Medicine</i> , 2010 , 7, e1000261	11.6	477
80	Using illness scripts to teach clinical reasoning skills to medical students. Family Medicine, 2010, 42, 255	5- 61 8	37
79	Evaluation of an uncalibrated arterial pulse contour cardiac output monitoring system in cirrhotic patients undergoing liver surgery. <i>British Journal of Anaesthesia</i> , 2009 , 102, 47-54	5.4	135
78	Tips for teachers of evidence-based medicine: making sense of decision analysis using a decision tree. <i>Journal of General Internal Medicine</i> , 2009 , 24, 642-8	4	13
77	Stimulation of the wrist acupuncture point P6 for preventing postoperative nausea and vomiting. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD003281		134
76	Does thromboelastography predict postoperative thromboembolic events? A systematic review of the literature. <i>Anesthesia and Analgesia</i> , 2009 , 108, 734-42	3.9	98
75	A randomized double-blinded comparison of phenylephrine and ephedrine infusion combinations to maintain blood pressure during spinal anesthesia for cesarean delivery: the effects on fetal acid-base status and hemodynamic control. <i>Anesthesia and Analgesia</i> , 2008 , 107, 1295-302	3.9	148
74	Tips for teachers of evidence-based medicine: making sense of diagnostic test results using likelihood ratios. <i>Journal of General Internal Medicine</i> , 2008 , 23, 87-92	4	13
73	Tips for teachers of evidence-based medicine: adjusting for prognostic imbalances (confounding variables) in studies on therapy or harm. <i>Journal of General Internal Medicine</i> , 2008 , 23, 337-43	4	3
7 ²	Tips for teachers of evidence-based medicine: understanding odds ratios and their relationship to risk ratios. <i>Journal of General Internal Medicine</i> , 2008 , 23, 635-40	4	39
71	Tips for teachers of evidence-based medicine: clinical prediction rules (CPRs) and estimating pretest probability. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1261-8	4	21

(2005-2008)

70	Changes in medical students' attitudes towards end-of-life decisions across different years of medical training. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1608-14	4	25
69	Surgeons' attitudes and perception of an acute pain service. <i>Hong Kong Medical Journal</i> , 2008 , 14, 342-	· 7 o.7	5
68	Effect of an integrated teaching intervention on clinical decision analysis: a randomized, controlled study of undergraduate medical students. <i>Medical Teacher</i> , 2007 , 29, 231-6	3	3
67	Decision analysis. <i>Anaesthesia</i> , 2007 , 62, 93; author reply 93	6.6	
66	Fentanyl dose-response curves when inserting the LMA Classic laryngeal mask airway. <i>Anaesthesia</i> , 2007 , 62, 654-60	6.6	20
65	Effects of nonsteroidal anti-inflammatory drugs on postoperative renal function in adults with normal renal function. <i>The Cochrane Library</i> , 2007 , CD002765	5.2	49
64	Economic evaluations of acute pain service programs: a systematic review. <i>Clinical Journal of Pain</i> , 2007 , 23, 726-33	3.5	25
63	Importance of realistic sample size calculations and why the next randomized trial needs to be large and multicentered. <i>Critical Care Medicine</i> , 2007 , 35, 675-6	1.4	
62	Acupuncture and anaesthesia. <i>Bailliereis Best Practice and Research in Clinical Anaesthesiology</i> , 2006 , 20, 303-14	4	15
61	A systematic review (meta-analysis) of the accuracy of the Mallampati tests to predict the difficult airway. <i>Anesthesia and Analgesia</i> , 2006 , 102, 1867-78	3.9	191
60	Publication bias affected the estimate of postoperative nausea in an acupoint stimulation systematic review. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 980-3	5.7	11
59	Incidence and risk of adverse perioperative events among surgical patients taking traditional Chinese herbal medicines. <i>Anesthesiology</i> , 2006 , 105, 454-61	4.3	37
58	Alfentanil dosage when inserting the classic laryngeal mask airway. <i>Anesthesiology</i> , 2006 , 105, 684-8	4.3	17
57	Long-term antibiotics for preventing recurrent urinary tract infection in children. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD001534		56
56	Educating patients about anaesthesia: effect of various modes on patients' knowledge, anxiety and satisfaction. <i>Current Opinion in Anaesthesiology</i> , 2005 , 18, 205-8	2.9	51
55	Testing the reliability of a new ultrasonic cardiac output monitor, the USCOM, by using aortic flowprobes in anesthetized dogs. <i>Anesthesia and Analgesia</i> , 2005 , 100, 748-753	3.9	80
54	A comparison of patients' and health care professionals' preferences for symptoms during immediate postoperative recovery and the management of postoperative nausea and vomiting. <i>Anesthesia and Analgesia</i> , 2005 , 100, 87-93	3.9	47
53	A survey of Chinese herbal medicine intake amongst preoperative patients in Hong Kong. <i>Anaesthesia and Intensive Care</i> , 2005 , 33, 506-13	1.1	11

52	Possible interaction between sevoflurane and Aloe vera. <i>Annals of Pharmacotherapy</i> , 2004 , 38, 1651-4	2.9	44
51	Supplementary oxygen for elective Caesarean section under spinal anaesthesia: useful in prolonged uterine incision-to-delivery interval?. <i>British Journal of Anaesthesia</i> , 2004 , 92, 518-22	5.4	31
50	Practicality of performing medical procedures in chemical protective ensembles. <i>EMA - Emergency Medicine Australasia</i> , 2004 , 16, 108-13	1.5	25
49	A dose-response meta-analysis of prophylactic intravenous ephedrine for the prevention of hypotension during spinal anesthesia for elective cesarean delivery. <i>Anesthesia and Analgesia</i> , 2004 , 98, 483-490	3.9	58
48	Stimulation of the wrist acupuncture point P6 for preventing postoperative nausea and vomiting. <i>Cochrane Database of Systematic Reviews</i> , 2004 , CD003281		56
47	Heliox vs air-oxygen mixtures for the treatment of patients with acute asthma: a systematic overview. <i>Chest</i> , 2003 , 123, 882-90	5.3	76
46	Agreements between the prothrombin times of blood treated In Vitro with heparinase during cardiopulmonary bypass (CPB) and blood sampled after CPB and systemic protamine. <i>Anesthesia and Analgesia</i> , 2003 , 96, 15-20, table of contents	3.9	8
45	A systematic review of the safety and effectiveness of fast-track cardiac anesthesia. <i>Anesthesiology</i> , 2003 , 99, 982-7	4.3	179
44	Survey of current status of intensive care teaching in English-speaking medical schools. <i>Critical Care Medicine</i> , 2003 , 31, 293-8	1.4	27
43	Educating patients about anesthesia: a systematic review of randomized controlled trials of media-based interventions. <i>Anesthesia and Analgesia</i> , 2003 , 96, 1424-1431	3.9	79
42	Multivariate analysis of factors associated with umbilical arterial pH and standard base excess after Caesarean section under spinal anaesthesia. <i>Anaesthesia</i> , 2003 , 58, 125-30	6.6	60
41	Level of prehospital care and risk of mortality in patients with and without severe blunt head injury. <i>Injury</i> , 2003 , 34, 815-9	2.5	41
40	The timing for the use of heparinase and tromboelastography to prevent excessive bleeding coronary artery bypass graft surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003 , 17, 413-4; author reply 414-5	2.1	1
39	Prophylactic ephedrine prevents hypotension during spinal anesthesia for Cesarean delivery but does not improve neonatal outcome: a quantitative systematic review. <i>Canadian Journal of Anaesthesia</i> , 2002 , 49, 588-99	3	62
38	Applying the results of quantitative systematic reviews to clinical practice. <i>Anesthesia and Analgesia</i> , 2002 , 94, 372-7	3.9	1
37	Spinal ropivacaine for cesarean delivery: a comparison of hyperbaric and plain solutions. <i>Anesthesia and Analgesia</i> , 2002 , 94, 680-5; table of contents	3.9	76
36	Applying the Results of Quantitative Systematic Reviews to Clinical Practice. <i>Anesthesia and Analgesia</i> , 2002 , 94, 372-377	3.9	4
35	A quantitative, systematic review of randomized controlled trials of ephedrine versus phenylephrine for the management of hypotension during spinal anesthesia for cesarean delivery. <i>Anesthesia and Analgesia</i> , 2002 , 94, 920-6, table of contents	3.9	305

(1997-2002)

34	Estimating with confidence the risk of rare adverse events, including those with observed rates of zero. <i>Regional Anesthesia and Pain Medicine</i> , 2002 , 27, 207-10	3.4	17
33	Prospective evaluation of patients refused admission to an intensive care unit: triage, futility and outcome. <i>Intensive Care Medicine</i> , 2001 , 27, 1459-65	14.5	762
32	Comparative analysis of multiple-casualty incident triage algorithms. <i>Annals of Emergency Medicine</i> , 2001 , 38, 541-8	2.1	230
31	Efficacy of prehospital critical care teams for severe blunt head injury in the Australian setting. <i>Injury</i> , 2001 , 32, 455-60	2.5	32
30	What outcomes should be measured after anaesthesia?. <i>Bailliereis Best Practice and Research in Clinical Anaesthesiology</i> , 2001 , 15, 531-540	4	1
29	Antibiotics for the prevention of urinary tract infection in children: A systematic review of randomized controlled trials. <i>Journal of Pediatrics</i> , 2001 , 138, 868-74	3.6	87
28	Long-term antibiotics for preventing recurrent urinary tract infection in children. <i>Cochrane Database of Systematic Reviews</i> , 2001 , CD001534		26
27	Effects of nonsteroidal anti-inflammatory drugs on post-operative renal function in adults. <i>The Cochrane Library</i> , 2000 , CD002765	5.2	5
26	The effects of nonsteroidal anti-inflammatory drugs (NSAIDs) on postoperative renal function: a meta-analysis. <i>Anaesthesia and Intensive Care</i> , 1999 , 27, 574-80	1.1	29
25	Addition of physicians to paramedic helicopter services decreases blunt trauma mortality. <i>ANZ Journal of Surgery</i> , 1999 , 69, 697-701	1	123
24	The use of nonpharmacologic techniques to prevent postoperative nausea and vomiting: a meta-analysis. <i>Anesthesia and Analgesia</i> , 1999 , 88, 1362-9	3.9	81
23	The Use of Nonpharmacologic Techniques to Prevent Postoperative Nausea and Vomiting. <i>Anesthesia and Analgesia</i> , 1999 , 88, 1362-1369	3.9	240
22	Early postoperative emergencies requiring an intensive care team intervention. The role of ASA physical status and after-hours surgery. <i>Anaesthesia</i> , 1998 , 53, 529-35	6.6	26
21	The use of a video to convey preanesthetic information to patients undergoing ambulatory surgery. <i>Anesthesia and Analgesia</i> , 1998 , 87, 531-6	3.9	18
20	The Use of a Video to Convey Preanesthetic Information to Patients Undergoing Ambulatory Surgery. <i>Anesthesia and Analgesia</i> , 1998 , 87, 531-536	3.9	58
19	Air medical scene response to blunt trauma: effect on early survival. <i>Medical Journal of Australia</i> , 1998 , 169, 612-6	4	49
18	Anesthesia preoperative evaluation clinic. <i>Anesthesiology</i> , 1997 , 86, 260-3	4.3	6
17	Opioid requirements and responses in Asians. <i>Anaesthesia and Intensive Care</i> , 1997 , 25, 665-70	1.1	13

16	Risk of unanticipated intraoperative events in patients assessed at a preanaesthetic clinic. <i>Canadian Journal of Anaesthesia</i> , 1997 , 44, 946-54	3	23
15	Measuring anaesthetic outcomes. <i>Anaesthesia and Intensive Care</i> , 1996 , 24, 685-93	1.1	51
14	Intraabdominal pressure and gastric intramucosal pH: is there an association?. <i>World Journal of Surgery</i> , 1996 , 20, 988-91	3.3	93
13	Interhospital transfers: decision-making in critical care areas. <i>Critical Care Medicine</i> , 1996 , 24, 618-22	1.4	20
12	The perioperative system: a new approach to managing elective surgery. <i>Anaesthesia and Intensive Care</i> , 1995 , 23, 591-6	1.1	46
11	The Medical Emergency Team. <i>Anaesthesia and Intensive Care</i> , 1995 , 23, 183-6	1.1	406
10	LegionnairesIdisease outbreak in south western Sydney, 1992: Clinical aspects. <i>Medical Journal of Australia</i> , 1994 , 160, 274-277	4	4
9	Referral of surgical patients to an anaesthetic clinic: a decision-making analysis. <i>Anaesthesia and Intensive Care</i> , 1994 , 22, 562-7	1.1	7
8	Intra-abdominal pressure measurement using a modified nasogastric tube: description and validation of a new technique. <i>Intensive Care Medicine</i> , 1994 , 20, 588-90	14.5	95
7	Do nurses know when to summon emergency assistance?. <i>Intensive and Critical Care Nursing</i> , 1994 , 10, 115-20	3.1	84
6	The basic knowledge assessment tool: is it useful?. Australian Critical Care, 1994, 7, 18-23	2.9	5
5	Laparoscopic versus open appendicectomy: a prospective evaluation. <i>British Journal of Surgery</i> , 1993 , 80, 263-4	5.3	1
4	Evaluation of tissue oximetry in perioperative monitoring of colorectal surgery. <i>British Journal of Surgery</i> , 1992 , 79, 1246	5.3	
3	The Medical Emergency Team: a new strategy to identify and intervene in high-risk patients		45
2	Identifying the general ward patient at high risk of cardiac arrest		12
1	From Evidence to Implementation167-174		1