

Lorna Paul

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8554842/publications.pdf>

Version: 2024-02-01

101
papers

3,715
citations

136740

32
h-index

149479

56
g-index

102
all docs

102
docs citations

102
times ranked

4356
citing authors

#	ARTICLE	IF	CITATIONS
1	Evidence for central sensitization in chronic whiplash: A systematic literature review. <i>European Journal of Pain</i> , 2013, 17, 299-312.	1.4	180
2	Pain Physiology Education Improves Health Status and Endogenous Pain Inhibition in Fibromyalgia. <i>Clinical Journal of Pain</i> , 2013, 29, 873-882.	0.8	179
3	Walking and talking: an investigation of cognitive motor dual tasking in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009, 15, 1215-1227.	1.4	165
4	Pain neurophysiology education improves cognitions, pain thresholds, and movement performance in people with chronic whiplash: A pilot study. <i>Journal of Rehabilitation Research and Development</i> , 2011, 48, 43.	1.6	138
5	Increasing physical activity in stroke survivors using STARFISH, an interactive mobile phone application: a pilot study. <i>Topics in Stroke Rehabilitation</i> , 2016, 23, 170-177.	1.0	119
6	Lower limb risk factors for falls in people with diabetes mellitus. <i>Diabetic Medicine</i> , 2010, 27, 162-168.	1.2	114
7	Metabolic Cost of Overground Gait in Younger Stroke Patients and Healthy Controls. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1041-1046.	0.2	104
8	Reliability and clinical significance of mobility and balance assessments in multiple sclerosis. <i>International Journal of Rehabilitation Research</i> , 2012, 35, 69-74.	0.7	102
9	Pain inhibition and postexertional malaise in myalgic encephalomyelitis/chronic fatigue syndrome: An experimental study. <i>Journal of Internal Medicine</i> , 2010, 268, 265-278.	2.7	96
10	The effects of a 12-week leisure centre-based, group exercise intervention for people moderately affected with multiple sclerosis: a randomized controlled pilot study. <i>Clinical Rehabilitation</i> , 2012, 26, 579-593.	1.0	96
11	Prevalence of fatigue and its association with clinical features in progressive and non-progressive forms of Multiple Sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 28, 276-282.	0.9	95
12	Systematic Review of Changes and Recovery in Physical Function and Fitness After Severe Acute Respiratory Syndrome-Related Coronavirus Infection: Implications for COVID-19 Rehabilitation. <i>Physical Therapy</i> , 2020, 100, 1717-1729.	1.1	94
13	Lack of Endogenous Pain Inhibition During Exercise in People With Chronic Whiplash Associated Disorders: An Experimental Study. <i>Journal of Pain</i> , 2012, 13, 242-254.	0.7	91
14	Vibration therapy in multiple sclerosis: a pilot study exploring its effects on tone, muscle force, sensation and functional performance. <i>Clinical Rehabilitation</i> , 2009, 23, 771-781.	1.0	86
15	Chronic fatigue syndrome: An approach combining self-management with graded exercise to avoid exacerbations. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 241-247.	0.8	82
16	Demonstration of delayed recovery from fatiguing exercise in chronic fatigue syndrome. <i>European Journal of Neurology</i> , 1999, 6, 63-69.	1.7	80
17	Factors influencing quality of life following lower limb amputation for peripheral arterial occlusive disease. <i>Prosthetics and Orthotics International</i> , 2017, 41, 537-547.	0.5	79
18	Minimally important difference of the fatigue severity scale and modified fatigue impact scale in people with multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 35, 158-163.	0.9	77

#	ARTICLE	IF	CITATIONS
19	Physical activity profiles and sedentary behaviour in people following stroke: a cross-sectional study. <i>Disability and Rehabilitation</i> , 2016, 38, 362-367.	0.9	72
20	Web-based physiotherapy for people moderately affected with Multiple Sclerosis; quantitative and qualitative data from a randomized, controlled pilot study. <i>Clinical Rehabilitation</i> , 2014, 28, 924-935.	1.0	69
21	The effects of transcutaneous electrical nerve stimulation (TENS) on spasticity in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2007, 13, 527-533.	1.4	68
22	The effect of functional electrical stimulation on the physiological cost of gait in people with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2008, 14, 954-961.	1.4	68
23	The association between lower urinary tract symptoms and falls: Forming a theoretical model for a research agenda. <i>Neurourology and Urodynamics</i> , 2018, 37, 501-509.	0.8	66
24	The effect of a cognitive or motor task on gait parameters of diabetic patients, with and without neuropathy. <i>Diabetic Medicine</i> , 2009, 26, 234-239.	1.2	62
25	Physiotherapy Rehabilitation for People With Progressive Multiple Sclerosis: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 141-151.e3.	0.5	61
26	High intensity interval training for people with multiple sclerosis: A systematic review. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 24, 55-63.	0.9	53
27	A qualitative exploration of the impact of a 12-week group exercise class for those moderately affected with multiple sclerosis. <i>Disability and Rehabilitation</i> , 2013, 35, 81-88.	0.9	51
28	Moving exercise research in multiple sclerosis forward (the MoXFo initiative): Developing consensus statements for research. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1303-1308.	1.4	46
29	Functional Electrical Stimulation for Foot Drop in Multiple Sclerosis: A Systematic Review and Meta-Analysis of the Effect on Gait Speed. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1435-1452.	0.5	45
30	Core outcome measures for exercise studies in people with multiple sclerosis: recommendations from a multidisciplinary consensus meeting. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1641-1650.	1.4	44
31	The effectiveness and satisfaction of web-based physiotherapy in people with spinal cord injury: a pilot randomised controlled trial. <i>Spinal Cord</i> , 2017, 55, 383-389.	0.9	37
32	Upper limb rehabilitation interventions using virtual reality for people with multiple sclerosis: A systematic review. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 47, 102610.	0.9	36
33	Unravelling the nature of postexertional malaise in myalgic encephalomyelitis/chronic fatigue syndrome: the role of elastase, complement C4a and interleukin-1 β . <i>Journal of Internal Medicine</i> , 2010, 267, 418-435.	2.7	35
34	The relationship between urinary bladder control and gait in women. <i>Neurourology and Urodynamics</i> , 2013, 32, 43-47.	0.8	35
35	Effectiveness of isometric exercise in the management of tendinopathy: a systematic review and meta-analysis of randomised trials. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000760.	1.4	35
36	Abdominal massage for the alleviation of symptoms of constipation in people with Parkinson's: a randomised controlled pilot study. <i>Age and Ageing</i> , 2016, 45, 299-303.	0.7	33

#	ARTICLE	IF	CITATIONS
37	The clinical- and cost-effectiveness of functional electrical stimulation and ankle-foot orthoses for foot drop in Multiple Sclerosis: a multicentre randomized trial. <i>Clinical Rehabilitation</i> , 2019, 33, 1150-1162.	1.0	33
38	Web-based physiotherapy for people affected by multiple sclerosis: a single blind, randomized controlled feasibility study. <i>Clinical Rehabilitation</i> , 2019, 33, 473-484.	1.0	31
39	Can exercise limits prevent post-exertional malaise in chronic fatigue syndrome? An uncontrolled clinical trial. <i>Clinical Rehabilitation</i> , 2008, 22, 426-435.	1.0	30
40	Increasing physical activity in older adults using STARFISH, an interactive smartphone application (app); a pilot study. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2017, 4, 205566831769623.	0.6	28
41	Physical activity and sedentary behaviour and their associations with clinical measures in axial spondyloarthritis. <i>Rheumatology International</i> , 2020, 40, 375-381.	1.5	28
42	Reliability and validity of the figure-of-eight method of measuring hand size in patients with breast cancer-related lymphoedema. <i>European Journal of Cancer Care</i> , 2013, 22, 196-201.	0.7	27
43	The effectiveness of interventions targeting physical activity and/or sedentary behaviour in people with Multiple Sclerosis: a systematic review. <i>Disability and Rehabilitation</i> , 2020, 42, 594-612.	0.9	26
44	Evaluation of a home-based physiotherapy programme for those with moderate to severe multiple sclerosis: a randomized controlled pilot study. <i>Clinical Rehabilitation</i> , 2011, 25, 720-730.	1.0	25
45	Undergraduate radiology teaching in a UK medical school: a systematic evaluation of current practice. <i>Clinical Radiology</i> , 2016, 71, 476-483.	0.5	24
46	Oxygen cost of walking, physical activity, and sedentary behaviours in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 28-34.	0.6	23
47	Relationship Between Exercise-induced Oxidative Stress Changes and Parasympathetic Activity in Chronic Fatigue Syndrome: An Observational Study in Patients and Healthy Subjects. <i>Clinical Therapeutics</i> , 2019, 41, 641-655.	1.1	22
48	Identifying factors associated with sedentary time after stroke. Secondary analysis of pooled data from nine primary studies.. <i>Topics in Stroke Rehabilitation</i> , 2019, 26, 327-334.	1.0	22
49	Level of adherence to prescribed exercise in spondyloarthritis and factors affecting this adherence: a systematic review. <i>Rheumatology International</i> , 2019, 39, 187-201.	1.5	22
50	Correlates of dual-task performance in people with multiple sclerosis: A systematic review. <i>Gait and Posture</i> , 2020, 81, 172-182.	0.6	22
51	The effect of cycling using active-passive trainers on spasticity, cardiovascular fitness, function and quality of life in people with moderate to severe Multiple Sclerosis (MS); a feasibility study.. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 34, 128-134.	0.9	21
52	Balancing the Demands of Two Tasks: An Investigation of Cognitive“Motor Dual-Tasking in Relapsing Remitting Multiple Sclerosis. <i>Journal of the International Neuropsychological Society</i> , 2018, 24, 247-258.	1.2	20
53	Isometric versus isotonic exercise for greater trochanteric pain syndrome: a randomised controlled pilot study. <i>BMJ Open Sport and Exercise Medicine</i> , 2019, 5, e000558.	1.4	20
54	Effects of Exercise Training on Neurotrophic Factors and Subsequent Neuroprotection in Persons with Multiple Sclerosis“ A Systematic Review and Meta-Analysis. <i>Brain Sciences</i> , 2021, 11, 1499.	1.1	20

#	ARTICLE	IF	CITATIONS
55	Functional Living in Older Adults With Type 2 Diabetes. <i>Journal of Aging and Health</i> , 2014, 26, 841-859.	0.9	19
56	A comparison of the orthotic effect of the Odstock Dropped Foot Stimulator and the Walkaide functional electrical stimulation systems on energy cost and speed of walking in Multiple Sclerosis. <i>Disability and Rehabilitation: Assistive Technology</i> , 2015, 10, 482-485.	1.3	19
57	Validity of the activPAL3 activity monitor in people moderately affected by Multiple Sclerosis. <i>Medical Engineering and Physics</i> , 2017, 45, 78-82.	0.8	19
58	The Role of Autonomic Function in Exercise-induced Endogenous Analgesia: A Case-control Study in Myalgic Encephalomyelitis/Chronic Fatigue Syndrome and Healthy People. <i>Pain Physician</i> , 2017, 20, E389-E399.	0.3	19
59	The search for pain relief in people with chronic fatigue syndrome: A descriptive study. <i>Physiotherapy Theory and Practice</i> , 2011, 27, 373-383.	0.6	16
60	The effectiveness of structured exercise in the south Asian population with type 2 diabetes: a systematic review. <i>Physician and Sportsmedicine</i> , 2017, 45, 408-417.	1.0	16
61	Short-Term Effect of Aerobic Exercise on Symptoms in Multiple Sclerosis and Chronic Fatigue Syndrome. <i>International Journal of MS Care</i> , 2014, 16, 76-82.	0.4	15
62	Is Fatigue Associated With Aerobic Capacity and Muscle Strength in People With Multiple Sclerosis: A Systematic Review and Meta-analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 2193-2204.	0.5	14
63	Adherence to Physiotherapy-Guided Web-Based Exercise for Persons with Moderate-to-Severe Multiple Sclerosis. <i>International Journal of MS Care</i> , 2020, 22, 208-214.	0.4	14
64	Abdominal Massage for the Relief of Constipation in People with Parkinson's Disease: A Qualitative Study. <i>Parkinson's Disease</i> , 2016, 2016, 1-10.	0.6	13
65	Access, delivery and perceived efficacy of physiotherapy and use of complementary and alternative therapies by people with progressive multiple sclerosis in the United Kingdom: An online survey. <i>Multiple Sclerosis and Related Disorders</i> , 2017, 12, 64-69.	0.9	13
66	The Influence of Socio-economic Deprivation on Mobility, Participation, and Quality of Life Following Major Lower Extremity Amputation in the West of Scotland. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 57, 554-560.	0.8	13
67	A self-management programme to reduce falls and improve safe mobility in people with secondary progressive MS: the BRiMS feasibility RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-166.	1.3	13
68	The impact of walking speed on the effects of functional electrical stimulation for foot drop in people with multiple sclerosis. <i>Disability and Rehabilitation: Assistive Technology</i> , 2016, 11, 1-6.	1.3	12
69	Web-based physiotherapy for people with axial spondyloarthritis (WEBPASS) – a study protocol. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 360.	0.8	12
70	The Co-design of Hand Rehabilitation Exercises for Multiple Sclerosis Using Hand Tracking System. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1120, 83-96.	0.8	12
71	Barriers and solutions to participation in exercise for moderately disabled people with multiple sclerosis not currently exercising: a consensus development study using nominal group technique. <i>Disability and Rehabilitation</i> , 2019, 41, 2775-2783.	0.9	11
72	Balance Right in Multiple Sclerosis (BRiMS): a guided self-management programme to reduce falls and improve quality of life, balance and mobility in people with secondary progressive multiple sclerosis: a protocol for a feasibility randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2018, 4, 26.	0.5	10

#	ARTICLE	IF	CITATIONS
73	A randomised trial of the cool pad pillow topper versus standard care for sleep disturbance and hot flushes in women on endocrine therapy for breast cancer. <i>Supportive Care in Cancer</i> , 2016, 24, 1821-1829.	1.0	9
74	A comparison of the initial orthotic effects of functional electrical stimulation and ankle-foot orthoses on the speed and oxygen cost of gait in multiple sclerosis. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2018, 5, 205566831875507.	0.6	9
75	A qualitative exploration of the participants's™ experience of a web-based physiotherapy program for people with multiple sclerosis: Does it impact on the ability to increase and sustain engagement in physical activity?. <i>Disability and Rehabilitation</i> , 2020, 42, 3007-3014.	0.9	9
76	Gait characteristics of subjects with chronic fatigue syndrome and controls at self-selected and matched velocities. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2008, 5, 16.	2.4	8
77	Validation of smartphone step count algorithm used in STARFISH smartphone application. <i>Technology and Health Care</i> , 2017, 25, 1157-1162.	0.5	8
78	Pain Characteristics of People with Chronic Fatigue Syndrome. <i>Journal of Musculoskeletal Pain</i> , 2010, 18, 127-137.	0.3	7
79	Myofascial release for women undergoing radiotherapy for breast cancer: A pilot study. <i>European Journal of Physiotherapy</i> , 2014, 16, 58-64.	0.7	7
80	Balance Right in Multiple Sclerosis (BRiMS): a feasibility randomised controlled trial of a falls prevention programme. <i>Pilot and Feasibility Studies</i> , 2021, 7, 2.	0.5	6
81	Physiotherapist and participant perspectives from a randomized-controlled trial of physiotherapist-supported online <i>vs.</i> paper-based exercise programs for people with moderate to severe multiple sclerosis. <i>Disability and Rehabilitation</i> , 2023, 45, 1147-1153.	0.9	6
82	Physiological cost of walking in those with chronic fatigue syndrome (CFS): A case“control study. <i>Disability and Rehabilitation</i> , 2009, 31, 1598-1604.	0.9	5
83	An exploration of the experiences and utility of functional electrical stimulation for foot drop in people with multiple sclerosis. <i>Disability and Rehabilitation</i> , 2020, 42, 510-518.	0.9	5
84	Changing Behaviour towards Aerobic and Strength Exercise (BASE): Design of a randomised, phase I study determining the safety, feasibility and consumer-evaluation of a remotely-delivered exercise programme in persons with multiple sclerosis. <i>Contemporary Clinical Trials</i> , 2021, 102, 106281.	0.8	5
85	Reduced Parasympathetic Reactivation during Recovery from Exercise in Myalgic Encephalomyelitis/Chronic Fatigue Syndrome. <i>Journal of Clinical Medicine</i> , 2021, 10, 4527.	1.0	5
86	Proposing a Core Outcome Set for Physical Activity and Exercise Interventions in People With Rare Neurological Conditions. <i>Frontiers in Rehabilitation Sciences</i> , 2021, 2, .	0.5	5
87	Exercise in the management of multiple sclerosis relapses: current evidence and future perspectives. <i>Neurodegenerative Disease Management</i> , 2020, 10, 99-111.	1.2	4
88	Enabling More Accessible MS Rehabilitation Training Using Virtual Reality. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1262, 95-114.	0.8	3
89	The use of adaptive equipment following total knee replacement. <i>British Journal of Occupational Therapy</i> , 2015, 78, 187-195.	0.5	2
90	Increasing physical activity in stroke survivors using STARFISH, an interactive smartphone application: Protocol for a randomised controlled trial. <i>Technology and Disability</i> , 2018, 30, 77-82.	0.3	2

#	ARTICLE	IF	CITATIONS
91	Adherence to web-based physiotherapy in people with axial spondyloarthritis. <i>Rheumatology</i> , 2019, 58, .	0.9	2
92	Determining validity of the PALite and ODFS PACE activity logger for measuring step count in healthy adults. <i>Gait and Posture</i> , 2020, 80, 315-317.	0.6	2
93	Oxygen Cost of Walking in People With Multiple Sclerosis and Its Association With Fatigue: A Systematic Review and Meta-analysis. <i>International Journal of MS Care</i> , 2022, 24, 74-80.	0.4	2
94	Erector spinae activity during three methods of lifting a baby car seat in postnatal women and matched controls. <i>Physiotherapy</i> , 2004, 90, 204-209.	0.2	1
95	Chronic fatigue syndrome and Response to Letter to the Editor by Lucy V. Clark and Peter D. White: Prevention of symptom exacerbations in chronic fatigue syndrome. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 883-885.	0.8	1
96	Effectiveness and user experience of web-based interventions for increasing physical activity in people with multiple sclerosis. <i>JB I Database of Systematic Reviews and Implementation Reports</i> , 2016, 14, 50-62.	1.7	1
97	Fatigue in chronic health conditions: current knowledge and future challenges. <i>Physical Therapy Reviews</i> , 2017, 22, 1-2.	0.3	1
98	FRI0702-HPRâ€¦NON PHARMACOLOGICAL MANAGEMENT OF FIBROMYALGIA: A SYSTEMATIC REVIEW OF SYSTEMATIC REVIEWS. , 2019, , .		1
99	Access to and Use of Clinical Services and Disease-Modifying Therapies by People with Progressive Multiple Sclerosis in the United Kingdom. <i>International Journal of MS Care</i> , 2017, 19, 275-282.	0.4	1
100	FRI0116â€¦Habitual Physical Activity in People with Rheumatoid Arthritis within The First Five Years of Diagnosis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 470.1-470.	0.5	0
101	The effects of cycling using lower limb active passive trainers in people with neurological conditions: a systematic review. <i>International Journal of Therapy and Rehabilitation</i> , 2022, 29, 1-21.	0.1	0