

Motoyuki Otsuka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8554972/motoyuki-otsuka-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

6,482
citations

45
h-index

77
g-index

155
ext. papers

7,209
ext. citations

6.9
avg, IF

5.28
L-index

#	Paper	IF	Citations
141	Hepatitis B virus-associated hepatocellular carcinoma with Smc5/6 complex deficiency is susceptible to PARP inhibitors.. <i>Biochemical and Biophysical Research Communications</i> , 2022 , 607, 89-95	3.4	0
140	Post-treatment cell-free DNA as a predictive biomarker in molecular-targeted therapy of hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2021 , 56, 456-469	6.9	2
139	Mutant KRAS drives metabolic reprogramming and autophagic flux in premalignant pancreatic cells. <i>Cancer Gene Therapy</i> , 2021 ,	5.4	4
138	Potential of HBx Gene for Hepatocarcinogenesis in Noncirrhotic Liver. <i>Seminars in Liver Disease</i> , 2021 , 41, 142-149	7.3	
137	Impact of Obesity and Heavy Alcohol Consumption on Hepatocellular Carcinoma Development after HCV Eradication with Antivirals. <i>Liver Cancer</i> , 2021 , 10, 309-319	9.1	4
136	Aberrant expression of a novel circular RNA in pancreatic cancer. <i>Journal of Human Genetics</i> , 2021 , 66, 181-191	4.3	14
135	Humanized virus-suppressing factor inhibits hepatitis B virus infection by targeting viral cell entry. <i>Heliyon</i> , 2021 , 7, e07586	3.6	2
134	HBx-induced degradation of Smc5/6 complex impairs homologous recombination-mediated repair of damaged DNA. <i>Journal of Hepatology</i> , 2021 ,	13.4	4
133	Evidence-based clinical practice guidelines for nonalcoholic fatty liver disease/nonalcoholic steatohepatitis 2020. <i>Journal of Gastroenterology</i> , 2021 , 56, 951-963	6.9	14
132	Evidence-based clinical practice guidelines for nonalcoholic fatty liver disease/nonalcoholic steatohepatitis 2020. <i>Hepatology Research</i> , 2021 , 51, 1013-1025	5.1	7
131	WWP1 inactivation enhances efficacy of PI3K inhibitors while suppressing their toxicities in breast cancer models.. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	2
130	The biological role of metabolic reprogramming in pancreatic cancer. <i>MedComm</i> , 2020 , 1, 302-310	2.2	5
129	HBx increases EGFR expression by inhibiting miR129-5p function. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 529, 198-203	3.4	4
128	Extracellular vesicles secreted by HBV-infected cells modulate HBV persistence in hydrodynamic HBV transfection mouse model. <i>Journal of Biological Chemistry</i> , 2020 , 295, 12449-12460	5.4	7
127	Deletion of Histone Methyltransferase G9a Suppresses Mutant Kras-driven Pancreatic Carcinogenesis. <i>Cancer Genomics and Proteomics</i> , 2020 , 17, 695-705	3.3	6
126	Emerging Roles of Exosomal Circular RNAs in Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 568366	5.7	22
125	The fatty-acid amide hydrolase inhibitor URB597 inhibits MICA/B shedding. <i>Scientific Reports</i> , 2020 , 10, 15556	4.9	3

124	Improved liver function in patients with cirrhosis due to chronic hepatitis C virus who achieve sustained virologic response is not accompanied by increased liver volume. <i>PLoS ONE</i> , 2020 , 15, e0231836	3.7	2
123	Biomarkers of Pancreatic Cancer 2019 , 97-104		
122	Detection of circulating colorectal cancer cells by a custom microfluid system before and after endoscopic metallic stent placement. <i>Oncology Letters</i> , 2019 , 18, 6397-6404	2.6	4
121	Identifying Inhibitors of the HBx-DDB1 Interaction Using a Split Luciferase Assay System. <i>Journal of Visualized Experiments</i> , 2019 ,	1.6	3
120	Expression of circular RNA CDR1-AS in colon cancer cells increases cell surface PD-L1 protein levels. <i>Oncology Reports</i> , 2019 , 42, 1459-1466	3.5	25
119	Pevonedistat, a Neuronal Precursor Cell-Expressed Developmentally Down-Regulated Protein 8-Activating Enzyme Inhibitor, Is a Potent Inhibitor of Hepatitis B Virus. <i>Hepatology</i> , 2019 , 69, 1903-1915	11.2	28
118	Liver stiffness measurements in chronic hepatitis C: Treatment evaluation and risk assessment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 921-928	4	11
117	Inhibition of HBV Transcription From cccDNA With Nitazoxanide by Targeting the HBx-DDB1 Interaction. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019 , 7, 297-312	7.9	50
116	CPT2 downregulation adapts HCC to lipid-rich environment and promotes carcinogenesis via acylcarnitine accumulation in obesity. <i>Gut</i> , 2018 , 67, 1493-1504	19.2	66
115	Satellite RNA Increases DNA Damage and Accelerates Tumor Formation in Mouse Models of Pancreatic Cancer. <i>Molecular Cancer Research</i> , 2018 , 16, 1255-1262	6.6	8
114	Inflammation and de-differentiation in pancreatic carcinogenesis. <i>World Journal of Clinical Cases</i> , 2018 , 6, 882-891	1.6	3
113	DHX9 regulates production of hepatitis B virus-derived circular RNA and viral protein levels. <i>Oncotarget</i> , 2018 , 9, 20953-20964	3.3	21
112	ISGF3 with reduced phosphorylation is associated with constitutive expression of interferon-induced genes in aging cells. <i>Npj Aging and Mechanisms of Disease</i> , 2018 , 4, 11	5.5	2
111	Hepatitis B virus pathogenesis: Fresh insights into hepatitis B virus RNA. <i>World Journal of Gastroenterology</i> , 2018 , 24, 2261-2268	5.6	12
110	MicroRNAs and liver disease. <i>Journal of Human Genetics</i> , 2017 , 62, 75-80	4.3	41
109	Biliary epithelial injury-induced regenerative response by IL-33 promotes cholangiocarcinogenesis from peribiliary glands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E3806-E3815	11.5	49
108	Transcriptional activation of the MICA gene with an engineered CRISPR-Cas9 system. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 486, 521-525	3.4	9
107	Impact of histone demethylase KDM3A-dependent AP-1 transactivity on hepatotumorigenesis induced by PI3K activation. <i>Oncogene</i> , 2017 , 36, 6262-6271	9.2	31

106	Repression of MicroRNA Function Mediates Inflammation-associated Colon Tumorigenesis. <i>Gastroenterology</i> , 2017 , 152, 631-643	13.3	18
105	RASAL1 is a potent regulator of hepatic stellate cell activity and liver fibrosis. <i>Oncotarget</i> , 2017 , 8, 64840-64853	5.9	5
104	Satellite RNAs promote pancreatic oncogenic processes via the dysfunction of YBX1. <i>Nature Communications</i> , 2016 , 7, 13006	17.4	25
103	Quantitation of circulating satellite RNAs in pancreatic cancer patients. <i>JCI Insight</i> , 2016 , 1, e86646	9.9	22
102	Inflammation-Associated Carcinogenesis Mediated by the Impairment of microRNA Function in the Gastroenterological Organs 2016 , 223-233		
101	Mutual antagonism between hepatitis B viral mRNA and host microRNA let-7. <i>Scientific Reports</i> , 2016 , 6, 23237	4.9	17
100	ROCK inhibition enhances microRNA function by promoting deadenylation of targeted mRNAs via increasing PAIP2 expression. <i>Nucleic Acids Research</i> , 2015 , 43, 7577-89	20.1	7
99	Tissue-Specific Regulation of p38 β -Mediated Inflammation in Con A-Induced Acute Liver Damage. <i>Journal of Immunology</i> , 2015 , 194, 4759-66	5.3	10
98	Regulation of NKT cell-mediated immune responses to tumours and liver inflammation by mitochondrial PGAM5-Drp1 signalling. <i>Nature Communications</i> , 2015 , 6, 8371	17.4	72
97	Development of a screening method to identify regulators of MICA shedding. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 465, 764-8	3.4	2
96	Diagnostic and therapeutic application of noncoding RNAs for hepatocellular carcinoma. <i>World Journal of Hepatology</i> , 2015 , 7, 1-6	3.4	31
95	Decreased miR122 in hepatocellular carcinoma leads to chemoresistance with increased arginine. <i>Oncotarget</i> , 2015 , 6, 8339-52	3.3	32
94	Circulating RNAs as new biomarkers for detecting pancreatic cancer. <i>World Journal of Gastroenterology</i> , 2015 , 21, 8527-40	5.6	105
93	The role of microRNAs in hepatocarcinogenesis: current knowledge and future prospects. <i>Journal of Gastroenterology</i> , 2014 , 49, 173-84	6.9	27
92	The flavonoid apigenin inhibits hepatitis C virus replication by decreasing mature microRNA122 levels. <i>Virology</i> , 2014 , 462-463, 42-8	3.6	70
91	Impact of PNPLA3 polymorphisms on the development of hepatocellular carcinoma in patients with chronic hepatitis C virus infection. <i>Hepatology Research</i> , 2014 , 44, E137-44	5.1	17
90	Loss of histone demethylase KDM6B enhances aggressiveness of pancreatic cancer through downregulation of C/EBP β . <i>Carcinogenesis</i> , 2014 , 35, 2404-14	4.6	70
89	IL28B minor allele is associated with a younger age of onset of hepatocellular carcinoma in patients with chronic hepatitis C virus infection. <i>Journal of Gastroenterology</i> , 2014 , 49, 748-54	6.9	12

88	Specific delivery of microRNA93 into HBV-replicating hepatocytes downregulates protein expression of liver cancer susceptible gene MICA. <i>Oncotarget</i> , 2014 , 5, 5581-90	3.3	19
87	Transdifferentiation of human fibroblasts into hepatocyte-like cells by defined transcriptional factors. <i>Hepatology International</i> , 2013 , 7, 937-44	8.8	18
86	A genome-wide association study of HCV-induced liver cirrhosis in the Japanese population identifies novel susceptibility loci at the MHC region. <i>Journal of Hepatology</i> , 2013 , 58, 875-82	13.4	50
85	Inhibition of microRNA122 decreases SREBP1 expression by modulating suppressor of cytokine signaling 3 expression. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 438, 230-5	3.4	15
84	Current status of miRNA-targeting therapeutics and preclinical studies against gastroenterological carcinoma. <i>Molecular and Cellular Therapies</i> , 2013 , 1, 5		30
83	MicroRNA-140 acts as a liver tumor suppressor by controlling NF- κ B activity by directly targeting DNA methyltransferase 1 (Dnmt1) expression. <i>Hepatology</i> , 2013 , 57, 162-70	11.2	84
82	The flavonoid apigenin improves glucose tolerance through inhibition of microRNA maturation in miRNA103 transgenic mice. <i>Scientific Reports</i> , 2013 , 3, 2553	4.9	53
81	Histone demethylase KDM4C regulates sphere formation by mediating the cross talk between Wnt and Notch pathways in colonic cancer cells. <i>Carcinogenesis</i> , 2013 , 34, 2380-8	4.6	38
80	The TNF family member 4-1BBL sustains inflammation by interacting with TLR signaling components during late-phase activation. <i>Science Signaling</i> , 2013 , 6, ra87	8.8	19
79	Activation of p38 γ T cells regulates the intestinal host defense against attaching and effacing bacterial infections. <i>Journal of Immunology</i> , 2013 , 191, 2764-2770	5.3	9
78	Regulation of the expression of the liver cancer susceptibility gene MICA by microRNAs. <i>Scientific Reports</i> , 2013 , 3, 2739	4.9	33
77	Unique haploinsufficient role of the microRNA-processing molecule Dicer1 in a murine colitis-associated tumorigenesis model. <i>PLoS ONE</i> , 2013 , 8, e71969	3.7	17
76	MicroRNAs and liver function. <i>Minerva Gastroenterologica E Dietologica</i> , 2013 , 59, 187-203	1.6	10
75	A miRNA machinery component DDX20 controls NF- κ B via microRNA-140 function. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 420, 564-9	3.4	22
74	Silencing of microRNA-122 enhances interferon- γ signaling in the liver through regulating SOCS3 promoter methylation. <i>Scientific Reports</i> , 2012 , 2, 637	4.9	61
73	MicroRNA-22 and microRNA-140 suppress NF- κ B activity by regulating the expression of NF- κ B coactivators. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 411, 826-31	3.4	61
72	Serum metabolomics reveals γ -glutamyl dipeptides as biomarkers for discrimination among different forms of liver disease. <i>Journal of Hepatology</i> , 2011 , 55, 896-905	13.4	178
71	Altered composition of fatty acids exacerbates hepatotumorigenesis during activation of the phosphatidylinositol 3-kinase pathway. <i>Journal of Hepatology</i> , 2011 , 55, 1400-8	13.4	47

70	Genome-wide association study identifies a susceptibility locus for HCV-induced hepatocellular carcinoma. <i>Nature Genetics</i> , 2011 , 43, 455-8	36.3	296
69	MicroRNA122 is a key regulator of Eftoprotein expression and influences the aggressiveness of hepatocellular carcinoma. <i>Nature Communications</i> , 2011 , 2, 338	17.4	83
68	Direct differentiation of hepatic cells from human induced pluripotent stem cells using a limited number of cytokines. <i>Hepatology International</i> , 2011 , 5, 890-8	8.8	34
67	Reduced expression of RAS protein activator like-1 in gastric cancer. <i>International Journal of Cancer</i> , 2011 , 128, 1293-302	7.5	18
66	Receptor for activated protein kinase C: requirement for efficient microRNA function and reduced expression in hepatocellular carcinoma. <i>PLoS ONE</i> , 2011 , 6, e24359	3.7	18
65	Epithelial p38alpha controls immune cell recruitment in the colonic mucosa. <i>PLoS Pathogens</i> , 2010 , 6, e1000934	7.6	19
64	Apoptosis signal-regulating kinase 1 regulates colitis and colitis-associated tumorigenesis by the innate immune responses. <i>Gastroenterology</i> , 2010 , 138, 1055-67.e1-4	13.3	49
63	Distinct effects of p38alpha deletion in myeloid lineage and gut epithelia in mouse models of inflammatory bowel disease. <i>Gastroenterology</i> , 2010 , 138, 1255-65, 1265.e1-9	13.3	85
62	TNF-alpha stimulation inhibits siRNA-mediated RNA interference through a mechanism involving poly-(A) tail stabilization. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2008 , 1779, 712-9 ⁶		5
61	Macrophage deletion of p38alpha partially impairs lipopolysaccharide-induced cellular activation. <i>Journal of Immunology</i> , 2008 , 180, 5075-82	5.3	123
60	Potential contribution of tumor suppressor p53 in the host defense against hepatitis C virus. <i>Hepatology</i> , 2008 , 47, 1136-49	11.2	53
59	Impaired microRNA processing causes corpus luteum insufficiency and infertility in mice. <i>Journal of Clinical Investigation</i> , 2008 , 118, 1944-54	15.9	255
58	Absence of tyrosine kinase mutations in Japanese colorectal cancer patients. <i>Oncogene</i> , 2007 , 26, 2133-5.2	9.2	12
57	Cell surface 4-1BBL mediates sequential signaling pathways downstream of TLR and is required for sustained TNF production in macrophages. <i>Nature Immunology</i> , 2007 , 8, 601-9	19.1	89
56	Interferon-beta is activated by hepatitis C virus NS5B and inhibited by NS4A, NS4B, and NS5A. <i>Hepatology International</i> , 2007 , 1, 302-10	8.8	25
55	Calcineurin negatively regulates TLR-mediated activation pathways. <i>Journal of Immunology</i> , 2007 , 179, 4598-607	5.3	85
54	Hypersusceptibility to vesicular stomatitis virus infection in Dicer1-deficient mice is due to impaired miR24 and miR93 expression. <i>Immunity</i> , 2007 , 27, 123-34	32.3	286
53	Hepatitis C virus core protein is a potent inhibitor of RNA silencing-based antiviral response. <i>Gastroenterology</i> , 2006 , 130, 883-92	13.3	93

52	Nucleotide change of codon 38 in the X gene of hepatitis B virus genotype C is associated with an increased risk of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2006 , 45, 805-12	13.4	64
51	Vitamin K2 binds 17beta-hydroxysteroid dehydrogenase 4 and modulates estrogen metabolism. <i>Life Sciences</i> , 2005 , 76, 2473-82	6.8	17
50	Acyclic retinoid inhibits human hepatoma cell growth by suppressing fibroblast growth factor-mediated signaling pathways. <i>Gastroenterology</i> , 2005 , 128, 86-95	13.3	38
49	Interaction between the HCV NS3 protein and the host TBK1 protein leads to inhibition of cellular antiviral responses. <i>Hepatology</i> , 2005 , 41, 1004-12	11.2	106
48	Large-scale search of single nucleotide polymorphisms for hepatocellular carcinoma susceptibility genes in patients with hepatitis C. <i>Hepatology</i> , 2005 , 42, 846-53	11.2	54
47	No mutations in the tyrosine kinases of human hepatic, pancreatic, and gastric cancer cell lines. <i>Journal of Gastroenterology</i> , 2005 , 40, 918	6.9	2
46	Identifying genes with differential expression in gemcitabine-resistant pancreatic cancer cells using comprehensive transcriptome analysis. <i>Oncology Reports</i> , 2005 , 14, 1263	3.5	
45	Hepatitis C virus core protein and hepatitis activity are associated through transactivation of interleukin-8. <i>Journal of Infectious Diseases</i> , 2005 , 192, 266-75	7	15
44	Hepatic gene expression profiles associated with fibrosis progression and hepatocarcinogenesis in hepatitis C patients. <i>World Journal of Gastroenterology</i> , 2005 , 11, 1995-9	5.6	41
43	NF-kappaB and ERK-signaling pathways contribute to the gene expression induced by cag PAI-positive-Helicobacter pylori infection. <i>World Journal of Gastroenterology</i> , 2005 , 11, 6134-43	5.6	21
42	UDP-glucuronosyltransferase 1A7 genetic polymorphisms are associated with hepatocellular carcinoma in Japanese patients with hepatitis C virus infection. <i>Clinical Cancer Research</i> , 2004 , 10, 2441-6 ^{12.9}	12.9	59
41	Smad4-independent regulation of p21/WAF1 by transforming growth factor-beta. <i>Oncogene</i> , 2004 , 23, 1043-51	9.2	69
40	Vitamin K2 inhibits the growth and invasiveness of hepatocellular carcinoma cells via protein kinase A activation. <i>Hepatology</i> , 2004 , 40, 243-51	11.2	104
39	Hepatitis C virus core protein upregulates transforming growth factor-beta 1 transcription. <i>Journal of Medical Virology</i> , 2004 , 72, 52-9	19.7	107
38	A simple combination of serum type IV collagen and prothrombin time to diagnose cirrhosis in patients with chronic active hepatitis C. <i>Hepatology Research</i> , 2004 , 30, 214-220	5.1	8
37	Interleukin-1beta gene polymorphisms associated with hepatocellular carcinoma in hepatitis C virus infection. <i>Hepatology</i> , 2003 , 37, 65-71	11.2	136
36	Antiapoptotic regulation by hepatitis C virus core protein through up-regulation of inhibitor of caspase-activated DNase. <i>Virology</i> , 2003 , 317, 24-35	3.6	50
35	Comparing gene expression profiles in human liver, gastric, and pancreatic tissues using full-length-enriched cDNA libraries. <i>Hepatology Research</i> , 2003 , 27, 76-82	5.1	4

34	Differential cellular gene expression induced by hepatitis B and C viruses. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 300, 443-7	3.4	40
33	Synergistic activation of the serum response element-dependent pathway by hepatitis B virus x protein and large-isoform hepatitis delta antigen. <i>Journal of Infectious Diseases</i> , 2003 , 187, 820-8	7	19
32	Signals Induced by HCV Proteins 2003 , 32-47		
31	Relevance network between chemosensitivity and transcriptome in human hepatoma cells. <i>Molecular Cancer Therapeutics</i> , 2003 , 2, 199-205	6.1	34
30	Liver chip and gene shaving. <i>Journal of Gastroenterology</i> , 2003 , 38 Suppl 15, 89-92	6.9	3
29	Expression profiling of liver cell lines expressing entire or parts of hepatitis C virus open reading frame. <i>Hepatology</i> , 2002 , 36, 1431-1438	11.2	16
28	Identification of candidate genes for Sjögren's syndrome using MRL/lpr mouse model of Sjögren's syndrome and cDNA microarray analysis. <i>Immunology Letters</i> , 2002 , 81, 171-6	4.1	15
27	Hepatitis C virus core protein inhibits apoptosis via enhanced Bcl-xL expression. <i>Virology</i> , 2002 , 296, 84-93	3.6	55
26	The evaluation of putative virulence factors of Helicobacter pylori for gastroduodenal disease by use of a short-term Mongolian gerbil infection model. <i>Journal of Infectious Diseases</i> , 2002 , 185, 341-7	7	46
25	Identification of genes associated with sensitivity to 5-fluorouracil and cisplatin in hepatoma cells. <i>Journal of Gastroenterology</i> , 2002 , 37 Suppl 14, 92-5	6.9	7
24	Induction of Proliferation-Related Signals by Hepatitis C Virus 2002 , 81-98		
23	Expression profiling of liver cell lines expressing entire or parts of hepatitis C virus open reading frame. <i>Hepatology</i> , 2002 , 36, 1431-8	11.2	19
22	cDNA microarray analysis of Helicobacter pylori-mediated alteration of gene expression in gastric cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 284, 443-9	3.4	68
21	Differential expression of the L-plastin gene in human colorectal cancer progression and metastasis. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 289, 876-81	3.4	78
20	Hepatitis C virus core protein activates nuclear factor kappa B-dependent signaling through tumor necrosis factor receptor-associated factor. <i>Journal of Biological Chemistry</i> , 2001 , 276, 16399-405	5.4	82
19	Activation of intracellular signaling by hepatitis B and C viruses: C-viral core is the most potent signal inducer. <i>Hepatology</i> , 2000 , 32, 405-12	11.2	168
18	Hepatitis C virus core protein enhances p53 function through augmentation of DNA binding affinity and transcriptional ability. <i>Journal of Biological Chemistry</i> , 2000 , 275, 34122-30	5.4	131
17	Large isoform of hepatitis delta antigen activates serum response factor-associated transcription. <i>Journal of Biological Chemistry</i> , 2000 , 275, 37311-6	5.4	23

16	Use of NK1 receptor antagonists in the exploration of physiological functions of substance P and neurokinin A. <i>Canadian Journal of Physiology and Pharmacology</i> , 1995 , 73, 903-7	2.4	7
15	Nigrofrontal dopaminergic function as assessed by 18F-dopa PET. <i>Nuclear Medicine Communications</i> , 1995 , 16, 1021-5	1.6	2
14	Expression of the intestinal T-lymphocyte-associated-molecule recognized by the HML-1 antibody on mononuclear cells from HTLV-I-infected subjects. <i>American Journal of Hematology</i> , 1995 , 50, 1-8	7.1	7
13	Striatal 18F-dopa uptake and brain glucose metabolism by PET in patients with syndrome of progressive ataxia. <i>Journal of the Neurological Sciences</i> , 1994 , 124, 198-203	3.2	12
12	Cerebral glucose metabolism and striatal 18F-dopa uptake by PET in cases of chorea with or without dementia. <i>Journal of the Neurological Sciences</i> , 1993 , 115, 153-7	3.2	20
11	Evaluation of the ratio method compared with graphical analyses for estimating nigrostriatal function in human 18F-dopa PET studies with or without carbidopa. <i>Nuclear Medicine Communications</i> , 1993 , 14, 862-7	1.6	5
10	Neurotransmitter functions of mammalian tachykinins. <i>Physiological Reviews</i> , 1993 , 73, 229-308	47.9	999
9	Increased striatal 18F-dopa uptake and normal glucose metabolism in idiopathic dystonia syndrome. <i>Journal of the Neurological Sciences</i> , 1992 , 111, 195-9	3.2	23
8	Striatal blood flow, glucose metabolism and 18F-dopa uptake: difference in Parkinson's disease and atypical parkinsonism. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1991 , 54, 898-904	5.5	60
7	Tachykinin-evoked release of neurotransmitters from isolated spinal cord of the newborn rat. <i>Annals of the New York Academy of Sciences</i> , 1991 , 632, 212-9	6.5	7
6	Tumor necrosis factor-beta in the serum of adult T-cell leukemia with hypercalcemia. <i>Blood</i> , 1991 , 77, 2451-2455	2.2	25
5	Tumor necrosis factor-beta in the serum of adult T-cell leukemia with hypercalcemia. <i>Blood</i> , 1991 , 77, 2451-2455	2.2	
4	Pain and neurotransmitters. <i>Cellular and Molecular Neurobiology</i> , 1990 , 10, 293-302	4.6	52
3	Cerebral blood flow, oxygen and glucose metabolism with PET in progressive supranuclear palsy. <i>Annals of Nuclear Medicine</i> , 1989 , 3, 111-8	2.5	29
2	Effect of a tachykinin antagonist on a nociceptive reflex in the isolated spinal cord-tail preparation of the newborn rat. <i>Journal of Physiology</i> , 1988 , 395, 255-70	3.9	114
1	Effect of a substance P antagonist on capsaicin-induced nociceptive reflex in the isolated spinal cord-tail preparation of the rat. <i>Acta Physiologica Hungarica</i> , 1987 , 69, 363-6		4