

Ailiang Zeng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8555326/publications.pdf>

Version: 2024-02-01

22
papers

1,420
citations

471371

17
h-index

677027

22
g-index

22
all docs

22
docs citations

22
times ranked

1921
citing authors

#	ARTICLE	IF	CITATIONS
1	Circular RNA AKT3 upregulates PIK3R1 to enhance cisplatin resistance in gastric cancer via miR-198 suppression. <i>Molecular Cancer</i> , 2019, 18, 71.	7.9	289
2	Exosomal transfer of long non-coding RNA SBF2-AS1 enhances chemoresistance to temozolomide in glioblastoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 166.	3.5	181
3	Exosomal transfer of miR-151a enhances chemosensitivity to temozolomide in drug-resistant glioblastoma. <i>Cancer Letters</i> , 2018, 436, 10-21.	3.2	139
4	Exosomal transfer of miR-1238 contributes to temozolomide-resistance in glioblastoma. <i>EBioMedicine</i> , 2019, 42, 238-251.	2.7	135
5	miR-423-5p contributes to a malignant phenotype and temozolomide chemoresistance in glioblastomas. <i>Neuro-Oncology</i> , 2017, 19, 55-65.	0.6	105
6	miR-129-5p targets Wnt5a to block PKC/ERK/NF- κ B and JNK pathways in glioblastoma. <i>Cell Death and Disease</i> , 2018, 9, 394.	2.7	78
7	IDH1/2 mutation status combined with Ki-67 labeling index defines distinct prognostic groups in glioma. <i>Oncotarget</i> , 2015, 6, 30232-30238.	0.8	77
8	H19 Functions as a Competing Endogenous RNA to Regulate EMT by Sponging miR-130a-3p in Glioma. <i>Cellular Physiology and Biochemistry</i> , 2018, 50, 233-245.	1.1	56
9	Extracellular vesicles derived from hypoxic glioma stem-like cells confer temozolomide resistance on glioblastoma by delivering miR-30b-3p. <i>Theranostics</i> , 2021, 11, 1763-1779.	4.6	55
10	S100A11 functions as novel oncogene in glioblastoma via S100A11/ANXA2/NF- κ B positive feedback loop. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 6907-6918.	1.6	41
11	MicroRNA-141-3p promotes glioma cell growth and temozolomide resistance by directly targeting p53. <i>Oncotarget</i> , 2017, 8, 71080-71094.	0.8	39
12	Fstl1/DIP2A/MGMT signaling pathway plays important roles in temozolomide resistance in glioblastoma. <i>Oncogene</i> , 2019, 38, 2706-2721.	2.6	36
13	CircRNACCDC66 regulates cisplatin resistance in gastric cancer via the miR-618/BCL2 axis. <i>Biochemical and Biophysical Research Communications</i> , 2020, 526, 713-720.	1.0	35
14	Exosomes derived from microRNA-512-5p-transfected bone mesenchymal stem cells inhibit glioblastoma progression by targeting JAG1. <i>Aging</i> , 2021, 13, 9911-9926.	1.4	28
15	Fstl1 Promotes Glioma Growth Through the BMP4/Smad1/5/8 Signaling Pathway. <i>Cellular Physiology and Biochemistry</i> , 2017, 44, 1616-1628.	1.1	27
16	The long noncoding RNA ZFAS1 promotes the progression of glioma by regulating the miR-150a-5p/PLP2 axis. <i>Journal of Cellular Physiology</i> , 2020, 235, 2937-2946.	2.0	26
17	Qki activates Srebp2-mediated cholesterol biosynthesis for maintenance of eye lens transparency. <i>Nature Communications</i> , 2021, 12, 3005.	5.8	22
18	miR-17-5p-CXCL14 axis related transcriptome profile and clinical outcome in diffuse gliomas. <i>Oncolmmunology</i> , 2018, 7, e1510277.	2.1	17

#	ARTICLE	IF	CITATIONS
19	Long non-coding RNA SNHG5 promotes glioma progression via miR-205/E2F3 axis. Bioscience Reports, 2019, 39, .	1.1	15
20	Genome-wide identification of epithelial-mesenchymal transition-associated microRNAs reveals novel targets for glioblastoma therapy. Oncology Letters, 2018, 15, 7625-7630.	0.8	9
21	Polycomb group expression signatures in the malignant progression of gliomas. Oncology Letters, 2017, 13, 2583-2590.	0.8	5
22	RelB, a good prognosis predictor, links cell-cycle and migration to glioma tumorigenesis. Oncology Letters, 2018, 15, 4404-4410.	0.8	5