

Zhen Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/855549/publications.pdf>

Version: 2024-02-01

41
papers

2,126
citations

304743

22
h-index

289244

40
g-index

41
all docs

41
docs citations

41
times ranked

2311
citing authors

#	ARTICLE	IF	CITATIONS
1	High Miscibility Compatible with Ordered Molecular Packing Enables an Excellent Efficiency of 16.2% in All-Small-Molecule Organic Solar Cells. <i>Advanced Materials</i> , 2022, 34, e2106316.	21.0	74
2	Branched Alkoxy Side Chain Enables High-Performance Non-Fullerene Acceptors with High Open-Circuit Voltage and Highly Ordered Molecular Packing. <i>Chemistry of Materials</i> , 2022, 34, 2059-2068.	6.7	20
3	Revealing aggregation of non-fullerene acceptors in intermixed phase by ultraviolet-visible absorption spectroscopy. <i>Cell Reports Physical Science</i> , 2022, 3, 100983.	5.6	6
4	Functionalization of Benzotriazole-Based Conjugated Polymers for Solar Cells: Heteroatom vs Substituents. <i>ACS Applied Polymer Materials</i> , 2021, 3, 30-41.	4.4	14
5	Optically Probing Field-Dependent Charge Dynamics in Non-Fullerene Organic Photovoltaics with Small Interfacial Energy Offsets. <i>Journal of Physical Chemistry C</i> , 2021, 125, 1714-1722.	3.1	5
6	Creating Side Transport Pathways in Organic Solar Cells by Introducing Delayed Fluorescence Molecules. <i>Chemistry of Materials</i> , 2021, 33, 4578-4585.	6.7	11
7	Orientationally engineered 2D/3D perovskite for high efficiency solar cells. <i>Sustainable Energy and Fuels</i> , 2020, 4, 324-330.	4.9	35
8	Impact of Isomer Design on Physicochemical Properties and Performance in High-Efficiency All-Polymer Solar Cells. <i>Macromolecules</i> , 2020, 53, 9026-9033.	4.8	25
9	Incorporation of alkylthio side chains on benzothiadiazole-based non-fullerene acceptors enables high-performance organic solar cells with over 16% efficiency. <i>Journal of Materials Chemistry A</i> , 2020, 8, 23239-23247.	10.3	39
10	Deciphering the Role of Chalcogen-Containing Heterocycles in Nonfullerene Acceptors for Organic Solar Cells. <i>ACS Energy Letters</i> , 2020, 5, 3415-3425.	17.4	73
11	Tailoring non-fullerene acceptors using selenium-incorporated heterocycles for organic solar cells with over 16% efficiency. <i>Journal of Materials Chemistry A</i> , 2020, 8, 23756-23765.	10.3	85
12	Selective Hole and Electron Transport in Efficient Quaternary Blend Organic Solar Cells. <i>Joule</i> , 2020, 4, 1790-1805.	24.0	110
13	Modulating Energy Level on an A ² D ² A ² -Type Unfused Acceptor by a Benzothiadiazole Core Enables Organic Solar Cells with Simple Procedure and High Performance. <i>Solar Rrl</i> , 2020, 4, 2000421.	5.8	48
14	Thermodynamic Properties and Molecular Packing Explain Performance and Processing Procedures of Three D18:NFA Organic Solar Cells. <i>Advanced Materials</i> , 2020, 32, e2005386.	21.0	130
15	Ternary Organic Solar Cells Based on Two Non-Fullerene Acceptors with Complimentary Absorption and Balanced Crystallinity. <i>Chinese Journal of Chemistry</i> , 2020, 38, 935-940.	4.9	21
16	Effect of Side-Chain Variation on Single-Crystalline Structures for Revealing the Structure-Property Relationships of Organic Solar Cells. <i>Organic Materials</i> , 2020, 02, 026-032.	2.0	1
17	Chain Engineering of Benzodifuran-Based Wide-Bandgap Polymers for Efficient Non-Fullerene Polymer Solar Cells. <i>Macromolecular Rapid Communications</i> , 2019, 40, e1900227.	3.9	15
18	A- π -D- π -A small-molecule donors with different end alkyl chains obtain different morphologies in organic solar cells. <i>Chinese Chemical Letters</i> , 2019, 30, 906-910.	9.0	8

#	ARTICLE	IF	CITATIONS
19	Efficient Polymer Solar Cells With High Fill Factor Enabled by A Furo[3,4- <i>c</i>]pyrrole-4,6-dione-Based Copolymer. <i>Solar Rrl</i> , 2019, 3, 1900012.	5.8	17
20	Organic Solar Cells Based on High Hole Mobility Conjugated Polymer and Nonfullerene Acceptor with Comparable Bandgaps and Suitable Energy Level Offsets Showing Significant Suppression of J_{sc} vs V_{oc} Trade-Off. <i>Solar Rrl</i> , 2019, 3, 1900079.	5.8	25
21	Fluorination-substitution effect on all-small-molecule organic solar cells. <i>Science China Chemistry</i> , 2019, 62, 837-844.	8.2	32
22	Efficient post-treatment-free polymer solar cells from indacenodithiophene and fluorinated quinoxaline-based conjugated polymers. <i>Dyes and Pigments</i> , 2018, 154, 164-171.	3.7	5
23	Naphtho[1,2- <i>b</i> :5,6- <i>b'</i>]dithiophene-Based Conjugated Polymers for Fullerene-Free Inverted Polymer Solar Cells. <i>Macromolecular Rapid Communications</i> , 2018, 39, e1700872.	3.9	11
24	Two-dimensional benzo[1,2- <i>b</i> :4,5- <i>b'</i>]difuran-based wide bandgap conjugated polymers for efficient fullerene-free polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 4023-4031.	10.3	37
25	Improve the Performance of the All-Small-Molecule Nonfullerene Organic Solar Cells through Enhancing the Crystallinity of Acceptors. <i>Advanced Energy Materials</i> , 2018, 8, 1702377.	19.5	87
26	From Alloy-Like to Cascade Blended Structure: Designing High-Performance All-Small-Molecule Ternary Solar Cells. <i>Journal of the American Chemical Society</i> , 2018, 140, 1549-1556.	13.7	145
27	Wide-Bandgap Conjugated Polymers Based on Alkylthiofuran-Substituted Benzo[1,2- <i>b</i> :4,5- <i>b'</i>]difuran for Efficient Fullerene-Free Polymer Solar Cells. <i>Macromolecules</i> , 2018, 51, 2498-2505.	4.8	23
28	Fluorination Induced Donor to Acceptor Transformation in A1-D π -A2-D π -A1-Type Photovoltaic Small Molecules. <i>Frontiers in Chemistry</i> , 2018, 6, 384.	3.6	4
29	Suppressing charge recombination in small-molecule ternary organic solar cells by modulating donor-acceptor interfacial arrangements. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 24570-24576.	2.8	13
30	Macroscopic helical chirality and self-motion of hierarchical self-assemblies induced by enantiomeric small molecules. <i>Nature Communications</i> , 2018, 9, 3808.	12.8	34
31	An Asymmetrical Polymer Based on Thieno[2,3- <i>f</i>]benzofuran for Efficient Fullerene-Free Polymer Solar Cells. <i>ACS Applied Energy Materials</i> , 2018, 1, 1888-1892.	5.1	18
32	Modulation of the Molecular Orientation at the Bulk Heterojunction Interface via Tuning the Small Molecular Donor-Nonfullerene Acceptor Interactions. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 31526-31534.	8.0	26
33	1D/2A ternary blend active layer enables as-cast polymer solar cells with higher efficiency, better thickness tolerance, and higher thermal stability. <i>Organic Electronics</i> , 2018, 61, 359-365.	2.6	18
34	Aromatic end-capped acceptor effects on molecular stacking and the photovoltaic performance of solution-processable small molecules. <i>Journal of Materials Chemistry A</i> , 2018, 6, 22077-22085.	10.3	19
35	Combining Energy Transfer and Optimized Morphology for Highly Efficient Ternary Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1602552.	19.5	97
36	A π -D π -A Electron-Donating Small Molecules for Solution-Processed Organic Solar Cells: A Review. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1700470.	3.9	70

#	ARTICLE	IF	CITATIONS
37	Versatile asymmetric thiophene/benzothiophene flanked diketopyrrolopyrrole polymers with ambipolar properties for OFETs and OSCs. <i>Polymer Chemistry</i> , 2017, 8, 5603-5610.	3.9	33
38	Self-Doped and Crown-Ether Functionalized Fullerene as Cathode Buffer Layer for Highly Efficient Inverted Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2016, 6, .	19.5	13
39	Fluorination-enabled optimal morphology leads to over 11% efficiency for inverted small-molecule organic solar cells. <i>Nature Communications</i> , 2016, 7, 13740.	12.8	549
40	Acceptor End-Capped Oligomeric Conjugated Molecules with Broadened Absorption and Enhanced Extinction Coefficients for High-Efficiency Organic Solar Cells. <i>Advanced Materials</i> , 2016, 28, 5980-5985.	21.0	87
41	Understanding the Impact of Hierarchical Nanostructure in Ternary Organic Solar Cells. <i>Advanced Science</i> , 2015, 2, 1500250.	11.2	43