Alexander V Glushakov

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8556699/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Intracranial Pressure Monitoring in Experimental Traumatic Brain Injury: Implications for Clinical Management. Journal of Neurotrauma, 2020, 37, 2401-2413.	1.7	5
2	Role of Caspase-3-Mediated Apoptosis in Chronic Caspase-3-Cleaved Tau Accumulation and Blood–Brain Barrier Damage in the Corpus Callosum after Traumatic Brain Injury in Rats. Journal of Neurotrauma, 2018, 35, 157-173.	1.7	70
3	Chronic Upregulation of Cleaved-Caspase-3 Associated with Chronic Myelin Pathology and Microvascular Reorganization in the Thalamus after Traumatic Brain Injury in Rats. International Journal of Molecular Sciences, 2018, 19, 3151.	1.8	20
4	The Use of Blood-Based Biomarkers to Improve the Design of Clinical Trials of Traumatic Brain Injury. , 2018, , 139-166.		7
5	The Potential of Brain-Specific Blood Biomarkers for TBI Patient Management, Diagnosis, and Clinical Research. , 2018, , 189-210.		0
6	Prospective clinical biomarkers of caspase-mediated apoptosis associated with neuronal and neurovascular damage following stroke and other severe brain injuries: Implications for chronic neurodegeneration. Brain Circulation, 2017, 3, 87.	0.7	38
7	Age-Dependent Effects of Haptoglobin Deletion in Neurobehavioral and Anatomical Outcomes Following Traumatic Brain Injury. Frontiers in Molecular Biosciences, 2016, 3, 34.	1.6	9
8	Animal Models of Posttraumatic Seizures and Epilepsy. Methods in Molecular Biology, 2016, 1462, 481-519.	0.4	30
9	Biomarkers for acute diagnosis and management of stroke in neurointensive care units. Brain Circulation, 2016, 2, 28.	0.7	69
10	Finding effective biomarkers for pediatric traumatic brain injury. Brain Circulation, 2016, 2, 129.	0.7	0
11	Role of the Prostaglandin E2 EP1 Receptor in Traumatic Brain Injury. PLoS ONE, 2014, 9, e113689.	1.1	15
12	Prostaglandin F2α FP receptor antagonist improves outcomes after experimental traumatic brain injury. Journal of Neuroinflammation, 2013, 10, 132.	3.1	45
13	Contribution of PGE2 EP1 receptor in hemin-induced neurotoxicity. Frontiers in Molecular Neuroscience, 2013, 6, 31.	1.4	21
14	Abstract TMP34: Prostaglandin PGF2a Receptors as a Putative Therapeutic Target in Stroke and Traumatic Brain Injury. Stroke, 2013, 44, .	1.0	0
15	Putative Role of Prostaglandin Receptor in Intracerebral Hemorrhage. Frontiers in Neurology, 2012, 3, 145.	1.1	39
16	Halogenated aromatic amino acid 3,5-dibromo-d-tyrosine produces beneficial effects in experimental stroke and seizures. Amino Acids, 2011, 40, 1151-1158.	1.2	2
17	Efficacy of 3,5â€dibromo‣â€phenylalanine in rat models of stroke, seizures and sensorimotor gating deficit. British Journal of Pharmacology, 2009, 158, 2005-2013.	2.7	7
18	Enzyme-based lactic acid detection using AlGaNâ^•GaN high electron mobility transistors with ZnO nanorods grown on the gate region. Applied Physics Letters, 2008, 93, .	1.5	54

Alexander V Glushakov

#	Article	IF	CITATIONS
19	Halogenated Derivatives of Aromatic Amino Acids Exhibit Balanced Antiglutamatergic Actions: Potential Applications for the Treatment of Neurological and Neuropsychiatric Disorders. Recent Patents on CNS Drug Discovery, 2006, 1, 261-270.	0.9	3
20	Differential Modulation of Glutamatergic Transmission by 3,5-Dibromo-l-phenylalanine. Molecular Pharmacology, 2005, 67, 1648-1654.	1.0	6
21	Impaired glutamatergic synaptic transmission in the PKU brain. Molecular Genetics and Metabolism, 2005, 86, 34-42.	0.5	48
22	Neuroprotective Action of Halogenated Derivatives of L-Phenylalanine. Stroke, 2004, 35, 1192-1196.	1.0	32
23	Long-term changes in glutamatergic synaptic transmission in phenylketonuria. Brain, 2004, 128, 300-307.	3.7	44
24	Distribution of neuronal nicotinic acetylcholine receptors containing different alpha-subunits in the submucosal plexus of the guinea-pig. Autonomic Neuroscience: Basic and Clinical, 2004, 110, 19-26.	1.4	26
25	L-phenylalanine selectively depresses currents at glutamatergic excitatory synapses. Journal of Neuroscience Research, 2003, 72, 116-124.	1.3	36
26	Specific inhibition of N-methyl-D-aspartate receptor function in rat hippocampal neurons by L-phenylalanine at concentrations observed during phenylketonuria. Molecular Psychiatry, 2002, 7, 359-367.	4.1	60
27	Modulation of nicotinic acetylcholine receptor activity in submucous neurons by intracellular messengers. Journal of the Autonomic Nervous System, 1999, 75, 16-22.	1.9	7
28	Two types of P2x-purinoceptors in neurons of the guinea pig ileum submucous plexus. Neurophysiology, 1998, 30, 242-245.	0.2	14
29	ATP-induced currents in submucous plexus neurons of the guinea pig small intestine. Neurophysiology, 1996, 28, 77-85.	0.2	17
30	Specific inhibition of N-methyl-D-aspartate receptor function in rat hippocampal neurons by L-phenylalanine at concentrations observed during phenylketonuria. , 0, .		1