

Jacob E MÃller Dscmed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8557034/publications.pdf>

Version: 2024-02-01

236
papers

9,606
citations

47409

49
h-index

49824

91
g-index

239
all docs

239
docs citations

239
times ranked

10374
citing authors

#	ARTICLE	IF	CITATIONS
1	Outcome in Elderly Patients With Cardiogenic Shock Complicating Acute Myocardial Infarction. <i>Shock</i> , 2022, 57, 327-335.	1.0	3
2	Comparing Doppler Echocardiography and Thermodilution for Cardiac Output Measurements in a Contemporary Cohort of Comatose Cardiac Arrest Patients Undergoing Targeted Temperature Management. <i>Therapeutic Hypothermia and Temperature Management</i> , 2022, 12, 159-167.	0.3	2
3	Diagnostic accuracy of focused deep venous, lung, cardiac and multiorgan ultrasound in suspected pulmonary embolism: a systematic review and meta-analysis. <i>Thorax</i> , 2022, 77, 679-689.	2.7	17
4	Aortic valve calcification among elderly males from the general population, associated echocardiographic findings, and clinical implications. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 177-184.	0.5	6
5	Transesophageal and intracardiac echocardiography to guide transcatheter tricuspid valve repair with the TriClip [®] system. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 609-611.	0.7	5
6	Effect of Empagliflozin on Blood Volume Redistribution in Patients With Chronic Heart Failure and Reduced Ejection Fraction: An Analysis From the Empire HF Randomized Clinical Trial. <i>Circulation: Heart Failure</i> , 2022, 15, .	1.6	17
7	Longer retrieval distances to the automated external defibrillator reduces survival after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2022, 170, 44-52.	1.3	3
8	Impella Mechanical Circulatory Support for Takotsubo Syndrome With Shock: A Retrospective Multicenter Analysis. <i>Cardiovascular Revascularization Medicine</i> , 2022, 40, 113-119.	0.3	9
9	Sex Differences in Factors Associated With Progression of Aortic Valve Calcification in the General Population. <i>Circulation: Cardiovascular Imaging</i> , 2022, 15, CIRCIMAGING121013165.	1.3	13
10	Return to work after acute myocardial infarction with cardiogenic shock: a Danish nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 397-406.	0.4	2
11	The effect of empagliflozin on growth differentiation factor 15 in patients with heart failure: a randomized controlled trial (Empire HF Biomarker). <i>Cardiovascular Diabetology</i> , 2022, 21, 34.	2.7	10
12	The "Blood pressure and oxygenation targets in post resuscitation care, a randomized clinical trial" design and statistical analysis plan. <i>Trials</i> , 2022, 23, 177.	0.7	9
13	Timing and Causes of Death in Acute Myocardial Infarction Complicated by Cardiogenic Shock (from Tj ETQq1 1 0.784314 rgBT /Ove	0.7	9
14	Vitamin K2 and D in Patients With Aortic Valve Calcification: A Randomized Double-Blinded Clinical Trial. <i>Circulation</i> , 2022, 145, 1387-1397.	1.6	27
15	Impella to Treat Acute Myocardial Infarct-Related Cardiogenic Shock. <i>Journal of Clinical Medicine</i> , 2022, 11, 2427.	1.0	5
16	Association between inflammatory markers and survival in comatose, resuscitated out-of-hospital cardiac arrest patients. <i>Scandinavian Cardiovascular Journal</i> , 2022, 56, 85-90.	0.4	4
17	Sodium-Glucose Cotransporter-2 Inhibitors in Heart Failure with Reduced Ejection Fraction: Current Evidence and Future Perspectives. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, .	1.2	1
18	The Effect of Empagliflozin on Contractile Reserve in Heart Failure: Prespecified Sub-Study of a Randomized, Double-Blind, and Placebo-Controlled Trial. <i>American Heart Journal</i> , 2022, 250, 57-57.	1.2	1

#	ARTICLE	IF	CITATIONS
19	Impact of Hypothermia on Oxygenation Variables and Metabolism in Survivors of Out-of-Hospital Cardiac Arrest Undergoing Targeted Temperature Management at 33°C Versus 36°C. Therapeutic Hypothermia and Temperature Management, 2021, 11, 170-178.	0.3	6
20	Prognostic importance of culprit lesion location in cardiogenic shock due to myocardial infarction. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 25-32.	0.4	6
21	Sex differences in aortic valve calcification in severe aortic valve stenosis: association between computer tomography assessed calcification and valvular calcium concentrations. European Heart Journal Cardiovascular Imaging, 2021, 22, 581-588.	0.5	16
22	The relation of structural valve deterioration to adverse remodelling and outcome in patients with biological heart valve prostheses. European Heart Journal Cardiovascular Imaging, 2021, 22, 82-91.	0.5	3
23	Individual, expected diameters of the ascending aorta and prevalence of dilations in a study-population aged 60-74 years: a DANCAVAS substudy. International Journal of Cardiovascular Imaging, 2021, 37, 971-980.	0.7	6
24	Reply to: Letter to the editor: Breaking the trend in cardiogenic shock—From door-to-balloon to door-to-support. American Heart Journal, 2021, 231, 161.	1.2	0
25	STEMI, Cardiogenic Shock, and Mortality in Patients Admitted for Acute Angiography: Associations and Predictions from Plasma Proteome Data. Shock, 2021, 55, 41-47.	1.0	5
26	The association between aortic valve calcification, cardiovascular risk factors, and cardiac size and function in a general population. International Journal of Cardiovascular Imaging, 2021, 37, 711-722.	0.7	6
27	Association of Body Mass Index with Mortality in Patients with Cardiogenic Shock following Acute Myocardial Infarction: A Contemporary Danish Cohort Analysis. Cardiology, 2021, 146, 575-582.	0.6	2
28	Neutrophil Gelatinase-Associated Lipocalin (NGAL) Measured at Admission is Associated with Development of Late Cardiogenic Shock and Mortality in Patients with ST-Segment Elevation Myocardial Infarction. Shock, 2021, Publish Ahead of Print, 255-259.	1.0	7
29	Effects of empagliflozin on estimated extracellular volume, estimated plasma volume, and measured glomerular filtration rate in patients with heart failure (Empire HF Renal): a prespecified substudy of a double-blind, randomised, placebo-controlled trial. Lancet Diabetes and Endocrinology, the, 2021, 9, 106-116.	5.5	80
30	Pump flow setting and assessment of unloading in clinical practice. European Heart Journal Supplements, 2021, 23, A23-A26.	0.0	4
31	Determinants and consequences of heart rate and stroke volume response to exercise in patients with heart failure and preserved ejection fraction. European Journal of Heart Failure, 2021, 23, 754-764.	2.9	19
32	STATUS QUO 2020: what have we learned so far in temporary mechanical circulatory support? Use of Impella beyond the cathlab: open issues and clinical needs. European Heart Journal Supplements, 2021, 23, A1-A2.	0.0	1
33	Early ICD implantation in cardiac arrest survivors with acute coronary syndrome—predictors of implantation, ICD-therapy and long-term survival. Scandinavian Cardiovascular Journal, 2021, 55, 205-212.	0.4	4
34	Interventional treatment of acute myocardial infarction-related cardiogenic shock. Current Opinion in Critical Care, 2021, 27, 433-439.	1.6	4
35	Incidence, Predictors, and Outcome of In-Hospital Bleeding in Patients With Cardiogenic Shock Complicating Acute Myocardial Infarction. American Journal of Cardiology, 2021, 144, 13-19.	0.7	4
36	Fluid volume regulation in patients with heart failure—Authors' reply. Lancet Diabetes and Endocrinology, the, 2021, 9, 258.	5.5	0

#	ARTICLE	IF	CITATIONS
37	Prognosis of myocardial infarction-related cardiogenic shock according to preadmission out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2021, 162, 135-142.	1.3	16
38	Impella RP Versus Pharmacologic Vasoactive Treatment in Profound Cardiogenic Shock due to Right Ventricular Failure. <i>Journal of Cardiovascular Translational Research</i> , 2021, 14, 1021-1029.	1.1	4
39	Use and coverage of automated external defibrillators according to location in out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2021, 162, 112-119.	1.3	9
40	Mechanical circulatory support for refractory out-of-hospital cardiac arrest: a Danish nationwide multicenter study. <i>Critical Care</i> , 2021, 25, 174.	2.5	35
41	Joint EAPCI/ACVC expert consensus document on percutaneous ventricular assist devices. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 570-583.	0.4	38
42	Treatment Effects of Interleukin-6 Receptor Antibodies for Modulating the Systemic Inflammatory Response After Out-of-Hospital Cardiac Arrest (The IMICA Trial). <i>Circulation</i> , 2021, 143, 1841-1851.	1.6	50
43	Does diabetes modify the effect of heparin on plasma proteins? - A proteomic search for plasma protein biomarkers for diabetes-related endothelial dysfunction. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107906.	1.2	2
44	Response to Patoulias et al. letter regarding article "Twelve weeks of treatment with empagliflozin in patients with heart failure and reduced ejection fraction: A double-blinded, randomized, and placebo-controlled trial". <i>American Heart Journal</i> , 2021, 236, 106.	1.2	0
45	Metabolic Effects of Empagliflozin in Heart Failure: A Randomized, Double-Blind, and Placebo-Controlled Trial (Empire HF Metabolic). <i>Circulation</i> , 2021, 143, 2208-2210.	1.6	8
46	Data-driven point-of-care risk model in patients with acute myocardial infarction and cardiogenic shock. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 668-675.	0.4	5
47	Associations of Empagliflozin With Left Ventricular Volumes, Mass, and Function in Patients With Heart Failure and Reduced Ejection Fraction. <i>JAMA Cardiology</i> , 2021, 6, 836.	3.0	95
48	Cross-sectional study of aortic valve calcification and cardiovascular risk factors in older Danish men. <i>Heart</i> , 2021, 107, 1536-1543.	1.2	5
49	Admission biomarkers among patients with acute myocardial-infarction related cardiogenic shock with or without out-of-hospital cardiac arrest an exploratory study. <i>Biomarkers</i> , 2021, 26, 632-638.	0.9	5
50	Hemodynamic Determinants of Activity Measured by Accelerometer in Patients With Stable Heart Failure. <i>JACC: Heart Failure</i> , 2021, 9, 824-835.	1.9	4
51	Sex-specific mortality prediction by pro-C-type natriuretic peptide measurement in a prospective cohort of patients with ST-elevation myocardial infarction. <i>BMJ Open</i> , 2021, 11, e048312.	0.8	1
52	[⁶⁸ Ga]Ga-NODAGA-E[(cRGDyK)] ₂ Angiogenesis PET/MR in a Porcine Model of Chronic Myocardial Infarction. <i>Diagnostics</i> , 2021, 11, 1807.	1.3	4
53	Immediate evaluation of global longitudinal strain at initiation of trastuzumab treatment in breast cancer patients. <i>Echocardiography</i> , 2021, 38, 1702-1710.	0.3	3
54	Cardiogenic shock due to predominantly right ventricular failure complicating acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 33-39.	0.4	10

#	ARTICLE	IF	CITATIONS
55	Polymorphisms in the serotonin transporter gene and circulating concentrations of neurotransmitters in Cavalier King Charles Spaniels with myxomatous mitral valve disease. <i>Journal of Veterinary Internal Medicine</i> , 2021, 35, 2596-2606.	0.6	7
56	Five-year risk of heart failure and death following myocardial infarction with cardiogenic shock: a nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 40-49.	0.4	5
57	Assessment of diastolic function in aortic stenosis: A comparison between 2009 and 2016 guidelines. <i>Echocardiography</i> , 2021, 38, 2006-2015.	0.3	0
58	Hemodynamic evaluation by serial right heart catheterizations after cardiac arrest; protocol of a sub-study from the Blood Pressure and Oxygenation Targets after Out-of-Hospital Cardiac Arrest-trial (BOX). <i>Resuscitation Plus</i> , 2021, 8, 100188.	0.6	5
59	What to expect after open heart valve surgery? Changes in health-related quality of life. <i>Quality of Life Research</i> , 2020, 29, 1247-1258.	1.5	8
60	Mechanical respiratory support in cardiogenic shock: reply. <i>European Journal of Heart Failure</i> , 2020, 22, 168-169.	2.9	0
61	Clinical and Genetic Investigations of 109 Index Patients With Dilated Cardiomyopathy and 445 of Their Relatives. <i>Circulation: Heart Failure</i> , 2020, 13, e006701.	1.6	12
62	Letter by Helgestad et al Regarding Article, "The Evolving Landscape of Impella Use in the United States Among Patients Undergoing Percutaneous Coronary Intervention With Mechanical Circulatory Support". <i>Circulation</i> , 2020, 142, e72-e73.	1.6	0
63	Employment status before and after open heart valve surgery: A cohort study. <i>PLoS ONE</i> , 2020, 15, e0240210.	1.1	3
64	Intravascular Microaxial Left Ventricular Assist Device vs Intra-aortic Balloon Pump for Cardiogenic Shock. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 302.	3.8	1
65	Twelve weeks of treatment with empagliflozin in patients with heart failure and reduced ejection fraction: A double-blinded, randomized, and placebo-controlled trial. <i>American Heart Journal</i> , 2020, 228, 47-56.	1.2	61
66	Mortality in cardiogenic shock is stronger associated to clinical factors than contemporary biomarkers reflecting neurohormonal stress and inflammatory activation. <i>Biomarkers</i> , 2020, 25, 506-512.	0.9	1
67	Effect of Empagliflozin on Hemodynamics in Patients With Heart Failure and Reduced Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2740-2751.	1.2	57
68	Trends in first-time hospitalization, management, and short-term mortality in acute myocardial infarction-related cardiogenic shock from 2005 to 2017: A nationwide cohort study. <i>American Heart Journal</i> , 2020, 229, 127-137.	1.2	24
69	Cognitive impairment and psychopathology in out-of-hospital cardiac arrest survivors in Denmark: The REVIVAL cohort study protocol. <i>BMJ Open</i> , 2020, 10, e038633.	0.8	6
70	The association between self-reported health status and adverse events: a comparison among coronary artery bypass grafting (CABG) versus percutaneous coronary intervention (PCI). <i>Quality of Life Research</i> , 2020, 29, 3017-3029.	1.5	5
71	Association between frailty and self-reported health following heart valve surgery. <i>IJC Heart and Vasculature</i> , 2020, 31, 100671.	0.6	5
72	Advanced Mechanical Circulatory Support in Refractory Cardiogenic Shock. <i>Circulation: Heart Failure</i> , 2020, 13, e006846.	1.6	2

#	ARTICLE	IF	CITATIONS
73	Impact of concomitant vasoactive treatment and mechanical left ventricular unloading in a porcine model of profound cardiogenic shock. <i>Critical Care</i> , 2020, 24, 95.	2.5	19
74	Myocardial Changes in Diabetic and Nondiabetic Nonhuman Primates. <i>Veterinary Pathology</i> , 2020, 57, 332-343.	0.8	5
75	Causes and characteristics associated with early and late readmission after open heart valve surgery. <i>Journal of Cardiac Surgery</i> , 2020, 35, 747-754.	0.3	5
76	Biomarkers predictive of late cardiogenic shock development in patients with suspected ST-elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 557-566.	0.4	14
77	Unloading using Impella CP during profound cardiogenic shock caused by left ventricular failure in a large animal model: impact on the right ventricle. <i>Intensive Care Medicine Experimental</i> , 2020, 8, 41.	0.9	12
78	Hemodynamic and metabolic recovery in acute myocardial infarction-related cardiogenic shock is more rapid among patients presenting with out-of-hospital cardiac arrest. <i>PLoS ONE</i> , 2020, 15, e0244294.	1.1	17
79	The hospitalised out-of-hospital cardiac arrest patient: We need more research. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, S63-S66.	0.4	1
80	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
81	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
82	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
83	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
84	Temporal trends in incidence and patient characteristics in cardiogenic shock following acute myocardial infarction from 2010 to 2017: a Danish cohort study. <i>European Journal of Heart Failure</i> , 2019, 21, 1370-1378.	2.9	93
85	Association between left ventricular diastolic function and right ventricular function and morphology in asymptomatic aortic stenosis. <i>PLoS ONE</i> , 2019, 14, e0215364.	1.1	4
86	Empagliflozin in heart failure patients with reduced ejection fraction: a randomized clinical trial (Empire HF). <i>Trials</i> , 2019, 20, 374.	0.7	35
87	Rationale and design of DanGer shock: Danish-German cardiogenic shock trial. <i>American Heart Journal</i> , 2019, 214, 60-68.	1.2	160
88	Data on an intervention to reduce readmissions after open heart valve surgery. <i>Data in Brief</i> , 2019, 24, 103926.	0.5	4
89	Design paper of the "Blood pressure targets in post-resuscitation care and bedside monitoring of cerebral energy state: a randomized clinical trial". <i>Trials</i> , 2019, 20, 344.	0.7	7
90	Effect of early, individualised and intensified follow-up after open heart valve surgery on unplanned cardiac hospital readmissions and all-cause mortality. <i>International Journal of Cardiology</i> , 2019, 289, 30-36.	0.8	19

#	ARTICLE	IF	CITATIONS
91	Pathogenic <i>RBM20</i> Variants Are Associated With a Severe Disease Expression in Male Patients With Dilated Cardiomyopathy. <i>Circulation: Heart Failure</i> , 2019, 12, e005700.	1.6	56
92	Central and Peripheral Determinants of Exercise Capacity in Heart Failure Patients With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2019, 7, 321-332.	1.9	33
93	Postoperative atrial fibrillation after aortic valve replacement is a risk factor for long-term atrial fibrillation. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2019, 29, 378-385.	0.5	16
94	Long-Term Risk of Heart Failure in Breast Cancer Patients After Adjuvant Chemotherapy With or Without Trastuzumab. <i>JACC: Heart Failure</i> , 2019, 7, 217-224.	1.9	43
95	Lactate is a Prognostic Factor in Patients Admitted With Suspected ST-Elevation Myocardial Infarction. <i>Shock</i> , 2019, 51, 321-327.	1.0	28
96	Early follow-up after open heart valve surgery reduces healthcare costs: a propensity matched study. <i>Open Heart</i> , 2019, 6, e001122.	0.9	6
97	Right Ventricular and Pulmonary Vascular Function are Influenced by Age and Volume Expansion in Healthy Humans. <i>Journal of Cardiac Failure</i> , 2019, 25, 51-59.	0.7	13
98	Impella Support for Acute Myocardial Infarction Complicated by Cardiogenic Shock. <i>Circulation</i> , 2019, 139, 1249-1258.	1.6	353
99	Long-term effect of epirubicin on incidence of heart failure in women with breast cancer: insight from a randomized clinical trial. <i>European Journal of Heart Failure</i> , 2018, 20, 1447-1453.	2.9	46
100	Reply to Nardi et al.. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 54, 201-201.	0.6	0
101	Measurement of left atrial volume by 2D and 3D non-contrast computed tomography compared with cardiac magnetic resonance imaging. <i>Journal of Cardiovascular Computed Tomography</i> , 2018, 12, 316-319.	0.7	6
102	Hemodynamic Characteristics in Significant Symptomatic and Asymptomatic Primary Mitral Valve Regurgitation at Rest and During Exercise. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e007171.	1.3	24
103	Plasma Concentration of Biomarkers Reflecting Endothelial Cell- and Glycocalyx Damage are Increased in Patients With Suspected ST-Elevation Myocardial Infarction Complicated by Cardiogenic Shock. <i>Shock</i> , 2018, 50, 538-544.	1.0	29
104	Layer-specific deformation analysis in severe aortic valve stenosis, primary mitral valve regurgitation, and healthy individuals validated against invasive hemodynamic measurements of heart function. <i>Echocardiography</i> , 2018, 35, 170-178.	0.3	3
105	Structural valve deterioration in the Mitroflow biological heart valve prosthesis. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 53, 136-142.	0.6	20
106	Risk factors of late cardiogenic shock and mortality in ST-segment elevation myocardial infarction patients. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 7-15.	0.4	49
107	Patient-reported outcomes after aortic and mitral valve surgery – results from the DenHeart Study. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 246-254.	0.4	9
108	The Glucagon-Like Peptide-1 Analog Exenatide Increases Blood Glucose Clearance, Lactate Clearance, and Heart Rate in Comatose Patients After Out-of-Hospital Cardiac Arrest. <i>Critical Care Medicine</i> , 2018, 46, e118-e125.	0.4	7

#	ARTICLE	IF	CITATIONS
109	Single-centre experience with the Impella CP, 5.0 and RP in 109 consecutive patients with profound cardiogenic shock. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 53-61.	0.4	46
110	Left Atrial Function in Heart Failure With Reduced Ejection Fraction. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e008427.	1.3	8
111	Dietary normalization from a fat, fructose and cholesterol-rich diet to chow limits the amount of myocardial collagen in a Göttingen Minipig model of obesity. <i>Nutrition and Metabolism</i> , 2018, 15, 64.	1.3	8
112	Validation and Clinical Evaluation of a Method for Double-Blinded Blood Pressure Target Investigation in Intensive Care Medicine*. <i>Critical Care Medicine</i> , 2018, 46, 1626-1633.	0.4	17
113	Large Porcine Model of Profound Acute Ischemic Cardiogenic Shock. <i>Methods in Molecular Biology</i> , 2018, 1816, 343-352.	0.4	13
114	Proteomic Discovery and Validation of the Confounding Effect of Heparin Administration on the Analysis of Candidate Cardiovascular Biomarkers. <i>Clinical Chemistry</i> , 2018, 64, 1474-1484.	1.5	21
115	Effects of menaquinone-7 supplementation in patients with aortic valve calcification: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e022019.	0.8	16
116	Exercise Hemodynamics After Aortic Valve Replacement for Severe Aortic Stenosis. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 1091-1100.	1.2	7
117	Angina Pectoris in Young Male due to Agenesis of Left Circumflex Artery. <i>American Journal of Case Reports</i> , 2018, 19, 517-522.	0.3	0
118	Sociodemographic, Clinical and Patient-Reported Outcomes and Readmission After Heart Valve Surgery. <i>Journal of Heart Valve Disease</i> , 2018, 27, 78-86.	0.5	8
119	Ventricular Unloading in Porcine Models. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 841.	1.1	1
120	Effects of Intensive Statin Therapy on Left Ventricular Function in Patients with Myocardial Infarction and Abnormal Glucose Tolerance. <i>Cardiology</i> , 2017, 138, 16-25.	0.6	1
121	Relation of Left Atrial Size, Cardiac Morphology, and Clinical Outcome in Asymptomatic Aortic Stenosis. <i>American Journal of Cardiology</i> , 2017, 120, 1877-1883.	0.7	18
122	Data on association between QRS duration on prehospital ECG and mortality in patients with confirmed STEMI. <i>Data in Brief</i> , 2017, 15, 12-17.	0.5	1
123	Postoperative Reverse Remodeling and Symptomatic Improvement in Normal-Flow Low-Gradient Aortic Stenosis After Aortic Valve Replacement. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	1.3	16
124	Association between QRS duration on prehospital ECG and mortality in patients with suspected STEMI. <i>International Journal of Cardiology</i> , 2017, 249, 55-60.	0.8	6
125	Single and multiple cardiovascular biomarkers in subjects without a previous cardiovascular event. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1648-1659.	0.8	18
126	Galectin-3 and fibulin-1 in systolic heart failure - relation to glucose metabolism and left ventricular contractile reserve. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 22.	0.7	9

#	ARTICLE	IF	CITATIONS
127	Effect of liraglutide, a glucagon-like peptide-1 analogue, on left ventricular function in stable chronic heart failure patients with and without diabetes (LIVE) a multicentre, double-blind, randomised, placebo-controlled trial. <i>European Journal of Heart Failure</i> , 2017, 19, 69-77.	2.9	343
128	GLP-1 analogues for neuroprotection after out-of-hospital cardiac arrest: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 304.	0.7	10
129	Association diastolic function by echo and infarct size by magnetic resonance imaging after STEMI. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 172-179.	0.4	7
130	The role of levosimendan in acute heart failure complicating acute coronary syndrome: A review and expert consensus opinion. <i>International Journal of Cardiology</i> , 2016, 218, 150-157.	0.8	60
131	Mitral valve regurgitation in twins: Concordance and survival. <i>American Heart Journal</i> , 2016, 177, 51-57.	1.2	3
132	Early Diastolic Strain Rate in Relation to Systolic and Diastolic Function and Prognosis in Aortic Stenosis. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 519-528.	2.3	49
133	Early changes in left atrial volume after acute myocardial infarction. Relation to invasive hemodynamics at rest and during exercise. <i>International Journal of Cardiology</i> , 2016, 223, 717-722.	0.8	10
134	Incidence of cancer in patients with chronic heart failure: a long-term follow-up study. <i>European Journal of Heart Failure</i> , 2016, 18, 260-266.	2.9	158
135	Neuroprotective Effects of the Glucagon-Like Peptide-1 Analog Exenatide After Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2016, 134, 2115-2124.	1.6	42
136	Association Between Left Atrial Dilatation and Invasive Hemodynamics at Rest and During Exercise in Asymptomatic Aortic Stenosis. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, .	1.3	31
137	Association between aortic valve calcification measured on non-contrast computed tomography and aortic valve stenosis in the general population. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 309-315.	0.7	12
138	Predictors and prognostic value of left atrial remodelling after acute myocardial infarction. <i>Open Heart</i> , 2015, 2, e000223.	0.9	17
139	Untreated diabetes mellitus, but not impaired fasting glucose, is associated with increased left ventricular mass and concentric hypertrophy in an elderly, healthy, Swedish population. <i>IJC Metabolic & Endocrine</i> , 2015, 9, 39-47.	0.5	5
140	Worsening diastolic function is associated with elevated fasting plasma glucose and increased left ventricular mass in a supra-additive fashion in an elderly, healthy, Swedish population. <i>International Journal of Cardiology</i> , 2015, 184, 466-472.	0.8	14
141	Effects of intensive lipid-lowering therapy on coronary plaques composition in patients with acute myocardial infarction: Assessment with serial coronary CT angiography. <i>Atherosclerosis</i> , 2015, 241, 579-587.	0.4	54
142	Impella ventricular support in clinical practice: Collaborative viewpoint from a European expert user group. <i>International Journal of Cardiology</i> , 2015, 201, 684-691.	0.8	160
143	Repeated echocardiography after first ever ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention – is it necessary?. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2015, 4, 528-536.	0.4	21
144	Prognostic implication of out-of-hospital cardiac arrest in patients with cardiogenic shock and acute myocardial infarction. <i>Resuscitation</i> , 2015, 87, 57-62.	1.3	52

#	ARTICLE	IF	CITATIONS
145	A protocol for a randomised, double-blind, placebo-controlled study of the effect of Liraglutide on left Ventricular function in chronic heart failure patients with and without type 2 diabetes (The LIVE) <i>Tj ETQq1 1 0.784314 rgBT /Over</i>		
146	Relationships Between Biomarkers and Left Ventricular Filling Pressures at Rest and During Exercise in Patients After Myocardial Infarction. <i>Journal of Cardiac Failure</i> , 2014, 20, 959-967.	0.7	12
147	Atrial fibrillation in severe aortic valve stenosis " Association with left ventricular left atrial remodeling. <i>International Journal of Cardiology Heart & Vessels</i> , 2014, 4, 102-107.	0.5	10
148	Response to Letter Regarding Article, "Left Ventricular Diastolic Function Is Associated With Symptom Status in Severe Aortic Valve Stenosis" <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 413-413.	1.3	0
149	Hemodynamics and vasopressor support in therapeutic hypothermia after cardiac arrest: Prognostic implications. <i>Resuscitation</i> , 2014, 85, 664-670.	1.3	32
150	Early diastolic strain rate in relation to systolic and diastolic function and prognosis in acute myocardial infarction: a two-dimensional speckle-tracking study. <i>European Heart Journal</i> , 2014, 35, 648-656.	1.0	102
151	Left Ventricular Diastolic Function Is Associated With Symptom Status in Severe Aortic Valve Stenosis. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 142-148.	1.3	56
152	Intracoronary Injection of CD34+ Cells in Chronic Ischemic Heart Failure: 7 Years Follow-Up of the DanCell Study. <i>Cardiology</i> , 2014, 129, 69-74.	0.6	5
153	Early Echocardiographic Deformation Analysis for the Prediction of Sudden Cardiac Death and Life-Threatening Arrhythmias After Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 851-860.	2.3	90
154	Left Atrial Volume Index. <i>Journal of the American College of Cardiology</i> , 2013, 62, 2416-2421.	1.2	80
155	Exercise-induced changes in left ventricular filling pressure after myocardial infarction assessed with simultaneous right heart catheterization and Doppler echocardiography. <i>International Journal of Cardiology</i> , 2013, 168, 2803-2810.	0.8	18
156	Relation of Osteoprotegerin in Severe Aortic Valve Stenosis to Postoperative Outcome and Left Ventricular Function. <i>American Journal of Cardiology</i> , 2013, 112, 1433-1438.	0.7	11
157	Tertiary centres have improved survival compared to other hospitals in the Copenhagen area after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2013, 84, 162-167.	1.3	110
158	Post-hypothermia fever is associated with increased mortality after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2013, 84, 1734-1740.	1.3	133
159	Prevention of atrial fibrillation in patients with aortic valve stenosis with candesartan treatment after aortic valve replacement. <i>International Journal of Cardiology</i> , 2013, 165, 242-246.	0.8	8
160	Prediction of All-Cause Mortality and Heart Failure Admissions From Global Left Ventricular Longitudinal Strain in Patients With Acute Myocardial Infarction and Preserved Left Ventricular Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2013, 61, 2365-2373.	1.2	320
161	The Prognostic Value of Left Atrial Peak Reservoir Strain in Acute Myocardial Infarction Is Dependent on Left Ventricular Longitudinal Function and Left Atrial Size. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 26-33.	1.3	120
162	Left atrial volume and function in patients following ST elevation myocardial infarction and the association with clinical outcome: a cardiovascular magnetic resonance study. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 118-127.	0.5	72

#	ARTICLE	IF	CITATIONS
163	Haemodynamic response during low-dose dobutamine infusion in patients with chronic systolic heart failure: comparison of echocardiographic and invasive measurements. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 659-667.	0.5	14
164	Microvascular dysfunction is associated with plasma osteoprotegerin levels in patients with acute myocardial infarction. <i>Coronary Artery Disease</i> , 2013, 24, 487-492.	0.3	10
165	Sildenafil and Diastolic Dysfunction After Acute Myocardial Infarction in Patients With Preserved Ejection Fraction. <i>Circulation</i> , 2013, 127, 1200-1208.	1.6	73
166	Sildenafil and Diastolic Dysfunction After Acute Myocardial Infarction Trial: Rationale and Design. <i>Clinical Cardiology</i> , 2013, 36, 179-183.	0.7	0
167	Exercise Hemodynamics in Patients With and Without Diastolic Dysfunction and Preserved Ejection Fraction After Myocardial Infarction. <i>Circulation: Heart Failure</i> , 2012, 5, 444-451.	1.6	56
168	Global left ventricular longitudinal strain is closely associated with increased neurohormonal activation after acute myocardial infarction in patients with both reduced and preserved ejection fraction: a two-dimensional speckle tracking study. <i>European Journal of Heart Failure</i> , 2012, 14, 1121-1129.	2.9	26
169	Correlation between Left Ventricular Global and Regional Longitudinal Systolic Strain and Impaired Microcirculation in Patients with Acute Myocardial Infarction. <i>Echocardiography</i> , 2012, 29, 1181-1190.	0.3	27
170	Plasma Fibulin-1 Is Linked to Restrictive Filling of the Left Ventricle and to Mortality in Patients With Aortic Valve Stenosis. <i>Journal of the American Heart Association</i> , 2012, 1, e003889.	1.6	13
171	Vascular characteristics in patients with resistant hypertension and type-II-diabetes mellitus. <i>Artery Research</i> , 2012, 6, 71.	0.3	0
172	Relationship between Left Ventricular Longitudinal Deformation and Clinical Heart Failure during Admission for Acute Myocardial Infarction: A Two-Dimensional Speckle-Tracking Study. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 1280-1289.	1.2	42
173	Emergency coronary angiography in comatose cardiac arrest patients: do real-life experiences support the guidelines?. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2012, 1, 291-301.	0.4	124
174	The prognostic importance of a history of hypertension in patients with symptomatic heart failure is substantially worsened by a short mitral inflow deceleration time. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 30.	0.7	5
175	Outcome of accidental hypothermia with or without circulatory arrest. <i>Resuscitation</i> , 2012, 83, 1078-1084.	1.3	135
176	Assessment of left atrial volume and function: a comparative study between echocardiography, magnetic resonance imaging and multi slice computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1061-1071.	0.7	85
177	Left Ventricular Assist Device as Bridge to Recovery for Anthracycline-Induced Terminal Heart Failure. <i>Congestive Heart Failure</i> , 2012, 18, 291-294.	2.0	14
178	Prevalence of infective endocarditis in patients with <i>Staphylococcus aureus</i> bacteraemia: the value of screening with echocardiography. <i>European Journal of Echocardiography</i> , 2011, 12, 414-420.	2.3	138
179	Left Atrial Function and Mortality in Patients With NSTEMI. <i>JACC: Cardiovascular Imaging</i> , 2011, 4, 1080-1087.	2.3	47
180	Understanding differences in results from literature-based and individual patient meta-analyses: An example from meta-analyses of observational data. <i>International Journal of Cardiology</i> , 2011, 148, 209-213.	0.8	6

#	ARTICLE	IF	CITATIONS
181	Persistent Abnormal Coronary Flow Reserve in Association with Abnormal Glucose Metabolism Affects Prognosis in Acute Myocardial Infarction. <i>Echocardiography</i> , 2011, 28, 210-218.	0.3	5
182	Noninvasive assessment of filling pressure and left atrial pressure overload in severe aortic valve stenosis: Relation to ventricular remodeling and clinical outcome after aortic valve replacement. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2011, 142, e77-e83.	0.4	53
183	Central and Peripheral Blood Flow During Exercise With a Continuous-Flow Left Ventricular Assist Device. <i>Circulation: Heart Failure</i> , 2011, 4, 554-560.	1.6	94
184	Buckling of the transoesophageal echocardiography probe: an unusual complication during conscious sedation. <i>European Journal of Echocardiography</i> , 2011, 12, 476-476.	2.3	22
185	Effect of Candesartan Treatment on Left Ventricular Remodeling After Aortic Valve Replacement for Aortic Stenosis. <i>American Journal of Cardiology</i> , 2010, 106, 713-719.	0.7	66
186	Left Ventricular Diastolic Function in Type 2 Diabetes Mellitus. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 24-31.	1.3	100
187	Atrial fibrillation in heart failure is associated with an increased risk of death only in patients with ischaemic heart disease. <i>European Journal of Heart Failure</i> , 2010, 12, 692-697.	2.9	26
188	Association between coronary flow reserve, left ventricular systolic function, and myocardial viability in acute myocardial infarction. <i>European Journal of Echocardiography</i> , 2010, 11, 665-670.	2.3	11
189	Hemodynamic Stress Echocardiography in Patients Supported With a Continuous-Flow Left Ventricular Assist Device. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 854-859.	2.3	28
190	Assessment of left atrial volume and mechanical function in ischemic heart disease. <i>International Journal of Cardiology</i> , 2010, 145, 197-202.	0.8	21
191	Noninvasive assessment of left ventricular filling pressure after acute myocardial infarction: A prospective study of the relative prognostic utility of clinical assessment, echocardiography, and B-type natriuretic peptide. <i>American Heart Journal</i> , 2010, 159, 47-54.	1.2	41
192	Changes in left ventricular filling patterns after repeated injection of autologous bone marrow cells in heart failure patients. <i>Scandinavian Cardiovascular Journal</i> , 2010, 44, 139-145.	0.4	23
193	Myocardial ischemia, carotid, and peripheral arterial disease and their interrelationship in type 2 diabetes patients. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 878-887.	1.4	22
194	Predictors of right ventricular function as measured by tricuspid annular plane systolic excursion in heart failure. <i>Cardiovascular Ultrasound</i> , 2009, 7, 51.	0.5	50
195	Prognostic importance of a restrictive transmitral filling pattern in patients with symptomatic congestive heart failure and atrial fibrillation. <i>American Heart Journal</i> , 2009, 158, 983-988.	1.2	7
196	Abnormal Glucose Metabolism in Acute Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2009, 2, 592-599.	2.3	31
197	Influence of Abnormal Glucose Metabolism on Coronary Microvascular Function After a Recent Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2009, 2, 1159-1166.	2.3	23
198	Influence of left ventricular filling pattern on exercise-induced changes of natriuretic peptides in patients with suspected coronary artery disease. <i>International Journal of Cardiology</i> , 2008, 124, 204-210.	0.8	5

#	ARTICLE	IF	CITATIONS
199	Role of Hepatic Resection for Patients With Carcinoid Heart Disease. Mayo Clinic Proceedings, 2008, 83, 143-150.	1.4	21
200	Is heart failure the critical warning sign for death following myocardial infarction?. European Heart Journal, 2008, 29, 833-834.	1.0	4
201	Effect of repeated intracoronary injection of bone marrow cells in patients with ischaemic heart failure† The Danish Stem Cell studyâ€”Congestive Heart Failure trial (DanCellâ€”CHF). European Journal of Heart Failure, 2008, 10, 661-667.	2.9	39
202	Prognostic importance of a short deceleration time in symptomatic congestive heart failure†. European Journal of Heart Failure, 2008, 10, 689-695.	2.9	12
203	Individual patient meta-analyses of restrictive diastolic filling pattern and mortality in patients post acute myocardial infarction and in patients with chronic heart failure. International Journal of Cardiology, 2007, 122, 207-215.	0.8	19
204	Exertional Changes in Circulating Cardiac Natriuretic Peptides in Patients with Suggested Coronary Artery Disease. Journal of the American Society of Echocardiography, 2006, 19, 772-776.	1.2	15
205	Wall motion score index and ejection fraction for risk stratification after acute myocardial infarction. American Heart Journal, 2006, 151, 419-425.	1.2	200
206	Enalapril suppresses ventricular remodeling after acute myocardial infarction more effectively than losartan. Evidence-based Cardiovascular Medicine, 2006, 10, 32-34.	0.0	0
207	Neurohormonal activation and diagnostic value of cardiac peptides in patients with suspected mild heart failure. International Journal of Cardiology, 2006, 110, 324-333.	0.8	11
208	Safety of Exercise Stress Testing in Patients With Abnormal Concentrations of Serum Potassiumâ€”Portions of this manuscript were published in abstract form in Circulation 2002;106(suppl):II-437 (used with permission).. American Journal of Cardiology, 2006, 97, 1247-1249.	0.7	16
209	Tei index and neurohormonal activation in patients with incident heart failure: Serial changes and prognostic value. European Journal of Heart Failure, 2006, 8, 599-608.	2.9	32
210	Prognostic Importance of Diastolic Function and Filling Pressure in Patients With Acute Myocardial Infarction. Circulation, 2006, 114, 438-444.	1.6	549
211	Prognostic Importance of Secondary Pulmonary Hypertension After Acute Myocardial Infarction. American Journal of Cardiology, 2005, 96, 199-203.	0.7	37
212	Usefulness of Left Ventricular Diastolic Wall Motion Abnormality as an Early Predictor of Left Ventricular Dilation After a First Acute Myocardial Infarction. American Journal of Cardiology, 2005, 96, 1186-1189.	0.7	8
213	Prognosis of Carcinoid Heart Disease. Circulation, 2005, 112, 3320-3327.	1.6	236
214	Serial Changes in Regional Diastolic Left Ventricular Function After a First Acute Myocardial Infarction. Journal of the American Society of Echocardiography, 2005, 18, 1173-1180.	1.2	3
215	The Doppler myocardial performance index during low-dose dobutamine echocardiography predicts mortality and left ventricular dilation after a first acute myocardial infarction. American Heart Journal, 2005, 150, 522-529.	1.2	11
216	Diastolic wall motion abnormality after myocardial infarction: Relation to neurohormonal activation and prognostic implications. American Heart Journal, 2005, 150, 767-774.	1.2	11

#	ARTICLE	IF	CITATIONS
217	Prognostic significance of echocardiographically defined mitral regurgitation early after acute myocardial infarction. <i>American Heart Journal</i> , 2005, 150, 1268-1275.	1.2	50
218	The myocardial performance index during low-dose dobutamine echocardiography in control subjects and patients with a recent myocardial infarction: a new index of left ventricular functional reserve?. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 732-738.	1.2	11
219	Noninvasive estimation of left ventricular filling pressure by e/a^2 is a powerful predictor of survival after acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2004, 43, 360-367.	1.2	481
220	Effects of losartan and captopril on left ventricular systolic and diastolic function after acute myocardial infarction: Results of the Optimal Trial in Myocardial Infarction with Angiotensin II antagonist losartan (optimaal) echocardiographic substudy. <i>American Heart Journal</i> , 2004, 147, 494-501.	1.2	42
221	Factors Associated with Progression of Carcinoid Heart Disease. <i>New England Journal of Medicine</i> , 2003, 348, 1005-1015.	13.9	269
222	Impact of early changes in left ventricular filling pattern on long-term outcome after acute myocardial infarction. <i>International Journal of Cardiology</i> , 2003, 89, 207-215.	0.8	22
223	Prognostic importance of systolic and diastolic function after acute myocardial infarction. <i>American Heart Journal</i> , 2003, 145, 147-153.	1.2	143
224	Left Atrial Volume. <i>Circulation</i> , 2003, 107, 2207-2212.	1.6	623
225	Congestive heart failure with preserved left ventricular systolic function after acute myocardial infarction: clinical and prognostic implications. <i>European Journal of Heart Failure</i> , 2003, 5, 811-819.	2.9	37
226	Relation of Early Changes of QT Dispersion to Changes in Left Ventricular Systolic and Diastolic Function after a First Acute Myocardial Infarction. <i>Scandinavian Cardiovascular Journal</i> , 2002, 36, 225-230.	0.4	7
227	Relationship between vascular dysfunction in peripheral arteries and ischemic episodes during daily life in patients with ischemic heart disease and hypercholesterolemia. <i>American Heart Journal</i> , 2002, 144, 108-114.	1.2	6
228	Color M-mode and pulsed wave tissue Doppler echocardiography: Powerful predictors of cardiac events after first myocardial infarction. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 757-763.	1.2	51
229	Serial doppler echocardiographic assessment of left and right ventricular performance after a first myocardial infarction. <i>Journal of the American Society of Echocardiography</i> , 2001, 14, 249-255.	1.2	67
230	Prognostic Implications of Left Ventricular Diastolic Dysfunction with Preserved Systolic Function following Acute Myocardial Infarction. <i>Cardiology</i> , 2001, 95, 190-197.	0.6	25
231	The Doppler Echocardiographic Myocardial Performance Index Predicts Left-Ventricular Dilation and Cardiac Death after Myocardial Infarction. <i>Cardiology</i> , 2001, 95, 105-111.	0.6	49
232	Serial changes and prognostic implications of a Doppler-derived index of combined left ventricular systolic and diastolic myocardial performance in acute myocardial infarction. <i>American Journal of Cardiology</i> , 2000, 85, 19-25.	0.7	135
233	Preload dependence of color M-Mode Doppler flow propagation velocity in controls and in patients with left ventricular dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2000, 13, 902-909.	1.2	53
234	Pseudonormal and restrictive filling patterns predict left ventricular dilation and cardiac death after a first myocardial infarction: a serial color M-mode doppler echocardiographic study. <i>Journal of the American College of Cardiology</i> , 2000, 36, 1841-1846.	1.2	182

#	ARTICLE	IF	CITATIONS
235	Ratio of left ventricular peak E-wave velocity to flow propagation velocity assessed by color M-mode Doppler echocardiography in first myocardial infarction. Journal of the American College of Cardiology, 2000, 35, 363-370.	1.2	125
236	Effect of Preload Alternations on a New Doppler Echocardiographic Index of Combined Systolic and Diastolic Performance. Journal of the American Society of Echocardiography, 1999, 12, 1065-1072.	1.2	152