

# Jacob E Müller Dscmed

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8557034/publications.pdf>

Version: 2024-02-01

236  
papers

9,606  
citations

41323

49  
h-index

43868

91  
g-index

239  
all docs

239  
docs citations

239  
times ranked

9791  
citing authors

#	ARTICLE	IF	CITATIONS
1	Outcome in Elderly Patients With Cardiogenic Shock Complicating Acute Myocardial Infarction. Shock, 2022, 57, 327-335.	1.0	3
2	Comparing Doppler Echocardiography and Thermodilution for Cardiac Output Measurements in a Contemporary Cohort of Comatose Cardiac Arrest Patients Undergoing Targeted Temperature Management. Therapeutic Hypothermia and Temperature Management, 2022, 12, 159-167.	0.3	2
3	Diagnostic accuracy of focused deep venous, lung, cardiac and multiorgan ultrasound in suspected pulmonary embolism: a systematic review and meta-analysis. Thorax, 2022, 77, 679-689.	2.7	17
4	Aortic valve calcification among elderly males from the general population, associated echocardiographic findings, and clinical implications. European Heart Journal Cardiovascular Imaging, 2022, 23, 177-184.	0.5	6
5	Transesophageal and intracardiac echocardiography to guide transcatheter tricuspid valve repair with the TriClip <sup>®</sup> system. International Journal of Cardiovascular Imaging, 2022, 38, 609-611.	0.7	5
6	Effect of Empagliflozin on Blood Volume Redistribution in Patients With Chronic Heart Failure and Reduced Ejection Fraction: An Analysis From the Empire HF Randomized Clinical Trial. Circulation: Heart Failure, 2022, 15, .	1.6	17
7	Longer retrieval distances to the automated external defibrillator reduces survival after out-of-hospital cardiac arrest. Resuscitation, 2022, 170, 44-52.	1.3	3
8	Impella Mechanical Circulatory Support for Takotsubo Syndrome With Shock: A Retrospective Multicenter Analysis. Cardiovascular Revascularization Medicine, 2022, 40, 113-119.	0.3	9
9	Sex Differences in Factors Associated With Progression of Aortic Valve Calcification in the General Population. Circulation: Cardiovascular Imaging, 2022, 15, CIRCIMAGING121013165.	1.3	13
10	Return to work after acute myocardial infarction with cardiogenic shock: a Danish nationwide cohort study. European Heart Journal: Acute Cardiovascular Care, 2022, 11, 397-406.	0.4	2
11	The effect of empagliflozin on growth differentiation factor 15 in patients with heart failure: a randomized controlled trial (Empire HF Biomarker). Cardiovascular Diabetology, 2022, 21, 34.	2.7	10
12	The “Blood pressure and oxygenation targets in post resuscitation care, a randomized clinical trial” design and statistical analysis plan. Trials, 2022, 23, 177.	0.7	9
13	Timing and Causes of Death in Acute Myocardial Infarction Complicated by Cardiogenic Shock (from Tj ETQq1 1 0.784314 rgBT /Over	0.7	7
14	Vitamin K2 and D in Patients With Aortic Valve Calcification: A Randomized Double-Blinded Clinical Trial. Circulation, 2022, 145, 1387-1397.	1.6	27
15	Impella to Treat Acute Myocardial Infarct-Related Cardiogenic Shock. Journal of Clinical Medicine, 2022, 11, 2427.	1.0	5
16	Association between inflammatory markers and survival in comatose, resuscitated out-of-hospital cardiac arrest patients. Scandinavian Cardiovascular Journal, 2022, 56, 85-90.	0.4	4
17	Sodium-Dependent Glucose Cotransporter-2 Inhibitors in Heart Failure with Reduced Ejection Fraction: Current Evidence and Future Perspectives. Basic and Clinical Pharmacology and Toxicology, 2022, , .	1.2	1
18	The Effect of Empagliflozin on Contractile Reserve in Heart Failure: Prespecified Sub-Study of a Randomized, Double-Blind, and Placebo-Controlled Trial. American Heart Journal, 2022, 250, 57-57.	1.2	1

#	ARTICLE	IF	CITATIONS
19	Impact of Hypothermia on Oxygenation Variables and Metabolism in Survivors of Out-of-Hospital Cardiac Arrest Undergoing Targeted Temperature Management at 33°C Versus 36°C. Therapeutic Hypothermia and Temperature Management, 2021, 11, 170-178.	0.3	6
20	Prognostic importance of culprit lesion location in cardiogenic shock due to myocardial infarction. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 25-32.	0.4	6
21	Sex differences in aortic valve calcification in severe aortic valve stenosis: association between computer tomography assessed calcification and valvular calcium concentrations. European Heart Journal Cardiovascular Imaging, 2021, 22, 581-588.	0.5	16
22	The relation of structural valve deterioration to adverse remodelling and outcome in patients with biological heart valve prostheses. European Heart Journal Cardiovascular Imaging, 2021, 22, 82-91.	0.5	3
23	Individual, expected diameters of the ascending aorta and prevalence of dilations in a study-population aged 60-74 years: a DANCAVAS substudy. International Journal of Cardiovascular Imaging, 2021, 37, 971-980.	0.7	6
24	Reply to: Letter to the editor: Breaking the trend in cardiogenic shock—From door-to-balloon to door-to-support. American Heart Journal, 2021, 231, 161.	1.2	0
25	STEMI, Cardiogenic Shock, and Mortality in Patients Admitted for Acute Angiography: Associations and Predictions from Plasma Proteome Data. Shock, 2021, 55, 41-47.	1.0	5
26	The association between aortic valve calcification, cardiovascular risk factors, and cardiac size and function in a general population. International Journal of Cardiovascular Imaging, 2021, 37, 711-722.	0.7	6
27	Association of Body Mass Index with Mortality in Patients with Cardiogenic Shock following Acute Myocardial Infarction: A Contemporary Danish Cohort Analysis. Cardiology, 2021, 146, 575-582.	0.6	2
28	Neutrophil Gelatinase-Associated Lipocalin (NGAL) Measured at Admission is Associated with Development of Late Cardiogenic Shock and Mortality in Patients with ST-Segment Elevation Myocardial Infarction. Shock, 2021, Publish Ahead of Print, 255-259.	1.0	7
29	Effects of empagliflozin on estimated extracellular volume, estimated plasma volume, and measured glomerular filtration rate in patients with heart failure (Empire HF Renal): a prespecified substudy of a double-blind, randomised, placebo-controlled trial. Lancet Diabetes and Endocrinology, the, 2021, 9, 106-116.	5.5	80
30	Pump flow setting and assessment of unloading in clinical practice. European Heart Journal Supplements, 2021, 23, A23-A26.	0.0	4
31	Determinants and consequences of heart rate and stroke volume response to exercise in patients with heart failure and preserved ejection fraction. European Journal of Heart Failure, 2021, 23, 754-764.	2.9	19
32	STATUS QUO 2020: what have we learned so far in temporary mechanical circulatory support? Use of Impella beyond the cathlab: open issues and clinical needs. European Heart Journal Supplements, 2021, 23, A1-A2.	0.0	1
33	Early ICD implantation in cardiac arrest survivors with acute coronary syndrome—predictors of implantation, ICD-therapy and long-term survival. Scandinavian Cardiovascular Journal, 2021, 55, 205-212.	0.4	4
34	Interventional treatment of acute myocardial infarction-related cardiogenic shock. Current Opinion in Critical Care, 2021, 27, 433-439.	1.6	4
35	Incidence, Predictors, and Outcome of In-Hospital Bleeding in Patients With Cardiogenic Shock Complicating Acute Myocardial Infarction. American Journal of Cardiology, 2021, 144, 13-19.	0.7	4
36	Fluid volume regulation in patients with heart failure—Authors' reply. Lancet Diabetes and Endocrinology, the, 2021, 9, 258.	5.5	0

#	ARTICLE	IF	CITATIONS
37	Prognosis of myocardial infarction-related cardiogenic shock according to preadmission out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2021, 162, 135-142.	1.3	16
38	Impella RP Versus Pharmacologic Vasoactive Treatment in Profound Cardiogenic Shock due to Right Ventricular Failure. <i>Journal of Cardiovascular Translational Research</i> , 2021, 14, 1021-1029.	1.1	4
39	Use and coverage of automated external defibrillators according to location in out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2021, 162, 112-119.	1.3	9
40	Mechanical circulatory support for refractory out-of-hospital cardiac arrest: a Danish nationwide multicenter study. <i>Critical Care</i> , 2021, 25, 174.	2.5	35
41	Joint EAPCI/ACVC expert consensus document on percutaneous ventricular assist devices. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 570-583.	0.4	38
42	Treatment Effects of Interleukin-6 Receptor Antibodies for Modulating the Systemic Inflammatory Response After Out-of-Hospital Cardiac Arrest (The IMICA Trial). <i>Circulation</i> , 2021, 143, 1841-1851.	1.6	50
43	Does diabetes modify the effect of heparin on plasma proteins? - A proteomic search for plasma protein biomarkers for diabetes-related endothelial dysfunction. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107906.	1.2	2
44	Response to Patoulas et al. letter regarding article "Twelve weeks of treatment with empagliflozin in patients with heart failure and reduced ejection fraction: A double-blinded, randomized, and placebo-controlled trial". <i>American Heart Journal</i> , 2021, 236, 106.	1.2	0
45	Metabolic Effects of Empagliflozin in Heart Failure: A Randomized, Double-Blind, and Placebo-Controlled Trial (Empire HF Metabolic). <i>Circulation</i> , 2021, 143, 2208-2210.	1.6	8
46	Data-driven point-of-care risk model in patients with acute myocardial infarction and cardiogenic shock. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 668-675.	0.4	5
47	Associations of Empagliflozin With Left Ventricular Volumes, Mass, and Function in Patients With Heart Failure and Reduced Ejection Fraction. <i>JAMA Cardiology</i> , 2021, 6, 836.	3.0	95
48	Cross-sectional study of aortic valve calcification and cardiovascular risk factors in older Danish men. <i>Heart</i> , 2021, 107, 1536-1543.	1.2	5
49	Admission biomarkers among patients with acute myocardial-infarction related cardiogenic shock with or without out-of-hospital cardiac arrest an exploratory study. <i>Biomarkers</i> , 2021, 26, 632-638.	0.9	5
50	Hemodynamic Determinants of Activity Measured by Accelerometer in Patients With Stable Heart Failure. <i>JACC: Heart Failure</i> , 2021, 9, 824-835.	1.9	4
51	Sex-specific mortality prediction by pro-C-type natriuretic peptide measurement in a prospective cohort of patients with ST-elevation myocardial infarction. <i>BMJ Open</i> , 2021, 11, e048312.	0.8	1
52	[68Ga]Ga-NODAGA-E[(cRGDyK)]2 Angiogenesis PET/MR in a Porcine Model of Chronic Myocardial Infarction. <i>Diagnostics</i> , 2021, 11, 1807.	1.3	4
53	Immediate evaluation of global longitudinal strain at initiation of trastuzumab treatment in breast cancer patients. <i>Echocardiography</i> , 2021, 38, 1702-1710.	0.3	3
54	Cardiogenic shock due to predominantly right ventricular failure complicating acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 33-39.	0.4	10

#	ARTICLE	IF	CITATIONS
55	Polymorphisms in the serotonin transporter gene and circulating concentrations of neurotransmitters in Cavalier King Charles Spaniels with myxomatous mitral valve disease. <i>Journal of Veterinary Internal Medicine</i> , 2021, 35, 2596-2606.	0.6	7
56	Five-year risk of heart failure and death following myocardial infarction with cardiogenic shock: a nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 40-49.	0.4	5
57	Assessment of diastolic function in aortic stenosis: A comparison between 2009 and 2016 guidelines. <i>Echocardiography</i> , 2021, 38, 2006-2015.	0.3	0
58	Hemodynamic evaluation by serial right heart catheterizations after cardiac arrest; protocol of a sub-study from the Blood Pressure and Oxygenation Targets after Out-of-Hospital Cardiac Arrest-trial (BOX). <i>Resuscitation Plus</i> , 2021, 8, 100188.	0.6	5
59	What to expect after open heart valve surgery? Changes in health-related quality of life. <i>Quality of Life Research</i> , 2020, 29, 1247-1258.	1.5	8
60	Mechanical respiratory support in cardiogenic shock: reply. <i>European Journal of Heart Failure</i> , 2020, 22, 168-169.	2.9	0
61	Clinical and Genetic Investigations of 109 Index Patients With Dilated Cardiomyopathy and 445 of Their Relatives. <i>Circulation: Heart Failure</i> , 2020, 13, e006701.	1.6	12
62	Letter by Helgestad et al Regarding Article, "The Evolving Landscape of Impella Use in the United States Among Patients Undergoing Percutaneous Coronary Intervention With Mechanical Circulatory Support" <i>Circulation</i> , 2020, 142, e72-e73.	1.6	0
63	Employment status before and after open heart valve surgery: A cohort study. <i>PLoS ONE</i> , 2020, 15, e0240210.	1.1	3
64	Intravascular Microaxial Left Ventricular Assist Device vs Intra-aortic Balloon Pump for Cardiogenic Shock. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 302.	3.8	1
65	Twelve weeks of treatment with empagliflozin in patients with heart failure and reduced ejection fraction: A double-blinded, randomized, and placebo-controlled trial. <i>American Heart Journal</i> , 2020, 228, 47-56.	1.2	61
66	Mortality in cardiogenic shock is stronger associated to clinical factors than contemporary biomarkers reflecting neurohormonal stress and inflammatory activation. <i>Biomarkers</i> , 2020, 25, 506-512.	0.9	1
67	Effect of Empagliflozin on Hemodynamics in Patients With Heart Failure and Reduced Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2740-2751.	1.2	57
68	Trends in first-time hospitalization, management, and short-term mortality in acute myocardial infarction-related cardiogenic shock from 2005 to 2017: A nationwide cohort study. <i>American Heart Journal</i> , 2020, 229, 127-137.	1.2	24
69	Cognitive impairment and psychopathology in out-of-hospital cardiac arrest survivors in Denmark: The REVIVAL cohort study protocol. <i>BMJ Open</i> , 2020, 10, e038633.	0.8	6
70	The association between self-reported health status and adverse events: a comparison among coronary artery bypass grafting (CABG) versus percutaneous coronary intervention (PCI). <i>Quality of Life Research</i> , 2020, 29, 3017-3029.	1.5	5
71	Association between frailty and self-reported health following heart valve surgery. <i>IJC Heart and Vasculature</i> , 2020, 31, 100671.	0.6	5
72	Advanced Mechanical Circulatory Support in Refractory Cardiogenic Shock. <i>Circulation: Heart Failure</i> , 2020, 13, e006846.	1.6	2

#	ARTICLE	IF	CITATIONS
73	Impact of concomitant vasoactive treatment and mechanical left ventricular unloading in a porcine model of profound cardiogenic shock. <i>Critical Care</i> , 2020, 24, 95.	2.5	19
74	Myocardial Changes in Diabetic and Nondiabetic Nonhuman Primates. <i>Veterinary Pathology</i> , 2020, 57, 332-343.	0.8	5
75	Causes and characteristics associated with early and late readmission after open heart valve surgery. <i>Journal of Cardiac Surgery</i> , 2020, 35, 747-754.	0.3	5
76	Biomarkers predictive of late cardiogenic shock development in patients with suspected ST-elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 557-566.	0.4	14
77	Unloading using Impella CP during profound cardiogenic shock caused by left ventricular failure in a large animal model: impact on the right ventricle. <i>Intensive Care Medicine Experimental</i> , 2020, 8, 41.	0.9	12
78	Hemodynamic and metabolic recovery in acute myocardial infarction-related cardiogenic shock is more rapid among patients presenting with out-of-hospital cardiac arrest. <i>PLoS ONE</i> , 2020, 15, e0244294.	1.1	17
79	The hospitalised out-of-hospital cardiac arrest patient: We need more research. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, S63-S66.	0.4	1
80	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
81	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
82	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
83	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
84	Temporal trends in incidence and patient characteristics in cardiogenic shock following acute myocardial infarction from 2010 to 2017: a Danish cohort study. <i>European Journal of Heart Failure</i> , 2019, 21, 1370-1378.	2.9	93
85	Association between left ventricular diastolic function and right ventricular function and morphology in asymptomatic aortic stenosis. <i>PLoS ONE</i> , 2019, 14, e0215364.	1.1	4
86	Empagliflozin in heart failure patients with reduced ejection fraction: a randomized clinical trial (Empire HF). <i>Trials</i> , 2019, 20, 374.	0.7	35
87	Rationale and design of DanGer shock: Danish-German cardiogenic shock trial. <i>American Heart Journal</i> , 2019, 214, 60-68.	1.2	160
88	Data on an intervention to reduce readmissions after open heart valve surgery. <i>Data in Brief</i> , 2019, 24, 103926.	0.5	4
89	Design paper of the "Blood pressure targets in post-resuscitation care and bedside monitoring of cerebral energy state: a randomized clinical trial". <i>Trials</i> , 2019, 20, 344.	0.7	7
90	Effect of early, individualised and intensified follow-up after open heart valve surgery on unplanned cardiac hospital readmissions and all-cause mortality. <i>International Journal of Cardiology</i> , 2019, 289, 30-36.	0.8	19

#	ARTICLE	IF	CITATIONS
91	Pathogenic <i>RBM20</i> Variants Are Associated With a Severe Disease Expression in Male Patients With Dilated Cardiomyopathy. <i>Circulation: Heart Failure</i> , 2019, 12, e005700.	1.6	56
92	Central and Peripheral Determinants of Exercise Capacity in Heart Failure Patients With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2019, 7, 321-332.	1.9	33
93	Postoperative atrial fibrillation after aortic valve replacement is a risk factor for long-term atrial fibrillation. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2019, 29, 378-385.	0.5	16
94	Long-Term Risk of Heart Failure in Breast Cancer Patients After Adjuvant Chemotherapy With or Without Trastuzumab. <i>JACC: Heart Failure</i> , 2019, 7, 217-224.	1.9	43
95	Lactate is a Prognostic Factor in Patients Admitted With Suspected ST-Elevation Myocardial Infarction. <i>Shock</i> , 2019, 51, 321-327.	1.0	28
96	Early follow-up after open heart valve surgery reduces healthcare costs: a propensity matched study. <i>Open Heart</i> , 2019, 6, e001122.	0.9	6
97	Right Ventricular and Pulmonary Vascular Function are Influenced by Age and Volume Expansion in Healthy Humans. <i>Journal of Cardiac Failure</i> , 2019, 25, 51-59.	0.7	13
98	Impella Support for Acute Myocardial Infarction Complicated by Cardiogenic Shock. <i>Circulation</i> , 2019, 139, 1249-1258.	1.6	353
99	Long-term effect of epirubicin on incidence of heart failure in women with breast cancer: insight from a randomized clinical trial. <i>European Journal of Heart Failure</i> , 2018, 20, 1447-1453.	2.9	46
100	Reply to Nardi et al.. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 54, 201-201.	0.6	0
101	Measurement of left atrial volume by 2D and 3D non-contrast computed tomography compared with cardiac magnetic resonance imaging. <i>Journal of Cardiovascular Computed Tomography</i> , 2018, 12, 316-319.	0.7	6
102	Hemodynamic Characteristics in Significant Symptomatic and Asymptomatic Primary Mitral Valve Regurgitation at Rest and During Exercise. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e007171.	1.3	24
103	Plasma Concentration of Biomarkers Reflecting Endothelial Cell- and Glycocalyx Damage are Increased in Patients With Suspected ST-Elevation Myocardial Infarction Complicated by Cardiogenic Shock. <i>Shock</i> , 2018, 50, 538-544.	1.0	29
104	Layer-specific deformation analysis in severe aortic valve stenosis, primary mitral valve regurgitation, and healthy individuals validated against invasive hemodynamic measurements of heart function. <i>Echocardiography</i> , 2018, 35, 170-178.	0.3	3
105	Structural valve deterioration in the Mitroflow biological heart valve prosthesis. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 53, 136-142.	0.6	20
106	Risk factors of late cardiogenic shock and mortality in ST-segment elevation myocardial infarction patients. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 7-15.	0.4	49
107	Patient-reported outcomes after aortic and mitral valve surgery – results from the DenHeart Study. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 246-254.	0.4	9
108	The Glucagon-Like Peptide-1 Analog Exenatide Increases Blood Glucose Clearance, Lactate Clearance, and Heart Rate in Comatose Patients After Out-of-Hospital Cardiac Arrest. <i>Critical Care Medicine</i> , 2018, 46, e118-e125.	0.4	7



#	ARTICLE	IF	CITATIONS
109	Single-centre experience with the Impella CP, 5.0 and RP in 109 consecutive patients with profound cardiogenic shock. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 53-61.	0.4	46
110	Left Atrial Function in Heart Failure With Reduced Ejection Fraction. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e008427.	1.3	8
111	Dietary normalization from a fat, fructose and cholesterol-rich diet to chow limits the amount of myocardial collagen in a Göttingen Minipig model of obesity. <i>Nutrition and Metabolism</i> , 2018, 15, 64.	1.3	8
112	Validation and Clinical Evaluation of a Method for Double-Blinded Blood Pressure Target Investigation in Intensive Care Medicine*. <i>Critical Care Medicine</i> , 2018, 46, 1626-1633.	0.4	17
113	Large Porcine Model of Profound Acute Ischemic Cardiogenic Shock. <i>Methods in Molecular Biology</i> , 2018, 1816, 343-352.	0.4	13
114	Proteomic Discovery and Validation of the Confounding Effect of Heparin Administration on the Analysis of Candidate Cardiovascular Biomarkers. <i>Clinical Chemistry</i> , 2018, 64, 1474-1484.	1.5	21
115	Effects of menaquinone-7 supplementation in patients with aortic valve calcification: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e022019.	0.8	16
116	Exercise Hemodynamics After Aortic Valve Replacement for Severe Aortic Stenosis. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 1091-1100.	1.2	7
117	Angina Pectoris in Young Male due to Agenesis of Left Circumflex Artery. <i>American Journal of Case Reports</i> , 2018, 19, 517-522.	0.3	0
118	Sociodemographic, Clinical and Patient-Reported Outcomes and Readmission After Heart Valve Surgery. <i>Journal of Heart Valve Disease</i> , 2018, 27, 78-86.	0.5	8
119	Ventricular Unloading in Porcine Models. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 841.	1.1	1
120	Effects of Intensive Statin Therapy on Left Ventricular Function in Patients with Myocardial Infarction and Abnormal Glucose Tolerance. <i>Cardiology</i> , 2017, 138, 16-25.	0.6	1
121	Relation of Left Atrial Size, Cardiac Morphology, and Clinical Outcome in Asymptomatic Aortic Stenosis. <i>American Journal of Cardiology</i> , 2017, 120, 1877-1883.	0.7	18
122	Data on association between QRS duration on prehospital ECG and mortality in patients with confirmed STEMI. <i>Data in Brief</i> , 2017, 15, 12-17.	0.5	1
123	Postoperative Reverse Remodeling and Symptomatic Improvement in Normal-Flow Low-Gradient Aortic Stenosis After Aortic Valve Replacement. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	1.3	16
124	Association between QRS duration on prehospital ECG and mortality in patients with suspected STEMI. <i>International Journal of Cardiology</i> , 2017, 249, 55-60.	0.8	6
125	Single and multiple cardiovascular biomarkers in subjects without a previous cardiovascular event. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1648-1659.	0.8	18
126	Galectin-3 and fibulin-1 in systolic heart failure - relation to glucose metabolism and left ventricular contractile reserve. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 22.	0.7	9



#	ARTICLE	IF	CITATIONS
127	Effect of liraglutide, a glucagon-like peptide-1 analogue, on left ventricular function in stable chronic heart failure patients with and without diabetes (<scp>LIVE</scp>)â€”a multicentre, double-blind, randomised, placebo-controlled trial. <i>European Journal of Heart Failure</i> , 2017, 19, 69-77.	2.9	343
128	GLP-1 analogues for neuroprotection after out-of-hospital cardiac arrest: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 304.	0.7	10
129	Association diastolic function by echo and infarct size by magnetic resonance imaging after STEMI. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 172-179.	0.4	7
130	The role of levosimendan in acute heart failure complicating acute coronary syndrome: A review and expert consensus opinion. <i>International Journal of Cardiology</i> , 2016, 218, 150-157.	0.8	60
131	Mitral valve regurgitation in twins: Concordance and survival. <i>American Heart Journal</i> , 2016, 177, 51-57.	1.2	3
132	Early Diastolic Strain Rate in Relation to Systolic and Diastolic Function and Prognosis in Aortic Stenosis. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 519-528.	2.3	49
133	Early changes in left atrial volume after acute myocardial infarction. Relation to invasive hemodynamics at rest and during exercise. <i>International Journal of Cardiology</i> , 2016, 223, 717-722.	0.8	10
134	Incidence of cancer in patients with chronic heart failure: a long-term follow-up study. <i>European Journal of Heart Failure</i> , 2016, 18, 260-266.	2.9	158
135	Neuroprotective Effects of the Glucagon-Like Peptide-1 Analog Exenatide After Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2016, 134, 2115-2124.	1.6	42
136	Association Between Left Atrial Dilatation and Invasive Hemodynamics at Rest and During Exercise in Asymptomatic Aortic Stenosis. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, .	1.3	31
137	Association between aortic valve calcification measured on non-contrast computed tomography and aortic valve stenosis in the general population. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 309-315.	0.7	12
138	Predictors and prognostic value of left atrial remodelling after acute myocardial infarction. <i>Open Heart</i> , 2015, 2, e000223.	0.9	17
139	Untreated diabetes mellitus, but not impaired fasting glucose, is associated with increased left ventricular mass and concentric hypertrophy in an elderly, healthy, Swedish population. <i>IJC Metabolic &amp; Endocrine</i> , 2015, 9, 39-47.	0.5	5
140	Worsening diastolic function is associated with elevated fasting plasma glucose and increased left ventricular mass in a supra-additive fashion in an elderly, healthy, Swedish population. <i>International Journal of Cardiology</i> , 2015, 184, 466-472.	0.8	14
141	Effects of intensive lipid-lowering therapy on coronary plaques composition in patients with acute myocardial infarction: Assessment with serial coronary CT angiography. <i>Atherosclerosis</i> , 2015, 241, 579-587.	0.4	54
142	Impella ventricular support in clinical practice: Collaborative viewpoint from a European expert user group. <i>International Journal of Cardiology</i> , 2015, 201, 684-691.	0.8	160
143	Repeated echocardiography after first ever ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention â€” is it necessary?. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2015, 4, 528-536.	0.4	21
144	Prognostic implication of out-of-hospital cardiac arrest in patients with cardiogenic shock and acute myocardial infarction. <i>Resuscitation</i> , 2015, 87, 57-62.	1.3	52

#	ARTICLE	IF	CITATIONS
145	A protocol for a randomised, double-blind, placebo-controlled study of the effect of Liraglutide on left VEntricular function in chronic heart failure patients with and without type 2 diabetes (The LIVE) Tj ETQq1 1 0.784314 rgBT /Over	0.7	12
146	Relationships Between Biomarkers and Left Ventricular Filling Pressures at Rest and During Exercise in Patients After Myocardial Infarction. Journal of Cardiac Failure, 2014, 20, 959-967.	0.7	12
147	Atrial fibrillation in severe aortic valve stenosis " Association with left ventricular left atrial remodeling. International Journal of Cardiology Heart & Vessels, 2014, 4, 102-107.	0.5	10
148	Response to Letter Regarding Article, "Left Ventricular Diastolic Function Is Associated With Symptom Status in Severe Aortic Valve Stenosis" Circulation: Cardiovascular Imaging, 2014, 7, 413-413.	1.3	0
149	Hemodynamics and vasopressor support in therapeutic hypothermia after cardiac arrest: Prognostic implications. Resuscitation, 2014, 85, 664-670.	1.3	32
150	Early diastolic strain rate in relation to systolic and diastolic function and prognosis in acute myocardial infarction: a two-dimensional speckle-tracking study. European Heart Journal, 2014, 35, 648-656.	1.0	102
151	Left Ventricular Diastolic Function Is Associated With Symptom Status in Severe Aortic Valve Stenosis. Circulation: Cardiovascular Imaging, 2014, 7, 142-148.	1.3	56
152	Intracoronary Injection of CD34+ Cells in Chronic Ischemic Heart Failure: 7 Years Follow-Up of the DanCell Study. Cardiology, 2014, 129, 69-74.	0.6	5
153	Early Echocardiographic Deformation Analysis for the Prediction of Sudden Cardiac Death and Life-Threatening Arrhythmias After Myocardial Infarction. JACC: Cardiovascular Imaging, 2013, 6, 851-860.	2.3	90
154	Left Atrial Volume Index. Journal of the American College of Cardiology, 2013, 62, 2416-2421.	1.2	80
155	Exercise-induced changes in left ventricular filling pressure after myocardial infarction assessed with simultaneous right heart catheterization and Doppler echocardiography. International Journal of Cardiology, 2013, 168, 2803-2810.	0.8	18
156	Relation of Osteoprotegerin in Severe Aortic Valve Stenosis to Postoperative Outcome and Left Ventricular Function. American Journal of Cardiology, 2013, 112, 1433-1438.	0.7	11
157	Tertiary centres have improved survival compared to other hospitals in the Copenhagen area after out-of-hospital cardiac arrest. Resuscitation, 2013, 84, 162-167.	1.3	110
158	Post-hypothermia fever is associated with increased mortality after out-of-hospital cardiac arrest. Resuscitation, 2013, 84, 1734-1740.	1.3	133
159	Prevention of atrial fibrillation in patients with aortic valve stenosis with candesartan treatment after aortic valve replacement. International Journal of Cardiology, 2013, 165, 242-246.	0.8	8
160	Prediction of All-Cause Mortality and Heart Failure Admissions From Global Left Ventricular Longitudinal Strain in Patients With Acute Myocardial Infarction and Preserved Left Ventricular Ejection Fraction. Journal of the American College of Cardiology, 2013, 61, 2365-2373.	1.2	320
161	The Prognostic Value of Left Atrial Peak Reservoir Strain in Acute Myocardial Infarction Is Dependent on Left Ventricular Longitudinal Function and Left Atrial Size. Circulation: Cardiovascular Imaging, 2013, 6, 26-33.	1.3	120
162	Left atrial volume and function in patients following ST elevation myocardial infarction and the association with clinical outcome: a cardiovascular magnetic resonance study. European Heart Journal Cardiovascular Imaging, 2013, 14, 118-127.	0.5	72

#	ARTICLE	IF	CITATIONS
163	Haemodynamic response during low-dose dobutamine infusion in patients with chronic systolic heart failure: comparison of echocardiographic and invasive measurements. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 659-667.	0.5	14
164	Microvascular dysfunction is associated with plasma osteoprotegerin levels in patients with acute myocardial infarction. <i>Coronary Artery Disease</i> , 2013, 24, 487-492.	0.3	10
165	Sildenafil and Diastolic Dysfunction After Acute Myocardial Infarction in Patients With Preserved Ejection Fraction. <i>Circulation</i> , 2013, 127, 1200-1208.	1.6	73
166	Sildenafil and Diastolic Dysfunction After Acute Myocardial Infarction Trial: Rationale and Design. <i>Clinical Cardiology</i> , 2013, 36, 179-183.	0.7	0
167	Exercise Hemodynamics in Patients With and Without Diastolic Dysfunction and Preserved Ejection Fraction After Myocardial Infarction. <i>Circulation: Heart Failure</i> , 2012, 5, 444-451.	1.6	56
168	Global left ventricular longitudinal strain is closely associated with increased neurohormonal activation after acute myocardial infarction in patients with both reduced and preserved ejection fraction: a two-dimensional speckle tracking study. <i>European Journal of Heart Failure</i> , 2012, 14, 1121-1129.	2.9	26
169	Correlation between Left Ventricular Global and Regional Longitudinal Systolic Strain and Impaired Microcirculation in Patients with Acute Myocardial Infarction. <i>Echocardiography</i> , 2012, 29, 1181-1190.	0.3	27
170	Plasma Fibulin-1 Is Linked to Restrictive Filling of the Left Ventricle and to Mortality in Patients With Aortic Valve Stenosis. <i>Journal of the American Heart Association</i> , 2012, 1, e003889.	1.6	13
171	Vascular characteristics in patients with resistant hypertension and type-II-diabetes mellitus. <i>Artery Research</i> , 2012, 6, 71.	0.3	0
172	Relationship between Left Ventricular Longitudinal Deformation and Clinical Heart Failure during Admission for Acute Myocardial Infarction: A Two-Dimensional Speckle-Tracking Study. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 1280-1289.	1.2	42
173	Emergency coronary angiography in comatose cardiac arrest patients: do real-life experiences support the guidelines?. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2012, 1, 291-301.	0.4	124
174	The prognostic importance of a history of hypertension in patients with symptomatic heart failure is substantially worsened by a short mitral inflow deceleration time. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 30.	0.7	5
175	Outcome of accidental hypothermia with or without circulatory arrest. <i>Resuscitation</i> , 2012, 83, 1078-1084.	1.3	135
176	Assessment of left atrial volume and function: a comparative study between echocardiography, magnetic resonance imaging and multi slice computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1061-1071.	0.7	85
177	Left Ventricular Assist Device as Bridge to Recovery for Anthracycline-Induced Terminal Heart Failure. <i>Congestive Heart Failure</i> , 2012, 18, 291-294.	2.0	14
178	Prevalence of infective endocarditis in patients with Staphylococcus aureus bacteraemia: the value of screening with echocardiography. <i>European Journal of Echocardiography</i> , 2011, 12, 414-420.	2.3	138
179	Left Atrial Function and Mortality in Patients With NSTEMI. <i>JACC: Cardiovascular Imaging</i> , 2011, 4, 1080-1087.	2.3	47
180	Understanding differences in results from literature-based and individual patient meta-analyses: An example from meta-analyses of observational data. <i>International Journal of Cardiology</i> , 2011, 148, 209-213.	0.8	6

#	ARTICLE	IF	CITATIONS
181	Persistent Abnormal Coronary Flow Reserve in Association with Abnormal Glucose Metabolism Affects Prognosis in Acute Myocardial Infarction. <i>Echocardiography</i> , 2011, 28, 210-218.	0.3	5
182	Noninvasive assessment of filling pressure and left atrial pressure overload in severe aortic valve stenosis: Relation to ventricular remodeling and clinical outcome after aortic valve replacement. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2011, 142, e77-e83.	0.4	53
183	Central and Peripheral Blood Flow During Exercise With a Continuous-Flow Left Ventricular Assist Device. <i>Circulation: Heart Failure</i> , 2011, 4, 554-560.	1.6	94
184	Buckling of the transoesophageal echocardiography probe: an unusual complication during conscious sedation. <i>European Journal of Echocardiography</i> , 2011, 12, 476-476.	2.3	22
185	Effect of Candesartan Treatment on Left Ventricular Remodeling After Aortic Valve Replacement for Aortic Stenosis. <i>American Journal of Cardiology</i> , 2010, 106, 713-719.	0.7	66
186	Left Ventricular Diastolic Function in Type 2 Diabetes Mellitus. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 24-31.	1.3	100
187	Atrial fibrillation in heart failure is associated with an increased risk of death only in patients with ischaemic heart disease. <i>European Journal of Heart Failure</i> , 2010, 12, 692-697.	2.9	26
188	Association between coronary flow reserve, left ventricular systolic function, and myocardial viability in acute myocardial infarction. <i>European Journal of Echocardiography</i> , 2010, 11, 665-670.	2.3	11
189	Hemodynamic Stress Echocardiography in Patients Supported With a Continuous-Flow Left Ventricular Assist Device. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 854-859.	2.3	28
190	Assessment of left atrial volume and mechanical function in ischemic heart disease. <i>International Journal of Cardiology</i> , 2010, 145, 197-202.	0.8	21
191	Noninvasive assessment of left ventricular filling pressure after acute myocardial infarction: A prospective study of the relative prognostic utility of clinical assessment, echocardiography, and B-type natriuretic peptide. <i>American Heart Journal</i> , 2010, 159, 47-54.	1.2	41
192	Changes in left ventricular filling patterns after repeated injection of autologous bone marrow cells in heart failure patients. <i>Scandinavian Cardiovascular Journal</i> , 2010, 44, 139-145.	0.4	23
193	Myocardial ischemia, carotid, and peripheral arterial disease and their interrelationship in type 2 diabetes patients. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 878-887.	1.4	22
194	Predictors of right ventricular function as measured by tricuspid annular plane systolic excursion in heart failure. <i>Cardiovascular Ultrasound</i> , 2009, 7, 51.	0.5	50
195	Prognostic importance of a restrictive transmitral filling pattern in patients with symptomatic congestive heart failure and atrial fibrillation. <i>American Heart Journal</i> , 2009, 158, 983-988.	1.2	7
196	Abnormal Glucose Metabolism in Acute Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2009, 2, 592-599.	2.3	31
197	Influence of Abnormal Glucose Metabolism on Coronary Microvascular Function After a Recent Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2009, 2, 1159-1166.	2.3	23
198	Influence of left ventricular filling pattern on exercise-induced changes of natriuretic peptides in patients with suspected coronary artery disease. <i>International Journal of Cardiology</i> , 2008, 124, 204-210.	0.8	5

#	ARTICLE	IF	CITATIONS
199	Role of Hepatic Resection for Patients With Carcinoid Heart Disease. Mayo Clinic Proceedings, 2008, 83, 143-150.	1.4	21
200	Is heart failure the critical warning sign for death following myocardial infarction?. European Heart Journal, 2008, 29, 833-834.	1.0	4
201	Effect of repeated intracoronary injection of bone marrow cells in patients with ischaemic heart failure† The Danish Stem Cell studyâ€”Congestive Heart Failure trial (DanCellâ€”CHF). European Journal of Heart Failure, 2008, 10, 661-667.	2.9	39
202	Prognostic importance of a short deceleration time in symptomatic congestive heart failure†. European Journal of Heart Failure, 2008, 10, 689-695.	2.9	12
203	Individual patient meta-analyses of restrictive diastolic filling pattern and mortality in patients post acute myocardial infarction and in patients with chronic heart failure. International Journal of Cardiology, 2007, 122, 207-215.	0.8	19
204	Exertional Changes in Circulating Cardiac Natriuretic Peptides in Patients with Suggested Coronary Artery Disease. Journal of the American Society of Echocardiography, 2006, 19, 772-776.	1.2	15
205	Wall motion score index and ejection fraction for risk stratification after acute myocardial infarction. American Heart Journal, 2006, 151, 419-425.	1.2	200
206	Enalapril suppresses ventricular remodeling after acute myocardial infarction more effectively than losartan. Evidence-based Cardiovascular Medicine, 2006, 10, 32-34.	0.0	0
207	Neurohormonal activation and diagnostic value of cardiac peptides in patients with suspected mild heart failure. International Journal of Cardiology, 2006, 110, 324-333.	0.8	11
208	Safety of Exercise Stress Testing in Patients With Abnormal Concentrations of Serum Potassiumâ€”Portions of this manuscript were published in abstract form in Circulation 2002;106(suppl):II-437 (used with permission).. American Journal of Cardiology, 2006, 97, 1247-1249.	0.7	16
209	Tei index and neurohormonal activation in patients with incident heart failure: Serial changes and prognostic value. European Journal of Heart Failure, 2006, 8, 599-608.	2.9	32
210	Prognostic Importance of Diastolic Function and Filling Pressure in Patients With Acute Myocardial Infarction. Circulation, 2006, 114, 438-444.	1.6	549
211	Prognostic Importance of Secondary Pulmonary Hypertension After Acute Myocardial Infarction. American Journal of Cardiology, 2005, 96, 199-203.	0.7	37
212	Usefulness of Left Ventricular Diastolic Wall Motion Abnormality as an Early Predictor of Left Ventricular Dilation After a First Acute Myocardial Infarction. American Journal of Cardiology, 2005, 96, 1186-1189.	0.7	8
213	Prognosis of Carcinoid Heart Disease. Circulation, 2005, 112, 3320-3327.	1.6	236
214	Serial Changes in Regional Diastolic Left Ventricular Function After a First Acute Myocardial Infarction. Journal of the American Society of Echocardiography, 2005, 18, 1173-1180.	1.2	3
215	The Doppler myocardial performance index during low-dose dobutamine echocardiography predicts mortality and left ventricular dilation after a first acute myocardial infarction. American Heart Journal, 2005, 150, 522-529.	1.2	11
216	Diastolic wall motion abnormality after myocardial infarction: Relation to neurohormonal activation and prognostic implications. American Heart Journal, 2005, 150, 767-774.	1.2	11

#	ARTICLE	IF	CITATIONS
217	Prognostic significance of echocardiographically defined mitral regurgitation early after acute myocardial infarction. American Heart Journal, 2005, 150, 1268-1275.	1.2	50
218	The myocardial performance index during low-dose dobutamine echocardiography in control subjects and patients with a recent myocardial infarction: a new index of left ventricular functional reserve?. Journal of the American Society of Echocardiography, 2004, 17, 732-738.	1.2	11
219	Noninvasive estimation of left ventricular filling pressure by $e/a^2$ is a powerful predictor of survival after acute myocardial infarction. Journal of the American College of Cardiology, 2004, 43, 360-367.	1.2	481
220	Effects of losartan and captopril on left ventricular systolic and diastolic function after acute myocardial infarction: Results of the Optimal Trial in Myocardial Infarction with Angiotensin II antagonist losartan (optimaal) echocardiographic substudy. American Heart Journal, 2004, 147, 494-501.	1.2	42
221	Factors Associated with Progression of Carcinoid Heart Disease. New England Journal of Medicine, 2003, 348, 1005-1015.	13.9	269
222	Impact of early changes in left ventricular filling pattern on long-term outcome after acute myocardial infarction. International Journal of Cardiology, 2003, 89, 207-215.	0.8	22
223	Prognostic importance of systolic and diastolic function after acute myocardial infarction. American Heart Journal, 2003, 145, 147-153.	1.2	143
224	Left Atrial Volume. Circulation, 2003, 107, 2207-2212.	1.6	623
225	Congestive heart failure with preserved left ventricular systolic function after acute myocardial infarction: clinical and prognostic implications. European Journal of Heart Failure, 2003, 5, 811-819.	2.9	37
226	Relation of Early Changes of QT Dispersion to Changes in Left Ventricular Systolic and Diastolic Function after a First Acute Myocardial Infarction. Scandinavian Cardiovascular Journal, 2002, 36, 225-230.	0.4	7
227	Relationship between vascular dysfunction in peripheral arteries and ischemic episodes during daily life in patients with ischemic heart disease and hypercholesterolemia. American Heart Journal, 2002, 144, 108-114.	1.2	6
228	Color M-mode and pulsed wave tissue Doppler echocardiography: Powerful predictors of cardiac events after first myocardial infarction. Journal of the American Society of Echocardiography, 2001, 14, 757-763.	1.2	51
229	Serial doppler echocardiographic assessment of left and right ventricular performance after a first myocardial infarction. Journal of the American Society of Echocardiography, 2001, 14, 249-255.	1.2	67
230	Prognostic Implications of Left Ventricular Diastolic Dysfunction with Preserved Systolic Function following Acute Myocardial Infarction. Cardiology, 2001, 95, 190-197.	0.6	25
231	The Doppler Echocardiographic Myocardial Performance Index Predicts Left-Ventricular Dilation and Cardiac Death after Myocardial Infarction. Cardiology, 2001, 95, 105-111.	0.6	49
232	Serial changes and prognostic implications of a Doppler-derived index of combined left ventricular systolic and diastolic myocardial performance in acute myocardial infarction. American Journal of Cardiology, 2000, 85, 19-25.	0.7	135
233	Preload dependence of color M-Mode Doppler flow propagation velocity in controls and in patients with left ventricular dysfunction. Journal of the American Society of Echocardiography, 2000, 13, 902-909.	1.2	53
234	Pseudonormal and restrictive filling patterns predict left ventricular dilation and cardiac death after a first myocardial infarction: a serial color M-mode doppler echocardiographic study. Journal of the American College of Cardiology, 2000, 36, 1841-1846.	1.2	182

#	ARTICLE	IF	CITATIONS
235	Ratio of left ventricular peak E-wave velocity to flow propagation velocity assessed by color M-mode Doppler echocardiography in first myocardial infarction. Journal of the American College of Cardiology, 2000, 35, 363-370.	1.2	125
236	Effect of Preload Alternations on a New Doppler Echocardiographic Index of Combined Systolic and Diastolic Performance. Journal of the American Society of Echocardiography, 1999, 12, 1065-1072.	1.2	152