

Eva Wardelmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/855717/publications.pdf>

Version: 2024-02-01

162
papers

11,279
citations

47006

47
h-index

30922

102
g-index

168
all docs

168
docs citations

168
times ranked

12032
citing authors

#	ARTICLE	IF	CITATIONS
1	Dynamic Breast MR Imaging: Are Signal Intensity Time Course Data Useful for Differential Diagnosis of Enhancing Lesions?. <i>Radiology</i> , 1999, 211, 101-110.	7.3	1,186
2	Mammography, Breast Ultrasound, and Magnetic Resonance Imaging for Surveillance of Women at High Familial Risk for Breast Cancer. <i>Journal of Clinical Oncology</i> , 2005, 23, 8469-8476.	1.6	997
3	One vs Three Years of Adjuvant Imatinib for Operable Gastrointestinal Stromal Tumor. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 1265.	7.4	832
4	MRI for diagnosis of pure ductal carcinoma in situ: a prospective observational study. <i>Lancet, The</i> , 2007, 370, 485-492.	13.7	658
5	Breast MR Imaging Screening in 192 Women Proved or Suspected to Be Carriers of a Breast Cancer Susceptibility Gene: Preliminary Results. <i>Radiology</i> , 2000, 215, 267-279.	7.3	541
6	Polyclonal Evolution of Multiple Secondary <i>KIT</i> Mutations in Gastrointestinal Stromal Tumors under Treatment with Imatinib Mesylate. <i>Clinical Cancer Research</i> , 2006, 12, 1743-1749.	7.0	351
7	NBTXR3, a first-in-class radioenhancer hafnium oxide nanoparticle, plus radiotherapy versus radiotherapy alone in patients with locally advanced soft-tissue sarcoma (Act.In.Sarc): a multicentre, phase 2â€“3, randomised, controlled trial. <i>Lancet Oncology, The</i> , 2019, 20, 1148-1159.	10.7	288
8	Sarcoma classification by DNA methylation profiling. <i>Nature Communications</i> , 2021, 12, 498.	12.8	237
9	Deletion of Trp-557 and Lys-558 in the juxtamembrane domain of thec-kitprotooncogene is associated with metastatic behavior of gastrointestinal stromal tumors. <i>International Journal of Cancer</i> , 2003, 106, 887-895.	5.1	210
10	PD-1 and PD-L1 Expression in NSCLC Indicate a Favorable Prognosis in Defined Subgroups. <i>PLoS ONE</i> , 2015, 10, e0136023.	2.5	202
11	Acquired resistance to imatinib in gastrointestinal stromal tumours caused by multiple KIT mutations. <i>Lancet Oncology, The</i> , 2005, 6, 249-251.	10.7	175
12	Clinicopathologic profile of gastrointestinal stromal tumors (GISTs) with primary KIT exon 13 or exon 17 mutations: a multicenter study on 54 cases. <i>Modern Pathology</i> , 2008, 21, 476-484.	5.5	165
13	The CD34 epitope is expressed in neoplastic and malformative lesions associated with chronic, focal epilepsies. <i>Acta Neuropathologica</i> , 1999, 97, 481-490.	7.7	164
14	Therapeutic Consequences from Molecular Biology for Gastrointestinal Stromal Tumor Patients Affected by Neurofibromatosis Type 1. <i>Clinical Cancer Research</i> , 2008, 14, 4550-4555.	7.0	158
15	Association of Platelet-Derived Growth Factor Receptor Î± Mutations with Gastric Primary Site and Epithelioid or Mixed Cell Morphology in Gastrointestinal Stromal Tumors. <i>Journal of Molecular Diagnostics</i> , 2004, 6, 197-204.	2.8	147
16	Effect of <i>KIT</i> and <i>PDGFRA</i> Mutations on Survival in Patients With Gastrointestinal Stromal Tumors Treated With Adjuvant Imatinib. <i>JAMA Oncology</i> , 2017, 3, 602.	7.1	141
17	HLA-G is a potential tumor marker in malignant ascites. <i>Clinical Cancer Research</i> , 2003, 9, 4460-4.	7.0	141
18	MR Imagingâ€“guided Large-Core (14-Gauge) Needle Biopsy of Small Lesions Visible at Breast MR Imaging Alone. <i>Radiology</i> , 2001, 220, 31-39.	7.3	132

#	ARTICLE	IF	CITATIONS
19	Tumor Genotype Is an Independent Prognostic Factor in Primary Gastrointestinal Stromal Tumors of Gastric Origin: A European Multicenter Analysis Based on ConticaGIST. <i>Clinical Cancer Research</i> , 2014, 20, 6105-6116.	7.0	129
20	SAMHD1 is a biomarker for cytarabine response and a therapeutic target in acute myeloid leukemia. <i>Nature Medicine</i> , 2017, 23, 250-255.	30.7	121
21	Integrated PET/CT in differentiated thyroid cancer: diagnostic accuracy and impact on patient management. <i>Journal of Nuclear Medicine</i> , 2006, 47, 616-24.	5.0	119
22	Outcome of chemotherapy in advanced synovial sarcoma patients: Review of 15 clinical trials from the European Organisation for Research and Treatment of Cancer Soft Tissue and Bone Sarcoma Group; setting a new landmark for studies in this entity. <i>European Journal of Cancer</i> , 2016, 58, 62-72.	2.8	114
23	c-kit Mutations in Gastrointestinal Stromal Tumors Occur Preferentially in the Spindle Rather Than in the Epithelioid Cell Variant. <i>Modern Pathology</i> , 2002, 15, 125-136.	5.5	112
24	Survival Outcomes Associated With 3 Years vs 1 Year of Adjuvant Imatinib for Patients With High-Risk Gastrointestinal Stromal Tumors. <i>JAMA Oncology</i> , 2020, 6, 1241.	7.1	111
25	Gastrointestinal Stromal Tumor of the Rectum: Results of Surgical and Multimodality Therapy in the Era of Imatinib. <i>Annals of Surgical Oncology</i> , 2013, 20, 586-592.	1.5	110
26	Gastrointestinal stromal tumors (GIST) in children and adolescents: A comprehensive review of the current literature. <i>Pediatric Blood and Cancer</i> , 2009, 53, 1171-1179.	1.5	99
27	Antibody-Mediated Delivery of Anti-KRAS-siRNA <i>In Vivo</i> Overcomes Therapy Resistance in Colon Cancer. <i>Clinical Cancer Research</i> , 2015, 21, 1383-1394.	7.0	95
28	β-Catenin (CTNNB1) mutations and clinicopathological features of mesenteric desmoid-type fibromatosis. <i>Histopathology</i> , 2013, 62, 294-304.	2.9	93
29	Transcription factor AP2 ³ , a novel marker of gonocytes and seminomatous germ cell tumors. <i>International Journal of Cancer</i> , 2005, 115, 470-477.	5.1	86
30	Activating PDGFRA mutations in inflammatory fibroid polyps occur in exons 12, 14 and 18 and are associated with tumour localization. <i>Histopathology</i> , 2012, 61, 59-68.	2.9	82
31	Integrative DNA methylation and gene expression analysis in high-grade soft tissue sarcomas. <i>Genome Biology</i> , 2013, 14, r137.	9.6	78
32	Array-based DNA-methylation profiling in sarcomas with small blue round cell histology provides valuable diagnostic information. <i>Modern Pathology</i> , 2018, 31, 1246-1256.	5.5	76
33	MR Imaging of Pneumonia in Immunocompromised Patients. <i>American Journal of Roentgenology</i> , 2000, 175, 391-397.	2.2	75
34	Targeted next generation sequencing of parotid gland cancer uncovers genetic heterogeneity. <i>Oncotarget</i> , 2015, 6, 18224-18237.	1.8	71
35	miRNA-221 and miRNA-222 induce apoptosis via the KIT/AKT signalling pathway in gastrointestinal stromal tumours. <i>Molecular Oncology</i> , 2015, 9, 1421-1433.	4.6	71
36	Deep Sequencing in Conjunction with Expression and Functional Analyses Reveals Activation of FGFR1 in Ewing Sarcoma. <i>Clinical Cancer Research</i> , 2015, 21, 4935-4946.	7.0	68

#	ARTICLE	IF	CITATIONS
37	Genomic <i>EWSR1</i> Fusion Sequence as Highly Sensitive and Dynamic Plasma Tumor Marker in Ewing Sarcoma. <i>Clinical Cancer Research</i> , 2016, 22, 4356-4365.	7.0	68
38	Mutation analysis of gastrointestinal stromal tumors: increasing significance for risk assessment and effective targeted therapy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007, 451, 743-749.	2.8	66
39	Risk factors for gastrointestinal stromal tumor recurrence in patients treated with adjuvant imatinib. <i>Cancer</i> , 2014, 120, 2325-2333.	4.1	65
40	Strengthening health data on a rare and heterogeneous disease: sarcoma incidence and histological subtypes in Germany. <i>BMC Public Health</i> , 2018, 18, 235.	2.9	64
41	SRC Signaling Is Crucial in the Growth of Synovial Sarcoma Cells. <i>Cancer Research</i> , 2013, 73, 2518-2528.	0.9	62
42	Clear Cell Sarcoma-like Tumor with Osteoclast-like Giant Cells in the Small Bowel: Further Evidence for a New Tumor Entity. <i>International Journal of Surgical Pathology</i> , 2005, 13, 313-318.	0.8	58
43	Neovascular PSMA expression is a common feature in malignant neoplasms of the thyroid. <i>Oncotarget</i> , 2018, 9, 9867-9874.	1.8	57
44	Impact of Preoperative Breast MR Imaging and MR-guided Surgery on Diagnosis and Surgical Outcome of Women with Invasive Breast Cancer with and without DCIS Component. <i>Radiology</i> , 2017, 284, 645-655.	7.3	56
45	Testing <i>NTRK</i> testing: Wet-lab and in silico comparison of RNA-based targeted sequencing assays. <i>Genes Chromosomes and Cancer</i> , 2020, 59, 178-188.	2.8	52
46	The histone code reader SPIN1 controls RET signaling in liposarcoma. <i>Oncotarget</i> , 2015, 6, 4773-4789.	1.8	52
47	A subset of gastrointestinal stromal tumors previously regarded as wild-type tumors carries somatic activating mutations in KIT exon 8 (p.D419del). <i>Modern Pathology</i> , 2013, 26, 1004-1012.	5.5	51
48	HDAC (Histone Deacetylase) Inhibitor Valproic Acid Attenuates Atrial Remodeling and Delays the Onset of Atrial Fibrillation in Mice. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019, 12, e007071.	4.8	49
49	Epidermal growth factor receptor mutations in non-small cell lung cancer influence downstream Akt, MAPK and Stat3 signaling. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009, 135, 723-730.	2.5	47
50	Phosphatidylinositol 3-kinase/AKT signaling is essential in synovial sarcoma. <i>International Journal of Cancer</i> , 2011, 129, 1564-1575.	5.1	47
51	Prostate specific membrane antigen (PSMA) expression in non-small cell lung cancer. <i>PLoS ONE</i> , 2017, 12, e0186280.	2.5	47
52	Resistance to Avapritinib in PDGFRA-Driven GIST Is Caused by Secondary Mutations in the PDGFRA Kinase Domain. <i>Cancer Discovery</i> , 2021, 11, 108-125.	9.4	47
53	Which Factors Are Associated with Local Control and Survival of Patients with Localized Pelvic Ewing's Sarcoma? A Retrospective Analysis of Data from the Euro-EWING99 Trial. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 290-302.	1.5	45
54	Selective inactivation of hypomethylating agents by SAMHD1 provides a rationale for therapeutic stratification in AML. <i>Nature Communications</i> , 2019, 10, 3475.	12.8	43

#	ARTICLE	IF	CITATIONS
55	Management of early asymptomatic gastrointestinal stromal tumors of the stomach. <i>World Journal of Gastrointestinal Endoscopy</i> , 2014, 6, 266.	1.2	42
56	Sustained Platelet-Derived Growth Factor Receptor $\hat{\pm}$ Signaling in Osteoblasts Results in Craniosynostosis by Overactivating the Phospholipase C- β Pathway. <i>Molecular and Cellular Biology</i> , 2009, 29, 881-891.	2.3	41
57	A Novel Germline KIT Mutation (p.L576P) in a Family Presenting With Juvenile Onset of Multiple Gastrointestinal Stromal Tumors, Skin Hyperpigmentations, and Esophageal Stenosis. <i>American Journal of Surgical Pathology</i> , 2013, 37, 898-905.	3.7	40
58	FUS $\hat{\text{c}}$ DDIT3 Fusion Protein-Driven IGF-IR Signaling is a Therapeutic Target in Myxoid Liposarcoma. <i>Clinical Cancer Research</i> , 2017, 23, 6227-6238.	7.0	40
59	Gastrointestinal Stromal Tumors With KIT Exon 9 Mutations. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1648-1659.	3.7	39
60	Targeting Interleukin-2 to the Bone Marrow Stroma for Therapy of Acute Myeloid Leukemia Relapsing after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Cancer Immunology Research</i> , 2015, 3, 547-556.	3.4	39
61	Programmed cell death ligand 1 (PD $\hat{\text{c}}$ L1) expression is not a predominant feature in Ewing sarcomas. <i>Pediatric Blood and Cancer</i> , 2018, 65, e26719.	1.5	39
62	MicroRNA profiling of primary high $\hat{\text{c}}$ grade soft tissue sarcomas. <i>Genes Chromosomes and Cancer</i> , 2012, 51, 982-996.	2.8	38
63	Lineage Conversion of Murine Extraembryonic Trophoblast Stem Cells to Pluripotent Stem Cells. <i>Molecular and Cellular Biology</i> , 2011, 31, 1748-1756.	2.3	37
64	T cell infiltration into Ewing sarcomas is associated with local expression of immune-inhibitory HLA-G. <i>Oncotarget</i> , 2018, 9, 6536-6549.	1.8	37
65	SS18-SSX $\hat{\text{c}}$ Dependent YAP/TAZ Signaling in Synovial Sarcoma. <i>Clinical Cancer Research</i> , 2019, 25, 3718-3731.	7.0	36
66	Focal progression in patients with gastrointestinal stromal tumors after initial response to imatinib mesylate: a three-center-based study of 38 patients. <i>Gastric Cancer</i> , 2007, 10, 145-152.	5.3	35
67	Current Diagnostic Methods of HER-2/neu Detection in Breast Cancer With Special Regard to Real-Time PCR. <i>American Journal of Surgical Pathology</i> , 2003, 27, 1565-1570.	3.7	33
68	MRI-Guided Breast Biopsy: Influence of Choice of Vacuum Biopsy System on the Mode of Biopsy of MRI-Only Suspicious Breast Lesions. <i>American Journal of Roentgenology</i> , 2010, 194, 1650-1657.	2.2	33
69	Expression of PSMA in tumor neovasculature of high grade sarcomas including synovial sarcoma, rhabdomyosarcoma, undifferentiated sarcoma and MPNST. <i>Oncotarget</i> , 2017, 8, 4268-4276.	1.8	33
70	Prognostic factors for soft tissue sarcoma patients with lung metastases only who are receiving first $\hat{\text{c}}$ line chemotherapy: An exploratory, retrospective analysis of the European Organization for Research and Treatment of Cancer $\hat{\text{c}}$ Soft Tissue and Bone Sarcoma Group (EORTC $\hat{\text{c}}$ STBSG). <i>International Journal of Cancer</i> , 2018, 142, 2610-2620.	5.1	32
71	Neoadjuvant treatment of locally advanced GIST: Results of APOLLON, a prospective, open label $\hat{\text{c}}$ phase II study in KIT- or PDGFRA-positive tumors.. <i>Journal of Clinical Oncology</i> , 2012, 30, 10031-10031.	1.6	32
72	Preclinical evaluation of superantigen (staphylococcal enterotoxin B) in the intravesical immunotherapy of superficial bladder cancer. <i>International Journal of Cancer</i> , 2005, 115, 591-598.	5.1	31

#	ARTICLE	IF	CITATIONS
73	The Health-Related Quality of Life of Sarcoma Patients and Survivors in Germanyâ€”Cross-Sectional Results of a Nationwide Observational Study (PROSa). <i>Cancers</i> , 2020, 12, 3590.	3.7	31
74	Potential Targets' Analysis Reveals Dual PI3K/mTOR Pathway Inhibition as a Promising Therapeutic Strategy for Uterine Leiomyosarcomasâ€”an ENITEC Group Initiative. <i>Clinical Cancer Research</i> , 2017, 23, 1274-1285.	7.0	30
75	Gene Expression in Solitary Fibrous Tumors (SFTs) Correlates with Anatomic Localization and NAB2-STAT6 Gene Fusion Variants. <i>American Journal of Pathology</i> , 2021, 191, 602-617.	3.8	30
76	HLA-class II haplotype associations with ovarian cancer. <i>International Journal of Cancer</i> , 2006, 119, 2980-2985.	5.1	29
77	Predictive and prognostic factors associated with soft tissue sarcoma response to chemotherapy: a subgroup analysis of the European Organisation for Research and Treatment of Cancer 62012 study. <i>Acta OncolÃ³gica</i> , 2017, 56, 1013-1020.	1.8	29
78	Quality of Surgery and Outcome in Localized Gastrointestinal Stromal Tumors Treated Within an International Intergroup Randomized Clinical Trial of Adjuvant Imatinib. <i>JAMA Surgery</i> , 2020, 155, e200397.	4.3	29
79	Novel pathogenic alterations in pediatric and adult desmoid-type fibromatosis â€” A systematic analysis of 204 cases. <i>Scientific Reports</i> , 2020, 10, 3368.	3.3	29
80	Familial Gastrointestinal Stromal Tumors Caused by the Novel KIT Exon 17 Germline Mutation N822Y. <i>American Journal of Surgical Pathology</i> , 2008, 32, 1560-1565.	3.7	28
81	Phosphatidylinositol-3-kinase (PI3K)/Akt Signaling is Functionally Essential in Myxoid Liposarcoma. <i>Molecular Cancer Therapeutics</i> , 2019, 18, 834-844.	4.1	28
82	Loss of the Keratin Cytoskeleton Is Not Sufficient to Induce Epithelial Mesenchymal Transition in a Novel KRAS Driven Sporadic Lung Cancer Mouse Model. <i>PLoS ONE</i> , 2013, 8, e57996.	2.5	27
83	<sc>NTRK</sc> testing: First results of the <sc>QuiPâ€™EQA</sc> scheme and a comprehensive map of <sc><i>NTRK</i></sc> fusion variants and their diagnostic coverage by targeted <sc>RNA</sc>-based <sc>NGS</sc> assays. <i>Genes Chromosomes and Cancer</i> , 2020, 59, 445-453.	2.8	27
84	Angiogenetic Protooncogene ets-1 Induced Neovascularization Is Involved in the Metastatic Process of Testicular Germ Cell Tumors. <i>European Urology</i> , 2003, 44, 329-336.	1.9	26
85	Classification of <i>KIT/PDGFRA</i> wild-type gastrointestinal stromal tumors: implications for therapy. <i>Expert Review of Anticancer Therapy</i> , 2015, 15, 623-628.	2.4	26
86	Requirement for YAP1 signaling in myxoid liposarcoma. <i>EMBO Molecular Medicine</i> , 2019, 11, .	6.9	25
87	Î²-Ras and Ral GTPases regulate acinar to ductal metaplasia during pancreatic adenocarcinoma development and pancreatitis. <i>Nature Communications</i> , 2020, 11, 3409.	12.8	24
88	FGFR2 is overexpressed in myxoid liposarcoma and inhibition of FGFR signaling impairs tumor growth <i>in vitro</i>. <i>Oncotarget</i> , 2015, 6, 20215-20230.	1.8	23
89	KIT-Dependent and KIT-Independent Genomic Heterogeneity of Resistance in Gastrointestinal Stromal Tumors â€” TORC1/2 Inhibition as Salvage Strategy. <i>Molecular Cancer Therapeutics</i> , 2019, 18, 1985-1996.	4.1	22
90	Combinatorial effects of doxorubicin and retargeted tissue factor by intratumoral entrapment of doxorubicin and proapoptotic increase of tumor vascular infarction. <i>Oncotarget</i> , 2016, 7, 82458-82472.	1.8	22

#	ARTICLE	IF	CITATIONS
91	Chromosomal region 15q21.1 is a frequent target of allelic imbalance in advanced breast carcinomas. <i>International Journal of Cancer</i> , 2003, 106, 74-77.	5.1	21
92	c-KIT codon 816 mutation in a recurrent and metastatic dysgerminoma of a 14-year-old girl: case study. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004, 445, 651-654.	2.8	21
93	Potential therapeutic impact of CD13 expression in non-small cell lung cancer. <i>PLoS ONE</i> , 2017, 12, e0177146.	2.5	21
94	Spatial investigation of the elemental distribution in Wilson's disease liver after D-penicillamine treatment by LA-ICP-MS. <i>Journal of Trace Elements in Medicine and Biology</i> , 2017, 44, 26-31.	3.0	20
95	Aminopeptidase N (CD13): Expression, Prognostic Impact, and Use as Therapeutic Target for Tissue Factor Induced Tumor Vascular Infarction in Soft Tissue Sarcoma. <i>Translational Oncology</i> , 2018, 11, 1271-1282.	3.7	20
96	Diagnostic tools in the differential diagnosis of giant cell-rich lesions of bone at biopsy. <i>Oncotarget</i> , 2018, 9, 30106-30114.	1.8	20
97	Differential nuclear ATRX expression in sarcomas. <i>Histopathology</i> , 2016, 68, 738-745.	2.9	19
98	Characterization of the Genetic Program Linked to the Development of Atrial Fibrillation in CREM-1b ^{fl} C-X Mice. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	4.8	19
99	NG2 proteoglycan as a pericyte target for anticancer therapy by tumor vessel infarction with retargeted tissue factor. <i>Oncotarget</i> , 2016, 7, 6774-6789.	1.8	19
100	Genetic alterations of HLA class II in ovarian cancer. <i>International Journal of Cancer</i> , 2008, 123, 1350-1356.	5.1	18
101	SRC inhibition represents a potential therapeutic strategy in liposarcoma. <i>International Journal of Cancer</i> , 2015, 137, 2578-2588.	5.1	18
102	MET Gene Copy Number Alterations and Expression of MET and Hepatocyte Growth Factor Are Potential Biomarkers in Angiosarcomas and Undifferentiated Pleomorphic Sarcomas. <i>PLoS ONE</i> , 2015, 10, e0120079.	2.5	18
103	Baseline MAPK signaling activity confers intrinsic radioresistance to KRAS-mutant colorectal carcinoma cells by rapid upregulation of heterogeneous nuclear ribonucleoprotein K (hnRNP K). <i>Cancer Letters</i> , 2017, 385, 160-167.	7.2	18
104	Prevalence of the Hippo Effectors YAP1/TAZ in Tumors of Soft Tissue and Bone. <i>Scientific Reports</i> , 2019, 9, 19704.	3.3	18
105	Immunohistochemical reactivity of myometrial oxytocin receptor in extracorporeally perfused nonpregnant human uteri. <i>Archives of Gynecology and Obstetrics</i> , 2003, 269, 16-24.	1.7	17
106	Expression of cell cycle regulators and frequency of TP53 mutations in high risk gastrointestinal stromal tumors prior to adjuvant imatinib treatment. <i>PLoS ONE</i> , 2018, 13, e0193048.	2.5	17
107	Follicle-stimulating hormone receptor expression in soft tissue sarcomas. <i>Histopathology</i> , 2013, 63, 29-35.	2.9	16
108	Suberoylanilide hydroxamic acid synergistically enhances the antitumor activity of etoposide in Ewing sarcoma cell lines. <i>Anti-Cancer Drugs</i> , 2015, 26, 843-851.	1.4	15

#	ARTICLE	IF	CITATIONS
109	First-In-Class CD13-Targeted Tissue Factor tTF-NGR in Patients with Recurrent or Refractory Malignant Tumors: Results of a Phase I Dose-Escalation Study. <i>Cancers</i> , 2020, 12, 1488.	3.7	15
110	Differential diagnosis of gastrointestinal leiomyoma versus gastrointestinal stromal tumor. <i>International Journal of Colorectal Disease</i> , 2006, 21, 84-88.	2.2	14
111	CD13 as target for tissue factor induced tumor vascular infarction in small cell lung cancer. <i>Lung Cancer</i> , 2017, 113, 121-127.	2.0	14
112	Fusion protein-driven IGF-1R/PI3K/AKT signals deregulate Hippo pathway promoting oncogenic cooperation of YAP1 and FUS-DDIT3 in myxoid liposarcoma. <i>Oncogenesis</i> , 2022, 11, 20.	4.9	14
113	SLUG transcription factor: a pro-survival and prognostic factor in gastrointestinal stromal tumour. <i>British Journal of Cancer</i> , 2017, 116, 1195-1202.	6.4	13
114	Neovascular Prostate-Specific Membrane Antigen Expression Is Associated with Improved Overall Survival under Palliative Chemotherapy in Patients with Pancreatic Ductal Adenocarcinoma. <i>BioMed Research International</i> , 2017, 2017, 1-8.	1.9	13
115	Efficacy of Carboplatin/Paclitaxel-Based Radiochemotherapy in Locally Advanced Squamous Cell Carcinoma of Head and Neck. <i>Oncology Research and Treatment</i> , 2018, 41, 736-743.	1.2	13
116	Utilization of Interdisciplinary Tumor Boards for Sarcoma Care in Germany: Results from the PROSa Study. <i>Oncology Research and Treatment</i> , 2021, 44, 301-312.	1.2	13
117	Dotlike or Golgi-like KIT and PDGFRA Staining in GISTs. <i>American Journal of Surgical Pathology</i> , 2009, 33, 157-158.	3.7	12
118	Focal adhesion kinase confers pro-migratory and antiapoptotic properties and is a potential therapeutic target in Ewing sarcoma. <i>Molecular Oncology</i> , 2020, 14, 248-260.	4.6	12
119	Low-density lipoprotein receptor (LDLR) is an independent adverse prognostic factor in acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2021, 192, 494-503.	2.5	12
120	MDM2 and CDK4 amplifications are rare events in salivary duct carcinomas. <i>Oncotarget</i> , 2016, 7, 75261-75272.	1.8	12
121	Sporadic breast carcinomas with somatic BRCA1 gene deletions share genotype/phenotype features with familial breast carcinomas. <i>Anticancer Research</i> , 2010, 30, 3445-9.	1.1	12
122	The ambiguous role of microRNA-205 and its clinical potential in pancreatic ductal adenocarcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 2419-2431.	2.5	11
123	The small conductance calcium-activated potassium channel 3 (SK3) is a molecular target for Edelfosine to reduce the invasive potential of urothelial carcinoma cells. <i>Tumor Biology</i> , 2016, 37, 6275-6283.	1.8	10
124	Phase II clinical trial of pazopanib in patients with acute myeloid leukemia (AML), relapsed or refractory or at initial diagnosis without an intensive treatment option (PazoAML). <i>Annals of Hematology</i> , 2019, 98, 1393-1401.	1.8	10
125	Survival of soft tissue sarcoma patients after completing six cycles of first-line anthracycline containing treatment: an EORTC-STBSG database study. <i>Clinical Sarcoma Research</i> , 2020, 10, 18.	2.3	10
126	Preservation of Organ Function in Locally Advanced Non-Metastatic Gastrointestinal Stromal Tumors (GIST) of the Stomach by Neoadjuvant Imatinib Therapy. <i>Cancers</i> , 2021, 13, 586.	3.7	10

#	ARTICLE	IF	CITATIONS
127	Gastrointestinal stromal tumors: evolving role of the multidisciplinary team approach in management. <i>Expert Review of Anticancer Therapy</i> , 2012, 12, 1053-1068.	2.4	9
128	HR23b expression is a potential predictive biomarker for HDAC inhibitor treatment in mesenchymal tumours and is associated with response to vorinostat. <i>Journal of Pathology: Clinical Research</i> , 2016, 2, 59-71.	3.0	9
129	Radiotherapy of extranodal low-grade follicular and marginal zone lymphomas: long-term follow-up of 159 patients. <i>Strahlentherapie Und Onkologie</i> , 2020, 196, 117-125.	2.0	9
130	Dose escalation and expansion phase I studies with the tumour-targeting antibody-tumour necrosis factor fusion protein L19TNF plus doxorubicin in patients with advanced tumours, including sarcomas. <i>European Journal of Cancer</i> , 2021, 150, 143-154.	2.8	9
131	Malignant Peripheral Nerve Sheath Tumor of the Scalp: Case Report and Review of the Literature. <i>Dermatologic Surgery</i> , 2011, 37, 1684-1688.	0.8	8
132	Quality of surgery and surgical reporting for patients with primary gastrointestinal stromal tumours participating in the EORTC STBSG 62024 adjuvant imatinib study. <i>European Journal of Cancer</i> , 2019, 120, 47-53.	2.8	8
133	Efficacy thresholds for clinical trials with advanced or metastatic leiomyosarcoma patients: A European Organisation for Research and Treatment of Cancer Soft Tissue and Bone Sarcoma Group meta-analysis based on a literature review for soft-tissue sarcomas. <i>European Journal of Cancer</i> , 2021, 154, 253-268.	2.8	8
134	Remissions of different quality following rituximab, tocilizumab and rituximab, and allogeneic stem cell transplantation in a patient with severe idiopathic multicentric Castleman's disease. <i>Annals of Hematology</i> , 2015, 94, 1241-1243.	1.8	7
135	Reptin drives tumour progression and resistance to chemotherapy in nonsmall cell lung cancer. <i>European Respiratory Journal</i> , 2018, 52, 1701637.	6.7	7
136	Impact of Adjuvant Radiation Therapy in Patients With Male Breast Cancer: A Multicenter International Analysis. <i>Advances in Radiation Oncology</i> , 2020, 5, 345-349.	1.2	7
137	Influence of NH ₄ ⁺ Cl on Polarized Release of Endogenous Protein Degradation Products and on Morphology in LLC-PK ₁ Cells. <i>American Journal of Nephrology</i> , 2000, 20, 74-81.	3.1	6
138	Prognostic relevance of distant metastases versus locally advanced disease in soft tissue sarcomas: An EORTC-STBSG database study. <i>European Journal of Cancer</i> , 2018, 94, 187-198.	2.8	6
139	Downregulation of PIK3CA via antibody-siRNA-complexes suppresses human xenograft tumor growth. <i>PLoS ONE</i> , 2018, 13, e0200163.	2.5	6
140	Using Image-guided Intensity-modulated Radiotherapy on Patients With Head and Neck Soft-tissue Sarcoma. <i>In Vivo</i> , 2019, 33, 1293-1300.	1.3	6
141	The association of Health-Related Quality of Life and 1-year-survival in sarcoma patients—results of a Nationwide Observational Study (PROSa). <i>British Journal of Cancer</i> , 2022, 126, 1346-1354.	6.4	6
142	Expression levels of hnRNP _{1/2} K and p21WAF1/CIP1 are associated with resistance to radiochemotherapy independent of p53 pathway activation in rectal adenocarcinoma. <i>International Journal of Molecular Medicine</i> , 2018, 42, 3269-3277.	4.0	5
143	Comparative morphometric analysis of primary versus recurrent basal cell carcinoma and of histological subtypes. Significance of morphometry of the nuclei. <i>Anticancer Research</i> , 2003, 23, 2697-700.	1.1	5
144	Evolutionary Distance Predicts Recurrence After Liver Transplantation in Multifocal Hepatocellular Carcinoma. <i>Transplantation</i> , 2018, 102, e424-e430.	1.0	4

#	ARTICLE	IF	CITATIONS
145	Adjuvant chemotherapyâ€”Radiotherapyâ€”Chemotherapy sandwich protocol in resectable soft tissue sarcoma: An updated single-center analysis of 104 cases. <i>PLoS ONE</i> , 2018, 13, e0197315.	2.5	4
146	Germline <i>SDHB</i> inactivating mutation in gastric spindle cell sarcoma. <i>Genes Chromosomes and Cancer</i> , 2020, 59, 601-608.	2.8	4
147	Recurrent <i>CTNNB1</i> mutations in craniofacial osteomas. <i>Modern Pathology</i> , 2022, 35, 489-494.	5.5	4
148	Multiparametric Magnetic Resonance Imaging for Immediate Target Hit Assessment of CD133-Targeted Tissue Factor tTF-NGR in Advanced Malignant Disease. <i>Cancers</i> , 2021, 13, 5880.	3.7	4
149	Evaluation of GenoType MTBDR plus by Use of Extracted DNA from Formalin-Fixed Paraffin-Embedded Specimens. <i>Journal of Clinical Microbiology</i> , 2017, 55, 3300-3302.	3.9	3
150	⁹⁰ Y-ibritumomab tiuxetan as a therapeutic alternative for follicular lymphoma (^{FL}): A single-center experience. <i>European Journal of Haematology</i> , 2018, 101, 514-521.	2.2	3
151	Carboxyamido-triazole (CAI) reverses the balance between proliferation and apoptosis in a rat bladder cancer model. <i>Anticancer Research</i> , 2005, 25, 725-9.	1.1	3
152	Polypoid pleomorphic sarcoma of the colon. <i>Scandinavian Journal of Gastroenterology</i> , 2005, 40, 1502-1506.	1.5	2
153	Molekularbiologie und Prognosefaktoren gastrointestinaler mesenchymaler Tumoren. <i>Visceral Medicine</i> , 2007, 23, 113-118.	1.3	2
154	High Z nanoparticles and radiotherapy: a critical view â€” Authors' reply. <i>Lancet Oncology</i> , The, 2019, 20, e558.	10.7	2
155	The novel <i>KIT</i> exon 11 germline mutation <i>K558N</i> is associated with gastrointestinal stromal tumor, mastocytosis, and seminoma development. <i>Genes Chromosomes and Cancer</i> , 2021, 60, 827-832.	2.8	2
156	Colorectal carcinoma cells (Caco-2) secrete stroma-inducing growth factors in a stroma-oriented direction. <i>Anticancer Research</i> , 2003, 23, 137-41.	1.1	2
157	SS18-SSX drives CREB activation in synovial sarcoma. <i>Cellular Oncology (Dordrecht)</i> , 2022, 45, 399-413.	4.4	2
158	MRI breast screening â€” Authors' reply. <i>Lancet</i> , The, 2008, 371, 1416.	13.7	1
159	Detection of <i>SMARCB1</i> loss in ascites cells in the diagnosis of an abdominal rhabdoid tumor. <i>Pediatric Blood and Cancer</i> , 2015, 62, 897-900.	1.5	1
160	Monitoring Endothelin-A Receptor Expression during the Progression of Atherosclerosis. <i>Biomedicines</i> , 2020, 8, 538.	3.2	1
161	Intensity-modulated Radiotherapy in Patients With Aggressive Extranodal Non-Hodgkin Lymphoma of the Head and Neck. <i>Anticancer Research</i> , 2021, 41, 5131-5135.	1.1	1
162	Phase II Pilot Clinical Trial of Pazopanib in Patients with Relapsed or Refractory Acute Myeloid Leukemia (AML) or at Initial Diagnosis When No Intensive Treatment Is Possible. <i>Blood</i> , 2018, 132, 5176-5176.	1.4	0