

Peter G Falkai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8557176/peter-g-falkai-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

478 papers	19,339 citations	78 h-index	117 g-index
585 ext. papers	22,999 ext. citations	4.9 avg, IF	6.82 L-index

#	Paper	IF	Citations
478	Investigating the phenotypic and genetic associations between personality traits and suicidal behavior across major mental health diagnoses.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	0
477	Genetic risk for psychiatric illness is associated with the number of hospitalizations of bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2022 , 296, 532-540	6.6	0
476	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach.. <i>British Journal of Psychiatry</i> , 2022 , 1-10	5.4	1
475	The role of migration in mental healthcare: treatment satisfaction and utilization.. <i>BMC Psychiatry</i> , 2022 , 22, 116	4.2	
474	Using combined environmental-clinical classification models to predict role functioning outcome in clinical high-risk states for psychosis and recent-onset depression.. <i>British Journal of Psychiatry</i> , 2022 , 1-17	5.4	0
473	Pattern of predictive features of continued cannabis use in patients with recent-onset psychosis and clinical high-risk for psychosis.. <i>NPJ Schizophrenia</i> , 2022 , 8, 19	5.5	
472	Diagnose und Differenzialdiagnose der Schizophrenie. <i>PSYCH Up2date</i> , 2022 , 16, 145-163	0.1	1
471	Concept of the Munich/Augsburg Consortium Precision in Mental Health for the German Center of Mental Health.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 815718	5	1
470	Stability over time of scores on psychiatric rating scales, questionnaires and cognitive tests in healthy controls.. <i>BJPsych Open</i> , 2022 , 8, e55	5	0
469	Failed regeneration and inflammation in schizophrenia: two sides of the same coin?. <i>Journal of Neural Transmission</i> , 2022 , 1	4.3	0
468	Association between aerobic fitness and the functional connectome in patients with schizophrenia.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	
467	Changes and Challenges in Inpatient Mental Health Care During the First Two High Incidence Phases of the COVID-19 Pandemic in Germany - Results From the COVID IPsychiatry Survey.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 855040	5	0
466	A novel longitudinal clustering approach to psychopathology across diagnostic entities in the hospital-based PsyCourse study.. <i>Schizophrenia Research</i> , 2022 , 244, 29-38	3.6	0
465	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 2457-2470	15.1	17
464	An overview of the human brain myelin proteome and differences associated with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 271-287	3.8	5
463	Repetitive transcranial magnetic stimulation (rTMS) for schizophrenia patients treated with clozapine. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 14-26	3.8	3
462	Medication Adherence in a Cross-Diagnostic Sample of Patients From the Affective-to-Psychotic Spectrum: Results From the PsyCourse Study.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 713060	5	0

461	Chronic vs non-chronic depression in psychiatric inpatient care - Data from a large naturalistic multicenter trial. <i>Journal of Affective Disorders</i> , 2021 , 299, 73-84	6.6	1
460	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021 , 11, 606	8.6	1
459	Polygenic risk scores across the extended psychosis spectrum. <i>Translational Psychiatry</i> , 2021 , 11, 600	8.6	2
458	Results of the COVID-19 mental health international for the general population (COMET-G) study. <i>European Neuropsychopharmacology</i> , 2021 , 54, 21-40	1.2	12
457	Exercise as a model to identify microRNAs linked to human cognition: a role for microRNA-409 and microRNA-501. <i>Translational Psychiatry</i> , 2021 , 11, 514	8.6	2
456	A microRNA signature that correlates with cognition and is a target against cognitive decline. <i>EMBO Molecular Medicine</i> , 2021 , 13, e13659	12	3
455	Obituary [Prof. Dr. Hanns Hippus (1925-2021). <i>International Journal of Neuropsychopharmacology</i> , 2021 , 24, 856-857	5.8	78
454	Interplay between the genetics of personality traits, severe psychiatric disorders and COVID-19 host genetics in the susceptibility to SARS-CoV-2 infection. <i>BJPsych Open</i> , 2021 , 7, e188	5	1
453	Acquisition and Use of Priors On Autism: Typical in Deciding Where to Look, Atypical in Deciding What Is There. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 51, 3744-3758	4.6	2
452	Changes in antidepressant therapy should be considered early in patients with inadequate response to a first-line agent. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 1033-1038	2.6	2
451	Association between age of cannabis initiation and gray matter covariance networks in recent onset psychosis. <i>Neuropsychopharmacology</i> , 2021 , 46, 1484-1493	8.7	5
450	Linking proteomic alterations in schizophrenia hippocampus to NMDA receptor hypofunction in human neurons and oligodendrocytes. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1579-1586 ³	5.1	3
449	The Interplay Between Postsynaptic Striatal D2/3 Receptor Availability, Adversity Exposure and Odd Beliefs: A [11C]-Raclopride PET Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1495-1508	1.3	2
448	Effects of Marathon Running on Cognition and Retinal Vascularization: A Longitudinal Observational Study. <i>Medicine and Science in Sports and Exercise</i> , 2021 , 53, 2207-2214	1.2	1
447	The progression of disorder-specific brain pattern expression in schizophrenia over 9 years. <i>NPJ Schizophrenia</i> , 2021 , 7, 32	5.5	1
446	A genome-wide association study of the longitudinal course of executive functions. <i>Translational Psychiatry</i> , 2021 , 11, 386	8.6	0
445	Association of Age, Antipsychotic Medication, and Symptom Severity in Schizophrenia With Proton Magnetic Resonance Spectroscopy Brain Glutamate Level: A Mega-analysis of Individual Participant-Level Data. <i>JAMA Psychiatry</i> , 2021 , 78, 667-681	14.5	21
444	Differential gene regulation in the anterior cingulate cortex and superior temporal cortex in schizophrenia: A molecular network approach. <i>Schizophrenia Research</i> , 2021 , 232, 1-10	3.6	0

443	Decreased Serum Brain-Derived Neurotrophic Factor Concentrations 72 Hours Following Marathon Running. <i>Frontiers in Physiology</i> , 2021 , 12, 668454	4.6	0
442	Toward Generalizable and Transdiagnostic Tools for Psychosis Prediction: An Independent Validation and Improvement of the NAPLS-2 Risk Calculator in the Multisite PRONIA Cohort. <i>Biological Psychiatry</i> , 2021 , 90, 632-642	7.9	8
441	The BDNF SNP modulates the association between beta-amyloid and hippocampal disconnection in Alzheimer's disease. <i>Molecular Psychiatry</i> , 2021 , 26, 614-628	15.1	34
440	Was King Ludwig II of Bavaria misdiagnosed by Gudden and his colleagues?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 799-807	5.1	2
439	Aerobic endurance training to improve cognition and enhance recovery in schizophrenia: design and methodology of a multicenter randomized controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 315-324	5.1	4
438	The safety of agomelatine in standard medical practice in depressed patients: A 26-week international multicentre cohort study. <i>Human Psychopharmacology</i> , 2021 , 36, 1-11	2.3	3
437	Brain Network Simulations Indicate Effects of Neuregulin-1 Genotype on Excitation-Inhibition Balance in Cortical Dynamics. <i>Cerebral Cortex</i> , 2021 , 31, 2013-2025	5.1	2
436	Association Between Physical Activity and Schizophrenia: Results of a 2-Sample Mendelian Randomization Analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 441-444	14.5	3
435	The revised DGPPN and APA schizophrenia guidelines: Guideline quality and recommendations for long-term antipsychotic treatment. <i>Schizophrenia Research</i> , 2021 , 229, 137-139	3.6	0
434	Reconceptualising treatment-resistant depression as difficult-to-treat depression. <i>Lancet Psychiatry</i> , 2021 , 8, 14-15	23.3	7
433	Genome-wide association study of pediatric obsessive-compulsive traits: shared genetic risk between traits and disorder. <i>Translational Psychiatry</i> , 2021 , 11, 91	8.6	10
432	Multifactorial barriers in the implementation of schizophrenia and psychosocial therapies guidelines: A quantitative study across different professions. <i>Schizophrenia Research</i> , 2021 , 228, 425-434	3.6	3
431	Characteristics and definitions of ultra-treatment-resistant schizophrenia - A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2021 , 228, 218-226	3.6	10
430	Role of psychiatric hospitals during a pandemic: introducing the Munich Psychiatric COVID-19 Pandemic Contingency Plan. <i>BJPsych Open</i> , 2021 , 7, e41	5	2
429	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021 , 78, 195-209	14.5	31
428	Brief Report: Specificity of Interpersonal Synchrony Deficits to Autism Spectrum Disorder and Its Potential for Digitally Assisted Diagnostics. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 1	4.6	0
427	Characterisation of age and polarity at onset in bipolar disorder.. <i>British Journal of Psychiatry</i> , 2021 , 219, 659-669	5.4	2
426	Effects of high-frequency prefrontal rTMS on heart frequency rates and blood pressure in schizophrenia. <i>Journal of Psychiatric Research</i> , 2021 , 140, 243-249	5.2	

423	In-depth profiling of COVID-19 risk factors and preventive measures in healthcare workers. <i>Infection</i> , 2021 , 1	5.8	4
424	Novel Gyrification Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , 2021 ,	5.1	1
423	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021 , 11, 17823	4.9	1
422	Efficacy and safety of clozapine in psychotic disorders-a systematic quantitative meta-review. <i>Translational Psychiatry</i> , 2021 , 11, 487	8.6	7
421	The clinical relevance of formal thought disorder in the early stages of psychosis: results from the PRONIA study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	0
420	The efficacy and safety of cariprazine in the early and late stage of schizophrenia: a post hoc analysis of three randomized, placebo-controlled trials.. <i>CNS Spectrums</i> , 2021 , 1-8	1.8	
419	A Primeval Mechanism of Tolerance to Desiccation Based on Glycolic Acid Saves Neurons in Mammals from Ischemia by Reducing Intracellular Calcium-Mediated Excitotoxicity.. <i>Advanced Science</i> , 2021 , e2103265	13.6	1
418	Cerebrospinal fluid abnormalities in first- and multi-episode schizophrenia-spectrum disorders: impact of clinical and demographical variables. <i>Translational Psychiatry</i> , 2021 , 11, 621	8.6	0
417	Cognitive and functional deficits are associated with white matter abnormalities in two independent cohorts of patients with schizophrenia.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	0
416	Aerobic exercise in severe mental illness: requirements from the perspective of sports medicine. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	0
415	Clozapine Combination and Augmentation Strategies in Patients With Schizophrenia -Recommendations From an International Expert Survey Among the Treatment Response and Resistance in Psychosis (TRRIP) Working Group. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1459-1470	1.3	16
414	Traces of Trauma: A Multivariate Pattern Analysis of Childhood Trauma, Brain Structure, and Clinical Phenotypes. <i>Biological Psychiatry</i> , 2020 , 88, 829-842	7.9	15
413	A machine learning approach to risk assessment for alcohol withdrawal syndrome. <i>European Neuropsychopharmacology</i> , 2020 , 35, 61-70	1.2	2
412	Effects of 1 mA and 2 mA transcranial direct current stimulation on working memory performance in healthy participants. <i>Consciousness and Cognition</i> , 2020 , 83, 102959	2.6	5
411	Personality Traits in Marathon Runners and Sedentary Controls With MMPI-2-RF. <i>Frontiers in Psychology</i> , 2020 , 11, 886	3.4	1
410	Autoimmune encephalitis as a differential diagnosis of schizophreniform psychosis: clinical symptomatology, pathophysiology, diagnostic approach, and therapeutic considerations. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 803-818	5.1	26
409	Effect of aerobic exercise on cortical thickness in patients with schizophrenia-A dataset. <i>Data in Brief</i> , 2020 , 30, 105517	1.2	1
408	rTMS and tDCS for the treatment of catatonia: A systematic review. <i>Schizophrenia Research</i> , 2020 , 222, 73-78	3.6	9

407	Add-on spironolactone as antagonist of the NRG1-ERBB4 signaling pathway for the treatment of schizophrenia: Study design and methodology of a multicenter randomized, placebo-controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2020 , 17, 100537	1.8	6
406	The role of environmental stress and DNA methylation in the longitudinal course of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 9	5.4	7
405	Neuro-psychopharmacotherapy and the Differential Diagnostic Approaches in Europe 2020 , 1-30		
404	Basic Symptoms Are Associated With Age in Patients With a Clinical High-Risk State for Psychosis: Results From the PRONIA Study. <i>Frontiers in Psychiatry</i> , 2020 , 11, 552175	5	2
403	Schizophrenia. <i>Deutsches A&#x0308;rztblatt International</i> , 2020 , 117, 412-419	2.5	11
402	Clinical patterns differentially predict response to transcranial direct current stimulation (tDCS) and escitalopram in major depression: A machine learning analysis of the ELECT-TDCS study. <i>Journal of Affective Disorders</i> , 2020 , 265, 460-467	6.6	15
401	The impact of endurance training and table soccer on brain metabolites in schizophrenia. <i>Brain Imaging and Behavior</i> , 2020 , 14, 515-526	4.1	3
400	Accuracy of diagnostic classification and clinical utility assessment of ICD-11 compared to ICD-10 in 10 mental disorders: findings from a web-based field study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 281-289	5.1	16
399	A Pattern of Cognitive Deficits Stratified for Genetic and Environmental Risk Reliably Classifies Patients With Schizophrenia From Healthy Control Subjects. <i>Biological Psychiatry</i> , 2020 , 87, 697-707	7.9	17
398	Effect of aerobic exercise combined with cognitive remediation on cortical thickness and prediction of social adaptation in patients with schizophrenia. <i>Schizophrenia Research</i> , 2020 , 216, 397-407	3.6	9
397	Modeling Obstetric Complications in Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 1070-1071	3.4	
396	Effects of Smoking Status on Remission and Metabolic and Cognitive Outcomes in Schizophrenia Patients Treated with Clozapine. <i>Pharmacopsychiatry</i> , 2020 , 53, 273-283	2	1
395	The Generalized Adaptation Account of Autism. <i>Frontiers in Neuroscience</i> , 2020 , 14, 534218	5.1	2
394	Compulsory admissions of patients with mental disorders: State of the art on ethical and legislative aspects in 40 European countries. <i>European Psychiatry</i> , 2020 , 63, e82	6	4
393	Self-esteem fully mediates positive life events and depressive symptoms in a sample of 173 patients with affective disorders. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020 , 93, 21-35	3.5	4
392	Polygenic analysis suggests the involvement of calcium signaling in executive function in schizophrenia patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 425-431	5.1	3
391	Predicting instructed simulation and dissimulation when screening for depressive symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 153-168	5.1	2
390	Autoimmune encephalitis with psychosis: Warning signs, step-by-step diagnostics and treatment. <i>World Journal of Biological Psychiatry</i> , 2020 , 21, 241-254	3.8	34

389	Mental health in refugees and asylum seekers (MEHIRA): study design and methodology of a prospective multicentre randomized controlled trial investigating the effects of a stepped and collaborative care model. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 95-106	5.1	21
388	Association between altered hippocampal oligodendrocyte number and neuronal circuit structures in schizophrenia: a postmortem analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 413-424	5.1	4
387	Multivariate classification of schizophrenia and its familial risk based on load-dependent attentional control brain functional connectivity. <i>Neuropsychopharmacology</i> , 2020 , 45, 613-621	8.7	15
386	Sex Matters: A Multivariate Pattern Analysis of Sex- and Gender-Related Neuroanatomical Differences in Cis- and Transgender Individuals Using Structural Magnetic Resonance Imaging. <i>Cerebral Cortex</i> , 2020 , 30, 1345-1356	5.1	12
385	Promoting stigma coping and empowerment in patients with schizophrenia and depression: results of a cluster-RCT. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 501-511	5.1	3
384	An Investigation of Psychosis Subgroups With Prognostic Validation and Exploration of Genetic Underpinnings: The PsyCourse Study. <i>JAMA Psychiatry</i> , 2020 , 77, 523-533	14.5	21
383	The genetic relationship between educational attainment and cognitive performance in major psychiatric disorders. <i>Translational Psychiatry</i> , 2019 , 9, 210	8.6	7
382	Quantitative Subcellular Proteomics of the Orbitofrontal Cortex of Schizophrenia Patients. <i>Journal of Proteome Research</i> , 2019 , 18, 4240-4253	5.6	13
381	Clozapine augmentation strategies - a systematic meta-review of available evidence. Treatment options for clozapine resistance. <i>Journal of Psychopharmacology</i> , 2019 , 33, 423-435	4.6	35
380	Prospective acceptance of distinct mobile mental health features in psychiatric patients and mental health professionals. <i>Journal of Psychiatric Research</i> , 2019 , 109, 126-132	5.2	16
379	Efficacy of high-frequency repetitive transcranial magnetic stimulation in schizophrenia patients with treatment-resistant negative symptoms treated with clozapine. <i>Schizophrenia Research</i> , 2019 , 208, 370-376	3.6	13
378	Neurocognitive and neuroanatomical maturation in the clinical high-risk states for psychosis: A pattern recognition study. <i>NeuroImage: Clinical</i> , 2019 , 21, 101624	5.3	9
377	Dysregulation of a specific immune-related network of genes biologically defines a subset of schizophrenia. <i>Translational Psychiatry</i> , 2019 , 9, 156	8.6	14
376	Neurobiological effects of aerobic exercise, with a focus on patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 499-515	5.1	22
375	Childhood Trauma in Schizophrenia: Current Findings and Research Perspectives. <i>Frontiers in Neuroscience</i> , 2019 , 13, 274	5.1	40
374	Effects of stimulant drug use on the dopaminergic system: A systematic review and meta-analysis of in vivo neuroimaging studies. <i>European Psychiatry</i> , 2019 , 59, 15-24	6	21
373	The Influence of Continuous Exercising on Chronotropic Incompetence in Multi-Episode Schizophrenia. <i>Frontiers in Psychiatry</i> , 2019 , 10, 90	5	3
372	Depression in Somatic Disorders: Is There a Beneficial Effect of Exercise?. <i>Frontiers in Psychiatry</i> , 2019 , 10, 141	5	9

371	The reliability and clinical utility of ICD-11 schizoaffective disorder: A field trial. <i>Schizophrenia Research</i> , 2019 , 208, 235-241	3.6	14
370	A longitudinal approach to biological psychiatric research: The PsyCourse study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 89-102	3.5	24
369	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019 , 21, 68-75	3.8	15
368	Trends in Schizophrenia Diagnosis and Treatment 2019 , 603-619		2
367	The need to develop personalized interventions to improve cognition in schizophrenia. <i>World Psychiatry</i> , 2019 , 18, 170	14.4	12
366	Premature mortality, causes of death, and mental disorders. <i>Lancet, The</i> , 2019 , 394, 1784-1786	4.0	0
365	Polygenic burden associated to oligodendrocyte precursor cells and radial glia influences the hippocampal volume changes induced by aerobic exercise in schizophrenia patients. <i>Translational Psychiatry</i> , 2019 , 9, 284	8.6	7
364	Psychotherapeutische und psychosoziale Interventionen (Modul 4b) 2019 , 139-180		
363	Nonpharmacological treatment of dyscognition in schizophrenia: effects of aerobic exercise?. <i>Dialogues in Clinical Neuroscience</i> , 2019 , 21, 261-269	5.7	7
362	Versorgungskoordination (Modul 5) 2019 , 271-299		
361	Allgemeine Grundlagen (Modul 1) 2019 , 1-12		
360	Behandlung unter besonderen Bedingungen (Modul 4c) 2019 , 181-254		
359	Pharmakotherapie und andere somatische Behandlungsverfahren (Modul 4a) 2019 , 51-137		
358	Klassifikation, Diagnostik und Differenzialdiagnostik (Modul 2) 2019 , 13-36		
357	Oligodendrocytes as A New Therapeutic Target in Schizophrenia: From Histopathological Findings to Neuron-Oligodendrocyte Interaction. <i>Cells</i> , 2019 , 8,	7.9	30
356	Recovery in der Behandlung der Schizophrenie: Vision oder Realität?. <i>Der Neurologe Und Psychiater</i> , 2019 , 20, 84-92	0	
355	Effects of sedative drug use on the dopamine system: a systematic review and meta-analysis of in vivo neuroimaging studies. <i>Neuropsychopharmacology</i> , 2019 , 44, 660-667	8.7	19
354	WFSBP guidelines on how to grade treatment evidence for clinical guideline development. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 2-16	3.8	15

353	The influence of religious activity and polygenic schizophrenia risk on religious delusions in schizophrenia. <i>Schizophrenia Research</i> , 2019 , 210, 255-261	3.6	5
352	Serum Insulin and Cognitive Performance in Older Adults: A Longitudinal Study. <i>American Journal of Medicine</i> , 2019 , 132, 367-373	2.4	8
351	Efficient region-based test strategy uncovers genetic risk factors for functional outcome in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, 156-170	1.2	5
350	Left prefrontal high-frequency rTMS may improve movement disorder in schizophrenia patients with predominant negative symptoms - A secondary analysis of a sham-controlled, randomized multicenter trial. <i>Schizophrenia Research</i> , 2019 , 204, 445-447	3.6	8
349	Effects of exercise-based interventions in severe mental illness: a feasibility study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 621-622	5.1	1
348	The Role of Self-Esteem in Depression: A Longitudinal Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2019 , 47, 244-250	2.1	13
347	Left frontal hub connectivity delays cognitive impairment in autosomal-dominant and sporadic Alzheimer's disease. <i>Brain</i> , 2018 , 141, 1186-1200	11.2	54
346	Efficacy of high-frequency repetitive transcranial magnetic stimulation on PANSS factors in schizophrenia with predominant negative symptoms - Results from an exploratory re-analysis. <i>Psychiatry Research</i> , 2018 , 263, 22-29	9.9	13
345	Effects of haloperidol and clozapine on synapse-related gene expression in specific brain regions of male rats. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 555-563	5.1	6
344	Brain Subtyping Enhances The Neuroanatomical Discrimination of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1060-1069	1.3	44
343	Frontotemporal dysregulation of the SNARE protein interactome is associated with faster cognitive decline in old age. <i>Neurobiology of Disease</i> , 2018 , 114, 31-44	7.5	20
342	Machine Learning Approaches for Clinical Psychology and Psychiatry. <i>Annual Review of Clinical Psychology</i> , 2018 , 14, 91-118	20.5	285
341	Absence of cerebrospinal fluid antineuronal antibodies in schizophrenia spectrum disorders. <i>British Journal of Psychiatry</i> , 2018 , 212, 318-320	5.4	27
340	Reply to: Sample Size, Model Robustness, and Classification Accuracy in Diagnostic Multivariate Neuroimaging Analyses. <i>Biological Psychiatry</i> , 2018 , 84, e83-e84	7.9	1
339	Letter to the Editor: Influence of rTMS on smoking in patients with schizophrenia. <i>Schizophrenia Research</i> , 2018 , 192, 481-484	3.6	7
338	A systematic review of trials investigating strength training in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2018 , 192, 64-68	3.6	14
337	Predicting Response to Repetitive Transcranial Magnetic Stimulation in Patients With Schizophrenia Using Structural Magnetic Resonance Imaging: A Multisite Machine Learning Analysis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1021-1034	1.3	37
336	Improving working memory in schizophrenia: Effects of 1 mA and 2 mA transcranial direct current stimulation to the left DLPFC. <i>Schizophrenia Research</i> , 2018 , 202, 203-209	3.6	20

335	S49. EFFICACY OF HIGH-FREQUENCY REPETITIVE TRANSCRANIAL MAGNETIC STIMULATION ON PANSS FACTORS IN SCHIZOPHRENIA WITH PREDOMINANT NEGATIVE SYMPTOMS [RESULTS FROM AN EXPLORATORY RE-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S343-S343	1.3	78
334	F185. BRAIN STRUCTURAL PATTERNS DIFFERENTIATE EARLY- AND LATE-ONSET CANNABIS USE IN PSYCHOTIC PATIENTS: PRELIMINARY RESULTS FROM THE PRONIA STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S293-S293	1.3	78
333	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 207	5	15
332	T102. AN INVESTIGATION OF SCHIZOPHRENIA-BIPOLAR SUBGROUPS WITH GENETIC AND PROGNOSTIC VALIDATION. <i>Schizophrenia Bulletin</i> , 2018 , 44, S155-S155	1.3	78
331	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2018 , 75, 65-74	14.5	75
330	Forty years of structural brain imaging in mental disorders: is it clinically useful or not?. <i>Dialogues in Clinical Neuroscience</i> , 2018 , 20, 179-186	5.7	18
329	Effects of Three Months of Aerobic Endurance Training on Motor Cortical Excitability in Schizophrenia Patients and Healthy Subjects. <i>Neuropsychobiology</i> , 2018 , 1-8	4	2
328	Effectiveness and cost-effectiveness of an integrated care program for schizophrenia: an analysis of routine data. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 611-619	5.1	1
327	11.3 CLINICAL AND NEUROBIOLOGICAL EFFECTS OF A CONTINUOUS AEROBIC ENDURANCE TRAINING IN MULTI-EPISEDE SCHIZOPHRENIA PATIENTS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S17-S18	1.3	78
326	S177. FRONTAL CORTICAL PLASTICITY IN SCHIZOPHRENIA PATIENTS EXAMINED BY LTP-INDUCING ANODAL TDCS AND REPETITIVE EEG. <i>Schizophrenia Bulletin</i> , 2018 , 44, S393-S394	1.3	78
325	S47. ADD-ON SPIRONOLACTONE FOR THE TREATMENT OF SCHIZOPHRENIA (SPIRO TREAT). <i>Schizophrenia Bulletin</i> , 2018 , 44, S342-S342	1.3	78
324	F107. CSF ABNORMALITIES IN SCHIZOPHRENIA AND DEPRESSION: PRELIMINARY RESULTS FROM A LARGE SCALE COHORT. <i>Schizophrenia Bulletin</i> , 2018 , 44, S261-S261	1.3	78
323	Studying and modulating schizophrenia-associated dysfunctions of oligodendrocytes with patient-specific cell systems. <i>NPJ Schizophrenia</i> , 2018 , 4, 23	5.5	21
322	Effects of Aerobic Exercise on Metabolic Syndrome, Cardiorespiratory Fitness, and Symptoms in Schizophrenia Include Decreased Mortality. <i>Frontiers in Psychiatry</i> , 2018 , 9, 690	5	26
321	Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression: A Multimodal, Multisite Machine Learning Analysis. <i>JAMA Psychiatry</i> , 2018 , 75, 1156-1172	14.5	156
320	EPA guidance on physical activity as a treatment for severe mental illness: a meta-review of the evidence and Position Statement from the European Psychiatric Association (EPA), supported by the International Organization of Physical Therapists in Mental Health (IOPTMH). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 611-619	6	197
319	S79. ENHANCING WORKING MEMORY IN SCHIZOPHRENIA USING 1MA AND 2MA TRANSCRANIAL DIRECT STIMULATION TO THE LEFT DORSOLATERAL PREFRONTAL CORTEX. <i>Schizophrenia Bulletin</i> , 2018 , 44, S355-S355	1.3	78
318	F182. SYMPTOM-RELATED STRUCTURAL BRAIN PATTERN IN PATIENTS WITH SCHIZOPHRENIA-A PARTIAL LEAST SQUARE ANALYSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S292-S292	1.3	1

317	Suicidal Ideation and Suicidal Behavior as Rare Adverse Events of Antidepressant Medication: Current Report from the AMSP Multicenter Drug Safety Surveillance Project. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 814-821	5.8	17
316	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of schizophrenia - a short version for primary care. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017 , 21, 82-90	2.4	35
315	Prefrontal transcranial direct current stimulation (tDCS) as treatment for major depression: study design and methodology of a multicenter triple blind randomized placebo controlled trial (DepressionDC). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 751-766	5.1	31
314	Aerobic exercise and its effects on cognition in schizophrenia. <i>Current Opinion in Psychiatry</i> , 2017 , 30, 171-175	4.9	26
313	The Long-Term Effects of Antipsychotic Medication on Clinical Course in Schizophrenia. <i>American Journal of Psychiatry</i> , 2017 , 174, 840-849	11.9	114
312	HDAC1 links early life stress to schizophrenia-like phenotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E4686-E4694	11.5	54
311	Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. <i>American Journal of Psychiatry</i> , 2017 , 174, 216-229	11.9	408
310	Synaptosomal Proteome of the Orbitofrontal Cortex from Schizophrenia Patients Using Quantitative Label-Free and iTRAQ-Based Shotgun Proteomics. <i>Journal of Proteome Research</i> , 2017 , 16, 4481-4494	5.6	23
309	170. Targeting Dysplasticity in Schizophrenia via Aerobic Exercise: Understanding the Mechanisms. <i>Schizophrenia Bulletin</i> , 2017 , 43, S86-S86	1.3	78
308	Tau plasma levels in subjective cognitive decline: Results from the DELCODE study. <i>Scientific Reports</i> , 2017 , 7, 9529	4.9	20
307	Spironolactone is an antagonist of NRG1-ERBB4 signaling and schizophrenia-relevant endophenotypes in mice. <i>EMBO Molecular Medicine</i> , 2017 , 9, 1448-1462	12	21
306	Formin 2 links neuropsychiatric phenotypes at young age to an increased risk for dementia. <i>EMBO Journal</i> , 2017 , 36, 2815-2828	13	30
305	The Nuclear Proteome of White and Gray Matter from Schizophrenia Postmortem Brains. <i>Molecular Neuropsychiatry</i> , 2017 , 3, 37-52	4.9	18
304	Decreased cortical FADD protein is associated with clinical dementia and cognitive decline in an elderly community sample. <i>Molecular Neurodegeneration</i> , 2017 , 12, 26	19	15
303	174.4 Using Machine Learning to Predict Outcomes in Psychosis. <i>Schizophrenia Bulletin</i> , 2017 , 43, S88-S88.3	8.3	78
302	Detecting Neuroimaging Biomarkers for Depression: A Meta-analysis of Multivariate Pattern Recognition Studies. <i>Biological Psychiatry</i> , 2017 , 82, 330-338	7.9	81
301	Vagus nerve stimulation in psychiatry: a systematic review of the available evidence. <i>Journal of Neural Transmission</i> , 2017 , 124, 145-158	4.3	61
300	Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia, part III: Molecular mechanisms. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 330-356	3.8	22

299	Schizophrenie Psychosen 2017 , 1583-1674		2
298	Commentary on "Systems Neuroscience of Psychosis (SyNoPsis): Mapping Schizophrenia Symptoms onto Brain Systems". <i>Neuropsychobiology</i> , 2017 , 75, 122-123	4	1
297	Unmet Needs in Schizophrenia. <i>CNS and Neurological Disorders - Drug Targets</i> , 2017 , 16, 870-884	2.6	12
296	Öopathogenetische Beiträge der Bildgebungsforschung in der Psychiatrie 2017 , 215-243		1
295	Öopathogenetische Beiträge der Bildgebungsforschung in der Psychiatrie 2017 , 1-29		
294	Cognitive Effects of High-Frequency rTMS in Schizophrenia Patients With Predominant Negative Symptoms: Results From a Multicenter Randomized Sham-Controlled Trial. <i>Schizophrenia Bulletin</i> , 2016 , 42, 608-18	1.3	54
293	Prediction of outcome in the psychosis prodrome using neuroanatomical pattern classification. <i>Schizophrenia Research</i> , 2016 , 173, 159-165	3.6	40
292	Special Supplement Introduction: The Fourth Kraepelin Symposium-Cognitive Dysfunction in Schizophrenia: Origins and Innovative Treatment. <i>Schizophrenia Bulletin</i> , 2016 , 42 Suppl 1, S1-3	1.3	
291	Stability of remission rates in a 3-year follow-up of naturalistic treated depressed inpatients. <i>BMC Psychiatry</i> , 2016 , 16, 153	4.2	6
290	Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part II: Cognition, neuroimaging and genetics. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 406-28	3.8	23
289	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016 , 25, 3383-3394	5.6	125
288	Nicotine-dopamine-transporter interactions during reward-based decision making. <i>European Neuropsychopharmacology</i> , 2016 , 26, 938-47	1.2	3
287	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016 , 387, 1085-1093	4.0	216
286	The Longitudinal Course of Schizophrenia Across the Lifespan: Clinical, Cognitive, and Neurobiological Aspects. <i>Harvard Review of Psychiatry</i> , 2016 , 24, 118-28	4.1	73
285	Effects of endurance training on brain structures in chronic schizophrenia patients and healthy controls. <i>Schizophrenia Research</i> , 2016 , 173, 182-191	3.6	49
284	Predictors for symptom re-exacerbation after targeted stepwise drug discontinuation in first-episode schizophrenia: Results of the first-episode study within the German research network on schizophrenia. <i>Schizophrenia Research</i> , 2016 , 170, 168-76	3.6	27
283	Quantitative mass spectrometry reveals changes in SNAP-25 isoforms in schizophrenia. <i>Schizophrenia Research</i> , 2016 , 177, 44-51	3.6	17
282	Molecular Signatures of Psychosocial Stress and Cognition Are Modulated by Chronic Lithium Treatment. <i>Schizophrenia Bulletin</i> , 2016 , 42 Suppl 1, S22-33	1.3	10

281	Pioneering ambient mass spectrometry imaging in psychiatry: Potential for new insights into schizophrenia. <i>Schizophrenia Research</i> , 2016 , 177, 67-69	3.6	11
280	Schizophrene Psychosen 2016 , 1-92		1
279	Somatische Therapieverfahren 2016 , 77-105		2
278	Öopathogenetische Beiträge der Bildgebungsforschung in der Psychiatrie 2016 , 1-28		
277	Sonstige Therapien 2016 , 177-194		
276	Bidirectional variability in motor cortex excitability modulation following 1 mA transcranial direct current stimulation in healthy participants. <i>Physiological Reports</i> , 2016 , 4, e12884	2.6	52
275	Oligodendrocyte and Interneuron Density in Hippocampal Subfields in Schizophrenia and Association of Oligodendrocyte Number with Cognitive Deficits. <i>Frontiers in Cellular Neuroscience</i> , 2016 , 10, 78	6.1	24
274	Lower Oxytocin Plasma Levels in Borderline Patients with Unresolved Attachment Representations. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 125	3.3	31
273	Endurance training in patients with schizophrenia and healthy controls: differences and similarities. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 461-73	5.1	14
272	Differential response to anodal tDCS and PAS is indicative of impaired focal LTP-like plasticity in schizophrenia. <i>Behavioural Brain Research</i> , 2016 , 311, 46-53	3.4	14
271	Reduced oxytocin receptor gene expression and binding sites in different brain regions in schizophrenia: A post-mortem study. <i>Schizophrenia Research</i> , 2016 , 177, 59-66	3.6	47
270	Perspectives of neurobiological research in schizophrenia. <i>Neurology Psychiatry and Brain Research</i> , 2016 , 22, 63-68	2.1	1
269	Differential proteome and phosphoproteome may impact cell signaling in the corpus callosum of schizophrenia patients. <i>Schizophrenia Research</i> , 2016 , 177, 70-77	3.6	17
268	Prefrontal Transcranial Direct Current Stimulation for Treatment of Schizophrenia With Predominant Negative Symptoms: A Double-Blind, Sham-Controlled Proof-of-Concept Study. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1253-61	1.3	86
267	Multisite prediction of 4-week and 52-week treatment outcomes in patients with first-episode psychosis: a machine learning approach. <i>Lancet Psychiatry</i> , 2016 , 3, 935-946	23.3	100
266	Decreased Oligodendrocyte and Neuron Number in Anterior Hippocampal Areas and the Entire Hippocampus in Schizophrenia: A Stereological Postmortem Study. <i>Schizophrenia Bulletin</i> , 2016 , 42 Suppl 1, S4-S12	1.3	49
265	Psychoeducational and Cognitive Behavioral Treatment Programs: Implementation and Evaluation From 1995 to 2015 in Kraepelin-Former Hospital. <i>Schizophrenia Bulletin</i> , 2016 , 42 Suppl 1, S81-9	1.3	3
264	A Randomized Controlled Trial of Group Coping-Oriented Therapy vs Supportive Therapy in Schizophrenia: Results of a 2-Year Follow-up. <i>Schizophrenia Bulletin</i> , 2016 , 42 Suppl 1, S71-80	1.3	14

263	Classifying Schizophrenia Using Multimodal Multivariate Pattern Recognition Analysis: Evaluating the Impact of Individual Clinical Profiles on the Neurodiagnostic Performance. <i>Schizophrenia Bulletin</i> , 2016 , 42 Suppl 1, S110-7	1.3	52
262	Aberrant Functional Whole-Brain Network Architecture in Patients With Schizophrenia: A Meta-analysis. <i>Schizophrenia Bulletin</i> , 2016 , 42 Suppl 1, S13-21	1.3	47
261	Neue Ansätze in der Schizophrenietherapie. <i>Der Neurologe Und Psychiater</i> , 2015 , 16, 46-56	0	
260	Detecting neuroimaging biomarkers for schizophrenia: a meta-analysis of multivariate pattern recognition studies. <i>Neuropsychopharmacology</i> , 2015 , 40, 1742-51	8.7	134
259	Left prefrontal high-frequency repetitive transcranial magnetic stimulation for the treatment of schizophrenia with predominant negative symptoms: a sham-controlled, randomized multicenter trial. <i>Biological Psychiatry</i> , 2015 , 77, 979-88	7.9	94
258	Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part I: Neurophysiology. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 280-90	3.8	29
257	Transcutaneous noninvasive vagus nerve stimulation (tvNS) in the treatment of schizophrenia: a bicentric randomized controlled pilot study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 589-600	5.1	36
256	Family load impacts orbitofrontal volume in first-episode schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 232, 130-3	2.9	1
255	First results of a refeeding program in a psychiatric intensive care unit for patients with extreme anorexia nervosa. <i>BMC Psychiatry</i> , 2015 , 15, 57	4.2	21
254	Individualized differential diagnosis of schizophrenia and mood disorders using neuroanatomical biomarkers. <i>Brain</i> , 2015 , 138, 2059-73	11.2	99
253	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Schizophrenia. Part 3: Update 2015 Management of special circumstances: Depression, Suicidality, substance use disorders and pregnancy and lactation. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 142-70	3.8	84
252	Effects of Endurance Training Combined With Cognitive Remediation on Everyday Functioning, Symptoms, and Cognition in Multiepisode Schizophrenia Patients. <i>Schizophrenia Bulletin</i> , 2015 , 41, 847-58 ³	1.3	61
251	Functional outcome in major psychiatric disorders and associated clinical and psychosocial variables: A potential cross-diagnostic phenotype for further genetic investigations?. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 237-48	3.8	15
250	Proteomics of the corpus callosum unravel pivotal players in the dysfunction of cell signaling, structure, and myelination in schizophrenia brains. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 601-12	5.1	48
249	Disturbed cortico-amygdalar functional connectivity as pathophysiological correlate of working memory deficits in bipolar affective disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 303-11	5.1	31
248	Effects of social exclusion on emotions and oxytocin and cortisol levels in patients with chronic depression. <i>Journal of Psychiatric Research</i> , 2015 , 60, 170-7	5.2	56
247	Detecting the psychosis prodrome across high-risk populations using neuroanatomical biomarkers. <i>Schizophrenia Bulletin</i> , 2015 , 41, 471-82	1.3	105
246	Smoking restores impaired LTD-like plasticity in schizophrenia: a transcranial direct current stimulation study. <i>Neuropsychopharmacology</i> , 2015 , 40, 822-30	8.7	21

245	Common mechanisms in neurodegeneration and neuroinflammation: a BrainNet Europe gene expression microarray study. <i>Journal of Neural Transmission</i> , 2015 , 122, 1055-68	4.3	79
244	Disturbed macro-connectivity in schizophrenia linked to oligodendrocyte dysfunction: from structural findings to molecules. <i>NPJ Schizophrenia</i> , 2015 , 1, 15034	5.5	50
243	A common risk variant in CACNA1C supports a sex-dependent effect on longitudinal functioning and functional recovery from episodes of schizophrenia-spectrum but not bipolar disorder. <i>European Neuropsychopharmacology</i> , 2015 , 25, 2262-70	1.2	10
242	Stereological investigation of the posterior hippocampus in affective disorders. <i>Journal of Neural Transmission</i> , 2015 , 122, 1019-33	4.3	18
241	Loss of Munc18-1 long splice variant in GABAergic terminals is associated with cognitive decline and increased risk of dementia in a community sample. <i>Molecular Neurodegeneration</i> , 2015 , 10, 65	19	22
240	Erythropoietin as an Innovative Add-on Therapy for Depression. <i>Biological Psychiatry</i> , 2015 , 78, 222-3	7.9	2
239	Investigations of motor-cortex cortical plasticity following facilitatory and inhibitory transcranial theta-burst stimulation in schizophrenia: a proof-of-concept study. <i>Journal of Psychiatric Research</i> , 2015 , 61, 196-204	5.2	11
238	Cross-disorder genome-wide analyses suggest a complex genetic relationship between TouretteQ syndrome and OCD. <i>American Journal of Psychiatry</i> , 2015 , 172, 82-93	11.9	101
237	Impairments in motor-cortical inhibitory networks across recent-onset and chronic schizophrenia: a cross-sectional TMS Study. <i>Behavioural Brain Research</i> , 2014 , 264, 17-25	3.4	19
236	S100B is downregulated in the nuclear proteome of schizophrenia corpus callosum. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 311-6	5.1	14
235	Three-Year long-term outcome of 458 naturalistically treated inpatients with major depressive episode: severe relapse rates and risk factors. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 567-75	5.1	31
234	Common and disease-specific dysfunctions of brain systems underlying attentional and executive control in schizophrenia and bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 517-32	5.1	12
233	Rates and predictors of remission in first-episode schizophrenia within 1 year of antipsychotic maintenance treatment. Results of a randomized controlled trial within the German Research Network on Schizophrenia. <i>Schizophrenia Research</i> , 2014 , 152, 478-86	3.6	24
232	5-HT3 receptor influences the washing phenotype and visual organization in obsessive-compulsive disorder supporting 5-HT3 receptor antagonists as novel treatment option. <i>European Neuropsychopharmacology</i> , 2014 , 24, 86-94	1.2	18
231	Accelerated brain aging in schizophrenia and beyond: a neuroanatomical marker of psychiatric disorders. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1140-53	1.3	235
230	Copy number variation in obsessive-compulsive disorder and tourette syndrome: a cross-disorder study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 910-9	7.2	86
229	Disturbed anterior prefrontal control of the mesolimbic reward system and increased impulsivity in bipolar disorder. <i>Neuropsychopharmacology</i> , 2014 , 39, 1914-23	8.7	39
228	BDNF-Val66Met-polymorphism impact on cortical plasticity in schizophrenia patients: a proof-of-concept study. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	20

227	Do manual and voxel-based morphometry measure the same? A proof of concept study. <i>Frontiers in Psychiatry</i> , 2014 , 5, 39	5	16
226	The impact of environmental factors in severe psychiatric disorders. <i>Frontiers in Neuroscience</i> , 2014 , 8, 19	5.1	174
225	Joint crisis plans and psychiatric advance directives in German psychiatric practice. <i>Journal of Medical Ethics</i> , 2014 , 40, 343-5	2.5	16
224	Hippocampal integrity and neurocognition in first-episode schizophrenia: a multidimensional study. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 188-99	3.8	26
223	Social exclusion leads to divergent changes of oxytocin levels in borderline patients and healthy subjects. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 252-4	9.4	31
222	Motor cortical excitability assessed by transcranial magnetic stimulation in psychiatric disorders: a systematic review. <i>Brain Stimulation</i> , 2014 , 7, 158-69	5.1	92
221	CACNA1C genotype explains interindividual differences in amygdala volume among patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 93-102	5.1	42
220	Massive, previously undetected cancer metastasis revealed by application of a depot antipsychotic: a case report. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e705-6	4.6	0
219	The effects of physical exercise in schizophrenia and affective disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 451-67	5.1	61
218	Pattern and volume of the anterior cingulate cortex in chronic posttraumatic stress disorder (PTSD). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 585-92	5.1	4
217	The "DGPPN-Cohort": A national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 695-701	5.1	10
216	The effect of aerobic exercise on cortical architecture in patients with chronic schizophrenia: a randomized controlled MRI study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 469-73	5.1	45
215	Impaired motor cortex responses in non-psychotic first-degree relatives of schizophrenia patients: a cathodal tDCS pilot study. <i>Brain Stimulation</i> , 2013 , 6, 821-9	5.1	21
214	Proteomic similarities between heterozygous reeler mice and schizophrenia. <i>Biological Psychiatry</i> , 2013 , 74, e5-e10	7.9	11
213	Effects of cannabis and familial loading on subcortical brain volumes in first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263 Suppl 2, S155-68	5.1	23
212	Transcranial random noise stimulation for the treatment of negative symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2013 , 146, 372-3	3.6	24
211	Gene expression of glutamate transporters SLC1A1, SLC1A3 and SLC1A6 in the cerebellar subregions of elderly schizophrenia patients and effects of antipsychotic treatment. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 490-9	3.8	12
210	A similar but distinctive pattern of impaired cortical excitability in first-episode schizophrenia and ADHD. <i>Neuropsychobiology</i> , 2013 , 67, 74-83	4	9

209	Cannabis abuse and brain morphology in schizophrenia: a review of the available evidence. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 3-13	5.1	32
208	Increased cell proliferation in the rat anterior cingulate cortex following neonatal hypoxia: relevance to schizophrenia. <i>Journal of Neural Transmission</i> , 2013 , 120, 187-95	4.3	16
207	Glutamate modulators as potential therapeutic drugs in schizophrenia and affective disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 367-77	5.1	160
206	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of schizophrenia, part 2: update 2012 on the long-term treatment of schizophrenia and management of antipsychotic-induced side effects. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 2-44	3.8	264
205	The functional coding variant Asn107Ile of the neuropeptide S receptor gene (NPSR1) influences age at onset of obsessive-compulsive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 1951-8	5.8	6
204	The effect of long-term high frequency repetitive transcranial magnetic stimulation on working memory in schizophrenia and healthy controls—a randomized placebo-controlled, double-blind fMRI study. <i>Behavioural Brain Research</i> , 2013 , 237, 300-7	3.4	51
203	Entscheidungshilfe im klinischen Alltag. <i>InFo Neurologie & Psychiatrie</i> , 2013 , 15, 50-56	0	
202	The human oligodendrocyte proteome. <i>Proteomics</i> , 2013 , 13, 3548-53	4.8	17
201	Differential working memory performance as support for the Kraepelinian dichotomy between schizophrenia and bipolar disorder? An experimental neuropsychological study using circuit-specific working memory tasks. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 258-67	3.8	6
200	Partitioning the heritability of Tourette syndrome and obsessive compulsive disorder reveals differences in genetic architecture. <i>PLoS Genetics</i> , 2013 , 9, e1003864	6	189
199	Muscle and timing-specific functional connectivity between the dorsolateral prefrontal cortex and the primary motor cortex. <i>Journal of Cognitive Neuroscience</i> , 2013 , 25, 558-70	3.1	43
198	Predictors of symptomatic remission in first-episode psychosis outpatients treated with quetiapine: a naturalistic study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013 , 17, 148-53	2.4	3
197	The diagnosis and treatment of bipolar disorder: recommendations from the current s3 guideline. <i>Deutsches Arzteblatt International</i> , 2013 , 110, 92-100	2.5	21
196	Characterization of SLITRK1 variation in obsessive-compulsive disorder. <i>PLoS ONE</i> , 2013 , 8, e70376	3.7	37
195	Impairments of motor-cortex responses to unilateral and bilateral direct current stimulation in schizophrenia. <i>Frontiers in Psychiatry</i> , 2013 , 4, 121	5	15
194	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013 , 8, e65636	3.7	113
193	Estudos transcriptômicos no contexto da conectividade perturbada em esquizofrenia. <i>Revista De Psiquiatria Clinica</i> , 2013 , 40, 10-15	0.8	1
192	The role of the human ventral striatum and the medial orbitofrontal cortex in the representation of reward magnitude - an activation likelihood estimation meta-analysis of neuroimaging studies of passive reward expectancy and outcome processing. <i>Neuropsychologia</i> , 2012 , 50, 1252-66	3.2	218

191	Association of the brain-derived neurotrophic factor val66met polymorphism with magnetic resonance spectroscopic markers in the human hippocampus: in vivo evidence for effects on the glutamate system. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 23-31	5.1	33
190	Differential expression of HINT1 in schizophrenia brain tissue. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 167-72	5.1	22
189	Antisaccade performance in patients with obsessive-compulsive disorder and unaffected relatives: further evidence for impaired response inhibition as a candidate endophenotype. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 625-34	5.1	38
188	Selection of novel reference genes for use in the human central nervous system: a BrainNet Europe Study. <i>Acta Neuropathologica</i> , 2012 , 124, 893-903	14.3	79
187	Posttraumatic stress disorder (PTSD) in the German Armed Forces: a retrospective study in inpatients of a German army hospital. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 459-67	5.1	16
186	Abnormal bihemispheric responses in schizophrenia patients following cathodal transcranial direct stimulation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 415-23	5.1	26
185	Structural synaptic elements are differentially regulated in superior temporal cortex of schizophrenia patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 565-77	5.1	20
184	Genetic polymorphisms of 5-HTT and DAT but not COMT differentially affect verbal and visuospatial working memory functioning. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 667-76	5.1	37
183	Common and distinct neural correlates of emotional processing in Bipolar Disorder and Major Depressive Disorder: a voxel-based meta-analysis of functional magnetic resonance imaging studies. <i>European Neuropsychopharmacology</i> , 2012 , 22, 100-13	1.2	166
182	Deficient inhibitory cortical networks in antipsychotic-naïve subjects at risk of developing first-episode psychosis and first-episode schizophrenia patients: a cross-sectional study. <i>Biological Psychiatry</i> , 2012 , 72, 744-51	7.9	39
181	A functional neuroimaging study assessing gender differences in the neural mechanisms underlying the ability to resist impulsive desires. <i>Brain Research</i> , 2012 , 1473, 63-77	3.7	40
180	Impaired long-term depression in schizophrenia: a cathodal tDCS pilot study. <i>Brain Stimulation</i> , 2012 , 5, 475-83	5.1	89
179	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Schizophrenia, part 1: update 2012 on the acute treatment of schizophrenia and the management of treatment resistance. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 318-78	3.8	364
178	Decreased reelin expression in the left prefrontal cortex (BA9) in chronic schizophrenia patients. <i>Neuropsychobiology</i> , 2012 , 66, 57-62	4	30
177	Impulsive personality and the ability to resist immediate reward: an fMRI study examining interindividual differences in the neural mechanisms underlying self-control. <i>Human Brain Mapping</i> , 2012 , 33, 2768-84	5.9	40
176	The Hypoxic Rat Model for Obstetric Complications in Schizophrenia. <i>Neuromethods</i> , 2011 , 93-111	0.4	
175	Ventajas y desventajas del tratamiento de combinaci3n con antipsic3ticos. Reuni3n ECNP Consensus, marzo de 2008, Niza. <i>Psiquiatria Biologica</i> , 2011 , 18, 55-67	0.2	2
174	Fear is only as deep as the mind allows: a coordinate-based meta-analysis of neuroimaging studies on the regulation of negative affect. <i>NeuroImage</i> , 2011 , 58, 275-85	7.9	317

173	The power of imagination--how anticipatory mental imagery alters perceptual processing of fearful facial expressions. <i>NeuroImage</i> , 2011 , 54, 1703-14	7.9	25
172	The effects of combined acamprosate and integrative behaviour therapy in the outpatient treatment of alcohol dependence: a randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2011 , 118, 417-22	4.9	15
171	Acute treatment with cannabinoid receptor agonist WIN55212.2 improves prepulse inhibition in psychosocially stressed mice. <i>Behavioural Brain Research</i> , 2011 , 218, 280-7	3.4	23
170	Dysfunctional long-term potentiation-like plasticity in schizophrenia revealed by transcranial direct current stimulation. <i>Behavioural Brain Research</i> , 2011 , 224, 15-22	3.4	120
169	The role of the cerebellum in schizophrenia: from cognition to molecular pathways. <i>Clinics</i> , 2011 , 66 Suppl 1, 71-7	2.3	68
168	Pathophysiology of Schizophrenia 2011 , 31-65		8
167	The orbitofrontal cortex and its role in the assignment of behavioural significance. <i>Neuropsychologia</i> , 2011 , 49, 984-991	3.2	25
166	Planum temporale asymmetry to the right hemisphere in first-episode schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 193, 56-9	2.9	16
165	New lexicon and criteria for the diagnosis of Alzheimer's disease. <i>Lancet Neurology</i> , 2011 , 10, 298-9; author reply 300-1	24.1	19
164	Treatment of first-episode schizophrenia: pharmacological and neurobiological aspects. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2011 , 8, 31-35		
163	Methyl- and acetyltransferases are stable epigenetic markers postmortem. <i>Cell and Tissue Banking</i> , 2011 , 12, 289-97	2.2	10
162	S100B and homocysteine in the acute alcohol withdrawal syndrome. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261, 133-8	5.1	10
161	A systematic experimental neuropsychological investigation of the functional integrity of working memory circuits in major depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261, 179-84	5.1	17
160	Prefrontal cortex gyrification index in twins: an MRI study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261, 459-65	5.1	14
159	Schizophrenia as a disorder of disconnectivity. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261 Suppl 2, S150-4	5.1	164
158	A CAG repeat polymorphism of KCNN3 predicts SK3 channel function and cognitive performance in schizophrenia. <i>EMBO Molecular Medicine</i> , 2011 , 3, 309-19	12	44
157	Reduction of gyrification index in the cerebellar vermis in schizophrenia: a post-mortem study. <i>World Journal of Biological Psychiatry</i> , 2011 , 12 Suppl 1, 99-103	3.8	14
156	Regulation of immune-modulatory genes in left superior temporal cortex of schizophrenia patients: a genome-wide microarray study. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 201-15	3.8	55

155	A desperate search for biomarkers in schizophrenia. What is going wrong?. <i>World Psychiatry</i> , 2011 , 10, 38-9	14.4	5
154	microRNA-34c is a novel target to treat dementias. <i>EMBO Journal</i> , 2011 , 30, 4299-308	13	255
153	Hippocampal plasticity in response to exercise in schizophrenia. <i>Archives of General Psychiatry</i> , 2010 , 67, 133-43		422
152	Modification of cognitive performance in schizophrenia by complexin 2 gene polymorphisms. <i>Archives of General Psychiatry</i> , 2010 , 67, 879-88		68
151	Oral delta 9-tetrahydrocannabinol improved refractory Gilles de la Tourette syndrome in an adolescent by increasing intracortical inhibition: a case report. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 190-2	1.7	35
150	Gene expression of neuregulin-1 isoforms in different brain regions of elderly schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 243-50	3.8	37
149	Different apolipoprotein E, apolipoprotein A1 and prostaglandin-H2 D-isomerase levels in cerebrospinal fluid of schizophrenia patients and healthy controls. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 719-28	3.8	41
148	Evidence for specific cognitive deficits in visual information processing in patients with OCD compared to patients with unipolar depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 984-91	5.5	24
147	A novel mechanism and treatment target for presynaptic abnormalities in specific striatal regions in schizophrenia. <i>Neuropsychopharmacology</i> , 2010 , 35, 1226-38	8.7	51
146	Insertion/deletion polymorphism in the gene for angiotensin converting enzyme (ACE) in panic disorder: A gender-specific effect?. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 66-70	3.8	14
145	Proteome analysis of schizophrenia brain tissue. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 110-20	3.8	76
144	Pathological amygdala activation during working memory performance: Evidence for a pathophysiological trait marker in bipolar affective disorder. <i>Human Brain Mapping</i> , 2010 , 31, 115-25	5.9	42
143	Borderline personality disorder: a dysregulation of the endogenous opioid system?. <i>Psychological Review</i> , 2010 , 117, 623-36	6.3	86
142	Increased cortical inhibition deficits in first-episode schizophrenia with comorbid cannabis abuse. <i>Psychopharmacology</i> , 2010 , 208, 353-63	4.7	34
141	Gene expression of NMDA receptor subunits in the cerebellum of elderly patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 101-11	5.1	33
140	DAOA/G72 predicts the progression of prodromal syndromes to first episode psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 209-15	5.1	29
139	Reduced prefrontal gyrification in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 455-64	5.1	27
138	Patients with schizophrenia show deficits of working memory maintenance components in circuit-specific tasks. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 519-25	5.1	20

137	Cognitive effects of high-frequency repetitive transcranial magnetic stimulation: a systematic review. <i>Journal of Neural Transmission</i> , 2010 , 117, 105-22	4.3	226
136	Disturbed functional connectivity within brain networks subserving domain-specific subcomponents of working memory in schizophrenia: relation to performance and clinical symptoms. <i>Journal of Psychiatric Research</i> , 2010 , 44, 364-72	5.2	96
135	Sex-specific proteome differences in the anterior cingulate cortex of schizophrenia. <i>Journal of Psychiatric Research</i> , 2010 , 44, 989-91	5.2	64
134	Serotonergic function, substance craving, and psychopathology in detoxified alcohol-addicted males undergoing tryptophan depletion. <i>Journal of Psychiatric Research</i> , 2010 , 44, 1163-9	5.2	7
133	Proteome analysis of the thalamus and cerebrospinal fluid reveals glycolysis dysfunction and potential biomarkers candidates for schizophrenia. <i>Journal of Psychiatric Research</i> , 2010 , 44, 1176-89	5.2	134
132	Correlation between amygdala volume and age in bipolar disorder - a systematic review and meta-analysis of structural MRI studies. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 182, 1-8	2.9	62
131	Search for copy number variants in chromosomes 15q11-q13 and 22q11.2 in obsessive compulsive disorder. <i>BMC Medical Genetics</i> , 2010 , 11, 100	2.1	13
130	The cross-sectional GRAS sample: a comprehensive phenotypical data collection of schizophrenic patients. <i>BMC Psychiatry</i> , 2010 , 10, 91	4.2	41
129	The Neuropathology of Schizophrenia: Central Role for the Hippocampus? 2010 , 149-165		3
128	Cognition in hepatitis C patients treated with pegylated interferon. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 819-26	3.8	12
127	Cognitive impairment of executive function as a core symptom of schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 442-51	3.8	45
126	Cortical neurochemistry in euthymic patients with bipolar I disorder. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 285-94	3.8	18
125	Association between myelin basic protein expression and left entorhinal cortex pre-alpha cell layer disorganization in schizophrenia. <i>Brain Research</i> , 2009 , 1301, 126-34	3.7	27
124	Functional interactions guiding adaptive processing of behavioral significance. <i>Human Brain Mapping</i> , 2009 , 30, 3325-31	5.9	13
123	Early onset of obsessive-compulsive disorder and associated comorbidity. <i>Depression and Anxiety</i> , 2009 , 26, 1012-7	8.4	36
122	Shotgun mass spectrometry analysis of the human thalamus proteome. <i>Journal of Separation Science</i> , 2009 , 32, 1231-6	3.4	19
121	Increased D-amino acid oxidase expression in the bilateral hippocampal CA4 of schizophrenic patients: a post-mortem study. <i>Journal of Neural Transmission</i> , 2009 , 116, 1657-65	4.3	28
120	Stereologic investigation of the posterior part of the hippocampus in schizophrenia. <i>Acta Neuropathologica</i> , 2009 , 117, 395-407	14.3	128

119	Comorbid substance abuse and brain morphology in recent-onset psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 28-36	5.1	31
118	Effects of abstinence on brain morphology in alcoholism: a MRI study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 143-50	5.1	37
117	5-HTTLPR genotype influences amygdala volume. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 212-7	5.1	24
116	Internal capsule size associated with outcome in first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 278-83	5.1	31
115	Diagnosis-specific effect of familial loading on verbal working memory in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 309-15	5.1	16
114	Tryptophan is a marker of human postmortem brain tissue quality. <i>Journal of Neurochemistry</i> , 2009 , 110, 1400-8	6	12
113	Brain mechanisms associated with background monitoring of the environment for potentially significant sensory events. <i>Brain and Cognition</i> , 2009 , 69, 559-64	2.7	22
112	Dopamine transporter genotype influences N-acetyl-aspartate in the left putamen. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 524-30	3.8	11
111	Schizophrenia: from the brain to peripheral markers. A consensus paper of the WFSBP task force on biological markers. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 127-55	3.8	54
110	Advantages and disadvantages of combination treatment with antipsychotics ECNP Consensus Meeting, March 2008, Nice. <i>European Neuropsychopharmacology</i> , 2009 , 19, 520-32	1.2	101
109	A novel mutation of the arylsulfatase A gene in late-onset metachromatic leukodystrophy. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1724-5	4.6	3
108	Objective quantification of the tinnitus decompensation by synchronization measures of auditory evoked single sweeps. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2008 , 16, 74-81	4.8	33
107	Functional brain abnormalities in psychiatric disorders: neural mechanisms to detect and resolve cognitive conflict and interference. <i>Brain Research Reviews</i> , 2008 , 59, 96-124		67
106	Functional neuroimaging of reward processing and decision-making: a review of aberrant motivational and affective processing in addiction and mood disorders. <i>Brain Research Reviews</i> , 2008 , 59, 164-84		127
105	Harm avoidance in subjects with obsessive-compulsive disorder and their families. <i>Journal of Affective Disorders</i> , 2008 , 107, 265-9	6.6	48
104	Neuregulin-1 haplotype HAP(ICE) is associated with lower hippocampal volumes in schizophrenic patients and in non-affected family members. <i>Journal of Psychiatric Research</i> , 2008 , 43, 1-6	5.2	38
103	Automated gray level index measurements reveal only minor cytoarchitectonic changes of Brodmann area 9 in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 163, 183-92	2.9	5
102	The hippocampus in families with schizophrenia in relation to obstetric complications. <i>Schizophrenia Research</i> , 2008 , 104, 71-8	3.6	32

101	Reduction of the internal capsule in families affected with schizophrenia. <i>Biological Psychiatry</i> , 2008 , 63, 65-71	7.9	35
100	The LARK/RBM4a protein is highly expressed in cerebellum as compared to cerebrum. <i>Neuroscience Letters</i> , 2008 , 444, 11-5	3.3	5
99	Limitations of current therapies: why do patients switch therapies?. <i>European Neuropsychopharmacology</i> , 2008 , 18 Suppl 3, S135-9	1.2	7
98	A roadmap to disentangle the molecular etiology of schizophrenia. <i>European Psychiatry</i> , 2008 , 23, 224-32	3.6	7
97	Cerebrospinal fluid neurochemical phenotypes in vascular dementias: original data and mini-review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 25, 256-65	2.6	19
96	Obsessive-compulsive disorder and posttraumatic stress disorder. <i>Psychopathology</i> , 2008 , 41, 129-34	3.4	28
95	Is brain banking of psychiatric cases valuable for neurobiological research?. <i>Clinics</i> , 2008 , 63, 255-66	2.3	18
94	Episode-specific differential gene expression of peripheral blood mononuclear cells in rapid cycling supports novel treatment approaches. <i>Molecular Medicine</i> , 2008 , 14, 546-52	6.2	24
93	Intake of copper has no effect on cognition in patients with mild Alzheimer's disease: a pilot phase 2 clinical trial. <i>Journal of Neural Transmission</i> , 2008 , 115, 1181-7	4.3	74
92	SNAP-25 genotype influences NAA/Cho in left hippocampus. <i>Journal of Neural Transmission</i> , 2008 , 115, 1513-8	4.3	10
91	Effect of copper intake on CSF parameters in patients with mild Alzheimer's disease: a pilot phase 2 clinical trial. <i>Journal of Neural Transmission</i> , 2008 , 115, 1651-9	4.3	42
90	Management of a twenty-first century brain bank: experience in the BrainNet Europe consortium. <i>Acta Neuropathologica</i> , 2008 , 115, 497-507	14.3	88
89	No change to grey and white matter volumes in bipolar I disorder patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 345-9	5.1	49
88	Impact of neuregulin-1 on the pathophysiology of schizophrenia in human post-mortem studies. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258 Suppl 5, 35-9	5.1	18
87	Diagnose, Biologie und Neuropathophysiologie der Schizophrenie 2008 , 36-43		2
86	Compensatory hyperactivations as markers of latent working memory dysfunctions in patients with obsessive-compulsive disorder: an fMRI study. <i>Journal of Psychiatry and Neuroscience</i> , 2008 , 33, 209-15	4.5	39
85	Altered cholesterol metabolism in APP695-transfected neuroblastoma cells. <i>Brain Research</i> , 2007 , 1152, 209-14	3.7	6
84	Neural substrates of olfactory processing in schizophrenia patients and their healthy relatives. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 155, 103-12	2.9	63

83	Disturbed frontal gyrification within families affected with schizophrenia. <i>Journal of Psychiatric Research</i> , 2007 , 41, 805-13	5.2	55
82	Immunohistochemical evidence for impaired neuregulin-1 signaling in the prefrontal cortex in schizophrenia and in unipolar depression. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1096, 147-56	6.5	91
81	Dynamic interactions between neural systems underlying different components of verbal working memory. <i>Journal of Neural Transmission</i> , 2007 , 114, 1047-50	4.3	18
80	Comorbid substance abuse and neurocognitive function in recent-onset schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 203-10	5.1	38
79	Health-related quality of life in hereditary hemorrhagic telangiectasia. <i>Otolaryngology - Head and Neck Surgery</i> , 2007 , 136, 726-33; discussion 734-5	5.5	55
78	Maintenance treatment with risperidone or low-dose haloperidol in first-episode schizophrenia: 1-year results of a randomized controlled trial within the German Research Network on Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1763-74	4.6	67
77	Decreased plasma cholesterol levels during aging in transgenic mouse models of Alzheimer's disease. <i>Experimental Gerontology</i> , 2006 , 41, 220-4	4.5	16
76	Relation between cerebrospinal fluid, gray matter and white matter changes in families with schizophrenia. <i>Journal of Psychiatric Research</i> , 2006 , 40, 646-55	5.2	10
75	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of schizophrenia, part 2: long-term treatment of schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2006 , 7, 5-40	3.8	118
74	Clozapine alone versus clozapine and risperidone with refractory schizophrenia. <i>New England Journal of Medicine</i> , 2006 , 354, 472-82	59.2	218
73	Alexithymia in obsessive-compulsive disorder - results from a family study. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 312-8	9.4	42
72	Proton magnetic resonance spectroscopy in subjects at risk for schizophrenia. <i>Schizophrenia Research</i> , 2006 , 87, 81-8	3.6	68
71	Articulatory rehearsal in verbal working memory: a possible neurocognitive endophenotype that differentiates between schizophrenia and schizoaffective disorder. <i>Neuroscience Letters</i> , 2006 , 405, 24-8	3.3	46
70	Large-scale inverse and forward modeling of adaptive resonance in the tinnitus decompensation. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006 , 2006, 2585-8		3
69	Effects of antipsychotics on brain structure. <i>Current Opinion in Psychiatry</i> , 2006 , 19, 145-50	4.9	160
68	Familiarity of obsessive-compulsive disorder in nonclinical and clinical subjects. <i>American Journal of Psychiatry</i> , 2006 , 163, 1986-92	11.9	74
67	Distinctive neurocognitive effects of repetitive transcranial magnetic stimulation and electroconvulsive therapy in major depression. <i>British Journal of Psychiatry</i> , 2005 , 186, 410-6	5.4	84
66	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of schizophrenia, Part 1: acute treatment of schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2005 , 6, 132-91	3.8	216

65	Increased serum S100B in elderly, chronic schizophrenic patients: negative correlation with deficit symptoms. <i>Schizophrenia Research</i> , 2005 , 80, 305-13	3.6	58
64	Hippocampal complexin proteins and cognitive dysfunction in schizophrenia. <i>Archives of General Psychiatry</i> , 2005 , 62, 263-72		98
63	Cognitive decline correlates with low plasma concentrations of copper in patients with mild to moderate Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2005 , 8, 23-7	4.3	67
62	Reductions in cholesterol and synaptic markers in association cortex in mood disorders. <i>Bipolar Disorders</i> , 2005 , 7, 449-55	3.8	84
61	Intact hippocampal gray matter in schizophrenia as revealed by automatized image analysis postmortem. <i>Anatomy and Embryology</i> , 2005 , 210, 513-7		13
60	Decreased prefrontal 5-HT _{2A} receptor binding in subjects at enhanced risk for schizophrenia. <i>Anatomy and Embryology</i> , 2005 , 210, 519-23		35
59	Schizophrenie und Sucht. <i>Psychoneuro: Psychiatrie - Neurologie - Psychotherapie</i> , 2005 , 31, 433-440		8
58	Increased serum interleukin-1beta and interleukin-6 in elderly, chronic schizophrenic patients on stable antipsychotic medication. <i>Neuropsychiatric Disease and Treatment</i> , 2005 , 1, 171-7	3.1	47
57	MRI of the brainstem in patients with major depression, bipolar affective disorder and normal controls. <i>Psychiatry Research - Neuroimaging</i> , 2004 , 131, 269-76	2.9	22
56	Shape changes in prefrontal, but not parieto-occipital regions: brains of schizophrenic patients come closer to a circle in coronal and sagittal view. <i>Psychiatry Research - Neuroimaging</i> , 2004 , 132, 261-71	2.9	12
55	Genetic load on amygdala hypofunction during sadness in nonaffected brothers of schizophrenia patients. <i>American Journal of Psychiatry</i> , 2004 , 161, 1806-13	11.9	84
54	Brain morphological abnormalities in first-degree relatives of schizophrenic patients 2004 , 254-266		
53	A review and new report of medial temporal lobe dysfunction as a vulnerability indicator for schizophrenia: a magnetic resonance imaging morphometric family study of the parahippocampal gyrus. <i>Schizophrenia Bulletin</i> , 2003 , 29, 803-30	1.3	118
52	Schizophrenia Spectrum Disorders: A Review 2003 , 317-411		1
51	Influence of genetic loading, obstetric complications and premorbid adjustment on brain morphology in schizophrenia: a MRI study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003 , 253, 92-9	5.1	27
50	Developmental abnormalities of the hippocampus in first-episode schizophrenia. <i>Biological Psychiatry</i> , 2003 , 53, 555-61	7.9	37
49	Volumes of association thalamic nuclei in schizophrenia: a postmortem study. <i>Schizophrenia Research</i> , 2003 , 60, 141-55	3.6	99
48	Automated image analysis of disturbed cytoarchitecture in Brodmann area 10 in schizophrenia. <i>Schizophrenia Research</i> , 2003 , 62, 133-40	3.6	35

47	Antidepressive treatment in patients with temporal lobe epilepsy and major depression: a prospective study with three different antidepressants. <i>Epilepsy and Behavior</i> , 2003 , 4, 674-9	3.2	96
46	Hippocampal deformities in the unaffected siblings of schizophrenia subjects. <i>Biological Psychiatry</i> , 2003 , 54, 1234-40	7.9	56
45	Trait characteristic of impaired visuomotor integration during Trail-Making Test B performance in schizophrenia. <i>Neuropsychobiology</i> , 2003 , 48, 59-67	4	10
44	Kausale Therapie der Schizophrenie möglich? 2003 , 15-16		
43	The ventral lateral posterior nucleus of the thalamus in schizophrenia: a post-mortem study. <i>Psychiatry Research - Neuroimaging</i> , 2002 , 114, 1-9	2.9	41
42	The cytoarchitecture of the superior temporal gyrus in bipolar disorder using GLI-methodology. <i>Bipolar Disorders</i> , 2002 , 4, 49-49	3.8	
41	Abnormalities of prefrontal cortex SNARE complex proteins in bipolar disorder. <i>Bipolar Disorders</i> , 2002 , 4, 50-50	3.8	2
40	Abnormalities of SNARE mechanism proteins in anterior frontal cortex in severe mental illness. <i>Cerebral Cortex</i> , 2002 , 12, 349-56	5.1	117
39	The dichotomy of schizophrenia and affective disorders in extended pedigrees. <i>Schizophrenia Research</i> , 2002 , 57, 259-66	3.6	57
38	The temporal lobe in schizophrenia from uni- and multiply affected families. <i>Neuroscience Letters</i> , 2002 , 325, 25-8	3.3	20
37	Macroanatomical Findings in Postmortem Brain Tissue from Schizophrenic Patients. <i>Neurobiological Foundation of Aberrant Behaviors</i> , 2002 , 139-150		0
36	Right frontal hypergyria differentiation in affected and unaffected siblings from families multiply affected with schizophrenia: a morphometric mri study. <i>American Journal of Psychiatry</i> , 2001 , 158, 494-6	11.9	96
35	Schizophrenia Spectrum Disorders: A Review 2001 , 311-405		4
34	Amplitude reduction of the mismatch negativity in first-degree relatives of patients with schizophrenia. <i>Neuroscience Letters</i> , 2001 , 309, 185-8	3.3	83
33	Disturbed gyrification of the prefrontal region in male schizophrenic patients: A morphometric postmortem study. <i>American Journal of Psychiatry</i> , 2000 , 157, 34-9	11.9	125
32	Vagus nerve stimulation is associated with mood improvements in epilepsy patients. <i>Epilepsy Research</i> , 2000 , 42, 203-10	3	261
31	Entorhinal cortex pre-alpha cell clusters in schizophrenia: quantitative evidence of a developmental abnormality. <i>Biological Psychiatry</i> , 2000 , 47, 937-43	7.9	103
30	Antidepressant drug exposure is associated with mRNA levels of tyrosine receptor kinase B in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2000 , 24, 881-8	5.5	34

29	Automated image analysis of disturbed cytoarchitecture in Brodmann area 10 in schizophrenia: a post-mortem study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2000 , 24, 1093-104	5.5	16
28	Decreased frontal lobe ratio of N-acetyl aspartate to choline in familial schizophrenia: a proton magnetic resonance spectroscopy study. <i>Neuroscience Letters</i> , 2000 , 289, 147-51	3.3	54
27	Borna disease virus in human brains with a rare form of hippocampal degeneration but not in brains of patients with common neuropsychiatric disorders. <i>Journal of Infectious Diseases</i> , 1999 , 180, 1695-9	7	36
26	Genetic and non-genetic vulnerability factors in schizophrenia: the basis of the "two hit hypothesis". <i>Journal of Psychiatric Research</i> , 1999 , 33, 543-8	5.2	232
25	Essential functions of the human self model are implemented in the prefrontal cortex. <i>Consciousness and Cognition</i> , 1999 , 8, 343-63	2.6	80
24	Cortical sulcal enlargement in catatonic schizophrenia: a planimetric CT study. <i>Psychiatry Research - Neuroimaging</i> , 1999 , 91, 45-54	2.9	30
23	Alpha-synuclein accumulates in Lewy bodies in Parkinson's disease and dementia with Lewy bodies but not in Alzheimer's disease beta-amyloid plaque cores. <i>Neuroscience Letters</i> , 1999 , 266, 213-6	3.3	81
22	Evidence for activation of microglia in patients with psychiatric illnesses. <i>Neuroscience Letters</i> , 1999 , 271, 126-8	3.3	265
21	Differential memory span--abnormal lateralization pattern in schizophrenic patients and their siblings?. <i>International Journal of Psychophysiology</i> , 1999 , 34, 303-11	2.9	14
20	Neural expression profile of alpha-synuclein in developing human cortex. <i>NeuroReport</i> , 1999 , 10, 2799-803	3.7	51
19	Reduced tyrosine kinase receptor C mRNA levels in the frontal cortex of patients with schizophrenia. <i>Neuroscience Letters</i> , 1998 , 257, 65-8	3.3	31
18	Schizophrenia and anteroventral thalamic nucleus: selective decrease of parvalbumin-immunoreactive thalamocortical projection neurons. <i>Psychiatry Research - Neuroimaging</i> , 1998 , 82, 1-10	2.9	108
17	Projecting the sulcal pattern of human brains onto a 2D plane--a new approach using potential theory and MRI. <i>Psychiatry Research - Neuroimaging</i> , 1998 , 83, 75-84	2.9	2
16	Compartmental volumetry of the superior temporal gyrus reveals sex differences in schizophrenia--a post-mortem study. <i>Schizophrenia Research</i> , 1998 , 31, 83-7	3.6	19
15	Gene expression and neuronal activity in schizophrenia: a study of polyadenylated mRNA in the hippocampal formation and cerebral cortex. <i>Schizophrenia Research</i> , 1997 , 26, 93-102	3.6	21
14	Brain morphology assessed by computed tomography in patients with geriatric depression, patients with degenerative dementia, and normal control subjects. <i>Psychiatry Research - Neuroimaging</i> , 1995 , 61, 103-11	2.9	30
13	The temporal lobes, reversed asymmetry and the genetics of schizophrenia. <i>NeuroReport</i> , 1995 , 7, 221-4	1.7	17
12	In vivo morphometry of planum temporale asymmetry in first-episode schizophrenia. <i>Schizophrenia Research</i> , 1994 , 12, 9-18	3.6	62

11	Loss of sylvian fissure asymmetry in schizophrenia. A quantitative post mortem study. <i>Schizophrenia Research</i> , 1992 , 7, 23-32	3.6	123
10	Increased prevalence of the cavum septum pellucidum in magnetic resonance scans and post-mortem brains of schizophrenic patients. <i>Psychiatry Research - Neuroimaging</i> , 1992 , 45, 1-13	2.9	78
9	Clinical and Neurodevelopmental Aspects of Brain Pathology in Schizophrenia 1991 , 93-120		3
8	Post-mortem volume measurements of limbic system and basal ganglia structures in chronic schizophrenics. Initial results from a new brain collection. <i>Schizophrenia Research</i> , 1990 , 3, 295-301	3.6	199
7	Quantitative study of gliosis in schizophrenia and Huntington's chorea. <i>Biological Psychiatry</i> , 1988 , 24, 697-700	7.9	51
6	Cell loss in the hippocampus of schizophrenics. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1986 , 236, 154-61		366
5	Gene expression of neuregulin-1 isoforms in different brain regions of elderly schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , 1-8	3.8	5
4	Polygenic scores for major depressive disorder and depressive symptoms predict response to lithium in patients with bipolar disorder		1
3	Characterization of Age and Polarity at Onset in Bipolar Disorder		1
2	The COVID-19 Pandemic Mental Health Questionnaire (CoPaQ): Psychometric Evaluation and Compliance with Countermeasures in Psychiatric Inpatients and Non-clinical Individuals		4
1	Aerobic exercise for people with schizophrenic psychosis 66-78		