Preben Home

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8558821/preben-homoe-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107	2,855	25	50
papers	citations	h-index	g-index
112 ext. papers	3,372 ext. citations	3.1 avg, IF	5.17 L-index

#	Paper	IF	Citations
107	The Voice-Related Quality of Life (V-RQOL) Instrument: Cross-Cultural Translation and Test of Validity and Reliability of the Danish Version. <i>Journal of Voice</i> , 2021 , 35, 806.e7-806.e14	1.9	1
106	Postoperative Chronic Hypoparathyroidism and Quality of Life After Total Thyroidectomy. <i>JBMR Plus</i> , 2021 , 5, e10479	3.9	2
105	Lymphoma of the Uvula: Clinical, Morphological, Histopathological, and Genetic Characterization. A Nationwide Danish Study From 1980 to 2019. <i>Frontiers in Surgery</i> , 2021 , 8, 675279	2.3	O
104	Core needle biopsy is an inferior tool for diagnosing cervical lymphoma compared to lymph node excision. <i>Acta Oncolgica</i> , 2021 , 60, 904-910	3.2	O
103	Health-Related Quality of Life Following Total Laryngectomy: A Systematic Review. <i>Laryngoscope</i> , 2021 , 131, 820-831	3.6	5
102	Health-Related Quality of Life, Dysphagia, Voice Problems, Depression, and Anxiety After Total Laryngectomy. <i>Laryngoscope</i> , 2021 ,	3.6	2
101	Examination of hearing loss among school-aged children in Greenland. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2021 , 149, 110865	1.7	1
100	Acute otitis media and pneumococcal vaccination - an observational cross-sectional study of otitis media among vaccinated and unvaccinated children in Greenland. <i>International Journal of Circumpolar Health</i> , 2021 , 80, 1858615	1.7	1
99	Quality of life in children and adolescents with overweight or obesity: Impact of obstructive sleep apnea. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 138, 110320	1.7	3
98	Eradication of biofilms on tympanostomy tubes with acetic acid treatment: an in vitro study. <i>Apmis</i> , 2020 , 128, 445-450	3.4	0
97	Panel 6: Otitis media and associated hearing loss among disadvantaged populations and low to middle-income countries. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 130 Suppl 1, 1098	s 5 7	11
96	Effects of early childhood otitis media and ventilation tubes on psychosocial wellbeing - A prospective cohort study within the Danish National Birth Cohort. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 133, 109961	1.7	0
95	Value of pre- and intraoperative diagnostic methods in suspected glottic neoplasia. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 207-215	3.5	1
94	Panel 5: Impact of otitis media on quality of life and development. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 130 Suppl 1, 109837	1.7	12
93	Otitis Media in Childhood and Disease in Adulthood: A 40-Year Follow-Up Study. <i>Ear and Hearing</i> , 2020 , 41, 67-71	3.4	5
92	Lymphoma of the Sublingual Gland: Clinical, Morphological, Histopathological, and Genetic Characterization. <i>Frontiers in Surgery</i> , 2020 , 7, 581105	2.3	2
91	Night-to-night variability in respiratory parameters in children and adolescents examined for obstructive sleep apnea. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020 , 137, 110206	1.7	2

(2018-2020)

90	High incidence of chronic hypoparathyroidism secondary to total thyroidectomy. <i>Danish Medical Journal</i> , 2020 , 67,	3.8	3
89	Obstructive sleep apnea in children and adolescents with and without obesity. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019 , 276, 871-878	3.5	34
88	Impact of weight-loss management on children and adolescents with obesity and obstructive sleep apnea. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019 , 123, 57-62	1.7	21
87	Smartphone otoscopy by non-specialist health workers in rural Greenland: A cross-sectional study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019 , 126, 109628	1.7	12
86	Agreement between manual and automatic analyses of home sleep examinations in pediatric obstructive sleep apnea. <i>Journal of Comparative Effectiveness Research</i> , 2019 , 8, 623-631	2.1	4
85	Parental perceptions and management strategies for otitis media in Greenland. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019 , 125, 15-22	1.7	1
84	Self-reported hearing impairment among Greenlandic adolescents: Item development and findings from the Health Behaviour in School-aged Children study 2018. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019 , 126, 109629	1.7	1
83	Temporal changes in childhood health during the medieval Little Ice Age in Denmark. <i>International Journal of Paleopathology</i> , 2019 , 27, 80-87	1.5	5
82	The HTN3-MSANTD3 Fusion Gene Defines a Subset of Acinic Cell Carcinoma of the Salivary Gland. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 489-496	6.7	33
81	Angiotensin II receptor blockers are safe in patients with prior angioedema related to angiotensin-converting enzyme inhibitors - a nationwide registry-based cohort study. <i>Journal of Internal Medicine</i> , 2019 , 285, 553-561	10.8	14
80	Recurrent rearrangements of the PLAG1 and HMGA2 genes in lacrimal gland pleomorphic adenoma and carcinoma ex pleomorphic adenoma. <i>Acta Ophthalmologica</i> , 2018 , 96, e768-e771	3.7	25
79	Adenoid cystic carcinomas of the salivary gland, lacrimal gland, and breast are morphologically and genetically similar but have distinct microRNA expression profiles. <i>Modern Pathology</i> , 2018 , 31, 1211-12	25 ⁸	20
78	Salivary gland epithelial neoplasms in pediatric population: a single-institute experience with a focus on the histologic spectrum and clinical outcome. <i>Human Pathology</i> , 2018 , 73, 193-194	3.7	2
77	Risk of childhood otitis media with focus on potentially modifiable factors: A Danish follow-up cohort study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2018 , 106, 1-9	1.7	14
76	The PRKD1 E710D hotspot mutation is highly specific in separating polymorphous adenocarcinoma of the palate from adenoid cystic carcinoma and pleomorphic adenoma on FNA. <i>Cancer Cytopathology</i> , 2018 , 126, 275-281	3.9	18
75	Otitis media with effusion after radiotherapy of the head and neck: a systematic review. <i>Acta Oncolgica</i> , 2018 , 57, 1011-1016	3.2	10
74	Childhood health as reflected in adult urban and rural samples from medieval Denmark. <i>HOMO-Journal of Comparative Human Biology</i> , 2018 , 69, 6-16	0.5	4
73	MicroRNA dysregulation in adenoid cystic carcinoma of the salivary gland in relation to prognosis and gene fusion status: a cohort study. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018 , 473, 329-340	5.1	16

72	Morphological evidence of biofilm in chronic obstructive sialadenitis. <i>Journal of Laryngology and Otology</i> , 2018 , 132, 611-614	1.8	7
71	Genetic rearrangements, hotspot mutations, and microRNA expression in the progression of metastatic adenoid cystic carcinoma of the salivary gland. <i>Oncotarget</i> , 2018 , 9, 19675-19687	3.3	10
7º	Infected "Mycotic" Aneurysm of the Common Carotid Artery-A Differential Diagnosis to Tumor of the Neck. <i>Frontiers in Surgery</i> , 2018 , 5, 75	2.3	3
69	No difference in disease-free survival after oral cancer resection with close tumor margins in patients with and without postoperative radiotherapy. <i>Ear, Nose and Throat Journal</i> , 2018 , 97, 314-322	1	O
68	Improved survival of head and neck cancer patients in Greenland. <i>International Journal of Circumpolar Health</i> , 2018 , 77, 1536252	1.7	4
67	Limitations to the Association of Risk of Airway Disease With Removal of Adenoids and Tonsils in Children. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2018 , 144, 1188	3.9	
66	Does saliva composition affect the formation of sialolithiasis?. <i>Journal of Laryngology and Otology</i> , 2017 , 131, 162-167	1.8	13
65	Is parotid saliva sterile on entry to the oral cavity?. <i>Acta Oto-Laryngologica</i> , 2017 , 137, 762-764	1.6	15
64	Early childhood otitis media and later school performance - A prospective cohort study of associations. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017 , 94, 87-94	1.7	10
63	Recurrent otorrhea in chronic suppurative otitis media: is biofilm the missing link?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 2741-2747	3.5	21
62	The Effect of Breastfeeding on Childhood Otitis Media. <i>Current Allergy and Asthma Reports</i> , 2017 , 17, 45	5.6	10
61	Guidelines for the Treatment of Acute Otitis Media: Why Are There Worldwide Differences?. <i>Current Otorhinolaryngology Reports</i> , 2017 , 5, 101-107	0.5	5
60	Long-term results using LigaSurel mm instrument for treatment of Zenker diverticulum. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 1939-1944	3.5	10
59	Panel 1: Epidemiology and Diagnosis. <i>Otolaryngology - Head and Neck Surgery</i> , 2017 , 156, S1-S21	5.5	77
58	The effects of ventilation tubes versus no ventilation tubes for recurrent acute otitis media or chronic otitis media with effusion in 9 to 36[month old Greenlandic children, the SIUTIT trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 30	2.8	4
57	Incidence of sialolithiasis in Denmark: a nationwide population-based register study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 1975-1981	3.5	13
56	Prognostic factors for survival after salvage total laryngectomy following radiotherapy or chemoradiation failure: a 10-year retrospective longitudinal study in eastern Denmark. <i>Clinical Otolaryngology</i> , 2017 , 42, 336-346	1.8	19
55	Danish guidelines on management of otitis media in preschool children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016 , 87, 154-63	1.7	31

(2014-2016)

54	Tumors of the sublingual gland: a national clinicopathologic study of 29 cases. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 3847-3856	3.5	20
53	Stationary facial nerve paresis after surgery for recurrent parotid pleomorphic adenoma: a follow-up study of 219 cases in Denmark in the period 1985-2012. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 3313-9	3.5	6
52	Chronic suppurative otitis media, middle ear pathology and corresponding hearing loss in a cohort of Greenlandic children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016 , 83, 148-53	1.7	25
51	Risk Factors of Early Otitis Media in the Danish National Birth Cohort. <i>PLoS ONE</i> , 2016 , 11, e0166465	3.7	15
50	The interleukin-6/Janus kinase/STAT3 pathway in pleomorphic adenoma and carcinoma ex pleomorphic adenoma of the lacrimal gland. <i>Acta Ophthalmologica</i> , 2016 , 94, 798-804	3.7	9
49	Obstructive sleep apnea in obese children and adolescents, treatment methods and outcome of treatment - A systematic review. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016 , 87, 190-7	1.7	80
48	Pleomorphic adenoma of the parotid gland 1985-2010: A Danish nationwide study of incidence, recurrence rate, and malignant transformation. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E1364-9	4.2	70
47	Genomic profiling of a combined large cell neuroendocrine carcinoma of the submandibular gland. <i>Oncology Reports</i> , 2016 , 35, 2177-82	3.5	16
46	Associations between otitis media and child behavioural and learning difficulties: Results from a Danish cohort. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016 , 84, 12-20	1.7	14
45	Risk factors for postoperative complications after total laryngectomy following radiotherapy or chemoradiation: a 10-year retrospective longitudinal study in Eastern Denmark. <i>Clinical Otolaryngology</i> , 2015 , 40, 662-71	1.8	20
44	Improved apnea-hypopnea index and lowest oxygen saturation after maxillomandibular advancement with or without counterclockwise rotation in patients with obstructive sleep apnea: a meta-analysis. <i>Journal of Oral and Maxillofacial Surgery</i> , 2015 , 73, 719-26	1.8	33
43	Does drinking water influence hospital-admitted sialolithiasis on an epidemiological level in Denmark?. <i>BMJ Open</i> , 2015 , 5, e007385	3	8
42	Tumors in the parotid are not relatively more often malignant in children than in adults. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015 , 79, 1192-5	1.7	15
41	Antibiofilm Properties of Acetic Acid. <i>Advances in Wound Care</i> , 2015 , 4, 363-372	4.8	70
40	Mucosal biofilm detection in chronic otitis media: a study of middle ear biopsies from Greenlandic patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 1079-85	3.5	26
39	Activation of the interleukin-6/Janus kinase/STAT3 pathway in pleomorphic adenoma of the parotid gland. <i>Apmis</i> , 2015 , 123, 706-15	3.4	18
38	Long-term outcomes after total thyroidectomy. <i>Danish Medical Journal</i> , 2015 , 62, A5156	3.8	8
37	The risk of acquiring bacterial meningitis following surgery in Denmark, 1996-2009: a nationwide retrospective cohort study with emphasis on ear, nose and throat (ENT) and neurosurgery. <i>Epidemiology and Infection</i> , 2014 , 142, 1300-9	4.3	6

36	Incidence of otitis media in a contemporary Danish National Birth Cohort. <i>PLoS ONE</i> , 2014 , 9, e111732	3.7	46
35	Risk factors for and consequences of inadequate surgical margins in oral squamous cell carcinoma. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2014, 118, 642-6	2	8
34	New technique using LigaSure for endoscopic mucomyotomy of Zenker® diverticulum: diverticulotomy made easier. <i>Laryngoscope</i> , 2014 , 124, 2039-42	3.6	18
33	Ten-year retrospective study of head and neck carcinoma in situ: incidence, treatment, and clinical outcome. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013 , 116, 174-8	2	9
32	The risk of hearing loss in a population with a high prevalence of chronic suppurative otitis media. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013 , 77, 1530-5	1.7	66
31	Tobacco smoke increases the risk of otitis media among Greenlandic Inuit children while exposure to organochlorines remain insignificant. <i>Environment International</i> , 2013 , 54, 112-8	12.9	15
30	A classical brown adipose tissue mRNA signature partly overlaps with brite in the supraclavicular region of adult humans. <i>Cell Metabolism</i> , 2013 , 17, 798-805	24.6	410
29	Panel 1: Epidemiology, natural history, and risk factors. <i>Otolaryngology - Head and Neck Surgery</i> , 2013 , 148, E1-E25	5.5	28
28	Experience with cochlear implants in Greenlanders with profound hearing loss living in Greenland. <i>International Journal of Circumpolar Health</i> , 2013 , 72,	1.7	2
27	Acute mastoiditis in children: a 10-year retrospective and validated multicenter study. <i>Pediatric Infectious Disease Journal</i> , 2013 , 32, 436-40	3.4	47
26	Human papillomavirus and oropharyngeal cancer in Greenland in 1994-2010. <i>International Journal of Circumpolar Health</i> , 2013 , 72, 22386	1.7	4
25	Salivary gland carcinoma in Denmark 1990-2005: outcome and prognostic factors. Results of the Danish Head and Neck Cancer Group (DAHANCA). <i>Oral Oncology</i> , 2012 , 48, 179-85	4.4	48
24	GJB2 (Connexin-26) mutations are not frequent among hearing impaired patients in east Greenland. <i>International Journal of Audiology</i> , 2012 , 51, 433-6	2.6	9
23	Radiological imaging of the neck for initial decision-making in oral squamous cell carcinomasa questionnaire survey in the Nordic countries. <i>Acta Oncolgica</i> , 2012 , 51, 355-61	3.2	11
22	Long-term tympanic membrane pathology dynamics and spontaneous healing in chronic suppurative otitis media. <i>Pediatric Infectious Disease Journal</i> , 2012 , 31, 139-44	3.4	15
21	Long-term follow-up of chronic suppurative otitis media in a high-risk children cohort. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011 , 75, 948-54	1.7	32
20	Chronic suppurative otitis media in a birth cohort of children in Greenland: population-based study of incidence and risk factors. <i>Pediatric Infectious Disease Journal</i> , 2011 , 30, 25-9	3.4	88
19	Salivary gland carcinoma in Denmark 1990-2005: a national study of incidence, site and histology. Results of the Danish Head and Neck Cancer Group (DAHANCA). <i>Oral Oncology</i> , 2011 , 47, 677-82	4.4	152

The Relation of Biofilms to Chronic Otitis Media and Other Ear-Related Chronic Infections 2011, 25-34 18 7 Biofilms in chronic infections - a matter of opportunity - monospecies biofilms in multispecies 17 269 infections. FEMS Immunology and Medical Microbiology, 2010, 59, 324-36 Survival of head and neck cancer in Greenland. International Journal of Circumpolar Health, 2010, 69, 373182 16 9 Acute mastoiditis in Greenland between 1994-2007. Rural and Remote Health, 2010, 10, 1335 15 1.3 Morphological evidence of biofilm formation in Greenlanders with chronic suppurative otitis media. 14 3.5 290 European Archives of Oto-Rhino-Laryngology, 2009, 266, 1533-8 Outcome of mobile ear surgery for chronic otitis media in remote areas. Otolaryngology - Head and 13 5.5 14 Neck Surgery, 2008, 139, 55-61 Hearing outcomes after mobile ear surgery for chronic otitis media in Greenland. International 12 1.7 9 Journal of Circumpolar Health, 2008, 67, 452-60 Histomorphometric estimation of air cell development in experimental otitis media. Laryngoscope, 11 3.6 12 **2006**, 116, 1820-3 Acute otitis media and season of birth. International Journal of Pediatric Otorhinolaryngology, 2005, 10 1.7 7 69, 487-91 Risk factors for acute respiratory tract infections in young Greenlandic children. American Journal 3.8 81 9 of Epidemiology, **2003**, 158, 374-84 Population-based study of acute respiratory infections in children, Greenland. Emerging Infectious 8 10.2 49 Diseases, 2002, 8, 586-93 Otitis Media in Greenland: studies on historical, epidemiological, microbiological, and 1.7 immunological aspects. International Journal of Circumpolar Health, 2001, 60, 2-54 Acute otitis media and sociomedical risk factors among unselected children in Greenland. 1.7 34 International Journal of Pediatric Otorhinolaryngology, 1999, 49, 37-52 Present aspects of otitis media among children in Greenland. International Journal of Pediatric 5 1.7 Otorhinolaryngology, 1999, 49 Suppl 1, S169-72 Prevalence of otitis media in a survey of 591 unselected Greenlandic children. International Journal 1.7 45 of Pediatric Otorhinolaryngology, 1996, 36, 215-30 Statistical model estimating the occurrence of otitis media from temporal bone pneumatization. 2.1 7 Annals of Otology, Rhinology and Laryngology, 1994, 103, 469-73 A computer program for planimetric analysis of digitized images. Computers in Biology and Medicine 7 2 , **1992**, 22, 207-17 Thermogenic genes are blunted whereas brown adipose tissue identity is preserved in human obesity