

Eeva-Mari Jouhilahti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8560008/publications.pdf>

Version: 2024-02-01

21
papers

912
citations

686830

13
h-index

713013

21
g-index

25
all docs

25
docs citations

25
times ranked

1594
citing authors

#	ARTICLE	IF	CITATIONS
1	The Pathoetiology of Neurofibromatosis 1. American Journal of Pathology, 2011, 178, 1932-1939.	1.9	145
2	Human pluripotent reprogramming with CRISPR activators. Nature Communications, 2018, 9, 2643.	5.8	128
3	Novel PRD-like homeodomain transcription factors and retrotransposon elements in early human development. Nature Communications, 2015, 6, 8207.	5.8	100
4	Characterization of the human RFX transcription factor family by regulatory and target gene analysis. BMC Genomics, 2018, 19, 181.	1.2	73
5	Class III β -Tubulin Is a Component of the Mitotic Spindle in Multiple Cell Types. Journal of Histochemistry and Cytochemistry, 2008, 56, 1113-1119.	1.3	64
6	The Development of Cutaneous Neurofibromas. American Journal of Pathology, 2011, 178, 500-505.	1.9	63
7	Reevaluation of the Normal Epidermal Calcium Gradient, and Analysis of Calcium Levels and ATP Receptors in Hailey-Hailey and Darier Epidermis. Journal of Investigative Dermatology, 2009, 129, 1379-1387.	0.3	55
8	The human PRD-like homeobox gene <i>LEUTX</i> has a central role in embryo genome activation. Development (Cambridge), 2016, 143, 3459-3469.	1.2	42
9	Globin mRNA reduction for whole-blood transcriptome sequencing. Scientific Reports, 2016, 6, 31584.	1.6	42
10	Oral soft tissue alterations in patients with neurofibromatosis. Clinical Oral Investigations, 2012, 16, 551-558.	1.4	37
11	Characterization and target genes of nine human PRD-like homeobox domain genes expressed exclusively in early embryos. Scientific Reports, 2016, 6, 28995.	1.6	33
12	Gene expression analysis of skin grafts and cultured keratinocytes using synthetic RNA normalization reveals insights into differentiation and growth control. BMC Genomics, 2015, 16, 476.	1.2	21
13	DUX4 is a multifunctional factor priming human embryonic genome activation. iScience, 2022, 25, 104137.	1.9	20
14	Phylogenetic and mutational analyses of human LEUTX, a homeobox gene implicated in embryogenesis. Scientific Reports, 2018, 8, 17421.	1.6	17
15	CRISPR activation enables high-fidelity reprogramming into human pluripotent stem cells. Stem Cell Reports, 2022, 17, 413-426.	2.3	13
16	Transient DUX4 expression in human embryonic stem cells induces blastomere-like expression program that is marked by SLC34A2. Stem Cell Reports, 2022, 17, 1743-1756.	2.3	11
17	An approach to comprehensive genome and proteome expression analyses in Schwann cells and neurons during peripheral nerve myelin formation. Journal of Neurochemistry, 2016, 138, 830-844.	2.1	10
18	Neurofibromatosis Type 1 Gene Mutation Analysis Using Sequence Capture and High-throughput Sequencing. Acta Dermato-Venereologica, 2014, 94, 663-666.	0.6	8

#	ARTICLE	IF	CITATIONS
19	Embryonic LTR retrotransposons supply promoter modules to somatic tissues. <i>Genome Research</i> , 2011, 21, 1983-1993.	2.4	7
20	Hypoxic conditions stimulate the release of B β -type natriuretic peptide from human retinal pigment epithelium cell culture. <i>Acta Ophthalmologica</i> , 2014, 92, 740-744.	0.6	6
21	Molecular and Cellular Basis of Human Cutaneous Neurofibromas and Their Development. , 2012, , 393-403.		2