

Shao Min Shuang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8560376/publications.pdf>

Version: 2024-02-01

256
papers

9,841
citations

30047

54
h-index

62565

80
g-index

257
all docs

257
docs citations

257
times ranked

9125
citing authors

#	ARTICLE	IF	CITATIONS
1	Facile synthesis of nitrogen-doped carbon dots for Fe ³⁺ sensing and cellular imaging. <i>Analytica Chimica Acta</i> , 2015, 861, 74-84.	2.6	283
2	Phosphorus and Nitrogen Dual-Doped Hollow Carbon Dot as a Nanocarrier for Doxorubicin Delivery and Biological Imaging. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 11288-11297.	4.0	252
3	Comparative study for N and S doped carbon dots: Synthesis, characterization and applications for Fe ³⁺ probe and cellular imaging. <i>Analytica Chimica Acta</i> , 2015, 898, 116-127.	2.6	208
4	An "on-off-on" fluorescent nanoprobe for recognition of chromium(VI) and ascorbic acid based on phosphorus/nitrogen dual-doped carbon quantum dot. <i>Analytica Chimica Acta</i> , 2017, 968, 85-96.	2.6	205
5	Highly Selective Two-Photon Fluorescent Probe for Ratiometric Sensing and Imaging Cysteine in Mitochondria. <i>Analytical Chemistry</i> , 2016, 88, 1908-1914.	3.2	184
6	Low temperature synthesis of phosphorous and nitrogen co-doped yellow fluorescent carbon dots for sensing and bioimaging. <i>Journal of Materials Chemistry B</i> , 2015, 3, 6813-6819.	2.9	144
7	One-Step Synthesis of Label-Free Ratiometric Fluorescence Carbon Dots for the Detection of Silver Ions and Glutathione and Cellular Imaging Applications. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 16822-16829.	4.0	137
8	Bright Yellow Fluorescent Carbon Dots as a Multifunctional Sensing Platform for the Label-Free Detection of Fluoroquinolones and Histidine. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 42915-42924.	4.0	121
9	Dual Photoluminescence Emission Carbon Dots for Ratiometric Fluorescent GSH Sensing and Cancer Cell Recognition. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 18250-18257.	4.0	118
10	Electrochemical Sensor for Ultrasensitive Determination of Doxorubicin and Methotrexate Based on Cyclodextrin@Graphene Hybrid Nanosheets. <i>Electroanalysis</i> , 2011, 23, 2400-2407.	1.5	114
11	Strategy for Activating Room-Temperature Phosphorescence of Carbon Dots in Aqueous Environments. <i>Chemistry of Materials</i> , 2019, 31, 7979-7986.	3.2	112
12	Folic acid-conjugated carbon dots as green fluorescent probes based on cellular targeting imaging for recognizing cancer cells. <i>RSC Advances</i> , 2017, 7, 42159-42167.	1.7	111
13	Folic acid-conjugated green luminescent carbon dots as a nanoprobe for identifying folate receptor-positive cancer cells. <i>Talanta</i> , 2018, 183, 39-47.	2.9	110
14	Facile synthesis of orange fluorescence carbon dots with excitation independent emission for pH sensing and cellular imaging. <i>Analytica Chimica Acta</i> , 2018, 1042, 125-132.	2.6	108
15	Light-Switchable Polymer Adhesive Based on Photoinduced Reversible Solid-to-Liquid Transitions. <i>ACS Macro Letters</i> , 2019, 8, 968-972.	2.3	107
16	Ratiometric Emission Fluorescent pH Probe for Imaging of Living Cells in Extreme Acidity. <i>Analytical Chemistry</i> , 2015, 87, 2788-2793.	3.2	105
17	Lipid Droplet-Specific Fluorescent Probe for <i>In Vivo</i> Visualization of Polarity in Fatty Liver, Inflammation, and Cancer Models. <i>Analytical Chemistry</i> , 2021, 93, 8019-8026.	3.2	105
18	Controllable synthesis of green and blue fluorescent carbon nanodots for pH and Cu ²⁺ sensing in living cells. <i>Biosensors and Bioelectronics</i> , 2016, 77, 598-602.	5.3	104

#	ARTICLE	IF	CITATIONS
19	Naked oats-derived dual-emission carbon nanodots for ratiometric sensing and cellular imaging. <i>Sensors and Actuators B: Chemical</i> , 2015, 210, 533-541.	4.0	97
20	Carbon nano-dots as a fluorescent and colorimetric dual-readout probe for the detection of arginine and Cu ²⁺ and its logic gate operation. <i>Nanoscale</i> , 2017, 9, 11545-11552.	2.8	94
21	N,S,P Co-Doped Carbon Nanodot Fabricated from Waste Microorganism and Its Application for Label-Free Recognition of Manganese(VII) and Ascorbic Acid and AND Logic Gate Operation. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 38761-38772.	4.0	93
22	β-Cyclodextrin/Fe ₃ O ₄ hybrid magnetic nano-composite modified glassy carbon electrode for tryptophan sensing. <i>Sensors and Actuators B: Chemical</i> , 2012, 163, 171-178.	4.0	92
23	Red-green-blue fluorescent hollow carbon nanoparticles isolated from chromatographic fractions for cellular imaging. <i>Nanoscale</i> , 2014, 6, 8162.	2.8	89
24	Real-Time Monitoring Mitochondrial Viscosity during Mitophagy Using a Mitochondria-Immobilized Near-Infrared Aggregation-Induced Emission Probe. <i>Analytical Chemistry</i> , 2021, 93, 3241-3249.	3.2	87
25	Facile Synthesis of N-Doped Carbon Dots as a New Matrix for Detection of Hydroxy-Polycyclic Aromatic Hydrocarbons by Negative-Ion Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 12976-12984.	4.0	86
26	Copper doped carbon dots as the multi-functional fluorescent sensing platform for tetracyclines and pH. <i>Sensors and Actuators B: Chemical</i> , 2021, 330, 129360.	4.0	84
27	An exonuclease I-based label-free fluorometric aptasensor for adenosine triphosphate (ATP) detection with a wide concentration range. <i>Biosensors and Bioelectronics</i> , 2015, 63, 311-316.	5.3	83
28	Carbon dots with red emission as a fluorescent and colorimetric dual-readout probe for the detection of chromium(VI) and cysteine and its logic gate operation. <i>Journal of Materials Chemistry B</i> , 2018, 6, 6099-6107.	2.9	83
29	Highly luminescent N-doped carbon dots from black soya beans for free radical scavenging, Fe ³⁺ sensing and cellular imaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 211, 363-372.	2.0	82
30	Facile and eco-friendly synthesis of green fluorescent carbon nanodots for applications in bioimaging, patterning and staining. <i>Nanoscale</i> , 2015, 7, 7394-7401.	2.8	81
31	A novel far-visible and near-infrared pH probe for monitoring near-neutral physiological pH changes: imaging in live cells. <i>Journal of Materials Chemistry B</i> , 2013, 1, 4281.	2.9	80
32	Application of HPLC and MALDI-TOF MS for Studying As-Synthesized Ligand-Protected Gold Nanoclusters Products. <i>Analytical Chemistry</i> , 2009, 81, 1676-1685.	3.2	79
33	Red fluorescent carbon dots for tetracycline antibiotics and pH discrimination from aggregation-induced emission mechanism. <i>Sensors and Actuators B: Chemical</i> , 2021, 332, 129513.	4.0	79
34	Nitrogen and phosphorus dual-doped carbon dots as a label-free sensor for Curcumin determination in real sample and cellular imaging. <i>Talanta</i> , 2018, 183, 61-69.	2.9	77
35	The synthesis of high bright silver nanoclusters with aggregation-induced emission for detection of tetracycline. <i>Sensors and Actuators B: Chemical</i> , 2021, 326, 129009.	4.0	77
36	Green and facile synthesis of nitrogen-doped carbon nanodots for multicolor cellular imaging and Co ²⁺ sensing in living cells. <i>Sensors and Actuators B: Chemical</i> , 2016, 235, 179-187.	4.0	76

#	ARTICLE	IF	CITATIONS
37	3D graphene/hydroxypropyl- β -cyclodextrin nanocomposite as an electrochemical chiral sensor for the recognition of tryptophan enantiomers. <i>Journal of Materials Chemistry C</i> , 2018, 6, 12822-12829.	2.7	76
38	A lysosome-targeting and polarity-specific fluorescent probe for cancer diagnosis. <i>Chemical Communications</i> , 2019, 55, 4703-4706.	2.2	76
39	Green synthesis of carbon nanodots from cotton for multicolor imaging, patterning, and sensing. <i>Sensors and Actuators B: Chemical</i> , 2015, 221, 769-776.	4.0	74
40	Visible-Light-Excited Ultralong-Lifetime Room Temperature Phosphorescence Based on Nitrogen-Doped Carbon Dots for Double Anticounterfeiting. <i>Advanced Optical Materials</i> , 2020, 8, 1901557.	3.6	71
41	Matrix-Free and Highly Efficient Room-Temperature Phosphorescence of Nitrogen-Doped Carbon Dots. <i>Langmuir</i> , 2018, 34, 12845-12852.	1.6	69
42	Lysozyme-stabilized gold nanoclusters as a novel fluorescence probe for cyanide recognition. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 121, 77-80.	2.0	68
43	High-quality water-soluble luminescent carbon dots for multicolor patterning, sensors, and bioimaging. <i>RSC Advances</i> , 2015, 5, 16972-16979.	1.7	68
44	Facile, rapid synthesis of N,P-dual-doped carbon dots as a label-free multifunctional nanosensor for Mn(VII) detection, temperature sensing and cellular imaging. <i>Sensors and Actuators B: Chemical</i> , 2018, 277, 492-501.	4.0	67
45	Excitation-independent yellow-fluorescent nitrogen-doped carbon nanodots for biological imaging and paper-based sensing. <i>Sensors and Actuators B: Chemical</i> , 2017, 251, 234-241.	4.0	66
46	Bovine serum albumin-confined silver nanoclusters as fluorometric probe for detection of biothiols. <i>Luminescence</i> , 2014, 29, 722-727.	1.5	64
47	Single fluorescein-based probe for selective colorimetric and fluorometric dual sensing of Al ³⁺ and Cu ²⁺ . <i>Sensors and Actuators B: Chemical</i> , 2017, 247, 451-460.	4.0	64
48	New colorimetric and fluorometric chemosensor for selective Hg ²⁺ sensing in a near-perfect aqueous solution and bio-imaging. <i>Journal of Hazardous Materials</i> , 2020, 382, 121056.	6.5	64
49	Detection of Ag ⁺ using graphite carbon nitride nanosheets based on fluorescence quenching. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016, 169, 122-127.	2.0	63
50	S-Nitrosothiols: chemistry and reactions. <i>Chemical Communications</i> , 2017, 53, 11266-11277.	2.2	63
51	A simple Schiff base fluorescence probe for highly sensitive and selective detection of Hg ²⁺ and Cu ²⁺ . <i>Talanta</i> , 2016, 154, 278-283.	2.9	60
52	Orange-emitting N-doped carbon dots as fluorescent and colorimetric dual-mode probes for nitrite detection and cellular imaging. <i>Journal of Materials Chemistry B</i> , 2020, 8, 2123-2127.	2.9	59
53	Nitrogen-doped carbon dots as fluorescent probe for detection of curcumin based on the inner filter effect. <i>RSC Advances</i> , 2015, 5, 95054-95060.	1.7	57
54	β -Cyclodextrin-Hyaluronic Acid Polymer Functionalized Magnetic Graphene Oxide Nanocomposites for Targeted Photo-Chemotherapy of Tumor Cells. <i>Polymers</i> , 2019, 11, 133.	2.0	57

#	ARTICLE	IF	CITATIONS
55	Highly sensitive photoelectrochemical sensing of bisphenol A based on zinc phthalocyanine/TiO ₂ nanorod arrays. <i>Talanta</i> , 2018, 189, 16-23.	2.9	54
56	Synthesis and Characterization of <i>n</i> -Alkylamine-Stabilized Palladium Nanoparticles for Electrochemical Oxidation of Methane. <i>Journal of Physical Chemistry C</i> , 2010, 114, 723-733.	1.5	52
57	Colorimetric sensor for cysteine in human urine based on novel gold nanoparticles. <i>Talanta</i> , 2016, 161, 520-527.	2.9	52
58	An anthraquinone-based highly selective colorimetric and fluorometric sensor for sequential detection of Cu ²⁺ and S ²⁻ with intracellular application. <i>Journal of Materials Chemistry B</i> , 2017, 5, 8957-8966.	2.9	52
59	A simple but efficient fluorescent sensor for ratiometric sensing of Cd ²⁺ and bio-imaging studies. <i>Sensors and Actuators B: Chemical</i> , 2020, 303, 127216.	4.0	52
60	Eco-friendly synthesis of nitrogen-doped carbon nanodots from wool for multicolor cell imaging, patterning, and biosensing. <i>Sensors and Actuators B: Chemical</i> , 2016, 235, 316-324.	4.0	51
61	A two-photon ratiometric fluorescent probe for effective monitoring of lysosomal pH in live cells and cancer tissues. <i>Sensors and Actuators B: Chemical</i> , 2018, 262, 913-921.	4.0	51
62	A Golgi-targeted off-on fluorescent probe for real-time monitoring of pH changes <i>in vivo</i> . <i>Chemical Communications</i> , 2019, 55, 6685-6688.	2.2	51
63	Aggregation/assembly induced emission based on silk fibroin-templated fluorescent copper nanoclusters for turn-on detection of S ²⁻ . <i>Sensors and Actuators B: Chemical</i> , 2019, 279, 361-368.	4.0	49
64	Novel Processing for Color-Tunable Luminescence Carbon Dots and Their Advantages in Biological Systems. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 8585-8592.	3.2	49
65	Rational synthesis of graphene-metal coordination polymer composite nanosheet as enhanced materials for electrochemical biosensing. <i>Journal of Materials Chemistry</i> , 2012, 22, 13166.	6.7	48
66	Gold nanoclusters as fluorescent sensors for selective and sensitive hydrogen sulfide detection. <i>Talanta</i> , 2017, 171, 143-151.	2.9	48
67	Simultaneous electrochemical sensing of serotonin, dopamine and ascorbic acid by using a nanocomposite prepared from reduced graphene oxide, Fe ₃ O ₄ and hydroxypropyl- β -cyclodextrin. <i>Mikrochimica Acta</i> , 2019, 186, 751.	2.5	48
68	Multi-sensing function integrated nitrogen-doped fluorescent carbon dots as the platform toward multi-mode detection and bioimaging. <i>Talanta</i> , 2020, 210, 120653.	2.9	47
69	Ratiometric fluorescent sensors for sequential on-off-on determination of riboflavin, Ag ⁺ and l-cysteine based on NPCl-doped carbon quantum dots. <i>Analytica Chimica Acta</i> , 2021, 1144, 1-13.	2.6	44
70	A colorimetric and ratiometric fluorescent probe for cyanide sensing in aqueous media and live cells. <i>Journal of Materials Chemistry B</i> , 2019, 7, 4620-4629.	2.9	43
71	A two-photon ratiometric fluorescent probe for highly selective sensing of mitochondrial cysteine in live cells. <i>Analyst</i> , 2019, 144, 439-447.	1.7	43
72	Dual role of BSA for synthesis of MnO ₂ nanoparticles and their mediated fluorescent turn-on probe for glutathione determination and cancer cell recognition. <i>Analyst</i> , 2019, 144, 1988-1994.	1.7	43

#	ARTICLE	IF	CITATIONS
73	Carbon-based dots co-doped with nitrogen and sulfur for Cr(VI) sensing and bioimaging. RSC Advances, 2016, 6, 28477-28483.	1.7	42
74	Bright far-red/near-infrared gold nanoclusters for highly selective and ultra-sensitive detection of Hg^{2+} . Sensors and Actuators B: Chemical, 2017, 238, 683-692.	4.0	42
75	A turn-on reactive fluorescent probe for Hg^{2+} in 100% aqueous solution. Talanta, 2019, 197, 218-224.	2.9	41
76	Bright-green-emissive nitrogen-doped carbon dots as a nanoprobe for bifunctional sensing, its logic gate operation and cellular imaging. Talanta, 2018, 179, 554-562.	2.9	40
77	Mn-doped ZnS quantum dots with a 3-mercaptopropionic acid assembly as a ratiometric fluorescence probe for the determination of curcumin. RSC Advances, 2015, 5, 21504-21510.	1.7	39
78	Effective adsorption of phenolic pollutants from water using β -cyclodextrin polymer functionalized Fe_3O_4 magnetic nanoparticles. RSC Advances, 2016, 6, 80955-80963.	1.7	39
79	β -Cyclodextrin grafted polypyrrole magnetic nanocomposites toward the targeted delivery and controlled release of doxorubicin. Applied Surface Science, 2018, 427, 1189-1198.	3.1	39
80	Visual monitoring of the lysosomal pH changes during autophagy with a red-emission fluorescent probe. Journal of Materials Chemistry B, 2020, 8, 1466-1471.	2.9	39
81	Doped zinc sulfide quantum dots based phosphorescence turn-off/on probe for detecting histidine in biological fluid. Analytica Chimica Acta, 2015, 856, 82-89.	2.6	38
82	Rapid synthesis of multifunctional carbon nanodots as effective antioxidants, antibacterial agents, and quercetin nanoprobe. Talanta, 2020, 206, 120243.	2.9	38
83	Graphene quantum dots wrapped square-plate-like MnO_2 nanocomposite as a fluorescent turn-on sensor for glutathione. Talanta, 2020, 219, 121180.	2.9	38
84	Intelligently design primary aromatic amines derived carbon dots for optical dual-mode and smartphone imaging detection of nitrite based on specific diazo coupling. Journal of Hazardous Materials, 2022, 430, 128393.	6.5	38
85	Label-free aptasensor for thrombin using a glassy carbon electrode modified with a graphene-porphyrin composite. Mikrochimica Acta, 2014, 181, 189-196.	2.5	37
86	β -Cyclodextrin modified graphene oxide-magnetic nanocomposite for targeted delivery and pH-sensitive release of stereoisomeric anti-cancer drugs. RSC Advances, 2015, 5, 89299-89308.	1.7	36
87	Highly selective and sensitive nanoprobe for $\text{Hg}(\text{II})$ ions based on photoluminescent gold nanoclusters. Sensors and Actuators B: Chemical, 2016, 235, 386-393.	4.0	36
88	Fe^{3+} and intracellular pH determination based on orange fluorescence carbon dots co-doped with boron, nitrogen and sulfur. Materials Science and Engineering C, 2021, 118, 111478.	3.8	36
89	Facile synthesis of multifunctional carbon dots with 54.4% orange emission for label-free detection of morin and endogenous/exogenous hypochlorite. Journal of Hazardous Materials, 2022, 424, 127289.	6.5	36
90	One-step synthesis of a dual-emitting carbon dot-based ratiometric fluorescent probe for the visual assay of Pb^{2+} and PPI and development of a paper sensor. Journal of Materials Chemistry B, 2019, 7, 5502-5509.	2.9	35

#	ARTICLE	IF	CITATIONS
91	Construction of CPs@MnO ₂ -AgNPs as a multifunctional nanosensor for glutathione sensing and cancer theranostics. <i>Nanoscale</i> , 2019, 11, 18845-18853.	2.8	35
92	Facile synthesis of ratiometric fluorescent carbon dots for pH visual sensing and cellular imaging. <i>Talanta</i> , 2020, 216, 120943.	2.9	35
93	Visible-light-driven photoelectrochemical sensing platform based on BiOI nanoflowers/TiO ₂ nanotubes for detection of atrazine in environmental samples. <i>Journal of Hazardous Materials</i> , 2021, 409, 124894.	6.5	35
94	High-performance liquid chromatographic analysis of as-synthesised N,N'-dimethylformamide-stabilised gold nanoclusters product. <i>Nanoscale</i> , 2012, 4, 5325.	2.8	34
95	Comparative study of Cl,N-Cdots and N-Cdots and application for trinitrophenol and ClO ⁻ sensor and cell-imaging. <i>Analytica Chimica Acta</i> , 2019, 1091, 76-87.	2.6	34
96	A highly efficient chiral sensing platform for tryptophan isomers based on a coordination self-assembly. <i>Talanta</i> , 2019, 195, 306-312.	2.9	34
97	An anthraquinone-imidazole-based colorimetric and fluorescent sensor for the sequential detection of Ag ⁺ and biothiols in living cells. <i>Analyst</i> , The, 2020, 145, 3029-3037.	1.7	34
98	A Mitochondria-Specific Orange/Near-Infrared-Emissive Fluorescent Probe for Dual-Imaging of Viscosity and H ₂ O ₂ in Inflammation and Tumor Models. <i>Chinese Journal of Chemistry</i> , 2021, 39, 1303-1309.	2.6	34
99	High-performance liquid chromatographic and mass spectrometric analysis of fluorescent carbon nanodots. <i>Talanta</i> , 2014, 129, 529-538.	2.9	33
100	Label-free and highly selective electrochemical aptasensor for detection of PCBs based on nickel hexacyanoferrate nanoparticles/reduced graphene oxides hybrids. <i>Biosensors and Bioelectronics</i> , 2019, 145, 111728.	5.3	33
101	A label-free nano-probe for sequential and quantitative determination of Cr(VI) and ascorbic acid in real samples based on S and N dual-doped carbon dots. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 215, 58-68.	2.0	33
102	Facile, rapid one-pot synthesis of multifunctional gold nanoclusters for cell imaging, hydrogen sulfide detection and pH sensing. <i>Talanta</i> , 2019, 197, 1-11.	2.9	33
103	Electrocatalytic oxidation of formaldehyde and methanol on Ni(OH) ₂ /Ni electrode. <i>Russian Journal of Electrochemistry</i> , 2013, 49, 888-894.	0.3	32
104	A novel ratiometric fluorescence probe based on BSA assembled silver nanoclusters for mercuric ion selective sensing. <i>Analytical Methods</i> , 2013, 5, 5522.	1.3	32
105	A reversible fluorescent pH-sensing system based on the one-pot synthesis of natural silk fibroin-capped copper nanoclusters. <i>Journal of Materials Chemistry C</i> , 2016, 4, 3540-3545.	2.7	32
106	Carbon-supported X-manganate (X Ni, Zn, and Cu) nanocomposites for sensitive electrochemical detection of trace heavy metal ions. <i>Journal of Hazardous Materials</i> , 2022, 435, 129036.	6.5	32
107	Targeted delivery and pH-responsive release of stereoisomeric anti-cancer drugs using β ² -cyclodextrin assembled Fe ₃ O ₄ nanoparticles. <i>Applied Surface Science</i> , 2015, 357, 2077-2086.	3.1	31
108	A lysozyme-stabilized silver nanocluster fluorescent probe for the detection of sulfide ions. <i>Analytical Methods</i> , 2016, 8, 4328-4333.	1.3	31

#	ARTICLE	IF	CITATIONS
109	A naphthalene-based fluorescent probe with a large Stokes shift for mitochondrial pH imaging. <i>Analyst</i> , The, 2018, 143, 5054-5060.	1.7	31
110	Concentration-dependent multicolor fluorescent carbon dots for colorimetric and fluorescent bimodal detections of Fe ³⁺ and L-ascorbic acid. <i>Analytical Methods</i> , 2019, 11, 669-676.	1.3	31
111	Design of a facile and label-free electrochemical aptasensor for detection of atrazine. <i>Talanta</i> , 2019, 201, 156-164.	2.9	31
112	A new "turn-on" and reversible fluorescent sensor for Al ³⁺ detection and live cell imaging. <i>Analytical Methods</i> , 2019, 11, 5598-5606.	1.3	30
113	Fluorescent probe for detection of Cu ²⁺ using core-shell CdTe/ZnS quantum dots. <i>Luminescence</i> , 2015, 30, 1064-1070.	1.5	29
114	Green-fluorescent nitrogen-doped carbon nanodots for biological imaging and paper-based sensing. <i>Analytical Methods</i> , 2017, 9, 2197-2204.	1.3	29
115	Folate targeting and bovine serum albumin-gated mesoporous silica nanoparticles as a redox-responsive carrier for epirubicin release. <i>New Journal of Chemistry</i> , 2019, 43, 2694-2701.	1.4	29
116	"On-off-on" detection of Fe ³⁺ and F ⁻ , biological imaging, and its logic gate operation based on excitation-independent blue-fluorescent carbon dots. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 227, 117716.	2.0	29
117	A label-free multifunctional nanosensor based on N-doped carbon nanodots for vitamin B ₁₂ and Co ²⁺ detection, and bioimaging in living cells and zebrafish. <i>Journal of Materials Chemistry B</i> , 2020, 8, 5089-5095.	2.9	29
118	Azithromycin detection in cells and tablets by N,S co-doped carbon quantum dots. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 252, 119506.	2.0	29
119	Facile synthesis of orange fluorescence multifunctional carbon dots for label-free detection of vitamin B12 and endogenous/exogenous peroxyxynitrite. <i>Journal of Hazardous Materials</i> , 2021, 408, 124422.	6.5	28
120	Real-time tracking the mitochondrial membrane potential by a mitochondria-lysosomes migration fluorescent probe with NIR-emissive AIE characteristics. <i>Sensors and Actuators B: Chemical</i> , 2021, 327, 128929.	4.0	28
121	Carbon Nanodots as a Multifunctional Fluorescent Sensing Platform for Ratiometric Determination of Vitamin B ₂ and "Turn-Off" Detection of pH. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 2836-2844.	2.4	28
122	Tricolor emission carbon dots for label-free ratiometric fluorescent and colorimetric recognition of Al ³⁺ and pyrophosphate ion and cellular imaging. <i>Sensors and Actuators B: Chemical</i> , 2021, 345, 130375.	4.0	28
123	Gadolinium-doped carbon dots as a ratiometric fluorometry and colorimetry dual-mode nano-sensor based on specific chelation for morin detection. <i>Sensors and Actuators B: Chemical</i> , 2022, 352, 130991.	4.0	28
124	A selectively fluorescein-based colorimetric probe for detecting copper(II) ion. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 122, 731-736.	2.0	27
125	Synthesis of neutral red covalently functionalized graphene nanocomposite and the electrocatalytic properties toward uric acid. <i>Journal of Materials Chemistry</i> , 2012, 22, 602-608.	6.7	26
126	A selectively rhodamine-based colorimetric probe for detecting copper(II) ion. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 132, 191-197.	2.0	26

#	ARTICLE	IF	CITATIONS
127	Facile Fabrication Route of Janus Gold-Mesoporous Silica Nanocarriers with Dual-Drug Delivery for Tumor Therapy. <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 1573-1581.	2.6	26
128	Design of long-wavelength emission carbon dots for hypochlorous detection and cellular imaging. <i>Talanta</i> , 2020, 219, 121170.	2.9	26
129	Ratiometric sensing of Zn ²⁺ with a new benzothiazole-based fluorescent sensor and living cell imaging. <i>Analyst</i> , 2021, 146, 4348-4356.	1.7	26
130	Recent advances in synthesis and applications of room temperature phosphorescence carbon dots. <i>Talanta</i> , 2021, 231, 122350.	2.9	26
131	A selective carbazole-based fluorescent probe for chromium(III). <i>Analytical Methods</i> , 2013, 5, 5549.	1.3	25
132	Novel single excitation dual-emission carbon dots for colorimetric and ratiometric fluorescent dual mode detection of Cu ²⁺ and Al ³⁺ ions. <i>RSC Advances</i> , 2019, 9, 38568-38575.	1.7	25
133	Immobilization of platinum nanoparticles and glucose oxidase on eggshell membrane for glucose detection. <i>Analytical Methods</i> , 2013, 5, 5154.	1.3	24
134	Fluorescence enhancement detection of uric acid based on water-soluble 3-mercaptopropionic acid-capped core/shell ZnS:Cu/ZnS. <i>RSC Advances</i> , 2014, 4, 25183-25188.	1.7	24
135	TiO ₂ –graphene hybrid nanostructures by atomic layer deposition with enhanced electrochemical performance for Pb(II) and Cd(II) detection. <i>RSC Advances</i> , 2015, 5, 4343-4349.	1.7	24
136	A colorimetric probe for the detection of aluminum ions based on 11-mercaptopundecanoic acid functionalized gold nanoparticles. <i>Analytical Methods</i> , 2016, 8, 7232-7236.	1.3	24
137	Facile synthesis of ultrahigh fluorescence N,S-self-doped carbon nanodots and their multiple applications for H ₂ S sensing, bioimaging in live cells and zebrafish, and anti-counterfeiting. <i>Nanoscale</i> , 2020, 12, 20482-20490.	2.8	24
138	A fast detection of peroxyxynitrite in living cells. <i>Analytica Chimica Acta</i> , 2020, 1106, 96-102.	2.6	24
139	Facilely synthesized ultrathin Ni ₆ MnO ₈ @C nanosheets: excellent electrochemical performance and enhanced electrocatalytic epinephrine sensing. <i>Sensors and Actuators B: Chemical</i> , 2021, 326, 128863.	4.0	24
140	A mitochondria-targeted and viscosity-sensitive near-infrared fluorescent probe for visualization of fatty liver, inflammation and photodynamic cancer therapy. <i>Chemical Engineering Journal</i> , 2022, 449, 137762.	6.6	24
141	Ratiometric spiropyran-based fluorescent pH probe. <i>RSC Advances</i> , 2013, 3, 15762.	1.7	23
142	β-Cyclodextrin derivatives hybrid Fe ₃ O ₄ magnetic nanoparticles as the drug delivery for ketoprofen. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2014, 80, 209-215.	0.9	23
143	Carbon quantum dots doped with phosphorus and nitrogen are a viable fluorescent nanoprobe for determination and cellular imaging of vitamin B12 and cobalt(II). <i>Mikrochimica Acta</i> , 2019, 186, 506.	2.5	23
144	Excitation-independent hollow orange-fluorescent carbon nanoparticles for pH sensing in aqueous solution and living cells. <i>Talanta</i> , 2019, 196, 109-116.	2.9	23

#	ARTICLE	IF	CITATIONS
145	Novel strategy of electrochemical analysis of DNA bases with enhanced performance based on copper-nickel nanosphere decorated N-doped reduced graphene oxide. <i>Biosensors and Bioelectronics</i> , 2020, 147, 111735.	5.3	23
146	Facile one-pot synthesis of Au(0)@Au(<i>scp</i>)-NAC core-shell nanoclusters with orange-yellow luminescence for cancer cell imaging. <i>RSC Advances</i> , 2016, 6, 8612-8619.	1.7	22
147	A novel pH fluorescent probe based on indocyanine for imaging of living cells. <i>Dyes and Pigments</i> , 2016, 126, 224-231.	2.0	22
148	A di-functional and label-free carbon-based chem-nanosensor for real-time monitoring of pH fluctuation and quantitative determining of Curcumin. <i>Analytica Chimica Acta</i> , 2019, 1057, 132-144.	2.6	22
149	The ratiometric fluorescent probe with high quantum yield for quantitative imaging of intracellular pH. <i>Talanta</i> , 2020, 208, 120279.	2.9	22
150	Highly sensitive fluorescent carbon dots probe with ratiometric emission for the determination of ClO ⁻ . <i>Analyst</i> , The, 2020, 145, 2212-2218.	1.7	22
151	One-step synthesis of red emission multifunctional carbon dots for label-free detection of berberine and curcumin and cell imaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 251, 119432.	2.0	22
152	Carbon dots for ratiometric fluorescence detection of morin. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 256, 119751.	2.0	22
153	Fe ³⁺ detection, bioimaging, and patterning based on bright blue-fluorescent N-doped carbon dots. <i>Analyst</i> , The, 2020, 145, 5450-5457.	1.7	21
154	Tumor microenvironment responsive mesoporous silica nanoparticles for dual delivery of doxorubicin and chemodynamic therapy (CDT) agent. <i>New Journal of Chemistry</i> , 2020, 44, 2578-2586.	1.4	21
155	Silencing of karyopherin $\beta 2$ inhibits cell growth and survival in human hepatocellular carcinoma. <i>Oncotarget</i> , 2017, 8, 36289-36304.	0.8	21
156	11-Mercaptoundecanoic Acid-Functionalized Carbon Dots As a Ratiometric Optical Probe for Doxorubicin Detection. <i>ACS Applied Nano Materials</i> , 2021, 4, 13734-13746.	2.4	21
157	Quantitative analysis of nitro-polycyclic aromatic hydrocarbons in PM _{2.5} samples with graphene as a matrix by MALDI-TOF MS. <i>Analytical Methods</i> , 2015, 7, 3967-3971.	1.3	20
158	Recent Advances in Carbon Nanodots: Properties and Applications in Cancer Diagnosis and Treatment. <i>Journal of Analysis and Testing</i> , 2019, 3, 37-49.	2.5	20
159	The design of hydrogen sulfide fluorescence probe based on dual nucleophilic reaction and its application for bioimaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 207, 150-155.	2.0	20
160	Silk Fibroin-Confined Star-Shaped Decahedral Silver Nanoparticles as Fluorescent Probe for Detection of Cu ²⁺ and Pyrophosphate. <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 2770-2777.	2.6	20
161	Nitrogen-doped carbon dots for wash-free imaging of nucleolus orientation. <i>Mikrochimica Acta</i> , 2021, 188, 183.	2.5	20
162	Synthesis of a Palladium-Graphene Material and Its Application for Formaldehyde Determination. <i>Analytical Letters</i> , 2013, 46, 1454-1465.	1.0	19

#	ARTICLE	IF	CITATIONS
163	A highly selective ratiometric fluorescent probe for biothiol and imaging in live cells. <i>RSC Advances</i> , 2016, 6, 43028-43033.	1.7	19
164	Substituent effect on the acid-induced isomerization of spiropyran compounds. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 202, 13-17.	2.0	19
165	Rapid sonochemical synthesis of copper nanoclusters with red fluorescence for highly sensitive detection of silver ions. <i>Microchemical Journal</i> , 2022, 178, 107370.	2.3	19
166	Electrochemical Behavior of Hydrogen Peroxide at a Glassy Carbon Electrode Modified with Nickel Hydroxide-Decorated Multiwalled Carbon Nanotubes. <i>Analytical Letters</i> , 2008, 41, 3147-3160.	1.0	18
167	UHPLC combined with mass spectrometric study of as-synthesized carbon dots samples. <i>Talanta</i> , 2016, 146, 340-350.	2.9	18
168	An "on-off-on" fluorescent nanoprobe for recognition of Cu ²⁺ and GSH based on nitrogen co-doped carbon quantum dots, and its logic gate operation. <i>Analytical Methods</i> , 2019, 11, 2650-2657.	1.3	18
169	A sensitive OFF-ON-OFF fluorescent probe for the cascade sensing of Al ³⁺ and F ⁻ ions in aqueous media and living cells. <i>RSC Advances</i> , 2020, 10, 21629-21635.	1.7	18
170	A red emitting fluorescent probe based on TICT for selective detection and imaging of HSA. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 250, 119409.	2.0	18
171	A facile synthesis of long-wavelength emission nitrogen-doped carbon dots for intracellular pH variation and hypochlorite sensing. <i>Biomaterials Science</i> , 2021, 9, 2255-2261.	2.6	18
172	Rapid one-pot synthesis of MMTA protected fluorescent gold nanoclusters for selective and sensitive detection of ferric ion. <i>Talanta</i> , 2017, 174, 44-51.	2.9	17
173	Construction strategy for ratiometric fluorescent probe based on Janus silica nanoparticles as a platform toward intracellular pH detection. <i>Talanta</i> , 2019, 205, 120021.	2.9	17
174	A turn-on fluorescence probe for cysteine/homocysteine based on the nucleophilic-induced rearrangement of benzothiazole thioether. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 222, 117262.	2.0	17
175	Hypoxia imaging in living cells, tissues and zebrafish with a nitroreductase-specific fluorescent probe. <i>Analyst</i> , 2020, 145, 5657-5663.	1.7	17
176	A turn-on fluorescence probe for hydrogen sulfide in absolute aqueous solution. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 233, 118156.	2.0	17
177	N-Doped carbon dots for the fluorescence and colorimetry dual-mode detection of curcumin. <i>Analyst</i> , 2021, 146, 5357-5361.	1.7	17
178	Three birds with one stone: a single AIEgen for dual-organelle imaging, cell viability evaluation and photodynamic cancer cell ablation. <i>Materials Chemistry Frontiers</i> , 2022, 6, 333-340.	3.2	17
179	Dendritic Mesoporous Silica Nanoparticle-Tuned High-Affinity MnO ₂ Nanozyme for Multisignal GSH Sensing and Target Cancer Cell Detection. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 5911-5921.	3.2	17
180	A graphene oxide-based fluorescent aptasensor for alpha-fetoprotein detection. <i>Analytical Methods</i> , 2016, 8, 6131-6134.	1.3	16

#	ARTICLE	IF	CITATIONS
181	<i>β</i> -Cyclodextrin and Its Derivatives Functionalized Magnetic Nanoparticles for Targeting Delivery of Curcumin and Cell Imaging. <i>Chinese Journal of Chemistry</i> , 2016, 34, 599-608.	2.6	16
182	A highly selective fluorescent probe based on Michael addition for fast detection of hydrogen sulfide. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017, 173, 457-461.	2.0	16
183	A red-emission fluorescent probe for visual monitoring of lysosomal pH changes during mitophagy and cell apoptosis. <i>Analyst, The</i> , 2020, 145, 7018-7024.	1.7	16
184	A turn-on Schiff base fluorescent probe for the exogenous and endogenous Fe ³⁺ ion sensing and bioimaging of living cells. <i>New Journal of Chemistry</i> , 2020, 44, 19642-19649.	1.4	16
185	Nitrogen, sulfur, phosphorus, and chlorine co-doped carbon nanodots as an "off-on" fluorescent probe for sequential detection of curcumin and europium ion and luxuriant applications. <i>Mikrochimica Acta</i> , 2021, 188, 16.	2.5	16
186	Biodegradable Fluorescent SiO ₂ @MnO ₂ -Based Sequence Strategy for Glutathione Sensing in a Biological System and Synergistic Theragnostics to Cancer Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 2770-2783.	3.2	16
187	Development of a piperazinyl-NBD-based fluorescent probe and its dual-channel detection for hydrogen sulfide. <i>Analyst, The</i> , 2021, 146, 2138-2143.	1.7	16
188	Co ²⁺ detection, cell imaging, and temperature sensing based on excitation-independent green-fluorescent N-doped carbon dots. <i>RSC Advances</i> , 2019, 9, 41361-41367.	1.7	15
189	Biosensors for Determination of Galactose with Galactose Oxidase Immobilized on Eggshell Membrane. <i>Analytical Letters</i> , 2005, 38, 1519-1529.	1.0	14
190	A solid oxide carbon fuel cell operating on pomelo peel char with high power output. <i>International Journal of Energy Research</i> , 2019, 43, 2514-2526.	2.2	14
191	Development of sensing method for mercury ions and cell imaging based on highly fluorescent gold nanoclusters. <i>Microchemical Journal</i> , 2019, 146, 1140-1149.	2.3	14
192	Dual-ligand functionalized carbon nanodots as green fluorescent nanosensors for cellular dual receptor-mediated targeted imaging. <i>Analyst, The</i> , 2019, 144, 6729-6735.	1.7	14
193	Gold nanoparticles decorated bimetallic CuNi-based hollow nanoarchitecture for the enhancement of electrochemical sensing performance of nitrite. <i>Mikrochimica Acta</i> , 2020, 187, 572.	2.5	14
194	Smilax China-derived yellow-fluorescent carbon dots for temperature sensing, Cu ²⁺ detection and cell imaging. <i>Analyst, The</i> , 2020, 145, 2176-2183.	1.7	14
195	A label-free fluorescent aptasensor based on HCR and G-quadruplex DNAzymes for the detection of prostate-specific antigen. <i>Analyst, The</i> , 2021, 146, 1340-1345.	1.7	14
196	MnO ₂ nanosheets anchored with polypyrrole nanoparticles as a multifunctional platform for combined photothermal/photodynamic therapy of tumors. <i>Food and Function</i> , 2021, 12, 6334-6347.	2.1	14
197	A bifunctional fluorescence probe for dual-channel detecting of mitochondrial viscosity and endogenous/exogenous peroxynitrite. <i>Bioorganic Chemistry</i> , 2022, 119, 105484.	2.0	14
198	Preparation of yellow-emitting carbon dots and their bifunctional detection of tetracyclines and Al ³⁺ in food and living cells. <i>Mikrochimica Acta</i> , 2021, 188, 418.	2.5	14

#	ARTICLE	IF	CITATIONS
199	Spectroscopic studies on the inclusion interaction of p-sulfonatocalix[6]arene with vitamin B6. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2012, 72, 389-395.	1.6	13
200	Changes in nutritional constituents, anthocyanins, and volatile compounds during the processing of black rice tea. <i>Food Science and Biotechnology</i> , 2013, 22, 917-923.	1.2	13
201	Sulforaphane-Conjugated Carbon Dots: A Versatile Nanosystem for Targeted Imaging and Inhibition of EGFR-Overexpressing Cancer Cells. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 4692-4699.	2.6	13
202	Novel long-wavelength emissive lysosome-targeting ratiometric fluorescent probes for imaging in live cells. <i>Analyst</i> , The, 2019, 144, 4288-4294.	1.7	13
203	Boronate based sensitive fluorescent probe for the detection of endogenous peroxynitrite in living cells. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 243, 118683.	2.0	13
204	N, Cl-doped carbon dots for fluorescence and colorimetric dual-mode detection of water in tetrahydrofuran and development of a paper-based sensor. <i>Mikrochimica Acta</i> , 2021, 188, 324.	2.5	13
205	A phenazine-imidazole based ratiometric fluorescent probe for Cd ²⁺ ions and its application in <i>in vivo</i> imaging. <i>Analytical Methods</i> , 2022, 14, 1462-1470.	1.3	13
206	Imaging of lysosomal pH changes with a novel quinoline/benzothiazole probe. <i>New Journal of Chemistry</i> , 2018, 42, 13479-13485.	1.4	12
207	Dual sensing reporter system of assembled gold nanoparticles toward the sequential colorimetric detection of adenosine and Cr(III). <i>Talanta</i> , 2019, 204, 294-303.	2.9	12
208	A benzothiazolium-based fluorescent probe with ideal p <i>K</i> _a for mitochondrial pH imaging and cancer cell differentiation. <i>Journal of Materials Chemistry B</i> , 2020, 8, 10586-10592.	2.9	12
209	Orange emissive carbon nanodots for fluorescent and colorimetric bimodal discrimination of Cu ²⁺ and pH. <i>Analyst</i> , The, 2021, 146, 1907-1914.	1.7	12
210	Indole-based pH probe with ratiometric fluorescence behavior for intracellular imaging. <i>RSC Advances</i> , 2015, 5, 99739-99744.	1.7	11
211	A butterfly-shaped ESIPT molecule with solid-state fluorescence for the detection of latent fingerprints and exogenous and endogenous ONOO [•] by caging of the phenol donor. <i>Talanta</i> , 2021, 233, 122593.	2.9	11
212	AIE-based fluorescent boronate probe and its application in peroxynitrite imaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 261, 120044.	2.0	11
213	Synthesis of a new environment-sensitive fluorescent probe based on TICT and application for detection of human serum albumin and specific lipid droplets imaging. <i>Analytica Chimica Acta</i> , 2022, 1190, 339267.	2.6	11
214	Piperazine-Based Mitochondria-Immobilized pH Fluorescent Probe for Imaging Endogenous ONOO [•] and Real-Time Tracking of Mitophagy. <i>ACS Applied Bio Materials</i> , 2022, 5, 2777-2785.	2.3	11
215	High-performance liquid chromatography coupled with mass spectrometry for analysis of ultrasmall palladium nanoparticles. <i>Talanta</i> , 2015, 131, 632-639.	2.9	10
216	Determination of Mercury(II) by Fluorescence Using Deoxyribonucleic Acid Stabilized Silver Nanoclusters. <i>Analytical Letters</i> , 2015, 48, 281-290.	1.0	10

#	ARTICLE	IF	CITATIONS
217	Dual-excitation and dual-emission carbon dots for Fe ³⁺ detection, temperature sensing, and lysosome targeting. <i>Analytical Methods</i> , 2021, 13, 4246-4255.	1.3	10
218	A fluorometric and colorimetric dual-readout nanoprobe based on Cl and N co-doped carbon quantum dots with large Stokes shift for sequential detection of morin and zinc ion. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 261, 120028.	2.0	10
219	A selective electrochemical chiral interface based on a carboxymethyl- β -cyclodextrin/Pd@Au nanoparticles/3D reduced graphene oxide nanocomposite for tyrosine enantiomer recognition. <i>Analyst</i> , 2022, 147, 880-888.	1.7	10
220	Electro-Oxidation of Methane on Roughened Palladium Electrode in Acidic Electrolytes at Ambient Temperatures. <i>Analytical Letters</i> , 2010, 43, 1055-1065.	1.0	9
221	β -Cyclodextrin functionalized gold nanoparticles: characterization and its analytical application for l-tyrosine. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2014, 78, 275-286.	0.9	9
222	Green Synthesis of Gold Nanoparticles with Pectinase: a Highly Selective and Ultra-Sensitive Colorimetric Assay for Mg ²⁺ . <i>Plasmonics</i> , 2017, 12, 717-727.	1.8	9
223	TICT-Based Microenvironment-Sensitive Probe with Turn-on Red Emission for Human Serum Albumin Detection and for Targeting Lipid Droplet Imaging. <i>ACS Biomaterials Science and Engineering</i> , 2022, 8, 253-260.	2.6	9
224	The Interaction of Piroxicam with Neutral (HP- β -CD) and Anionically Charged (SBE- β -CD) β -cyclodextrin. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2006, 56, 215-220.	1.6	8
225	Voltammetric Study and Detection of Methane on Nickel Hydroxide-Modified Nickel Electrode. <i>Analytical Letters</i> , 2008, 41, 593-598.	1.0	8
226	β -Amyloid Biomarker Detection for Alzheimer's Disease. <i>Journal of Analysis and Testing</i> , 2017, 1, 1.	2.5	8
227	Controllable Fabrication, Photoluminescence Mechanism, and Novel Application of Green-Yellow-Orange Fluorescent Carbon-Based Nanodots. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 5060-5071.	2.6	8
228	A novel cell-penetrating Janus nanoprobe for ratiometric fluorescence detection of pH in living cells. <i>Talanta</i> , 2020, 209, 120436.	2.9	8
229	Multiple fluorescence quenching effects mediated fluorescent sensing of captopril Based on amino Acids-Derivative carbon nanodots. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 269, 120742.	2.0	8
230	Study on the intermolecular complexation behavior between p-sulfonatocalix[4]arene with l-tyrosine. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2012, 72, 473-479.	1.6	7
231	Magnetic solid-phase extraction based on a trimethylstearyl ammonium bromide coated Fe ₃ O ₄ /SiO ₂ composite for determination of adriamycin hydrochloride in human plasma and urine by HPLC-FLD. <i>Analytical Methods</i> , 2014, 6, 6736-6744.	1.3	7
232	Chromatographic separation and mass spectrometric analysis of N-acetyl-L-cysteine-protected palladium nanoparticles. <i>Analytical Methods</i> , 2017, 9, 4539-4546.	1.3	7
233	Reduced carbon nanodots as a novel substrate for direct analysis of bisphenol analogs in surface assisted laser desorption/ionization time of flight mass spectrometry. <i>Talanta</i> , 2018, 190, 89-94.	2.9	7
234	Gold/Palladium-Polypyrrole/Graphene Nanocomposites for Simultaneous Electrochemical Detection of DNA Bases. <i>ACS Applied Nano Materials</i> , 2022, 5, 1635-1643.	2.4	7

#	ARTICLE	IF	CITATIONS
235	A facile fluorescence platform for chromium and ascorbic acid detection based on "on-off-on" strategy. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 278, 121343.	2.0	7
236	Phosphorescence detection of hydrochlorothiazide using Mn-doped ZnS quantum dots. <i>Analytical Methods</i> , 2013, 5, 6094.	1.3	6
237	L-Ascorbic acid biosensing assay from enzyme-immobilized pig bladder membrane as a novel platform. <i>Analytical Methods</i> , 2013, 5, 1253.	1.3	6
238	Substituent Effect on the Properties of pH Fluorescence Probes Containing Pyridine Group. <i>ChemistrySelect</i> , 2019, 4, 5735-5739.	0.7	6
239	Alizarin-based molecular probes for the detection of hydrogen peroxide and peroxyxynitrite. <i>Analyst</i> , 2021, 146, 509-514.	1.7	6
240	Fluorescent carbon dots with real-time nucleolus-monitoring capability for gene delivery and biosensing of NO ₂ ⁻ and pH. <i>Applied Surface Science</i> , 2022, 599, 153902.	3.1	5
241	Lysosome targeting, Cr(VI) and I ⁻ -AA sensing, and cell imaging based on N-doped blue-fluorescence carbon dots. <i>Analytical Methods</i> , 2021, 13, 3561-3568.	1.3	4
242	Determination of glucose in human serum based on an onion primary cuticula biosensor immobilized glucose oxidase. <i>Analytical Methods</i> , 2012, 4, 1432.	1.3	3
243	Electrochemical Lateral Flow Paper Strip for Oxidative-Stress Induced DNA Damage Assessment. <i>Methods in Molecular Biology</i> , 2017, 1572, 23-39.	0.4	3
244	Controlled Release of Curcumin via Folic Acid Conjugated Magnetic Drug Delivery System. <i>Chemical Research in Chinese Universities</i> , 2018, 34, 203-211.	1.3	3
245	Supramolecular-interaction-mediated aggregation of anticarcinogens on triformyl cholic acid-functionalized Fe ₃ O ₄ nanoparticles and their dual-targeting treatment for liver cancer. <i>New Journal of Chemistry</i> , 2021, 45, 6880-6888.	1.4	3
246	A Simple and Novel Electrochemical Sensor Based on Phosphomolybdicâ€Polypyrrole Film Modified Electrode for Highly Sensitive Detection of Cholic Acid. <i>Chinese Journal of Chemistry</i> , 2016, 34, 1177-1182.	2.6	2
247	Development and application of a fluorescent sensor for potassium ions based on a calix[6]arene ionophore and a novel cationic dye. <i>Supramolecular Chemistry</i> , 2009, 21, 747-753.	1.5	1
248	Near-infrared photoluminescence enhancement of N-acetyl-L-cysteine (NAC)-protected gold nanoparticles via fluorescence resonance energy transfer from NAC-stabilized CdTe quantum dots. <i>RSC Advances</i> , 2016, 6, 88042-88049.	1.7	1
249	Cyclodextrin Hybrid Inorganic Nanocomposites for Molecular Recognition, Selective Adsorption, and Drug Delivery. , 2019, , 1-25.		1
250	Cyclodextrin Hybrid Inorganic Nanocomposites for Molecular Recognition, Selective Adsorption, and Drug Delivery. , 2020, , 425-449.		1
251	Study on Electrochemical Behavior of Methane at Nickel Electrode Modified with Nickel Hydroxide in Alkaline Solution. , 2007, , .		0
252	STUDY ON THE INTERACTION BETWEEN METHYL BLUE AND HSA IN THE PRESENCE OF Î²-CD/HP-Î²-CD BY MOLECULAR SPECTROSCOPY. , 2008, , .		0

#	ARTICLE	IF	CITATIONS
253	Spectroscopic study on the inclusion complexation of L-tyrosine by <i>p</i> -sulphonatocalix[6]arene at different pH values. <i>Physics and Chemistry of Liquids</i> , 2012, 50, 652-660.	0.4	0
254	Investigation on the supramolecular recognition behaviour of sulfonatocalix[6]arene with amino benzoic acid isomers. <i>Physics and Chemistry of Liquids</i> , 2016, 54, 27-36.	0.4	0
255	SYNTHESIS OF A NOVEL FLUORESCENCE PROBE OF β -CD AND CUPROUS IODIDE PYRIDINE AND ITS APPLICATION. , 2008, , .		0
256	Sulfur-doped graphitic carbon nitride nanosheets as a sensitive fluorescent probe for detecting environmental and intracellular Ag ⁺ . <i>Methods and Applications in Fluorescence</i> , 0, , .	1.1	0