
Philip J Van Der Wees

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8560841/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Selection criteria for patients with chronic ankle instability in controlled research: a position statement of the International Ankle Consortium: TableÂ1. British Journal of Sports Medicine, 2014, 48, 1014-1018.	3.1	363
2	Treatment Related Impairments in Arm and Shoulder in Patients with Breast Cancer: A Systematic Review. PLoS ONE, 2014, 9, e96748.	1.1	210
3	Integrating the Use of Patientâ€Reported Outcomes for Both Clinical Practice and Performance Measurement: Views of Experts from 3 Countries. Milbank Quarterly, 2014, 92, 754-775.	2.1	177
4	Systematic review of high-cost patients' characteristics and healthcare utilisation. BMJ Open, 2018, 8, e023113.	0.8	163
5	Measurement Properties of Instruments for Measuring of Lymphedema: Systematic Review. Physical Therapy, 2016, 96, 1965-1981.	1.1	133
6	Appraising convergent validity of patient-reported outcome measures in systematic reviews: constructing hypotheses and interpreting outcomes. BMC Research Notes, 2016, 9, 226.	0.6	99
7	Improvements in Health Status after Massachusetts Health Care Reform. Milbank Quarterly, 2013, 91, 663-689.	2.1	83
8	Recommendations for Hospital-Based Physical Therapists Managing Patients With COVID-19. Physical Therapy, 2020, 100, 1444-1457.	1.1	72
9	Using research to guide practice: The Physiotherapy Evidence Database (PEDro). Brazilian Journal of Physical Therapy, 2020, 24, 384-391.	1.1	69
10	Patient-reported health outcomes after total hip and knee surgery in a Dutch University Hospital Setting: results of twenty years clinical registry. BMC Musculoskeletal Disorders, 2017, 18, 97.	0.8	55
11	Sustainability of Long-term Care: Puzzling Tasks Ahead for Policy-Makers. International Journal of Health Policy and Management, 2017, 6, 195-205.	0.5	52
12	Health outcomes measurement and organizational readiness support quality improvement: a systematic review. BMC Health Services Research, 2018, 18, 1005.	0.9	51
13	Effectiveness of Peer Assessment for Implementing a Dutch Physical Therapy Low Back Pain Guideline: Cluster Randomized Controlled Trial. Physical Therapy, 2014, 94, 1396-1409.	1.1	47
14	Development of a framework with tools to support the selection and implementation of patient-reported outcome measures. Journal of Patient-Reported Outcomes, 2019, 3, 75.	0.9	47
15	Routine provision of feedback from patient-reported outcome measurements to healthcare providers and patients in clinical practice. The Cochrane Library, 2021, 2021, CD011589.	1.5	45
16	Supporting a personâ€centred approach in clinical guidelines. A position paper of the Allied Health Community – Guidelines International Network (Gâ€lâ€N). Health Expectations, 2015, 18, 1543-1558.	1.1	38
17	Measurement properties of patient-reported outcome measures (PROMs) in adults with obstructive sleep apnea (OSA): A systematic review. Sleep Medicine Reviews, 2016, 28, 18-31.	3.8	36
18	Psychometric properties of the PROMIS Physical Function item bank in patients receiving physical therapy. PLoS ONE, 2018, 13, e0192187.	1.1	31

#	Article	IF	CITATIONS
19	Development and Evaluation of an Implementation Strategy for Collecting Data in a National Registry and the Use of Patient-Reported Outcome Measures in Physical Therapist Practices: Quality Improvement Study. Physical Therapy, 2017, 97, 837-851.	1.1	30
20	The Effects of Respiratory Training in Parkinson's Disease: A Systematic Review. Journal of Parkinson's Disease, 2020, 10, 1315-1333.	1.5	30
21	An Innovative Peer Assessment Approach to Enhance Guideline Adherence in Physical Therapy: Single-Masked, Cluster-Randomized Controlled Trial. Physical Therapy, 2015, 95, 600-612.	1.1	28
22	Governing healthcare through performance measurement in Massachusetts and the Netherlands. Health Policy, 2014, 116, 18-26.	1.4	26
23	Patient reported outcome measures (PROMs) for goalsetting and outcome measurement in primary care physiotherapy, an explorative field study. Physiotherapy, 2017, 103, 66-72.	0.2	24
24	Development of Clinical Guidelines in Physical Therapy: Perspective for International Collaboration. Physical Therapy, 2011, 91, 1551-1563.	1.1	22
25	Characteristics and healthcare utilisation patterns of high-cost beneficiaries in the Netherlands: a cross-sectional claims database study. BMJ Open, 2017, 7, e017775.	0.8	22
26	Approaches of integrating the development of guidelines and quality indicators: a systematic review. BMC Health Services Research, 2020, 20, 875.	0.9	22
27	Developing a questionnaire to identify perceived barriers for implementing the Dutch physical therapy COPD clinical practice guideline. BMC Health Services Research, 2013, 13, 159.	0.9	21
28	Comparing the implementation of team approaches for improving diabetes care in community health centers. BMC Health Services Research, 2014, 14, 608.	0.9	20
29	Critical features of peer assessment of clinical performance to enhance adherence to a low back pain guideline for physical therapists: a mixed methods design. BMC Medical Education, 2015, 15, 203.	1.0	19
30	Development of a Patient-Reported Outcome Measure for Geriatric Care: The Older Persons and Informal Caregivers Survey Short Form. Value in Health, 2018, 21, 1198-1204.	0.1	19
31	Dysphagia and Dysarthria in Children with Neuromuscular Diseases, a Prevalence Study. Journal of Neuromuscular Diseases, 2020, 7, 287-295.	1.1	19
32	Data extraction from electronic health records (EHRs) for quality measurement of the physical therapy process: comparison between EHR data and survey data. BMC Medical Informatics and Decision Making, 2016, 16, 141.	1.5	18
33	The COPDnet integrated care model. International Journal of COPD, 2018, Volume 13, 2225-2235.	0.9	18
34	First patient-centred set of outcomes for pulmonary sarcoidosis: a multicentre initiative. BMJ Open Respiratory Research, 2019, 6, e000394.	1.2	17
35	Routine provision of information on patient-reported outcome measures to healthcare providers and patients in clinical practice. The Cochrane Library, 0, , .	1.5	16
36	Patient-reported outcome measures in subarachnoid hemorrhage. Neurology, 2019, 92, 1096-1112.	1.5	16

PHILIP J VAN DER WEES

#	Article	IF	CITATIONS
37	Profiling of Patients with COPD for Adequate Referral to Exercise-Based Care: The Dutch Model. Sports Medicine, 2020, 50, 1421-1429.	3.1	16
38	The Relationship Between the Scope of Essential Health Benefits and Statutory Financing: An International Comparison Across Eight European Countries. International Journal of Health Policy and Management, 2016, 5, 13-22.	0.5	16
39	Prospective systematic review registration: perspective from the Guidelines International Network (G-I-N). Systematic Reviews, 2012, 1, 3.	2.5	15
40	Feasibility of peer assessment and clinical audit to self-regulate the quality of physiotherapy services: a mixed methods study. BMJ Open, 2017, 7, e013726.	0.8	13
41	Exploring the perspective of patients with musculoskeletal health problems in primary care on the use of patient-reported outcome measures to stimulate quality improvement in physiotherapist practice; a qualitative study. Physiotherapy Theory and Practice, 2021, 37, 993-1004.	0.6	13
42	Organization of outcome-based quality improvement in Dutch heart centres. European Heart Journal Quality of Care & Clinical Outcomes, 2020, 6, 49-54.	1.8	13
43	Impact of Self- and Peer Assessment on the Clinical Performance of Physiotherapists in Primary Care: A Cohort Study. Physiotherapy Canada Physiotherapie Canada, 2018, 70, 393-401.	0.3	11
44	Clinical adhesion score (CLAS): development of a novel clinical score for adhesion-related complications in abdominal and pelvic surgery. Surgical Endoscopy and Other Interventional Techniques, 2021, 35, 2159-2168.	1.3	11
45	Bringing two worlds closer together: a critical analysis of an integrated approach to guideline development and quality assurance schemes. BMC Health Services Research, 2021, 21, 172.	0.9	11
46	Selecting relevant and feasible measurement instruments for the revised Dutch clinical practice guideline for physical therapy in patients after stroke. Disability and Rehabilitation, 2017, 39, 1449-1457.	0.9	10
47	Characteristics and health care utilization among patients with chronic heart failure: a longitudinal claim database analysis. ESC Heart Failure, 2019, 6, 1243-1251.	1.4	10
48	Development of a patient-reported outcome measure for patients who have recovered from a subarachnoid hemorrhage: the "questionnaire for the screening of symptoms in aneurysmal subarachnoid hemorrhage―(SOS-SAH). BMC Neurology, 2021, 21, 162.	0.8	10
49	Selecting interventions to improve patient-relevant outcomes in health care for aortic valve disease – the Intervention Selection Toolbox. BMC Health Services Research, 2020, 20, 232.	0.9	9
50	Guideline-based quality assurance: a conceptual framework for the definition of key elements. BMC Health Services Research, 2021, 21, 173.	0.9	9
51	Measurement properties of the Dutch–Flemish patient-reported outcomes measurement information system (PROMIS) physical function item bank and instruments: a systematic review. Health and Quality of Life Outcomes, 2021, 19, 62.	1.0	9
52	Changes in volume and incidence of lymphedema during and after treatment with docetaxel, doxorubicin, and cyclophosphamide (TAC) in patients with breast cancer. Supportive Care in Cancer, 2018, 26, 1383-1392.	1.0	8
53	<p>Development of a Standard Set of Outcome Domains and Proposed Measures for Chronic Obstructive Pulmonary Disease in Primary Care Physical Therapy Practice in the Netherlands: a Modified RAND/UCLA Appropriateness Method</p> . International Journal of COPD, 2019, Volume 14. 2649-2661.	0.9	8
54	Development of quality indicators for departments of hospital-based physiotherapy: a modified Delphi study. BMJ Open Quality, 2020, 9, e000812.	0.4	7

PHILIP J VAN DER WEES

#	Article	IF	CITATIONS
55	Guideline adherence of physiotherapists in the treatment of patients with low back pain: A qualitative study. Journal of Evaluation in Clinical Practice, 2022, 28, 1147-1156.	0.9	7
56	"Knowing Is Not Enough; We Must Apply. Willing Is Not Enough; We Must Do― Physical Therapy, 2015, 95, 486-491.	1.1	6
57	Which Factors Influence the Use of Patient-Reported Outcome Measures in Dutch Physiotherapy Practice? A Cross-Sectional Study. Physiotherapy Canada Physiotherapie Canada, 2020, 72, 63-70.	0.3	6
58	Dutch oral health care quality measures: a modified Delphi study. International Dental Journal, 2020, 70, 277-286.	1.0	6
59	Patient-Reported Outcome–Based Quality Indicators in Dutch Primary Care Physical Therapy for Patients With Nonspecific Low Back Pain: A Cohort Study. Physical Therapy, 2021, 101, .	1.1	6
60	Integrating Quality Assurance and Quality Improvement With Guidelines: Systematic Stakeholder-Driven Development of an Extension of the Guidelines International Network–McMaster Guideline Development Checklist. Annals of Internal Medicine, 2022, 175, 735-739.	2.0	6
61	The development of a patient-reported outcome measure for patients with obstructive sleep apnea: the Patient-Reported Apnea Questionnaire (PRAQ). Journal of Patient-Reported Outcomes, 2017, 1, 14.	0.9	5
62	Evaluation of the COPDnet integrated care model in patients with COPD: the study protocol. International Journal of COPD, 2018, Volume 13, 2237-2244.	0.9	5
63	Does the Patient-Reported Apnea Questionnaire (PRAQ) increase patient-centredness in the daily practice of sleep centres? a mixed-methods study. BMJ Open, 2019, 9, e025963.	0.8	5
64	Results of the standard set for pulmonary sarcoidosis: feasibility and multicentre outcomes. ERJ Open Research, 2019, 5, 00094-2019.	1.1	5
65	Development of a longlist of healthcare quality indicators for physical activity of patients during hospital stay: a modified RAND Delphi study. BMJ Open, 2019, 9, e032208.	0.8	5
66	The Reasons behind the (Non)Use of Feedback Reports for Quality Improvement in Physical Therapy: A Mixed-Method Study. PLoS ONE, 2016, 11, e0161056.	1.1	5
67	Using a Learning Health System to Improve Physical Therapy Care for Patients with Intermittent Claudication: Lessons Learned from the ClaudicatioNet Quality System. Physical Therapy, 2021, , .	1.1	5
68	A Sense of Being Needed: A Phenomenological Analysis of Hospital-Based Rehabilitation Professionals' Experiences During the COVID-19 Pandemic. Physical Therapy, 2022, 102, .	1.1	5
69	Accuracy of a single measurement site for self-monitoring of patients with breast cancer at risk for lymphedema. Physiotherapy Theory and Practice, 2019, 35, 1322-1327.	0.6	4
70	Experienced consequences of spasticity and effects of botulinum toxin injections: a qualitative study amongst patients with disabling spasticity after stroke. Disability and Rehabilitation, 2021, 43, 3688-3695.	0.9	4
71	Healthcare needs, expectations, utilization, and experienced treatment effects in patients with hereditary spastic paraplegia: a web-based survey in the Netherlands. Orphanet Journal of Rare Diseases, 2021, 16, 283.	1.2	4
72	Personalised Outcomes Forecasts of Supervised Exercise Therapy in Intermittent Claudication: An Application of Neighbours Based Prediction Methods with Routinely Collected Clinical Data. European Journal of Vascular and Endovascular Surgery, 2022, 63, 594-601.	0.8	4

PHILIP J VAN DER WEES

#	Article	IF	CITATIONS
73	Stewardship of primary care physicians to contain cost in health care: an international cross-sectional survey. Family Practice, 2017, 34, 717-722.	0.8	3
74	Instrument completion and validation of the patient-reported apnea questionnaire (PRAQ). Health and Quality of Life Outcomes, 2018, 16, 158.	1.0	3
75	Impact and feasibility of a tailor-made patient communication quality improvement programme for hospital-based physiotherapists: a mixed-methods study. BMJ Open Quality, 2021, 10, e001286.	0.4	3
76	A framework exploring the therapeutic alliance between elite athletes and physiotherapists: a qualitative study. BMC Sports Science, Medicine and Rehabilitation, 2021, 13, 122.	0.7	3
77	Roles of general practitioners in shared decisionâ€making for patients with cancer: A qualitative study. European Journal of Cancer Care, 2022, 31, e13594.	0.7	3
78	Reliability and Responsiveness of the Observable Movement Quality Scale for Children with Mild to Moderate Motor Impairments. Physical and Occupational Therapy in Pediatrics, 2020, 40, 681-696.	0.8	2
79	The application of the tracer method with peer observation and formative feedback for professional development in clinical practice: aÂscoping review. Perspectives on Medical Education, 2021, 11, 15.	1.8	2
80	The GIN-McMaster guideline tool extension for the integration of quality improvement and quality assurance in guidelines: a description of the methods for its development. Journal of Clinical Epidemiology, 2023, 154, 197-203.	2.4	2
81	Quality aspects of hospital-based physiotherapy from the perspective of key stakeholders: a qualitative study. BMJ Open Quality, 2022, 11, e001843.	0.4	2
82	Reachable workspace analysis is a potential measurement for impairment of the upper extremity in neuralgic amyotrophy. Muscle and Nerve, 2022, 66, 282-288.	1.0	2
83	The Impact of Personalized Outcomes Forecasts on Clinical Reasoning of Physical Therapists in Intermittent Claudication: A Vignette Study. Physical Therapy, 0, , .	1.1	2
84	Roadmap for Publishing Clinical Practice Guidelines in PTJ. Physical Therapy, 2014, 94, 753-756.	1.1	1
85	Reasons for continuing physiotherapy treatment after a high-intensity physyiotherapy program in patients after total knee arthroplasty: a mixed-methods study. Physiotherapy Theory and Practice, 2019, 37, 1-16.	0.6	1
86	Reliability, validity and discriminability of patient reported outcomes for non-specific low back pain in a nationwide physical therapy registry: A retrospective observational cohort study. PLoS ONE, 2021, 16, e0251892.	1.1	1
87	Experienced Respiratory Symptoms and the Impact on Daily Life from the Perspective of People with Parkinson's Disease: AÂGrounded Theory. Journal of Parkinson's Disease, 2022, , 1-15.	1.5	1
88	The role of physicians and their professional bodies in containing health care costs. Family Practice, 2017, 34, 637-638.	0.8	0
89	Patterns of healthcare resource utilization in patients with sarcoidosis: a cross-sectional study. Sarcoidosis Vasculitis and Diffuse Lung Diseases, 2020, 37, e2020002.	0.2	0