

Brent T Mausbach

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8562465/brent-t-mausbach-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142
papers

6,574
citations

49
h-index

76
g-index

146
ext. papers

7,346
ext. citations

4.4
avg, IF

5.57
L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 142 | Interventions to reduce loneliness in caregivers: An integrative review of the literature.. <i>Psychiatry Research</i> , 2022 , 311, 114508 | 9.9 | 1 |
| 141 | Psychometric evaluation of the Behavioral Activation for Depression Scale-Short Form in Alzheimer's caregivers. <i>Aging and Mental Health</i> , 2021 , 25, 1725-1729 | 3.5 | |
| 140 | Caring for caregivers/care partners of persons with dementia. <i>International Psychogeriatrics</i> , 2021 , 33, 307-310 | 3.4 | 2 |
| 139 | Associations between pleasant events, activity restriction, stressors, and blood pressure in caregivers of persons with dementia. <i>International Psychogeriatrics</i> , 2021 , 1-11 | 3.4 | 1 |
| 138 | Healthcare use and costs in adult cancer patients with anxiety and depression. <i>Depression and Anxiety</i> , 2020 , 37, 908-915 | 8.4 | 14 |
| 137 | Effects of Psychosocial Interventions and Caregiving Stress on Cardiovascular Biomarkers in Family Dementia Caregivers: The UCSD Pleasant Events Program (PEP) Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 2215-2223 | 6.4 | 2 |
| 136 | Refining caregiver vulnerability for clinical practice: determinants of self-rated health in spousal dementia caregivers. <i>BMC Geriatrics</i> , 2019 , 19, 18 | 4.1 | 17 |
| 135 | The Relationship Between Circulating Interleukin-6 Levels and Future Health Service Use in Dementia Caregivers. <i>Psychosomatic Medicine</i> , 2019 , 81, 668-674 | 3.7 | 1 |
| 134 | Stress and Blood Pressure in Dementia Caregivers: The Moderator Role of Mindfulness. <i>Clinical Gerontologist</i> , 2019 , 42, 512-520 | 2.7 | 5 |
| 133 | Health care costs of depression in patients diagnosed with cancer. <i>Psycho-Oncology</i> , 2018 , 27, 1735-1741 | 3.9 | 22 |
| 132 | Temporal Associations Between Social Activity and Mood, Fatigue, and Pain in Older Adults With HIV: An Ecological Momentary Assessment Study. <i>JMIR Mental Health</i> , 2018 , 5, e38 | 6 | 11 |
| 131 | Mental health treatment dose and annual healthcare costs in patients with cancer and major depressive disorder. <i>Health Psychology</i> , 2018 , 37, 1035-1040 | 5 | 12 |
| 130 | Cognitive and functional deficits in bipolar disorder and schizophrenia as a function of the presence and history of psychosis. <i>Bipolar Disorders</i> , 2018 , 20, 604-613 | 3.8 | 20 |
| 129 | Depression is Associated with Increased Risk for Metabolic Syndrome in Latinos with Type 2 Diabetes. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 646-653 | 6.5 | 10 |
| 128 | Exploratory analysis of normative performance on the UCSD Performance-Based Skills Assessment-Brief. <i>Psychiatry Research</i> , 2017 , 256, 150-155 | 9.9 | 15 |
| 127 | Engagement in Pleasant Leisure Activities and Blood Pressure: A 5-Year Longitudinal Study in Alzheimer Caregivers. <i>Psychosomatic Medicine</i> , 2017 , 79, 735-741 | 3.7 | 13 |
| 126 | Long-term caregiving is associated with impaired cardiovagal baroreflex. <i>Journal of Psychosomatic Research</i> , 2017 , 103, 29-33 | 4.1 | 3 |

| | | |
|-----|--|---------|
| 125 | Depression and healthcare service utilization in patients with cancer. <i>Psycho-Oncology</i> , 2017 , 26, 1133-1139 | 56 |
| 124 | Validation of the UCSD Performance-based Skills Assessment (UPSA) in Hispanics with and without schizophrenia. <i>Psychiatry Research</i> , 2016 , 244, 388-93 | 9.9 5 |
| 123 | The temporal course and clinical correlates of subjective impulsivity in bipolar disorder as revealed through ecological momentary assessment. <i>Journal of Affective Disorders</i> , 2016 , 193, 145-50 | 6.6 17 |
| 122 | Neurocognitive and functional correlates of mobile phone use in middle-aged and older patients with schizophrenia. <i>Aging and Mental Health</i> , 2016 , 20, 29-35 | 3.5 16 |
| 121 | Is Post-Traumatic Stress Disorder Associated with Premature Senescence? A Review of the Literature. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 709-25 | 6.5 132 |
| 120 | UPSA-M: Feasibility and initial validity of a mobile application of the UCSD Performance-Based Skills Assessment. <i>Schizophrenia Research</i> , 2015 , 164, 187-92 | 3.6 21 |
| 119 | Improving the understanding of the link between cognition and functional capacity in schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2015 , 169, 121-127 | 3.6 11 |
| 118 | Augmenting psychoeducation with a mobile intervention for bipolar disorder: a randomized controlled trial. <i>Journal of Affective Disorders</i> , 2015 , 174, 23-30 | 6.6 133 |
| 117 | Complex interplay between health and successful aging: role of perceived stress, resilience, and social support. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 622-32 | 6.5 52 |
| 116 | Cognitive-behavioral therapy (CBT) versus acceptance and commitment therapy (ACT) for dementia family caregivers with significant depressive symptoms: Results of a randomized clinical trial. <i>Journal of Consulting and Clinical Psychology</i> , 2015 , 83, 760-72 | 6.5 136 |
| 115 | Depression as a predictor of adherence to adjuvant endocrine therapy (AET) in women with breast cancer: a systematic review and meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2015 , 152, 239-46 | 4.4 76 |
| 114 | A prospective study of the trajectories of clinical insight, affective symptoms, and cognitive ability in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 250-5 | 6.6 14 |
| 113 | The effect of language on functional capacity assessment in middle-aged and older US Latinos with schizophrenia. <i>Psychiatry Research</i> , 2014 , 218, 31-4 | 9.9 6 |
| 112 | Neurocognition, functional capacity, and functional outcomes: the cost of inexperience. <i>Schizophrenia Research</i> , 2014 , 152, 430-4 | 3.6 43 |
| 111 | Effects of the frequency and satisfaction with leisure profile on dementia caregivers distress. [Efectos del perfil de frecuencia y satisfacci3n con el ocio en el malestar de cuidadores de personas con demencia]. <i>Anales De Psicología</i> , 2014 , 30, | 1.3 4 |
| 110 | Why does placement of persons with Alzheimer's disease into long-term care improve caregivers' well-being? Examination of psychological mediators. <i>Psychology and Aging</i> , 2014 , 29, 776-86 | 3.6 17 |
| 109 | Longitudinal relationship of low leisure satisfaction but not depressive symptoms with systemic low-grade inflammation in dementia caregivers. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2014 , 69, 397-407 | 4.6 19 |
| 108 | Positive affect and sleep in spousal Alzheimer caregivers: a longitudinal study. <i>Behavioral Sleep Medicine</i> , 2014 , 12, 358-72 | 4.2 21 |

| | | | |
|-----|--|-----|-----|
| 107 | Association of obesity and treated hypertension and diabetes with cognitive ability in bipolar disorder and schizophrenia. <i>Bipolar Disorders</i> , 2014 , 16, 422-31 | 3.8 | 53 |
| 106 | Longitudinal study of sustained attention in outpatients with bipolar disorder. <i>Journal of the International Neuropsychological Society</i> , 2014 , 20, 230-7 | 3.1 | 7 |
| 105 | Reduced activity restriction buffers the relations between chronic stress and sympathetic nervous system activation. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2014 , 69, 408-16 | 4.6 | 13 |
| 104 | The use of the theory of planned behavior to predict engagement in functional behaviors in schizophrenia. <i>Psychiatry Research</i> , 2013 , 205, 36-42 | 9.9 | 14 |
| 103 | Initial validation of a computerized version of the UCSD Performance-Based Skills Assessment (C-UPSA) for assessing functioning in schizophrenia. <i>Schizophrenia Research</i> , 2013 , 144, 87-92 | 3.6 | 15 |
| 102 | A comparison of psychosocial outcomes in elderly Alzheimer caregivers and noncaregivers. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 5-13 | 6.5 | 93 |
| 101 | A randomized clinical trial of Behavioral Activation (BA) therapy for improving psychological and physical health in dementia caregivers: results of the Pleasant Events Program (PEP). <i>Behaviour Research and Therapy</i> , 2013 , 51, 623-32 | 5.2 | 79 |
| 100 | Direct and mediated effects of cognitive function with multidimensional outcome measures in schizophrenia: the role of functional capacity. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013 , 35, 882-95 | 2.1 | 8 |
| 99 | Rorschach measures of cognition relate to everyday and social functioning in schizophrenia. <i>Psychological Assessment</i> , 2013 , 25, 253-63 | 5.3 | 21 |
| 98 | When functional capacity and real-world functioning converge: the role of self-efficacy. <i>Schizophrenia Bulletin</i> , 2013 , 39, 908-16 | 1.3 | 76 |
| 97 | Using the repeatable battery for the assessment of neuropsychological status (RBANS) effort index to predict treatment group attendance in patients with schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2013 , 19, 198-205 | 3.1 | 16 |
| 96 | Association between hospice care and psychological outcomes in Alzheimer's spousal caregivers. <i>Journal of Palliative Medicine</i> , 2013 , 16, 1450-4 | 2.2 | 16 |
| 95 | Pleasant events, activity restriction, and blood pressure in dementia caregivers. <i>Health Psychology</i> , 2013 , 32, 793-801 | 5 | 24 |
| 94 | Determinants of occupational and residential functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2012 , 136, 812-8 | 6.6 | 20 |
| 93 | Meta-analysis of the association between cognitive abilities and everyday functioning in bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 217-26 | 3.8 | 196 |
| 92 | A longitudinal analysis of the relations among stress, depressive symptoms, leisure satisfaction, and endothelial function in caregivers. <i>Health Psychology</i> , 2012 , 31, 433-40 | 5 | 67 |
| 91 | Multiple mediators of the relations between caregiving stress and depressive symptoms. <i>Aging and Mental Health</i> , 2012 , 16, 27-38 | 3.5 | 68 |
| 90 | Leisure activities, caregiving demands and catecholamine levels in dementia caregivers. <i>Psychology and Health</i> , 2012 , 27, 1134-49 | 2.9 | 30 |

| | | | |
|----|---|------|-----|
| 89 | Effect of Alzheimer caregiving on circulating levels of C-reactive protein and other biomarkers relevant to cardiovascular disease risk: a longitudinal study. <i>Gerontology</i> , 2012 , 58, 354-65 | 5.5 | 70 |
| 88 | Ways of coping and biomarkers of an increased atherothrombotic cardiovascular disease risk in elderly individuals. <i>Cardiovascular Psychiatry and Neurology</i> , 2012 , 2012, 875876 | | 12 |
| 87 | Relationship between chronic stress and carotid intima-media thickness (IMT) in elderly Alzheimer's disease caregivers. <i>Stress</i> , 2012 , 15, 121-9 | 3 | 47 |
| 86 | Combined cognitive remediation and functional skills training for schizophrenia: effects on cognition, functional competence, and real-world behavior. <i>American Journal of Psychiatry</i> , 2012 , 169, 710-8 | 11.9 | 228 |
| 85 | Sleep in spousal Alzheimer caregivers: a longitudinal study with a focus on the effects of major patient transitions on sleep. <i>Sleep</i> , 2012 , 35, 247-55 | 1.1 | 42 |
| 84 | Predictors of change in functional competence and functional behavior after functional adaptation skills training for schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2012 , 200, 705-11 | 1.8 | 14 |
| 83 | Effect of chronic dementia caregiving and major transitions in the caregiving situation on kidney function: a longitudinal study. <i>Psychosomatic Medicine</i> , 2012 , 74, 214-20 | 3.7 | 22 |
| 82 | A Comparison of Psychosocial Outcomes in Elderly Alzheimer Caregivers and Noncaregivers. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 1 | 6.5 | 5 |
| 81 | Self-efficacy buffers the relationship between dementia caregiving stress and circulating concentrations of the proinflammatory cytokine interleukin-6. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 64-71 | 6.5 | 48 |
| 80 | Sensitivity and specificity of the UCSD Performance-based Skills Assessment (UPSA-B) for identifying functional milestones in schizophrenia. <i>Schizophrenia Research</i> , 2011 , 132, 165-70 | 3.6 | 68 |
| 79 | Activity restriction and depression in medical patients and their caregivers: a meta-analysis. <i>Clinical Psychology Review</i> , 2011 , 31, 900-8 | 10.8 | 60 |
| 78 | Influence of caregiver burden on the association between daily fluctuations in pleasant activities and mood: A daily diary analysis. <i>Behaviour Research and Therapy</i> , 2011 , 49, 74-9 | 5.2 | 22 |
| 77 | Regular physical activity moderates cardiometabolic risk in Alzheimer's caregivers. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 181-9 | 1.2 | 25 |
| 76 | Psychopathological and functional correlates of behavioral activation and avoidance in schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 861-5 | 1.8 | 8 |
| 75 | PEAR model and sleep outcomes in dementia caregivers: influence of activity restriction and pleasant events on sleep disturbances. <i>International Psychogeriatrics</i> , 2011 , 23, 1462-9 | 3.4 | 15 |
| 74 | Cardiometabolic effects in caregivers of nursing home placement and death of their spouse with Alzheimer's disease. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 2037-44 | 5.6 | 24 |
| 73 | Integration of the pleasant events and activity restriction models: development and validation of a "PEAR" model of negative outcomes in Alzheimer's caregivers. <i>Behavior Therapy</i> , 2011 , 42, 78-88 | 4.8 | 26 |
| 72 | The relationship between self-efficacy and resting blood pressure in spousal Alzheimer's caregivers. <i>British Journal of Health Psychology</i> , 2011 , 16, 317-28 | 8.3 | 28 |

| | | | |
|----|---|------|-----|
| 71 | Methamphetamine use, attitudes about condoms, and sexual risk behavior among HIV-positive men who have sex with men. <i>Archives of Sexual Behavior</i> , 2011 , 40, 267-72 | 3.5 | 13 |
| 70 | A review of the psychobiology of dementia caregiving: a focus on resilience factors. <i>Current Psychiatry Reports</i> , 2011 , 13, 219-24 | 9.1 | 87 |
| 69 | Effects of Alzheimer caregiving on allostatic load. <i>Journal of Health Psychology</i> , 2011 , 16, 58-69 | 3.1 | 60 |
| 68 | | | |
| 67 | Relationship of the Brief UCSD Performance-based Skills Assessment (UPSA-B) to multiple indicators of functioning in people with schizophrenia and bipolar disorder. <i>Bipolar Disorders</i> , 2010 , 12, 45-55 | 3.8 | 95 |
| 66 | Social competence and observer-rated social functioning in bipolar disorder. <i>Bipolar Disorders</i> , 2010 , 12, 843-50 | 3.8 | 37 |
| 65 | Prediction of real-world functional disability in chronic mental disorders: a comparison of schizophrenia and bipolar disorder. <i>American Journal of Psychiatry</i> , 2010 , 167, 1116-24 | 11.9 | 336 |
| 64 | Problem behavior of dementia patients predicts low-grade hypercoagulability in spousal caregivers. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 1004-11 | 6.4 | 10 |
| 63 | Sleep and biomarkers of atherosclerosis in elderly Alzheimer caregivers and controls. <i>Gerontology</i> , 2010 , 56, 41-50 | 5.5 | 69 |
| 62 | Association between chronic caregiving stress and impaired endothelial function in the elderly. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 2599-606 | 15.1 | 72 |
| 61 | Psychometric properties of performance-based measurements of functional capacity: test-retest reliability, practice effects, and potential sensitivity to change. <i>Schizophrenia Research</i> , 2010 , 119, 246-52 | 3.6 | 61 |
| 60 | Measurement of functional capacity: a new approach to understanding functional differences and real-world behavioral adaptation in those with mental illness. <i>Annual Review of Clinical Psychology</i> , 2010 , 6, 139-54 | 20.5 | 38 |
| 59 | Mobile interventions for severe mental illness: design and preliminary data from three approaches. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 715-21 | 1.8 | 182 |
| 58 | UCSD SORT Test (U-SORT): Examination of a newly developed organizational skills assessment tool for severely mentally ill adults. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 916-9 | 1.8 | 1 |
| 57 | The Relationship Between Homework Compliance and Therapy Outcomes: An Updated Meta-Analysis. <i>Cognitive Therapy and Research</i> , 2010 , 34, 429-438 | 2.7 | 166 |
| 56 | The relationship between religiosity and health behaviors in female caregivers of older adults with dementia. <i>Aging and Mental Health</i> , 2009 , 13, 788-98 | 3.5 | 23 |
| 55 | A review of instruments for measuring functional recovery in those diagnosed with psychosis. <i>Schizophrenia Bulletin</i> , 2009 , 35, 307-18 | 1.3 | 100 |
| 54 | Persistent versus transient depressive symptoms in relation to platelet hyperactivation: a longitudinal analysis of dementia caregivers. <i>Journal of Affective Disorders</i> , 2009 , 116, 80-7 | 6.6 | 24 |

| | | | |
|----|---|------|-----|
| 53 | The moderating role of personal mastery on the relationship between caregiving status and multiple dimensions of fatigue. <i>International Journal of Geriatric Psychiatry</i> , 2009 , 24, 1453-62 | 3.9 | 21 |
| 52 | Specificity of cognitive and behavioral variables to positive and negative affect. <i>Behaviour Research and Therapy</i> , 2009 , 47, 608-15 | 5.2 | 17 |
| 51 | Effects of gender and dementia severity on Alzheimer's disease caregivers' sleep and biomarkers of coagulation and inflammation. <i>Brain, Behavior, and Immunity</i> , 2009 , 23, 605-10 | 16.6 | 50 |
| 50 | Physical and mental health-related quality of life among older people with schizophrenia. <i>Schizophrenia Research</i> , 2009 , 108, 207-13 | 3.6 | 52 |
| 49 | Predictors of safer sex intentions and protected sex among heterosexual HIV-negative methamphetamine users: an expanded model of the Theory of Planned Behavior. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2009 , 21, 17-24 | 2.2 | 40 |
| 48 | Longitudinal platelet reactivity to acute psychological stress among older men and women. <i>Stress</i> , 2009 , 12, 426-33 | 3 | 13 |
| 47 | Self-efficacy as a moderator of the relationship between care recipient memory and behavioral problems and caregiver depression in female dementia caregivers. <i>Alzheimer Disease and Associated Disorders</i> , 2009 , 23, 389-94 | 2.5 | 39 |
| 46 | Predictors of sexual risk reduction among Mexican female sex workers enrolled in a behavioral intervention study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 51 Suppl 1, S42-6 | 3.1 | 23 |
| 45 | Performance-based and subjective measures of functioning in middle-aged and older adults with bipolar disorder. <i>Journal of Nervous and Mental Disease</i> , 2009 , 197, 471-5 | 1.8 | 36 |
| 44 | Engagement in activities is associated with affective arousal in Alzheimer's caregivers: a preliminary examination of the temporal relations between activity and affect. <i>Behavior Therapy</i> , 2008 , 39, 366-74 | 4.8 | 39 |
| 43 | Usefulness of the UCSD performance-based skills assessment (UPSA) for predicting residential independence in patients with chronic schizophrenia. <i>Journal of Psychiatric Research</i> , 2008 , 42, 320-7 | 5.2 | 104 |
| 42 | The relationship between functional capacity and community responsibilities in middle-aged and older Latinos of Mexican origin with chronic psychosis. <i>Schizophrenia Research</i> , 2008 , 98, 209-16 | 3.6 | 21 |
| 41 | Neuropsychological substrates and everyday functioning implications of prospective memory impairment in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 106, 42-9 | 3.6 | 64 |
| 40 | Personal mastery is associated with reduced sympathetic arousal in stressed Alzheimer caregivers. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 310-7 | 6.5 | 39 |
| 39 | Is depression in Alzheimer's caregivers really due to activity restriction? A preliminary mediational test of the Activity Restriction Model. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2008 , 39, 459-66 | 2.6 | 43 |
| 38 | Measures of endothelial dysfunction in plasma of patients with posttraumatic stress disorder. <i>Psychiatry Research</i> , 2008 , 158, 363-73 | 9.9 | 74 |
| 37 | A 5-year longitudinal study of the relationships between stress, coping, and immune cell beta(2)-adrenergic receptor sensitivity. <i>Psychiatry Research</i> , 2008 , 160, 247-55 | 9.9 | 41 |
| 36 | Reducing emergency medical service use in patients with chronic psychotic disorders: results from the FAST intervention study. <i>Behaviour Research and Therapy</i> , 2008 , 46, 145-53 | 5.2 | 12 |

| | | | |
|----|---|------|-----|
| 35 | Effects of depressive and anxious symptoms on norepinephrine and platelet P-selectin responses to acute psychological stress among elderly caregivers. <i>Brain, Behavior, and Immunity</i> , 2008 , 22, 493-502 | 16.6 | 68 |
| 34 | Increased Framingham Coronary Heart Disease Risk Score in dementia caregivers relative to non-caregiving controls. <i>Gerontology</i> , 2008 , 54, 131-7 | 5.5 | 103 |
| 33 | Evaluation of a Culturally Tailored Skills Intervention for Latinos with Persistent Psychotic Disorders. <i>American Journal of Psychiatric Rehabilitation</i> , 2008 , 11, 61-75 | | 17 |
| 32 | Efficacy of a brief behavioral intervention to promote condom use among female sex workers in Tijuana and Ciudad Juarez, Mexico. <i>American Journal of Public Health</i> , 2008 , 98, 2051-7 | 5.1 | 101 |
| 31 | Relationship between functional capacity and community responsibility in patients with schizophrenia: differences between independent and assisted living settings. <i>Community Mental Health Journal</i> , 2008 , 44, 385-91 | 2.1 | 20 |
| 30 | Relation of morning serum cortisol to prothrombotic activity in women with stable coronary artery disease. <i>Journal of Thrombosis and Thrombolysis</i> , 2008 , 25, 165-72 | 5.1 | 24 |
| 29 | The moderating effect of personal mastery and the relations between stress and Plasminogen Activator Inhibitor-1 (PAI-1) antigen. <i>Health Psychology</i> , 2008 , 27, S172-9 | 5 | 33 |
| 28 | Treatments for patients with dual diagnosis: a review. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 513-36 | 3.7 | 64 |
| 27 | Efficacy of a behavioral intervention for increasing safer sex behaviors in HIV-negative, heterosexual methamphetamine users: results from the Fast-Lane Study. <i>Annals of Behavioral Medicine</i> , 2007 , 34, 263-74 | 4.5 | 43 |
| 26 | Development of a brief scale of everyday functioning in persons with serious mental illness. <i>Schizophrenia Bulletin</i> , 2007 , 33, 1364-72 | 1.3 | 292 |
| 25 | Symptoms of psychosis and depression in middle-aged and older adults with psychotic disorders: the role of activity satisfaction. <i>Aging and Mental Health</i> , 2007 , 11, 339-45 | 3.5 | 9 |
| 24 | The relationship between self-efficacy and cumulative health risk associated with health behavior patterns in female caregivers of elderly relatives with Alzheimer's dementia. <i>Journal of Aging and Health</i> , 2007 , 19, 946-64 | 2.6 | 56 |
| 23 | Depression and distress predict time to cardiovascular disease in dementia caregivers. <i>Health Psychology</i> , 2007 , 26, 539-44 | 5 | 119 |
| 22 | Relation of autonomic activity to plasminogen activator inhibitor-1 plasma concentration and the role of body mass index. <i>Blood Coagulation and Fibrinolysis</i> , 2007 , 18, 353-9 | 1 | 10 |
| 21 | Spousal caregivers of patients with Alzheimer's disease show longitudinal increases in plasma level of tissue-type plasminogen activator antigen. <i>Psychosomatic Medicine</i> , 2007 , 69, 816-22 | 3.7 | 28 |
| 20 | Combination of caregiving stress and hormone replacement therapy is associated with prolonged platelet activation to acute stress among postmenopausal women. <i>Psychosomatic Medicine</i> , 2007 , 69, 910-7 | 3.7 | 13 |
| 19 | Stress-related reduction in personal mastery is associated with reduced immune cell beta2-adrenergic receptor sensitivity. <i>International Psychogeriatrics</i> , 2007 , 19, 935-46 | 3.4 | 20 |
| 18 | Efficacy of a behavioral intervention for increasing safer sex behaviors in HIV-positive MSM methamphetamine users: results from the EDGE study. <i>Drug and Alcohol Dependence</i> , 2007 , 87, 249-57 | 4.9 | 98 |

| | | | |
|----|---|-----|-----|
| 17 | Effects of placement and bereavement on psychological well-being and cardiovascular risk in Alzheimer's caregivers: a longitudinal analysis. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 439-45 | 4.1 | 52 |
| 16 | The attenuating effect of personal mastery on the relations between stress and Alzheimer caregiver health: a five-year longitudinal analysis. <i>Aging and Mental Health</i> , 2007 , 11, 637-44 | 3.5 | 66 |
| 15 | Effect of Alzheimer caregiving stress and age on frailty markers interleukin-6, C-reactive protein, and D-dimer. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 963-9 | 6.4 | 135 |
| 14 | The moderating effect of self-efficacy on intervention response in women family caregivers of older adults with dementia. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 642-9 | 6.5 | 40 |
| 13 | Dementia severity of the care receiver predicts procoagulant response in Alzheimer caregivers. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 694-703 | 6.5 | 27 |
| 12 | Avoidant coping partially mediates the relationship between patient problem behaviors and depressive symptoms in spousal Alzheimer caregivers. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 299-306 | 6.5 | 64 |
| 11 | Functional adaptation skills training (FAST): a randomized trial of a psychosocial intervention for middle-aged and older patients with chronic psychotic disorders. <i>Schizophrenia Research</i> , 2006 , 86, 291-9 ^{3.6} | | 97 |
| 10 | Sleep disturbance, norepinephrine, and D-dimer are all related in elderly caregivers of people with Alzheimer disease. <i>Sleep</i> , 2006 , 29, 1347-52 | 1.1 | 52 |
| 9 | The role of stress hormones in the relationship between resting blood pressure and coagulation activity. <i>Journal of Hypertension</i> , 2006 , 24, 2409-16 | 1.9 | 25 |
| 8 | Personal mastery attenuates the effect of caregiving stress on psychiatric morbidity. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 132-4 | 1.8 | 29 |
| 7 | Depressive symptoms predict norepinephrine response to a psychological stressor task in Alzheimer's caregivers. <i>Psychosomatic Medicine</i> , 2005 , 67, 638-42 | 3.7 | 53 |
| 6 | Development and pilot testing of a new psychosocial intervention for older Latinos with chronic psychosis. <i>Schizophrenia Bulletin</i> , 2005 , 31, 922-30 | 1.3 | 62 |
| 5 | Ethnicity and time to institutionalization of dementia patients: a comparison of Latina and Caucasian female family caregivers. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 1077-84 | 5.6 | 109 |
| 4 | Effective Recruitment Strategies for Latino and Caucasian Dementia Family Caregivers in Intervention Research. <i>American Journal of Geriatric Psychiatry</i> , 2004 , 12, 484-490 | 6.5 | 27 |
| 3 | Treatment options for improving wellbeing in dementia family caregivers: The case for psychoeducational interventions. <i>Clinical Psychologist</i> , 2003 , 7, 21-31 | 1.6 | 5 |
| 2 | Performance-based measures of functioning in schizophrenia ²⁴⁷⁻²⁶⁵ | | |
| 1 | An upward cycle: examining bidirectional relationships between everyday activities and momentary affective well-being in caregivers. <i>Journal of Positive Psychology</i> , 1-11 | 3.2 | 0 |