

# Laura Koeth

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8562830/publications.pdf>

Version: 2024-02-01

9  
papers

124  
citations

1478505

6  
h-index

1474206

9  
g-index

9  
all docs

9  
docs citations

9  
times ranked

164  
citing authors

| # | ARTICLE  | IF  | CITATIONS |
|---|--|-----|-----------|
| 1 | Factors Influencing Broth Microdilution Antimicrobial Susceptibility Test Results for Dalbavancin, a New Glycopeptide Agent. <i>Journal of Clinical Microbiology</i> , 2007, 45, 3151-3154.  | 3.9 | 42        |
| 2 | Comparison of cation-adjusted Mueller-Hinton broth with Iso-Sensitest broth for the NCCLS broth microdilution method. <i>Journal of Antimicrobial Chemotherapy</i> , 2000, 46, 369-376.  | 3.0 | 29        |
| 3 | Effects of Various Test Media on the Activities of 21 Antimicrobial Agents against <i>Haemophilus influenzae</i> . <i>Journal of Clinical Microbiology</i> , 2002, 40, 3269-3276.  | 3.9 | 15        |
| 4 | Analysis of MIC and Disk Diffusion Testing Variables for Gepotidacin and Comparator Agents against Select Bacterial Pathogens. <i>Journal of Clinical Microbiology</i> , 2017, 55, 1767-1777.  | 3.9 | 9         |
| 5 | Determination of moxifloxacin anaerobic susceptibility breakpoints according to the Clinical and Laboratory Standards Institute guidelines. <i>Diagnostic Microbiology and Infectious Disease</i> , 2008, 61, 49-57.   | 1.8 | 8         |
| 6 | Comparison of daptomycin Etest MICs on Mueller Hinton, IsoSensitest and brain heart infusion agars from Europe against 20 <i>Staphylococcus aureus</i> isolates. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2010, 29, 1261-1264. | 2.9 | 8         |
| 7 | Development of EUCAST zone diameter breakpoints and quality control range for <i>Staphylococcus aureus</i> with ceftaroline 5-1¼g disk. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014, 33, 1511-1517.                          | 2.9 | 6         |
| 8 | Development of EUCAST zone diameter breakpoints and quality control criteria for ceftazidime-avibactam 10-4¼g. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018, 37, 1047-1053.   | 2.9 | 4         |
| 9 | Multi-lab comparison of omadacycline MIC Test Strip to broth microdilution MIC against Gram-negative, Gram-positive and fastidious bacteria. <i>Journal of Clinical Microbiology</i> , 2021, , JCM0141021.   | 3.9 | 3         |