Mithat Kaya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8565131/publications.pdf

Version: 2024-02-01

47006 53230 9,407 233 47 citations h-index papers

g-index 235 235 235 8079 docs citations times ranked citing authors all docs

85

#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
3	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	3.9	355
4	Observation of a new boson with mass near 125 GeV in pp collisions at $q=125$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
5	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
6	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $q=0.9\$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	4.7	230
7	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
8	Measurement of the differential cross section for top quark pair production in pp collisions at $s=0$, $s=0$ for the production of the differential cross section for top quark pair production in pp collisions at $s=0$,	3.9	191
9			

#	Article	IF	CITATIONS
19	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
20	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $q=0$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
21	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
22	Performance of the CMS Level-1 trigger in proton-proton collisions at $\hat{a}\hat{s}<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>$	1.2	84
23	Measurement of the single-top-quark t-channel cross section in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	83
24	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	3.9	83
25	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
26	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	3.9	78
27	Measurement of the t-channel single-top-quark production cross section and of the $ Vtb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
28	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	3.9	70
29	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
30	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
31	Measurement of the $f_{t}=0$ Measurement of $f_{t}=0$ Measurement of the $f_{t}=0$ Measurement of $f_{t}=0$	3.9	68
32	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	66
33	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
34	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
35	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578.	3.9	57
36	Event activity dependence of $Y $ (nS) production in $\frac{1}{s} = 5.02$ TeV pPb and $\frac{1}{s} = 2.76$ TeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	56

#	Article	IF	CITATIONS
37	Measurement of masses in the $mathrm{t}$ overline $mathrm{t}$ \$ system by kinematic endpoints in pp collisions at $q=0.013, 73, 2494.$	3.9	55
38	Measurement of the double-differential inclusive jet cross section in protonâ \in "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	3.9	55
39	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
40	Search for charged Higgs bosons in the H± â†' \ddot{l} ,±ν \ddot{l} , decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
41	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
42	Measurement of prompt and nonprompt $\frac{J}{psi} $ production in $\frac{p}{mathrm \{p\}}$ p p and $\frac{p}{mathrm \{p\}}$ p Pb collisions at $\frac{s}{r}$ nathrm $\frac{NN}{} = 5.02$, ext $\frac{TeV}{s}$ s. European Physical Journal C, 2017, 77, 269.	3.9	53
43	Measurement of double-differential cross sections for top quark pair production in pp collisions at $$$ sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
44	Measurements of the $\$ mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p ↠Z Z production cross section and the $\$ mathrm{Z}ightarrow 4ell \$\$ Z ↠4 â,," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
45	First measurement of the underlying event activity atÂtheÂLHCÂwith \$sqrt{s} = 0.9\$ ÂTeV. European Physical Journal C, 2010, 70, 555-572.	3.9	50
46	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
47	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ sqrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$. European Physical Journal C, 2019, 79, 564.	3.9	50
48	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	3.9	48
49	Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
50	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ quark{s}=13,ext {Te}ext {V} $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46
51	Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ \in proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
52	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in protonâ \in proton collisions at $\frac{1}{s} = 8$, ext TeV $s = 8$ TeV. European Physical Journal C, 2015, 75, 325.	3.9	43
53	Search for natural and split supersymmetry in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	4.7	43
54	Search for vector-like T and B quark pairs in final states with leptons at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42

#	Article	IF	CITATIONS
55	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the ell/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
56	Measurement of the $\frac{t}{\text{mathrm}\{t}}$ where $\frac{1}{t}$ is all-jets final state in pp collisions at $\frac{1}{t}$ is $\frac{1}{t}$ in $\frac{1}{t}$	3.9	41
57	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
58	Measurement of properties of \$\$ {mathrm{B}}_{{mathrm{s}}}^0 \$\$a†' $1^{1}/4+1^{1}/4$ a^' decays and search for BOa†' $1^{1}/4+1$ with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	1/4â^' 4.7	41
59	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	41
60	Measurement of the $\frac{t}{\sigma}$ mathrm{t}overline{mathrm{t}} \$\$ t t \hat{A}^- production cross section using events in the \$\$mathrm {e}mu \$\$ e \hat{I} 4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
61	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	3.9	40
62	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
63	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	40
64	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\$$ sqrt $\{s\} = 13$,ext $\{Te\}$ ext $\{V\}$ $\$$. European Physical Journal C, 2021, 81, 378.	3.9	40
65	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $$$ sqrt $\{s\}$ $$$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
66	Measurement of differential cross sections for $\{Z\}$ V boson production in association with jets in proton-proton collisions at $\{S\} = 13$, ext $\{TeV\}$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.	3.9	39
67	Measurement of the top-quark mass in $\mbox{mathrm{t}}\$ events with lepton+jets final states in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
68	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ \$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	3.9	38
69	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\} = 13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.	3.9	38
70	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying i, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
71	Measurement of the WZ production cross section in pp collisions at $\$$ sqrt $\{s\} = 7$ \$\$ s = 7 and 8 $\$$ s,ext $\{TeV\}$ \$\$ TeV and search for anomalous triple gauge couplings at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
72	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	37

#	Article	IF	CITATIONS
73	Measurement of the Drell-Yan cross section in pp collisions at sqrt s} = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	36
74	Measurement of the top-quark mass in all-jets $\frac{t}{ar}$ t t \hat{A} events in pp collisions at $\frac{\hat{A}}{s}$ s = 7 TeV. European Physical Journal C, 2014, 74, 2758.	3.9	35
75	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt $\{s\}=7$ \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
76	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	35
77	Measurement of exclusive $\mbox{smathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	3.9	35
78	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
79	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
80	Measurement of \$\$mathrm {t}overline{mathrm {t}}\$\$ t t \hat{A}^- production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34
81	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm $\{p\}$ \$\$\$mathrm $\{p\}$ \$\$ collisions at \$\$sqrt $\{s\}$ =13,ext $\{TeV\}$ \$\$. European Physical Journal C, 2018, 78, 891.	3.9	34
82	Search for single production of vector-like quarks decaying to a top quark and a $\$ mathrm $\{W\}$ \$\ W boson in protonâ\(\xi\)" proton collisions at \$\\$sqrt\{s} = 13 ,ext \{TeV\} \$\\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34
83	Measurement of the underlying event in the Drell–Yan process in proton–proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	33
84	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
85	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \ddot{l} , leptons and two jets in proton-proton collisions at \$\$ q^{1} sqrt(s)=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	33
86	Measurement of exclusive $\{\{\{uprho_{}^{}\}\}_{}^{}\}\{\{left(\{770\}ight)\}\{\}_{}^{}\}\}\}$ $\{0\}$ \$\$\$photoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.	3.9	33
87	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	3.9	33
88	Search for top squark pair production using dilepton final states in $\{p\}$ {ext $\{p\}$ } \$ collision data collected at $\{p\}$ = 13,ext $\{e\}$ \$. European Physical Journal C, 2021, 81, 3.	3.9	33
89	Measurement of \$\$hbox {t}{ar{hbox {t}}}\$\$ normalised multi-differential cross sections in \$\${ext {p}}{ext {p}}\$\$ collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C. 2020, 80, 1.	3.9	33
90	Measurement of the triple-differential cross section for photon $+$ jets production in proton-proton collisions at sqrts= 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	31

#	Article	IF	CITATIONS
91	Measurement of electroweak production of two jets in association with a Z boson in protonâ \in "proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	3.9	31
92	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
93	A multi-dimensional search for new heavy resonances decaying to boosted $\$ w \{\}{\}\\$\\$ \\$\ \ \ \\ \\ \\ \\ \\ \\ \\ \\ \\	3.9	31
94	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ \hat{a} ," \hat{l} /2 b b \hat{A} final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30
95	Measurements of the associated production of a Z boson and b jets in pp collisions at $\{q=0\}$ = 8,ext $\{q=0\}$ \$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
96	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ T} $\$$ \$ \hat{I} ± T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
97	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
98	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
99	Measurements of $\$ mathrm{t}overline{mathrm{t}} \$\$ differential cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
100	Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
101	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
102	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
103	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27
104	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a}\hat{s}< i>s< i> = 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
105	Search for new neutral Higgs bosons through the $\$ mathrm{H}0 mathrm{ZA}0 {ell}^{+}{ell}^{-}mathrm{b}overline{mathrm{b}} \$\$ process in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	27
106	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
107	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	26
108	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	26

#	Article	IF	Citations
109	Measurement of energy flow at large pseudorapidities in pp collisions at $\$$ sqrt $\$$ = 0. $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
110	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	25
111	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	25
112	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
113	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24
114	Measurements of $f^{p} {\mathrm{p}} {\mathrm{p}}$	3.9	24
115	Search for resonant $\$ mathrm{t}overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	23
116	Search for a light pseudoscalar Higgs boson in the boosted $1/41/4$ ",,", final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	23
117	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\frac{1}{s}=13$, {ext {TeV}} \$\$. European Physical Journal C, 2020, 80, 752.	3.9	23
118	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
119	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
120	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{}^{}\$\$ lepton in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	3.9	22
121	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	3.9	22
122	Search for supersymmetry in events with a $\ddot{\ }$, lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
123	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21
124	Search for rare decays of \$\$mathrm {Z}\$\$ Z and Higgs bosons to \$\${mathrm {J}/psi } \$\$ J / $\ddot{\Gamma}$ and a photon in proton-proton collisions at \$\$sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	3.9	20
125	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
126	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV and constraints on anomalous quartic couplings. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20

#	Article	IF	Citations
127	A search for the standard model Higgs boson decaying to charm quarks. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
128	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
129	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	3.9	19
130	Measurement of normalized differential $\mbox{mathrm{t}}\$ mathrm{t} verline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ $\mbox{sqrt{s}}=13 $ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
131	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt{s} = 13,ext {TeV} $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	3.9	18
132	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
133	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	3.9	18
134	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	3.9	18
135	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
136	Probing color coherence effects in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.	3.9	17
137	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
138	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
139	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
140	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	3.9	17
141	Electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17
142	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
143	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
144	Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	3.9	16

#	Article	IF	CITATIONS
145	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{ $s}=8$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
146	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
147	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
148	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s. European Physical Journal C, 2019, 79, 886.	3.9	16
149	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
150	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
151	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
152	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $1\frac{1}{4}$, and e, in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	15
153	Search for anomalous triple gauge couplings in WW and WZ production in lepton $+$ jet events in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
154	Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
155	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13~$ \$\$ sqrt $s=13~$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
156	Measurements of the pp \hat{a} †' WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
157	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
158	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
159	Search for electroweak production of a vector-like T quark using fully hadronic final states. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
160	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
161	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
162	Search for long-lived particles decaying to leptons with large impact parameter in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2022, 82, 153.	3.9	14

#	Article	IF	CITATIONS
163	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
164	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ $q^2 = 13$ \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
165	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
166	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
167	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
168	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	13
169	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
170	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$sqrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	3.9	12
171	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
172	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\$$ sqrt $\{s\}=13$,ext $\{TeV\}$ $\$$. European Physical Journal C, 2019, 79, 893.	3.9	12
173	Investigation into the event-activity dependence of \ddot{l} (nS) relative production in proton-proton collisions at \$\$ sqrt{s} \$\$ = 7 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
174	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
175	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	12
176	Search for electroweak production of charginos in final states with two \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
177	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
178	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
179	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	3.9	11
180	Search for nonresonant Higgs boson pair production in the \$\$ mathrm{b}overline{mathrm{b}} \$\$ final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11

#	Article	IF	CITATIONS
181	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	3.9	11
182	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
183	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	3.9	11
184	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
185	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $$$ sqrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	3.9	10
186	Search for resonances decaying to a pair of Higgs bosons in the b\$\$ overline{mathrm{b}} \$\$q\$\$ overline{mathrm{q}} \$\$a€™â,,"ν final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	10
187	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
188	Evidence for $\$$ ext $\{W\}$ production from double-parton interactions in protonal collisions at $\$$ sqrt $\{s\}$ = 13 ,ext $\{TeV\}$ \$\$. European Physical Journal C, 2020, 80, 1.	3.9	10
189	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13~hbox $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	3.9	9
190	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	3.9	9
191	Search for a low-mass Ï"â^Ï"+ resonance in association with a bottom quark in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
192	Search for a heavy vector resonance decaying to a $f(Z)_{\mathrm{S}}^{\mathrm{S}} = 13$, where $f(Z)_{\mathrm{S}}^{\mathrm$	3.9	9
193	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
194	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$, ext $f(x) = 13$,	3.9	8
195	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
196	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV via Higgs boson decays to \ddot{i} , leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	7
197	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$$ sqrt{s} = 5.02 $\$$ and 13TeV. European Physical Journal C, 2020, 80, 718.	3.9	7
198	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7

#	Article	IF	CITATIONS
199	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13~$ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
200	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
201	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\$ mathrm{p}mathrm{p}\$\$ collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 969.	3.9	6
202	Search for decays of the 125 GeV Higgs boson into a Z boson and a ϕor ϕ meson. Journal of High Energy Physics, 2020, 2020, 1.	4.7	6
203	Determination of the strong coupling constant $\hat{l}\pm S(mZ)$ from measurements of inclusive W± and Z boson production cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 7 and 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	6
204	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
205	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
206	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
207	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
208	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
209	Search for a W′ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
210	Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{l}\sqrt{4}\hat{a}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
211	Measurement of the cross section for $\$ mathrm{t}overline{mathrm{t}} \$\$ production with additional jets and b jets in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	5
212	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV. , 2011, 2011, 1.		5
213	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
214	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	4.7	5
215	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$\$$ sqrt $\$\$ = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
216	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	3.9	4

#	Article	IF	Citations
217	The production of isolated photons in PbPb and pp collisions at $\$$ sqrt $\{s_{NN}\}$ \$\\$ = 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
218	Search for supersymmetry in proton-proton collisions at $\$\$ \cdot \$ = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
219	Search for supersymmetry using Higgs boson to diphoton decays at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	4
220	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	4
221	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
222	Inclusive search for supersymmetry in pp collisions at $\$\$ $ sqrt $\{s\}=13 \$\$ $ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
223	Search for excited leptons in \hat{a} , " \hat{a} ," " \hat{a} " final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
224	Calibration of the CMS hadron calorimeters using proton-proton collision data at \hat{a} is = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	1.2	3
225	Study of the $\$ {mathrm{B}}^{+}o mathrm{J}/uppsi overline{Lambda}mathrm{p} \$\$ decay in proton-proton collisions at \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
226	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	2
227	Measurement of the top quark pair production cross section in dilepton final states containing one \ddot{l} , lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	2
228	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
229	Measurement of the inclusive $\mbox{mathrm{t}}\$ mathrm{t} sproduction cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
230	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2
231	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	1
232	Study of dijet events with large rapidity separation in proton-proton collisions at $\$\$ \cdot \$ = 2.76$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
233	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	3.9	1