

Inna M Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8565455/publications.pdf>

Version: 2024-02-01

26
papers

444
citations

840585

11
h-index

752573

20
g-index

26
all docs

26
docs citations

26
times ranked

593
citing authors

#	ARTICLE	IF	CITATIONS
1	Checkpoint inhibitors in pancreatic cancer. <i>Cancer Treatment Reviews</i> , 2019, 78, 17-30.	3.4	146
2	Clinical value of serum hyaluronan and propeptide of type III collagen in patients with pancreatic cancer. <i>International Journal of Cancer</i> , 2020, 146, 2913-2922.	2.3	41
3	Effects of a 12-Week Multimodal Exercise Intervention Among Older Patients with Advanced Cancer: Results from a Randomized Controlled Trial. <i>Oncologist</i> , 2022, 27, 67-78.	1.9	30
4	Randomized Phase II Study of Nivolumab With or Without Ipilimumab Combined With Stereotactic Body Radiotherapy for Refractory Metastatic Pancreatic Cancer (CheckPAC). <i>Journal of Clinical Oncology</i> , 2022, 40, 3180-3189.	0.8	29
5	Ultrasensitive plasma ctDNA <i>KRAS</i> assay for detection, prognosis, and assessment of therapeutic response in patients with unresectable pancreatic ductal adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 97769-97786.	0.8	28
6	Noninvasive prognostic biomarker potential of quantifying the propeptides of Type XI collagen alpha1 chain (PRO α 1) in patients with pancreatic ductal adenocarcinoma. <i>International Journal of Cancer</i> , 2021, 149, 228-238.	2.3	21
7	Prognostic impact of Charlson's Age-Comorbidity Index and other risk factors in patients with pancreatic cancer. <i>European Journal of Cancer Care</i> , 2020, 29, e13219.	0.7	19
8	Pre-treatment serum vitamin D deficiency is associated with increased inflammatory biomarkers and short overall survival in patients with pancreatic cancer. <i>European Journal of Cancer</i> , 2021, 144, 72-80.	1.3	17
9	Collagen Biomarkers Quantify Fibroblast Activity In Vitro and Predict Survival in Patients with Pancreatic Ductal Adenocarcinoma. <i>Cancers</i> , 2022, 14, 819.	1.7	17
10	Seeding after ultrasound-guided percutaneous biopsy of liver metastases in patients with colorectal or breast cancer. <i>Acta Oncologica</i> , 2016, 55, 638-643.	0.8	16
11	Circulating Protein Biomarkers for Use in Pancreatic Ductal Adenocarcinoma Identification. <i>Clinical Cancer Research</i> , 2021, 27, 2592-2603.	3.2	14
12	Prognostic Value of Combined Detection of Serum IL6, YKL-40, and C-reactive Protein in Patients with Unresectable Pancreatic Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 176-184.	1.1	12
13	Fibrotic activity quantified in serum by measurements of type III collagen pro-peptides can be used for prognosis across different solid tumor types. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, 204.	2.4	12
14	Type XX Collagen Is Elevated in Circulation of Patients with Solid Tumors. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4144.	1.8	11
15	Engaging the older cancer patient; Patient Activation through Counseling, Exercise and Mobilization in Pancreatic, Biliary tract and Lung cancer (PACE-Mobil-PBL) - study protocol of a randomized controlled trial. <i>BMC Cancer</i> , 2018, 18, 934.	1.1	9
16	Inflammatory Biomarker Score Identifies Patients with Six-Fold Increased Risk of One-Year Mortality after Pancreatic Cancer. <i>Cancers</i> , 2021, 13, 4599.	1.7	5
17	Circulating Protein Biomarkers for Prognostic Use in Patients with Advanced Pancreatic Ductal Adenocarcinoma Undergoing Chemotherapy. <i>Cancers</i> , 2022, 14, 3250.	1.7	4
18	Long-term results after resection of primary duodenal adenocarcinoma: A retrospective cohort study. <i>International Journal of Surgery</i> , 2022, 100, 106599.	1.1	3

#	ARTICLE	IF	CITATIONS
19	Chitooligosaccharides Improve the Efficacy of Checkpoint Inhibitors in a Mouse Model of Lung Cancer. <i>Pharmaceutics</i> , 2022, 14, 1046.	2.0	3
20	Lack of association of CD44-rs353630 and CHI3L2-rs684559 with pancreatic ductal adenocarcinoma survival. <i>Scientific Reports</i> , 2021, 11, 7570.	1.6	2
21	A Randomized Placebo-Controlled Phase 2 Study of Gemcitabine and Capecitabine with or without T-ChOS as Adjuvant Therapy in Patients with Resected Pancreatic Cancer (CHIPAC). <i>Pharmaceutics</i> , 2022, 14, 509.	2.0	2
22	Abstract 523: Type XX collagen is elevated in circulation of patients with solid tumors and high levels are associated with higher overall mortality in pancreatic cancer. <i>Cancer Research</i> , 2022, 82, 523-523.	0.4	2
23	Prognostic and diagnostic value of serum hyaluronan in patients with pancreatic carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, e16249-e16249.	0.8	1
24	Response to the letter entitled: Re: Pre-treatment serum vitamin D deficiency is associated with increased inflammatory biomarkers and short overall survival in patients with pancreatic cancer. <i>European Journal of Cancer</i> , 2021, 158, 248-250.	1.3	0
25	Prognostic value of serum interleukin-6 and YKL-40 and systemic inflammatory response in patients with unresectable pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 267-267.	0.8	0
26	Prognostic biomarker potential of quantifying endotrophin in serum from pancreas cancer patients.. <i>Journal of Clinical Oncology</i> , 2020, 38, e16804-e16804.	0.8	0