

Maria Camacho

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8565492/maria-camacho-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

1,482
citations

25
h-index

35
g-index

58
ext. papers

1,738
ext. citations

6.7
avg, IF

4.33
L-index

#	Paper	IF	Citations
58	Postmortem investigations on leatherback sea turtles (<i>Dermochelys coriacea</i>) stranded in the Canary Islands (Spain) (1998-2017): Evidence of anthropogenic impacts. <i>Marine Pollution Bulletin</i> , 2021 , 167, 112340	6.7	0
57	Organic pollutants in marine plastic debris from Canary Islands beaches. <i>Science of the Total Environment</i> , 2019 , 662, 22-31	10.2	84
56	Occurrence of 44 elements in human cord blood and their association with growth indicators in newborns. <i>Environment International</i> , 2018 , 116, 43-51	12.9	35
55	Supplemental feeding and other anthropogenic threats to green turtles (<i>Chelonia mydas</i>) in the Canary Islands. <i>Science of the Total Environment</i> , 2018 , 621, 1000-1011	10.2	10
54	Pattern of blood concentrations of 47 elements in two populations from the same geographical area but with different geological origin and lifestyles: Canary Islands (Spain) vs. Morocco. <i>Science of the Total Environment</i> , 2018 , 636, 709-716	10.2	15
53	Reduction of persistent and semi-persistent organic pollutants in fillets of farmed European seabass (<i>Dicentrarchus labrax</i>) fed low fish oil diets. <i>Science of the Total Environment</i> , 2018 , 643, 1239-1247	10.2	7
52	Consumption of organic meat does not diminish the carcinogenic potential associated with the intake of persistent organic pollutants (POPs). <i>Environmental Science and Pollution Research</i> , 2017 , 24, 4261-4273	5.1	19
51	Comparative analysis of selected semi-persistent and emerging pollutants in wild-caught fish and aquaculture associated fish using Bogue (<i>Boops boops</i>) as sentinel species. <i>Science of the Total Environment</i> , 2017 , 581-582, 199-208	10.2	25
50	Simvastatin down-regulates differential genetic profiles produced by organochlorine mixtures in primary breast cell (HMEC). <i>Chemico-Biological Interactions</i> , 2017 , 268, 85-92	5	2
49	Determinants of increasing serum POPs in a population at high risk for cardiovascular disease. Results from the PREDIMED-CANARIAS study. <i>Environmental Research</i> , 2017 , 156, 477-484	7.9	23
48	Simultaneous quantification of 49 elements associated to e-waste in human blood by ICP-MS for routine analysis. <i>MethodsX</i> , 2017 , 4, 328-334	1.9	15
47	Ethanol levels in legally autopsied subjects: Analytical approach and epidemiological relevance in a prospective study in the touristic region of the Canary Islands (Spain). <i>Journal of Clinical Forensic and Legal Medicine</i> , 2017 , 52, 40-45	1.7	2
46	Blood levels of toxic metals and rare earth elements commonly found in e-waste may exert subtle effects on hemoglobin concentration in sub-Saharan immigrants. <i>Environment International</i> , 2017 , 109, 20-28	12.9	42
45	Study of the influencing factors of the blood levels of toxic elements in Africans from 16 countries. <i>Environmental Pollution</i> , 2017 , 230, 817-828	9.3	17
44	Persistent organic pollutants and risk of diabetes and obesity on healthy adults: Results from a cross-sectional study in Spain. <i>Science of the Total Environment</i> , 2017 , 607-608, 1096-1102	10.2	22
43	The heartworm (<i>Dirofilaria immitis</i>) seems to be able to metabolize organochlorine pesticides and polychlorinated biphenyls: A case-control study in dogs. <i>Science of the Total Environment</i> , 2017 , 575, 1445-1452	10.2	6
42	Comparative study of the intake of toxic persistent and semi persistent pollutants through the consumption of fish and seafood from two modes of production (wild-caught and farmed). <i>Science of the Total Environment</i> , 2017 , 575, 919-931	10.2	27

41	Potential Role of Pet Cats As a Sentinel Species for Human Exposure to Flame Retardants. <i>Frontiers in Veterinary Science</i> , 2017 , 4, 79	3.1	18
40	Different pattern of contamination by legacy POPs in two populations from the same geographical area but with completely different lifestyles: Canary Islands (Spain) vs. Morocco. <i>Science of the Total Environment</i> , 2016 , 541, 51-57	10.2	22
39	Are pet dogs good sentinels of human exposure to environmental polycyclic aromatic hydrocarbons, organochlorine pesticides and polychlorinated biphenyls?. <i>Journal of Applied Animal Research</i> , 2016 , 44, 135-145	1.7	14
38	Rate of exposure of a sentinel species, invasive American mink (<i>Neovison vison</i>) in Scotland, to anticoagulant rodenticides. <i>Science of the Total Environment</i> , 2016 , 569-570, 1013-1021	10.2	25
37	Relationship of polychlorinated biphenyls (PCBs) with parasitism, iron homeostasis, and other health outcomes: Results from a cross-sectional study on recently arrived African immigrants. <i>Environmental Research</i> , 2016 , 150, 549-556	7.9	6
36	Causes of Stranding and Mortality, and Final Disposition of Loggerhead Sea Turtles (<i>Caretta caretta</i>) Admitted to a Wildlife Rehabilitation Center in Gran Canaria Island, Spain (1998-2014): A Long-Term Retrospective Study. <i>PLoS ONE</i> , 2016 , 11, e0149398	3.7	29
35	Assessment of human health hazards associated with the dietary exposure to organic and inorganic contaminants through the consumption of fishery products in Spain. <i>Science of the Total Environment</i> , 2016 , 557-558, 808-18	10.2	39
34	Estimated exposure to EU regulated mycotoxins and risk characterization of aflatoxin-induced hepatic toxicity through the consumption of the toasted cereal flour called "gofio", a traditional food of the Canary Islands (Spain). <i>Food and Chemical Toxicology</i> , 2016 , 93, 73-81	4.7	16
33	Influence of parasitism in dogs on their serum levels of persistent organochlorine compounds and polycyclic aromatic hydrocarbons. <i>Science of the Total Environment</i> , 2016 , 562, 128-135	10.2	12
32	The assessment of daily dietary intake reveals the existence of a different pattern of bioaccumulation of chlorinated pollutants between domestic dogs and cats. <i>Science of the Total Environment</i> , 2015 , 530-531, 45-52	10.2	26
31	Plasma levels of pollutants are much higher in loggerhead turtle populations from the Adriatic Sea than in those from open waters (Eastern Atlantic Ocean). <i>Science of the Total Environment</i> , 2015 , 523, 161-9	10.2	34
30	Daily intake of anthropogenic pollutants through yogurt consumption in the Spanish population. <i>Journal of Applied Animal Research</i> , 2015 , 43, 373-383	1.7	12
29	In vitro evaluation of oestrogenic/androgenic activity of the serum organochlorine pesticide mixtures previously described in a breast cancer case-control study. <i>Science of the Total Environment</i> , 2015 , 537, 197-202	10.2	17
28	Continued implication of the banned pesticides carbofuran and aldicarb in the poisoning of domestic and wild animals of the Canary Islands (Spain). <i>Science of the Total Environment</i> , 2015 , 505, 1093-9	10.2	65
27	Acid-Base and Plasma Biochemical Changes Using Crystalloid Fluids in Stranded Juvenile Loggerhead Sea Turtles (<i>Caretta caretta</i>). <i>PLoS ONE</i> , 2015 , 10, e0132217	3.7	15
26	Exposure to polycyclic aromatic hydrocarbons (PAHs) and bladder cancer: evaluation from a gene-environment perspective in a hospital-based case-control study in the Canary Islands (Spain). <i>International Journal of Occupational and Environmental Health</i> , 2015 , 21, 23-30		30
25	Validated analytical methodology for the simultaneous determination of a wide range of pesticides in human blood using GC-MS/MS and LC-ESI/MS/MS and its application in two poisoning cases. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2015 , 55, 307-15	2	29
24	An estimation of the carcinogenic risk associated with the intake of multiple relevant carcinogens found in meat and charcuterie products. <i>Science of the Total Environment</i> , 2015 , 514, 33-41	10.2	23

23	Monitoring serum PCB levels in the adult population of the Canary Islands (Spain). <i>AIMS Environmental Science</i> , 2015 , 2, 345-352	1.9	
22	Methodology for the identification of 117 pesticides commonly involved in the poisoning of wildlife using GC-MS-MS and LC-MS-MS. <i>Journal of Analytical Toxicology</i> , 2014 , 38, 155-63	2.9	28
21	Assessment of anticoagulant rodenticide exposure in six raptor species from the Canary Islands (Spain). <i>Science of the Total Environment</i> , 2014 , 485-486, 371-376	10.2	43
20	Assessment of current dietary intake of organochlorine contaminants and polycyclic aromatic hydrocarbons in killer whales (<i>Orcinus orca</i>) through direct determination in a group of whales in captivity. <i>Science of the Total Environment</i> , 2014 , 472, 1044-51	10.2	11
19	Blood pressure in relation to contamination by polychlorobiphenyls and organochlorine pesticides: Results from a population-based study in the Canary Islands (Spain). <i>Environmental Research</i> , 2014 , 135, 48-54	7.9	37
18	Socioeconomic development as a determinant of the levels of organochlorine pesticides and PCBs in the inhabitants of Western and Central African countries. <i>Science of the Total Environment</i> , 2014 , 497-498, 97-105	10.2	27
17	Monitoring organic and inorganic pollutants in juvenile live sea turtles: results from a study of <i>Chelonia mydas</i> and <i>Eretmochelys imbricata</i> in Cape Verde. <i>Science of the Total Environment</i> , 2014 , 481, 303-10	10.2	67
16	Influence of the rehabilitation of injured loggerhead turtles (<i>Caretta caretta</i>) on their blood levels of environmental organic pollutants and elements. <i>Science of the Total Environment</i> , 2014 , 487, 436-42	10.2	22
15	Consumption of foods of animal origin as determinant of contamination by organochlorine pesticides and polychlorobiphenyls: results from a population-based study in Spain. <i>Chemosphere</i> , 2014 , 114, 121-8	8.4	40
14	Assessment of the exposure to organochlorine pesticides, PCBs and PAHs in six species of predatory birds of the Canary Islands, Spain. <i>Science of the Total Environment</i> , 2014 , 472, 146-53	10.2	57
13	Assessment of the levels of polycyclic aromatic hydrocarbons and organochlorine contaminants in bottlenose dolphins (<i>Tursiops truncatus</i>) from the Eastern Atlantic Ocean. <i>Marine Environmental Research</i> , 2014 , 100, 48-56	3.3	22
12	Potential adverse health effects of persistent organic pollutants on sea turtles: evidences from a cross-sectional study on Cape Verde loggerhead sea turtles. <i>Science of the Total Environment</i> , 2013 , 458-460, 283-9	10.2	66
11	Pansteatitis associated with high levels of polychlorinated biphenyls in a wild loggerhead sea turtle <i>Caretta caretta</i> . <i>Diseases of Aquatic Organisms</i> , 2013 , 102, 237-42	1.7	12
10	Comparative study of organohalogen contamination between two populations of Eastern Atlantic loggerhead sea turtles (<i>Caretta caretta</i>). <i>Bulletin of Environmental Contamination and Toxicology</i> , 2013 , 91, 678-83	2.7	14
9	Potential adverse effects of inorganic pollutants on clinical parameters of loggerhead sea turtles (<i>Caretta caretta</i>): results from a nesting colony from Cape Verde, West Africa. <i>Marine Environmental Research</i> , 2013 , 92, 15-22	3.3	48
8	Crude oil as a stranding cause among loggerhead sea turtles (<i>Caretta caretta</i>) in the Canary Islands, Spain (1998-2011). <i>Journal of Wildlife Diseases</i> , 2013 , 49, 637-40	1.3	16
7	Metabolic and respiratory status of stranded juvenile loggerhead sea turtles (<i>Caretta caretta</i>): 66 cases (2008-2009). <i>Journal of the American Veterinary Medical Association</i> , 2013 , 242, 396-401	1	18
6	Levels of organochlorine contaminants in organic and conventional cheeses and their impact on the health of consumers: an independent study in the Canary Islands (Spain). <i>Food and Chemical Toxicology</i> , 2012 , 50, 4325-32	4.7	32

5	Comparative study of polycyclic aromatic hydrocarbons (PAHs) in plasma of Eastern Atlantic juvenile and adult nesting loggerhead sea turtles (<i>Caretta caretta</i>). <i>Marine Pollution Bulletin</i> , 2012 , 64, 1974-80	6.7	53
4	Systemic mycosis caused by <i>Trichophyton</i> spp. in an olive ridley sea turtle (<i>Lepidochelys olivacea</i>): an immunohistochemical study. <i>New Zealand Veterinary Journal</i> , 2011 , 59, 92-5	1.7	8
3	Poxvirus infection in stone curlews in the Canary Islands. <i>Veterinary Record</i> , 2011 , 168, 168	0.9	3
2	Salt gland adenitis as only cause of stranding of loggerhead sea turtles <i>Caretta caretta</i> . <i>Diseases of Aquatic Organisms</i> , 2011 , 95, 163-6	1.7	11
1	Comparative study of hematologic and plasma biochemical variables in Eastern Atlantic juvenile and adult nesting loggerhead sea turtles (<i>Caretta caretta</i>). <i>Veterinary Clinical Pathology</i> , 2009 , 38, 213-8 ¹		64