
Claudio Di Cristofano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8565680/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Adipose tissue remodelling in obese subjects is a determinant of presence and severity of fatty liver disease. Diabetes/Metabolism Research and Reviews, 2021, 37, e3358.	4.0	27
2	Circulating dipeptidyl peptidase-4 is independently associated with the presence and severity of NAFLD/NASH in individuals with and without obesity and metabolic disease. Journal of Endocrinological Investigation, 2021, 44, 979-988.	3.3	28
3	A rare case of omental extra-gastrointestinal stromal tumor showing two coexisting mutations on exon 14 of the PDGFRA gene. Gastroenterology Report, 2021, 9, 377-379.	1.3	2
4	Insulin resistance, but not insulin response, during oral glucose tolerance test (OGTT) is associated to worse histological outcome in obese NAFLD. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 106-113.	2.6	19
5	Predictive markers of long-term recurrence in chronic rhinosinusitis with nasal polyps. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2020, 41, 102286.	1.3	49
6	Noninvasive assessment of hepatic steatosis and fibrosis in patients with severe obesity. Endocrine, 2020, 67, 569-578.	2.3	7
7	Immunohistochemical detection of IL-17 and IL-23 improves the identification of patients with a possible diagnosis of Sjogren's syndrome. Pathology Research and Practice, 2020, 216, 153137.	2.3	6
8	A 30-year-old patient with a C8 nerve root lesion: question. Journal of Clinical Neuroscience, 2020, 77, 203-204.	1.5	0
9	Reduced Biliverdin Reductase-A Expression in Visceral Adipose Tissue is Associated with Adipocyte Dysfunction and NAFLD in Human Obesity. International Journal of Molecular Sciences, 2020, 21, 9091.	4.1	13
10	Granzyme B Expression in Visceral Adipose Tissue Associates With Local Inflammation and Glyco-Metabolic Alterations in Obesity. Frontiers in Immunology, 2020, 11, 589188.	4.8	3
11	Melanoma: Double BRAF mutation, double chance to treat?. Dermatologic Therapy, 2020, 33, e13820.	1.7	0
12	Genetic lesions disrupting calreticulin 3′â€untranslated region in <scp>JAK2</scp> mutationâ€negative polycythemia <scp>vera</scp> . American Journal of Hematology, 2020, 95, E263.	4.1	9
13	Relationship between hepatic and systemic angiopoietinâ€like 3, hepatic Vitamin D receptor expression and NAFLD in obesity. Liver International, 2020, 40, 2139-2147.	3.9	25
14	A 30-year-old patient with a C8 nerve root lesion: Answer. Journal of Clinical Neuroscience, 2020, 77, 240-241.	1.5	0
15	A case of hidradenitis suppurativa successfully treated with apremilast in a patient with psoriasis and <scp>SAMPUS</scp> . Dermatologic Therapy, 2020, 33, e13448.	1.7	2
16	Angiopoietin-Like Protein 4 Overexpression in Visceral Adipose Tissue from Obese Subjects with Impaired Glucose Metabolism and Relationship with Lipoprotein Lipase. International Journal of Molecular Sciences, 2020, 21, 7197.	4.1	19
17	KMT2C modulates migration and invasion processes in osteosarcoma cell lines. Pathology Research and Practice, 2019, 215, 152534.	2.3	7
18	THU-296-Hepatic and visceral adipose tissue expression of vitamin D receptor and vitamin D hydroxylases in relation to non-alcoholic fatty liver disease and adipose tissue inflammation. Journal of Hepatology, 2019, 70, e290.	3.7	0

CLAUDIO DI CRISTOFANO

#	Article	IF	CITATIONS
19	Early clear cell "sugar―lung cancer management: A case report and a brief literature review. Thoracic Cancer, 2019, 10, 1289-1294.	1.9	3
20	Elevated plasma copeptin levels identify the presence and severity of non-alcoholic fatty liver disease in obesity. BMC Medicine, 2019, 17, 85.	5.5	15
21	Combined surgery and radiotherapy as curative treatment for tracheal adenoid cystic carcinoma: a case report. Journal of Medical Case Reports, 2019, 13, 52.	0.8	10
22	Reduced biliverdin reductase-A levels are associated with early alterations of insulin signaling in obesity. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2019, 1865, 1490-1501.	3.8	29
23	A rare case of appendicular skeleton localization in a patient with chronic lymphocytic leukemia successfully treated with salvage radiation therapy. Advances in Radiation Oncology, 2018, 3, 121-124.	1.2	Ο
24	Neurotensin Is a Lipid-Induced Gastrointestinal Peptide Associated with Visceral Adipose Tissue Inflammation in Obesity. Nutrients, 2018, 10, 526.	4.1	42
25	Increased Plasma Proneurotensin Levels Identify NAFLD in Adults With and Without Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 2253-2260.	3.6	41
26	The nuclear-cytoplasmic trafficking of a chromatin-modifying and remodelling protein (KMT2C), in osteosarcoma. Oncotarget, 2018, 9, 30624-30634.	1.8	5
27	Breast metastasis and lung largeâ€cell neuroendocrine carcinoma: first clinical observation. Clinical Respiratory Journal, 2017, 11, 574-578.	1.6	7
28	Whole-exome analysis in osteosarcoma to identify a personalized therapy. Oncotarget, 2017, 8, 80416-80428.	1.8	37
29	Computed Tomography Perfusion of Prostate Cancer. Journal of Computer Assisted Tomography, 2016, 40, 740-745.	0.9	Ο
30	BRAF and NRAS Mutations are Heterogeneous and Not Mutually Exclusive in Nodular Melanoma. Applied Immunohistochemistry and Molecular Morphology, 2015, 23, 172-177.	1.2	42
31	A Patient with Chronic Lymphocytic Leukemia and Bone Localization: A Case Report. Blood, 2015, 126, 5301-5301.	1.4	1
32	Evaluation of the management of Hr-HPV+/PapTest- women: results at 1-year recall. International Journal of Clinical and Experimental Pathology, 2015, 8, 16089-96.	0.5	1
33	Weaknesses of histological analysis in celiac disease diagnosis: new possible scenarios. Scandinavian Journal of Gastroenterology, 2014, 49, 1318-1324.	1.5	30
34	Correlation of the Rac1/RhoA Pathway With Ezrin Expression in Osteosarcoma. Applied Immunohistochemistry and Molecular Morphology, 2014, 22, 162-170.	1.2	18
35	VHL and HIF-1α: gene variations and prognosis in early-stage clear cell renal cell carcinoma. Medical Oncology, 2014, 31, 840.	2.5	22
36	An unusual case of spleen metastasis from carcinoma ex pleomorphic adenoma of the parotid gland. World Journal of Surgical Oncology, 2014, 12, 18.	1.9	6

#	Article	IF	CITATIONS
37	Bone metastases from bladder perivascular epithelioid cell tumor – an unusual localization of a rare tumor: a case report. Journal of Medical Case Reports, 2014, 8, 227.	0.8	10
38	Pathological characteristics and prognostic effect of peritumoral capsule penetration in renal cell carcinoma after tumor enucleation. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 50.e15-50.e22.	1.6	41
39	Expression of Phosphoinositide-specific phospholipase C enzymes in human osteosarcoma cell lines. Journal of Cell Communication and Signaling, 2013, 7, 141-150.	3.4	12
40	Penile metastasis from primary cholangiocarcinoma: the first case report. BMC Gastroenterology, 2013, 13, 149.	2.0	7
41	Synchronous primary neoplasms of the bladder, skin and breast in a male patient: a case report. World Journal of Surgical Oncology, 2013, 11, 282.	1.9	9
42	External Quality Assessment (EQA) program for the preanalytical and analytical immunohistochemical determination of HER2 in breast cancer: an experience on a regional scale. Journal of Experimental and Clinical Cancer Research, 2013, 32, 58.	8.6	9
43	Breast adenomyoepithelioma: a case report with malignant proliferation of epithelial and myoepithelial elements. World Journal of Surgical Oncology, 2013, 11, 285.	1.9	30
44	Expression of Phosphoinositide-Specific Phospholipase C Enzymes in Human Skin Fibroblasts. Connective Tissue Research, 2013, 54, 1-4.	2.3	10
45	Hematospermia and xanthogranulomatous prostatitis: An unusual onset of a rare diagnosis. Canadian Urological Association Journal, 2013, 7, 820.	0.6	6
46	The KIT Exon 11 Stop Codon Mutation in Gastrointestinal Stromal Tumors: What Is the Clinical Meaning?. Gut and Liver, 2013, 7, 35-40.	2.9	3
47	Immunolocalization of Interleukinâ€17 and Interleukinâ€23 within human aortic aneurysms. FASEB Journal, 2013, 27, lb486.	0.5	Ο
48	Perfusion MDCT of Prostate Cancer: Correlation of Perfusion CT Parameters and Immunohistochemical Markers of Angiogenesis. American Journal of Roentgenology, 2012, 199, 1042-1048.	2.2	25
49	Cellular and molecular players in the atherosclerotic plaque progression. Annals of the New York Academy of Sciences, 2012, 1262, 134-141.	3.8	44
50	KLF4 is a Novel Candidate Tumor Suppressor Gene in Pancreatic Ductal Carcinoma. American Journal of Pathology, 2011, 178, 361-372.	3.8	76
51	Haemoglobin triggers chemotaxis of human monocyte-derived dendritic cells: Possible role in atherosclerotic lesion instability. Atherosclerosis, 2011, 215, 316-322.	0.8	13
52	Local recurrence after tumour enucleation for renal cell carcinoma with no ablation of the tumour bed: results of a prospective singleâ€centre study. BJU International, 2011, 107, 1394-1399.	2.5	23
53	Sporadic diffuse gastric polyposis: Report of a case. Surgery Today, 2011, 41, 1428-1431.	1.5	5
54	Rotator cuff re-tear or non-healing: histopathological aspects and predictive factors. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 1588-1596.	4.2	81

#	Article	IF	CITATIONS
55	Ferritin as a reporter gene for in vivo tracking of stem cells by 1.5-T cardiac MRI in a rat model of myocardial infarction. American Journal of Physiology - Heart and Circulatory Physiology, 2011, 300, H2238-H2250.	3.2	71
56	Solitary plasmacytoma of tibia: A possible correlation with younger age. Leukemia Research, 2010, 34, e181-e182.	0.8	5
57	Phosphorylated ezrin is located in the nucleus of the osteosarcoma cell. Modern Pathology, 2010, 23, 1012-1020.	5.5	45
58	PIK3CA in Breast Carcinoma. Diagnostic Molecular Pathology, 2009, 18, 200-205.	2.1	34
59	Histopathologic Analysis of Peritumoral Pseudocapsule and Surgical Margin Status after Tumor Enucleation for Renal Cell Carcinoma. European Urology, 2009, 55, 1410-1418.	1.9	113
60	Severe Mechanical Dyssynchrony Causes Regional Hibernation-Like Changes in Pigs With Nonischemic Heart Failure. Journal of Cardiac Failure, 2009, 15, 920-928.	1.7	37
61	Lymph-vascular space involvement and outer one-third myometrial invasion are strong predictors of distant haematogeneous failures in patients with stage I-II endometrioid-type endometrial cancer. Anticancer Research, 2009, 29, 1715-20.	1.1	49
62	Pathological evaluation of peritumoral pseudocapsule status after nephron sparing surgery and its prognostic implication. Archivio Italiano Di Urologia Andrologia, 2009, 81, 96-9.	0.8	4
63	Identification of low intratumoral gene expression heterogeneity in neuroblastic tumors by genomeâ€wide expression analysis and game theory. Cancer, 2008, 113, 1412-1422.	4.1	65
64	Prognostic Role of Histological Necrosis for Nonmetastatic Clear Cell Renal Cell Carcinoma: Correlation With Pathological Features and Molecular Markers. Journal of Urology, 2008, 180, 1284-1289.	0.4	42
65	Torquetenovirus Infection and Ciliary Dysmotility in Children With Recurrent Pneumonia. Pediatric Infectious Disease Journal, 2008, 27, 413-418.	2.0	15
66	A Novel Breast Cancer–Associated <i>BRIP1</i> (<i>FANCJ/BACH1</i>) Germ-line Mutation Impairs Protein Stability and Function. Clinical Cancer Research, 2008, 14, 4672-4680.	7.0	56
67	Prolonged human/sheep cellular chimerism following transplantation of human hemopoietic stem cellsinto the ewe celomic cavity. International Journal of Developmental Biology, 2008, 52, 365-370.	0.6	6
68	Nuclear Expression of Hypoxia-inducible Factor-1α in Clear Cell Renal Cell Carcinoma is Involved in Tumor Progression. American Journal of Surgical Pathology, 2007, 31, 1875-1881.	3.7	39
69	Early detection of acute lung injury uncoupled to hypoxemia in pigs using ultrasound lung comets*. Critical Care Medicine, 2007, 35, 2769-2774.	0.9	108
70	Early detection of acute lung injury uncoupled to hypoxemia in pigs using ultrasound lung comets *. Critical Care Medicine, 2007, 35, 2769-2774.	0.9	121
71	High level of messenger RNA forBRMS1 in primary breast carcinomas is associated with poor prognosis. International Journal of Cancer, 2007, 120, 1169-1178.	5.1	35
72	Identification of novel alternatively splicedBRCA1-associated RING domain (BARD1) messenger RNAs in human peripheral blood lymphocytes and in sporadic breast cancer tissues. Genes Chromosomes and Cancer, 2007, 46, 791-795.	2.8	19

#	Article	IF	CITATIONS
73	Re: Anders Lidgren, Ylva Hedberg, Kjell Grankvist, Torgny Rasmuson, Anders Bergh and Börje Ljungberg. Hypoxia-Inducible Factor 1α Expression in Renal Cell Carcinoma Analyzed by Tissue Microarray. Eur Urol 2006;50:1272–7. European Urology, 2007, 51, 1451-1452.	1.9	1
74	P53 gene status in patients with advanced serous epithelial ovarian cancer in relation to response to paclitaxel- plus platinum-based chemotherapy and long-term clinical outcome. Anticancer Research, 2006, 26, 687-93.	1.1	30
75	Papillary lesions of the breast: a molecular progression?. Breast Cancer Research and Treatment, 2005, 90, 71-76.	2.5	44
76	Genome analysis and gene expression profiling of neuroblastoma and ganglioneuroblastoma reveal differences between neuroblastic and Schwannian stromal cells. Journal of Pathology, 2005, 207, 346-357.	4.5	36
77	INTRACAPSULAR CLEAR CELL RENAL CARCINOMA: PLOIDY STATUS IMPROVES THE PROGNOSTIC VALUE OF THE 2002 TNM CLASSIFICATION. Journal of Urology, 2005, 174, 1203-1207.	0.4	12
78	Haplotype analysis of BRCA1 gene reveals a new gene rearrangement: characterization of a 19.9 KBP deletion. European Journal of Human Genetics, 2004, 12, 775-777.	2.8	17