

Beate Krause

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8565964/beate-krause-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94 papers	3,542 citations	32 h-index	58 g-index
99 ext. papers	4,020 ext. citations	5.1 avg, IF	5.54 L-index

#	Paper	IF	Citations
94	Long-Chain Branched Polypropylenes by Electron Beam Irradiation and Their Rheological Properties. <i>Macromolecules</i> , 2004 , 37, 9465-9472	5.5	268
93	Dispersability and particle size distribution of CNTs in an aqueous surfactant dispersion as a function of ultrasonic treatment time. <i>Carbon</i> , 2010 , 48, 2746-2754	10.4	200
92	Influence of small scale melt mixing conditions on electrical resistivity of carbon nanotube-polyamide composites. <i>Composites Science and Technology</i> , 2009 , 69, 1505-1515	8.6	195
91	The influence of matrix viscosity on MWCNT dispersion and electrical properties in different thermoplastic nanocomposites. <i>Polymer</i> , 2012 , 53, 495-504	3.9	187
90	Effect of synthesis catalyst on structure of nitrogen-doped carbon nanotubes and electrical conductivity and electromagnetic interference shielding of their polymeric nanocomposites. <i>Carbon</i> , 2016 , 98, 358-372	10.4	166
89	Electrical, mechanical, and glass transition behavior of polycarbonate-based nanocomposites with different multi-walled carbon nanotubes. <i>Polymer</i> , 2011 , 52, 3835-3845	3.9	142
88	Electrical and thermal properties of polyamide 12 composites with hybrid fillers systems of multiwalled carbon nanotubes and carbon black. <i>Composites Science and Technology</i> , 2011 , 71, 1053-1059	8.6	134
87	A method for determination of length distributions of multiwalled carbon nanotubes before and after melt processing. <i>Carbon</i> , 2011 , 49, 1243-1247	10.4	125
86	Tuning the Network Structure in Poly(vinylidene fluoride)/Carbon Nanotube Nanocomposites Using Carbon Black: Toward Improvements of Conductivity and Piezoresistive Sensitivity. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 14190-9	9.5	125
85	Influence of dry grinding in a ball mill on the length of multiwalled carbon nanotubes and their dispersion and percolation behaviour in melt mixed polycarbonate composites. <i>Composites Science and Technology</i> , 2011 , 71, 1145-1153	8.6	109
84	Correlation of carbon nanotube dispersability in aqueous surfactant solutions and polymers. <i>Carbon</i> , 2009 , 47, 602-612	10.4	103
83	Aspect ratio effects of multi-walled carbon nanotubes on electrical, mechanical, and thermal properties of polycarbonate/MWCNT composites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2014 , 52, 73-83	2.6	91
82	Low electrical percolation threshold in poly(ethylene terephthalate)/multi-walled carbon nanotube nanocomposites. <i>European Polymer Journal</i> , 2010 , 46, 928-936	5.2	91
81	Effects of synthesis catalyst and temperature on broadband dielectric properties of nitrogen-doped carbon nanotube/polyvinylidene fluoride nanocomposites. <i>Carbon</i> , 2016 , 106, 260-278	10.4	84
80	Influence of feeding conditions in twin-screw extrusion of PP/MWCNT composites on electrical and mechanical properties. <i>Composites Science and Technology</i> , 2011 , 71, 1535-1542	8.6	77
79	Percolation behaviour of multiwalled carbon nanotubes of altered length and primary agglomerate morphology in melt mixed isotactic polypropylene-based composites. <i>Composites Science and Technology</i> , 2011 , 71, 1936-1943	8.6	73
78	Melt mixed PCL/MWCNT composites prepared at different rotation speeds: Characterization of rheological, thermal, and electrical properties, molecular weight, MWCNT macrodispersion, and MWCNT length distribution. <i>Polymer</i> , 2013 , 54, 3071-3078	3.9	72

77	Nanoporous Cathodes for High-Energy Li-S Batteries from Gyroid Block Copolymer Templates. <i>ACS Nano</i> , 2015 , 9, 6147-57	16.7	69
76	Melt mixed nano composites of PA12 with MWNTs: Influence of MWNT and matrix properties on macrodispersion and electrical properties. <i>Composites Science and Technology</i> , 2011 , 71, 306-314	8.6	69
75	Characterization of electron beam irradiated polypropylene: Influence of irradiation temperature on molecular and rheological properties. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 2770-2780	2.9	56
74	Ultralow percolation threshold in polyamide 6.6/MWCNT composites. <i>Composites Science and Technology</i> , 2015 , 114, 119-125	8.6	55
73	Comparison of nanotubes produced by fixed bed and aerosol-CVD methods and their electrical percolation behaviour in melt mixed polyamide 6.6 composites. <i>Composites Science and Technology</i> , 2010 , 70, 151-160	8.6	51
72	Cellulose-carbon nanotube composite aerogels as novel thermoelectric materials. <i>Composites Science and Technology</i> , 2018 , 163, 133-140	8.6	50
71	Polypropylene-based melt mixed composites with singlewalled carbon nanotubes for thermoelectric applications: Switching from p-type to n-type by the addition of polyethylene glycol. <i>Polymer</i> , 2017 , 108, 513-520	3.9	49
70	Melt mixed SWCNT-polypropylene composites with very low electrical percolation. <i>Polymer</i> , 2016 , 98, 45-50	3.9	48
69	A successful approach to disperse MWCNTs in polyethylene by melt mixing using polyethylene glycol as additive. <i>Polymer</i> , 2012 , 53, 3079-3083	3.9	47
68	Does the Processing Method Resulting in Different States of an Interconnected Network of Multiwalled Carbon Nanotubes in Polymeric Blend Nanocomposites Affect EMI Shielding Properties?. <i>ACS Omega</i> , 2018 , 3, 5771-5782	3.9	41
67	Long-chain branching of polypropylene by electron-beam irradiation in the molten state. <i>Journal of Applied Polymer Science</i> , 2006 , 99, 260-265	2.9	40
66	Electrically Conductive Polyetheretherketone Nanocomposite Filaments: From Production to Fused Deposition Modeling. <i>Polymers</i> , 2018 , 10,	4.5	39
65	Impact of synthesis temperature on morphology, rheology and electromagnetic interference shielding of CVD-grown carbon nanotube/polyvinylidene fluoride nanocomposites. <i>Synthetic Metals</i> , 2017 , 230, 39-50	3.6	36
64	Improvement of carbon nanotube dispersion in thermoplastic composites using a three roll mill at elevated temperatures. <i>Composites Science and Technology</i> , 2013 , 74, 78-84	8.6	36
63	An updated micromechanical model based on morphological characterization of carbon nanotube nanocomposites. <i>Composites Part B: Engineering</i> , 2017 , 115, 70-78	10	33
62	Comparative study of singlewalled, multiwalled, and branched carbon nanotubes melt mixed in different thermoplastic matrices. <i>Polymer</i> , 2018 , 159, 75-85	3.9	31
61	Characterization of Highly Filled PP/Graphite Composites for Adhesive Joining in Fuel Cell Applications. <i>Polymers</i> , 2019 , 11,	4.5	29
60	Determination of low amounts of long-chain branches in polypropylene using a combination of chromatographic and rheological methods. <i>Journal of Chromatography A</i> , 2004 , 1056, 217-222	4.5	27

59	Elongational Viscosity and Foaming Behavior of PP Modified by Electron Irradiation or Nanotube Addition. <i>Macromolecular Symposia</i> , 2007 , 254, 400-408	0.8	26
58	Hybrid conductive filler/polycarbonate composites with enhanced electrical and thermal conductivities for bipolar plate applications. <i>Polymer Composites</i> , 2019 , 40, 3189-3198	3	26
57	Thermal Conductivity and Electrical Resistivity of Melt-Mixed Polypropylene Composites Containing Mixtures of Carbon-Based Fillers. <i>Polymers</i> , 2019 , 11,	4.5	25
56	Development of electrically conductive microstructures based on polymer/CNT nanocomposites via two-photon polymerization. <i>Microelectronic Engineering</i> , 2017 , 179, 48-55	2.5	23
55	Melt-Mixed PP/MWCNT Composites: Influence of CNT Incorporation Strategy and Matrix Viscosity on Filler Dispersion and Electrical Resistivity. <i>Polymers</i> , 2019 , 11,	4.5	22
54	Electrical and melt rheological characterization of PC and co-continuous PC/SAN blends filled with CNTs: Relationship between melt-mixing parameters, filler dispersion, and filler aspect ratio. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2018 , 56, 79-88	2.6	22
53	Melt-mixed thermoplastic composites containing carbon nanotubes for thermoelectric applications. <i>AIMS Materials Science</i> , 2016 , 3, 1107-1116	1.9	21
52	Surface modification of MWCNT and its influence on properties of paraffin/MWCNT nanocomposites as phase change material. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48428	2.9	17
51	A promising approach to low electrical percolation threshold in PMMA nanocomposites by using MWCNT-PEO pre-dispersions. <i>Materials and Design</i> , 2016 , 111, 253-262	8.1	17
50	Comparison of the molecular properties and morphology of polypropylenes irradiated under different atmospheres and after annealing. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 634-639	2.9	16
49	Screening of Different Carbon Nanotubes in Melt-Mixed Polymer Composites with Different Polymer Matrices for Their Thermoelectrical Properties. <i>Journal of Composites Science</i> , 2019 , 3, 106	3	16
48	Charakterisierung der Dispersionsgüte von Carbon Nanotubes in Polymer-Nanokompositen. <i>Chemie-Ingenieur-Technik</i> , 2011 , 83, 767-781	0.8	15
47	Direction Dependent Electrical Conductivity of Polymer/Carbon Filler Composites. <i>Polymers</i> , 2019 , 11,	4.5	13
46	Dispersability of multiwalled carbon nanotubes in polycarbonate-chloroform solutions. <i>Polymer</i> , 2014 , 55, 6335-6344	3.9	13
45	Localization of carbon nanotubes in polyamide 6 blends with non-reactive and reactive rubber. <i>Polymer</i> , 2014 , 55, 3062-3067	3.9	13
44	Influence of talc with different particle sizes in melt-mixed LLDPE/MWCNT composites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2013 , 51, 1680-1691	2.6	13
43	The Influence of the Blend Ratio in PA6/PA66/MWCNT Blend Composites on the Electrical and Thermal Properties. <i>Polymers</i> , 2019 , 11,	4.5	12
42	Tuneable Dielectric Properties Derived from Nitrogen-Doped Carbon Nanotubes in PVDF-Based Nanocomposites. <i>ACS Omega</i> , 2018 , 3, 9966-9980	3.9	12

41	Graphene Derivatives Doped with Nickel Ferrite Nanoparticles as Excellent Microwave Absorbers in Soft Nanocomposites. <i>ChemistrySelect</i> , 2017 , 2, 5984-5999	1.8	12
40	Influence of different carbon nanotubes on the electrical and mechanical properties of melt mixed poly(ether sulfone)-multi walled carbon nanotube composites. <i>Composites Science and Technology</i> , 2012 , 72, 1933-1940	8.6	11
39	Boron Doping of SWCNTs as a Way to Enhance the Thermoelectric Properties of Melt-Mixed Polypropylene/SWCNT Composites. <i>Energies</i> , 2020 , 13, 394	3.1	10
38	Achieving Electrical Conductive Tracks by Laser Treatment of non-Conductive Polypropylene/Polycarbonate Blends Filled with MWCNTs. <i>Macromolecular Materials and Engineering</i> , 2014 , 299, 869-877	3.9	10
37	Nitrogen-Doped Carbon Nanotube/Polypropylene Composites with Negative Seebeck Coefficient. <i>Journal of Composites Science</i> , 2020 , 4, 14	3	10
36	Electrical and thermal conductivity of polypropylene filled with combinations of carbon fillers 2016 ,		9
35	Influence of graphite and SEBS addition on thermal and electrical conductivity and mechanical properties of polypropylene composites 2017 ,		7
34	Messanlage zur Untersuchung des Seebeck-Effektes in Polymermaterialien. <i>TM Technisches Messen</i> , 2020 , 87, 495-503	0.7	7
33	"Sliding Crystals" on Low-Dimensional Carbonaceous Nanofillers as Distributed Nanopistons for Highly Damping Materials. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 38147-38159	9.5	6
32	Does the Type of Polymer and Carbon Nanotube Structure Control the Electromagnetic Shielding in Melt-Mixed Polymer Nanocomposites?. <i>Journal of Composites Science</i> , 2020 , 4, 9	3	6
31	Melt mixed composites of polypropylene with singlewalled carbon nanotubes for thermoelectric applications: Switching from p- to n-type behavior by additive addition 2019 ,		5
30	Influence of a supplemental filler in twin-screw extruded PP/CNT composites using masterbatch dilution 2019 ,		5
29	Polymer - Carbon nanotube composites for thermoelectric applications 2017 ,		5
28	The force of MOFs: the potential of switchable metal-organic frameworks as solvent stimulated actuators. <i>Chemical Communications</i> , 2020 , 56, 7411-7414	5.8	5
27	Nanocomposites with p- and n-Type Conductivity Controlled by Type and Content of Nanotubes in Thermosets for Thermoelectric Applications. <i>Nanomaterials</i> , 2020 , 10,	5.4	4
26	Electrically conductive and piezoresistive polymer nanocomposites using multiwalled carbon nanotubes in a flexible copolyester: Spectroscopic, morphological, mechanical and electrical properties. <i>Nano Structures Nano Objects</i> , 2022 , 29, 100806	5.6	4
25	High-Performance, Lightweight, and Flexible Thermoplastic Polyurethane Nanocomposites with Zn-Substituted CoFeO Nanoparticles and Reduced Graphene Oxide as Shielding Materials against Electromagnetic Pollution. <i>ACS Omega</i> , 2021 , 6, 28098-28118	3.9	4
24	Development of a polymer composite with high electrical conductivity and improved impact strength for the application as bipolar plate 2016 ,		4

23	Three-Dimensional Printed and Biocompatible Conductive Composites Comprised of Polyhydroxybutyrate and Multiwalled Carbon Nanotubes. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 885-897	3.9	4
22	Improvement of electrical resistivity of highly filled graphite/PP composite based bipolar plates for fuel cells by addition of carbon black 2019 ,		3
21	Extruded polycarbonate/Di-Allyl phthalate composites with ternary conductive filler system for bipolar plates of polymer electrolyte membrane fuel cells. <i>Smart Materials and Structures</i> , 2019 , 28, 064004	3.4	3
20	Effect of Filler Synergy and Cast Film Extrusion Parameters on Extrudability and Direction-Dependent Conductivity of PVDF/Carbon Nanotube/Carbon Black Composites. <i>Polymers</i> , 2020 , 12,	4.5	3
19	Lightweight Polymer-Carbon Composite Current Collector for Lithium-Ion Batteries. <i>Batteries</i> , 2020 , 6, 60	5.7	3
18	Influence of mixing conditions on carbon nanotube shortening and curling in polycarbonate composites 2017 ,		3
17	Methoden zur Charakterisierung der Dispergierbarkeit und Längenanalyse von Carbon Nanotubes. <i>Chemie-Ingenieur-Technik</i> , 2012 , 84, 263-271	0.8	3
16	Distribution of Carbon Nanotubes in Polycarbonate-Based Blends for Electromagnetic Interference Shielding. <i>ACS Applied Nano Materials</i> , 2022 , 5, 662-677	5.6	3
15	Blend Structure and n-Type Thermoelectric Performance of PA6/SAN and PA6/PMMA Blends Filled with Singlewalled Carbon Nanotubes. <i>Nanomaterials</i> , 2021 , 11,	5.4	3
14	Interfacial chemistry using a bifunctional coupling agent for enhanced electrical properties of carbon nanotube based composites. <i>Polymer</i> , 2013 , 54, 5391-5398	3.9	2
13	PP/SWCNT composites modified with ionic liquid 2017 ,		2
12	Thermal conductivity of hybrid filled HDPE nanocomposites 2017 ,		2
11	Chapter 7:Characterization of Dispersability of Industrial Nanotube Materials and their Length Distribution Before and After Melt Processing. <i>RSC Nanoscience and Nanotechnology</i> , 2013 , 212-233		2
10	Mixed Carbon Nanomaterial/Epoxy Resin for Electrically Conductive Adhesives. <i>Journal of Composites Science</i> , 2020 , 4, 105	3	2
9	Thermoelectric properties of polypropylene carbon nanofiber melt-mixed composites: exploring the role of polymer on their Seebeck coefficient. <i>Polymer Journal</i> ,	2.7	2
8	Electrically conductive nanocomposites based on poly(lactic acid)/flexible copolyester blends with multiwalled carbon nanotubes. <i>Journal of Applied Polymer Science</i> , 2022 , 139, 51554	2.9	2
7	Development of joining methods for highly filled graphite/PP composite based bipolar plates for fuel cells: Adhesive joining and welding 2019 ,		1
6	Effect of additives on MWCNT dispersion and electrical percolation in polyamide 12 composites 2017 ,		1

5	Highly Tunable Piezoresistive Behavior of Carbon Nanotube-Containing Conductive Polymer Blend Composites Prepared from Two Polymers Exhibiting Crystallization-Induced Phase Separation. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 43333-43347	9.5	1
4	Determination of low amounts of long-chain branches in polypropylene using a combination of chromatographic and rheological methods. <i>Journal of Chromatography A</i> , 2004 , 1056, 217-22	4.5	1
3	Thermoelectric Performance of Polypropylene/Carbon Nanotube/Ionic Liquid Composites and Its Dependence on Electron Beam Irradiation. <i>Journal of Composites Science</i> , 2022 , 6, 25	3	0
2	The effect of branched carbon nanotubes as reinforcing nano-filler in polymer nanocomposites. <i>Composite Structures</i> , 2022 , 295, 115794	5.3	0
1	Graphite modified epoxy-based adhesive for joining of aluminium and PP/graphite composites 2020 , 96, 229-252		