

# Chia-Ter Chao

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8566293/chia-ter-chao-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176  
papers

2,513  
citations

26  
h-index

42  
g-index

190  
ext. papers

3,010  
ext. citations

4.2  
avg, IF

5.46  
L-index

#	Paper	IF	Citations
176	Deep Learning-Assisted Repurposing of Plant Compounds for Treating Vascular Calcification: An In Silico Study with Experimental Validation.. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2022</b> , 2022, 4378413	6.7	2
175	Frailty as an Independent Risk Factor for Depression in Patients With End-Stage Renal Disease: A Cross-Sectional Study.. <i>Frontiers in Medicine</i> , <b>2022</b> , 9, 799544	4.9	1
174	Early elimination of uremic toxin ameliorates AKI-to-CKD transition. <i>Clinical Science</i> , <b>2021</b> , 135, 2643-2658	5.5	3
173	A combined microRNA and target protein-based panel for predicting the probability and severity of uraemic vascular calcification: a translational study. <i>Cardiovascular Research</i> , <b>2021</b> , 117, 1958-1973	9.9	13
172	The risk trajectory of different cardiovascular morbidities associated with chronic kidney disease among patients with newly diagnosed diabetes mellitus: a propensity score-matched cohort analysis. <i>Cardiovascular Diabetology</i> , <b>2021</b> , 20, 86	8.7	1
171	Frailty is associated with a higher risk of developing delirium and cognitive impairment among patients with diabetic kidney disease: A longitudinal population-based cohort study. <i>Diabetic Medicine</i> , <b>2021</b> , 38, e14566	3.5	4
170	Impact of a kidney-specific disease-specific care certification program on the institutional performance indicators of hospitals caring for patients with chronic kidney disease: A national data analysis. <i>Nephrology</i> , <b>2021</b> , 26, 669-675	2.2	1
169	Uremic Toxins and Frailty in Patients with Chronic Kidney Disease: A Molecular Insight. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	8
168	Frailty increases the risk for developing urinary tract infection among 79,887 patients with diabetic mellitus and chronic kidney disease. <i>BMC Geriatrics</i> , <b>2021</b> , 21, 349	4.1	3
167	Gustatory Dysfunction Is Closely Associated With Frailty in Patients With Chronic Kidney Disease. <i>Journal of Renal Nutrition</i> , <b>2021</b> , 31, 49-56	3	6
166	Superoxide Dismutase 2 (SOD2) in Vascular Calcification: A Focus on Vascular Smooth Muscle Cells, Calcification Pathogenesis, and Therapeutic Strategies. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2021</b> , 2021, 6675548	6.7	9
165	Circulating microRNA-125b Levels Are Associated With the Risk of Vascular Calcification in Healthy Community-Dwelling Older Adults. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 624313	5.4	6
164	Gender-Related Differences in Chronic Kidney Disease-Associated Vascular Calcification Risk and Potential Risk Mediators: A Scoping Review. <i>Healthcare (Switzerland)</i> , <b>2021</b> , 9,	3.4	1
163	Independent Determinants of Appetite Impairment among Patients with Stage 3 or Higher Chronic Kidney Disease: A Prospective Study. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
162	Chronic Kidney Disease: Strategies to Retard Progression. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	3
161	Muscle relaxant use and the associated risk of incident frailty in patients with diabetic kidney disease: a longitudinal cohort study. <i>Therapeutic Advances in Drug Safety</i> , <b>2021</b> , 12, 20420986211014639	3.5	1
160	The Epigenetic Landscape of Vascular Calcification: An Integrative Perspective. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	22

159	Chronic kidney disease-related osteoporosis is associated with incident frailty among patients with diabetic kidney disease: a propensity score-matched cohort study. <i>Osteoporosis International</i> , <b>2020</b> , 31, 699-708	5.3	4
158	Sirtuin-1 and Its Relevance in Vascular Calcification. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	21
157	Predicting the Associations between Meridians and Chinese Traditional Medicine Using a Cost-Sensitive Graph Convolutional Neural Network. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	7
156	Integrating the Surprise Question, Palliative Care Screening Tool, and Clinical Risk Models to Identify Peritoneal Dialysis Patients With High One-Year Mortality. <i>Journal of Pain and Symptom Management</i> , <b>2020</b> , 60, 613-621.e6	4.8	0
155	Frailty modifies the association between opioid use and mortality in chronic kidney disease patients with diabetes: a population-based cohort study. <i>Aging</i> , <b>2020</b> , 12, 21730-21746	5.6	5
154	Uremic Vascular Calcification: The Pathogenic Roles and Gastrointestinal Decontamination of Uremic Toxins. <i>Toxins</i> , <b>2020</b> , 12,	4.9	11
153	Association between air pollutants and development of chronic kidney disease: A systematic review and meta-analysis. <i>Science of the Total Environment</i> , <b>2020</b> , 706, 135522	10.2	30
152	Hypoglycemic episodes are associated with an increased risk of incident frailty among new onset diabetic patients. <i>Journal of Diabetes and Its Complications</i> , <b>2020</b> , 34, 107492	3.2	10
151	Gustatory Function and the Uremic Toxin, Phosphate, Are Modulators of the Risk of Vascular Calcification among Patients with Chronic Kidney Disease: A Pilot Study. <i>Toxins</i> , <b>2020</b> , 12,	4.9	5
150	Astaxanthin Counteracts Vascular Calcification In Vitro Through an Early Up-Regulation of SOD2 Based on a Transcriptomic Approach. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	8
149	Frailty predicts a higher risk of incident urolithiasis in 525 368 patients with diabetes mellitus: a population-based study. <i>BMJ Open Diabetes Research and Care</i> , <b>2020</b> , 8,	4.5	6
148	Vascular Calcification as an Underrecognized Risk Factor for Frailty in 1783 Community-Dwelling Elderly Individuals. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e017308	6	12
147	Elevated Red Cell Distribution Width Is Independently Associated With a Higher Frailty Risk Among 2,932 Community-Dwelling Older Adults. <i>Frontiers in Medicine</i> , <b>2020</b> , 7, 470	4.9	4
146	Determinants of circulating microRNA-125b, a risk predictor of vascular calcification, among community-dwelling older adults. <i>Clinical and Translational Medicine</i> , <b>2020</b> , 10, e145	5.7	3
145	Applicability of laboratory deficit-based frailty index in predominantly older patients with end-stage renal disease under chronic dialysis: A pilot test of its correlation with survival and self-reported instruments. <i>Nephrology</i> , <b>2020</b> , 25, 73-81	2.2	5
144	Advanced Age and Chronic Kidney Disease Modify the Association Between Metabolic Syndrome and Frailty Among Community-Dwelling Elderly. <i>Rejuvenation Research</i> , <b>2020</b> , 23, 333-340	2.6	7
143	The Role of Vitamin D in Modulating Mesenchymal Stem Cells and Endothelial Progenitor Cells for Vascular Calcification. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	6
142	Use of mammalian target of rapamycin inhibitors in patient with autosomal dominant polycystic kidney disease: an updated meta-analysis. <i>International Urology and Nephrology</i> , <b>2019</b> , 51, 2015-2025	2.3	5

141	Icodextrin Is Associated with a Lower Mortality Rate in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , <b>2019</b> , 39, 252-260	2.8	7
140	Risk Factors for Poor Functional Recovery, Mortality, Recurrent Fractures, and Falls Among Patients Participating in a Fracture Liaison Service Program. <i>Journal of the American Medical Directors Association</i> , <b>2019</b> , 20, 1129-1136.e1	5.9	11
139	MicroRNA-125b in vascular diseases: An updated systematic review of pathogenetic implications and clinical applications. <i>Journal of Cellular and Molecular Medicine</i> , <b>2019</b> , 23, 5884-5894	5.6	25
138	Is dialysis vintage a perioperative risk for end-stage renal disease patients receiving total knee and hip arthroplasty. <i>Journal of Orthopaedic Surgery</i> , <b>2019</b> , 27, 2309499019853887	1.4	3
137	Contributors, risk associates, and complications of frailty in patients with chronic kidney disease: a scoping review. <i>Therapeutic Advances in Chronic Disease</i> , <b>2019</b> , 10, 2040622319880382	4.9	22
136	Natural and non-natural antioxidative compounds: potential candidates for treatment of vascular calcification. <i>Cell Death Discovery</i> , <b>2019</b> , 5, 145	6.9	27
135	Frailty Predicts an Increased Risk of End-Stage Renal Disease with Risk Competition by Mortality among 165,461 Diabetic Kidney Disease Patients <b>2019</b> , 10, 1270-1281		17
134	Risk Factors Associated With Altered Circulating Micro RNA -125b and Their Influences on Uremic Vascular Calcification Among Patients With End-Stage Renal Disease. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e010805	6	16
133	Age modifies the risk factor profiles for acute kidney injury among recently diagnosed type 2 diabetic patients: a population-based study. <i>GeroScience</i> , <b>2018</b> , 40, 201-217	8.9	26
132	The double-edged sword of endoplasmic reticulum stress in uremic sarcopenia through myogenesis perturbation. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2018</b> , 9, 570-584	10.3	26
131	Diabetes mellitus, superoxide dismutase and peroxisome proliferator activated receptor gamma polymorphisms modify the outcome of end-stage renal disease patients of Han Chinese origin. <i>Nephrology</i> , <b>2018</b> , 23, 117-125	2.2	4
130	Association between education level and potentially inappropriate medication among older patients. <i>Aging Clinical and Experimental Research</i> , <b>2018</b> , 30, 101-103	4.8	
129	Acarbose Use and Liver Injury in Diabetic Patients With Severe Renal Insufficiency and Hepatic Diseases: A Propensity Score-Matched Cohort Study. <i>Frontiers in Pharmacology</i> , <b>2018</b> , 9, 860	5.6	9
128	Chronic kidney disease predicts a lower probability of improvement in patient-reported experience measures among patients with fractures: a prospective multicenter cohort study. <i>Archives of Osteoporosis</i> , <b>2018</b> , 13, 126	2.9	3
127	N-Terminal Pro-Brain Natriuretic Peptide Predicts Long-Term Technique Failure in Patients Undergoing Peritoneal Dialysis. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 7,	5.1	5
126	Impact of Self-Report and eGFR-Based Chronic Kidney Disease on the Risk of Chronic Kidney Disease-Related Complications and Geriatric Syndromes in Community-Dwelling Older Adults. <i>Kidney and Blood Pressure Research</i> , <b>2018</b> , 43, 1908-1918	3.1	4
125	Both pre-frailty and frailty increase healthcare utilization and adverse health outcomes in patients with type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , <b>2018</b> , 17, 130	8.7	51
124	10-Year Renal Function Trajectories in Community-Dwelling Older Adults: Exploring the Risk Factors for Different Patterns. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 7,	5.1	1

123	Self-reported frailty among end-stage renal disease patients: A potential predictor of dialysis access outcomes. <i>Nephrology</i> , <b>2017</b> , 22, 333-334	2.2	11
122	Thrombocytopenia on the first day of emergency department visit predicts higher risk of acute kidney injury among elderly patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , <b>2017</b> , 25, 11	3.6	5
121	Dipstick proteinuria level is significantly associated with pre-morbid and in-hospital functional status among hospitalized older adults: a preliminary study. <i>Scientific Reports</i> , <b>2017</b> , 7, 42030	4.9	3
120	Circulating MicroRNA-125b Predicts the Presence and Progression of Uremic Vascular Calcification. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2017</b> , 37, 1402-1414	9.4	41
119	Frail Phenotype Might Be Associated With Higher Appendicular but Not Truncal Fat Among End-Stage Renal Disease Patients. <i>Journal of Pain and Symptom Management</i> , <b>2017</b> , 53, e1-e4	4.8	6
118	Factors associated with poor outcomes of continuous renal replacement therapy. <i>PLoS ONE</i> , <b>2017</b> , 12, e0177759	3.7	20
117	Frail phenotype is associated with distinct quantitative electroencephalographic findings among end-stage renal disease patients: an observational study. <i>BMC Geriatrics</i> , <b>2017</b> , 17, 277	4.1	7
116	Protein-energy wasting significantly increases healthcare utilization and costs among patients with chronic kidney disease: a propensity-score matched cohort study. <i>Current Medical Research and Opinion</i> , <b>2017</b> , 33, 1705-1713	2.5	13
115	Dipeptidyl peptidase 4 inhibitor use is associated with a lower risk of incident acute kidney injury in patients with diabetes. <i>Oncotarget</i> , <b>2017</b> , 8, 53028-53040	3.3	16
114	Conservative management and health-related quality of life in end-stage renal disease: a systematic review. <i>Clinical and Investigative Medicine</i> , <b>2017</b> , 40, E127-E134	0.9	14
113	Frail phenotype might herald bone health worsening among end-stage renal disease patients. <i>PeerJ</i> , <b>2017</b> , 5, e3542	3.1	5
112	Heart rhythm complexity impairment in patients undergoing peritoneal dialysis. <i>Scientific Reports</i> , <b>2016</b> , 6, 28202	4.9	15
111	Effect of Frail Phenotype on Bone Mass and Vertebral Compression Fracture in Individuals Undergoing Dialysis. <i>Journal of the American Geriatrics Society</i> , <b>2016</b> , 64, e19-21	5.6	11
110	Fatigued Elderly Adults with End-Stage Renal Disease are More Likely to have Low Bone Mass than those Who are not Fatigued. <i>Journal of the American Geriatrics Society</i> , <b>2016</b> , 64, e107-e109	5.6	1
109	Establishment of a renal supportive care program: Experience from a rural community hospital in Taiwan. <i>Journal of the Formosan Medical Association</i> , <b>2016</b> , 115, 490-500	3.2	5
108	Stroke after cyst fenestration in a patient with autosomal dominant polycystic kidney disease and polycystic liver disease: Not necessarily aneurysm-related. <i>Journal of the Formosan Medical Association</i> , <b>2016</b> , 115, 132-3	3.2	
107	Functional assessment of chronic illness therapy-the fatigue scale exhibits stronger associations with clinical parameters in chronic dialysis patients compared to other fatigue-assessing instruments. <i>PeerJ</i> , <b>2016</b> , 4, e1818	3.1	12
106	Geriatric syndromes are potential determinants of the medication adherence status in prevalent dialysis patients. <i>PeerJ</i> , <b>2016</b> , 4, e2122	3.1	16

105	Interplay between Superoxide Dismutase, Glutathione Peroxidase, and Peroxisome Proliferator Activated Receptor Gamma Polymorphisms on the Risk of End-Stage Renal Disease among Han Chinese Patients. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2016</b> , 2016, 8516748	6.7	10
104	Scenario of assessment might influence results using self-report frailty instrument in chronic dialysis patients. <i>Nephrology</i> , <b>2016</b> , 21, 344-5	2.2	
103	Acute kidney injury as a risk factor for diagnostic discrepancy among geriatric patients: a pilot study. <i>Scientific Reports</i> , <b>2016</b> , 6, 38549	4.9	0
102	Inflammatory Muscle Diseases. <i>New England Journal of Medicine</i> , <b>2015</b> , 373, 393-4	59.2	110
101	Association of increased travel distance to dialysis units with the risk of anemia in rural chronic hemodialysis elderly. <i>Hemodialysis International</i> , <b>2015</b> , 19, 44-53	1.7	8
100	Vitamin D is closely linked to the clinical courses of herpes zoster: From pathogenesis to complications. <i>Medical Hypotheses</i> , <b>2015</b> , 85, 452-7	3.8	9
99	Viridans streptococci in peritoneal dialysis peritonitis: clinical courses and long-term outcomes. <i>Peritoneal Dialysis International</i> , <b>2015</b> , 35, 333-41	2.8	20
98	Uremic toxins, oxidative stress, and renal fibrosis: an intertwined complex. <i>Journal of Renal Nutrition</i> , <b>2015</b> , 25, 155-9	3	17
97	Serum free 1,25-dihydroxy-vitamin D is more closely associated with fibroblast growth factor 23 than other vitamin D forms in chronic dialysis patients. <i>Clinica Chimica Acta</i> , <b>2015</b> , 439, 122-7	6.2	3
96	Cumulative Cardiovascular Polypharmacy Is Associated With the Risk of Acute Kidney Injury in Elderly Patients. <i>Medicine (United States)</i> , <b>2015</b> , 94, e1251	1.8	41
95	Comparative Study of Outcomes among Patients with Polycystic Kidney Disease on Hemodialysis and Peritoneal Dialysis. <i>Scientific Reports</i> , <b>2015</b> , 5, 12816	4.9	14
94	The severity of initial acute kidney injury at admission of geriatric patients significantly correlates with subsequent in-hospital complications. <i>Scientific Reports</i> , <b>2015</b> , 5, 13925	4.9	28
93	Visceral fat area is associated with HbA1c but not dialysate-related glucose load in nondiabetic PD patients. <i>Scientific Reports</i> , <b>2015</b> , 5, 12811	4.9	12
92	Cross-sectional study of the association between functional status and acute kidney injury in geriatric patients. <i>BMC Nephrology</i> , <b>2015</b> , 16, 186	2.7	15
91	Simple self-report FRAIL scale might be more closely associated with dialysis complications than other frailty screening instruments in rural chronic dialysis patients. <i>Nephrology</i> , <b>2015</b> , 20, 321-8	2.2	58
90	Intradialytic hypotension and cardiac remodeling: a vicious cycle. <i>BioMed Research International</i> , <b>2015</b> , 2015, 724147	3	28
89	Sequence variants of peroxisome proliferator-activated receptor-gamma gene and the clinical courses of patients with end-stage renal disease. <i>Disease Markers</i> , <b>2015</b> , 2015, 763459	3.2	7
88	FP761SIMPLE FRAIL SCALE OUTPERFORMS OTHER FRAILTY INSTRUMENTS REGARDING DIALYSIS COMPLICATIONS IN RURAL CHRONIC DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , <b>2015</b> , 30, iii332-iii332	4.3	



87	Outcome Comparisons Between Patients on Peritoneal Dialysis With and Without Polycystic Kidney Disease: A Nationwide Matched Cohort Study. <i>Medicine (United States)</i> , <b>2015</b> , 94, e2166	1.8	12
86	SP736HOME VISITS HELP TO IDENTIFY PALLIATIVE CARE NEEDS FOR GERIATRIC RURAL IN-CENTER HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , <b>2015</b> , 30, iii621-iii621	4.3	
85	Frailty severity is significantly associated with electrocardiographic QRS duration in chronic dialysis patients. <i>PeerJ</i> , <b>2015</b> , 3, e1354	3.1	14
84	Dialysis-requiring acute kidney injury increases risk of long-term malignancy: a population-based study. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2014</b> , 140, 613-21	4.9	15
83	Sclerotherapy as a palliative treatment for spontaneous huge biloma. <i>Internal and Emergency Medicine</i> , <b>2014</b> , 9, 597-8	3.7	3
82	The impact of acute kidney injury with temporary dialysis on the risk of fracture. <i>Journal of Bone and Mineral Research</i> , <b>2014</b> , 29, 676-84	6.3	66
81	Acute kidney injury in the elderly: Only the tip of the iceberg. <i>Journal of Clinical Gerontology and Geriatrics</i> , <b>2014</b> , 5, 7-12		13
80	Osteoprotegerin, inflammation and dyslipidemia are associated with abdominal aortic calcification in non-diabetic patients on peritoneal dialysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2014</b> , 24, 236-42	4.5	15
79	Micrococcus species-related peritonitis in patients receiving peritoneal dialysis. <i>International Urology and Nephrology</i> , <b>2014</b> , 46, 261-4	2.3	14
78	Serum vitamin D levels are positively associated with varicella zoster immunity in chronic dialysis patients. <i>Scientific Reports</i> , <b>2014</b> , 4, 7371	4.9	16
77	Acinetobacter peritoneal dialysis peritonitis: a changing landscape over time. <i>PLoS ONE</i> , <b>2014</b> , 9, e110315	3.7	11
76	Cycler cassette rupture with <i>Leclercia adecarboxylata</i> peritoneal dialysis peritonitis. <i>Peritoneal Dialysis International</i> , <b>2014</b> , 34, 131-2	2.8	2
75	Prolonged ileus with pneumatosis cystoides intestinalis. <i>Acta Clinica Belgica</i> , <b>2014</b> , 69, 224-5	1.8	
74	Probable bullous pemphigoid related to arteriovenous shunt infection. <i>Nephrology</i> , <b>2014</b> , 19, 304-5	2.2	
73	Reversible hyperglycemic encephalopathy in a hemodialysis patient. <i>Hemodialysis International</i> , <b>2014</b> , 18, 562-3	1.7	
72	Concurrent Salmonella mycotic abdominal aneurysm and empyema thoracis: a rare coincidence. <i>Medical Principles and Practice</i> , <b>2014</b> , 23, 482-4	2.1	5
71	Impact of body mass on outcomes of geriatric postoperative acute kidney injury patients. <i>Shock</i> , <b>2014</b> , 41, 400-5	3.4	15
70	Hypernatremia-related miliaria crystallina. <i>Clinical and Experimental Nephrology</i> , <b>2014</b> , 18, 831-2	2.5	2

69	Acute kidney injury network staging in geriatric postoperative acute kidney injury patients: shortcomings and improvements. <i>Journal of the American College of Surgeons</i> , <b>2013</b> , 217, 240-50	4.4	33
68	Wñderlich syndrome from lupus-associated vasculitis. <i>American Journal of Kidney Diseases</i> , <b>2013</b> , 61, 167-70	7.4	8
67	Withdrawal from long-term hemodialysis in patients with end-stage renal disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , <b>2013</b> , 112, 589-99	3.2	26
66	Peritoneal dialysis peritonitis by anaerobic pathogens: a retrospective case series. <i>BMC Nephrology</i> , <b>2013</b> , 14, 111	2.7	10
65	Diagnosis and management of primary aldosteronism: an updated review. <i>Annals of Medicine</i> , <b>2013</b> , 45, 375-83	1.5	93
64	Bilateral nephrectomy significantly improves health-related quality of life in a hemodialysis patient with autosomal dominant polycystic kidney disease. <i>American Journal of Kidney Diseases</i> , <b>2013</b> , 62, 1221-24	7.4	4
63	Ureteropelvic duplication as focus of recurrent infection. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2013</b> , 106, 471-2	2.7	2
62	Lactococcus garvieae peritoneal dialysis peritonitis. <i>Peritoneal Dialysis International</i> , <b>2013</b> , 33, 100-1	2.8	14
61	A rare and under-recognized pathogen in peritoneal dialysis peritonitis: Corynebacterium jeikeium. <i>Peritoneal Dialysis International</i> , <b>2013</b> , 33, 580-1	2.8	7
60	Peritoneal dialysis peritonitis caused by Enterococcus avium. <i>Peritoneal Dialysis International</i> , <b>2013</b> , 33, 335-6	2.8	5
59	Radiologic intra-abdominal opacity indicating an injection granuloma. <i>Internal Medicine</i> , <b>2013</b> , 52, 2015	1.1	
58	Citrobacter peritoneal dialysis peritonitis: rare occurrence with poor outcomes. <i>International Journal of Medical Sciences</i> , <b>2013</b> , 10, 1092-8	3.7	15
57	Glycosylated hemoglobin and albumin-corrected fructosamine are good indicators for glycemic control in peritoneal dialysis patients. <i>PLoS ONE</i> , <b>2013</b> , 8, e57762	3.7	17
56	In nonagenarians, acute kidney injury predicts in-hospital mortality, while heart failure predicts hospital length of stay. <i>PLoS ONE</i> , <b>2013</b> , 8, e77929	3.7	8
55	Lean body mass predicts long-term survival in Chinese patients on peritoneal dialysis. <i>PLoS ONE</i> , <b>2013</b> , 8, e54976	3.7	26
54	Dissecting the mechanisms of left ventricular diastolic dysfunction and inflammation in peritoneal dialysis patients. <i>PLoS ONE</i> , <b>2013</b> , 8, e62722	3.7	10
53	Case report: furosemide and pancreatitis: Importance of dose and latency period before reaction. <i>Canadian Family Physician</i> , <b>2013</b> , 59, 43-5	0.9	5
52	Right upper-abdominal pain in a 97-year-old. <i>Cleveland Clinic Journal of Medicine</i> , <b>2013</b> , 80, 15-6	2.8	1



51	Fabry disease: a rare cause of Fever of unknown origin. <i>American Journal of Kidney Diseases</i> , <b>2012</b> , 59, 161-2	7.4	5
50	Bedside renal ultrasonography: other utilities than hydronephrosis. <i>Internal and Emergency Medicine</i> , <b>2012</b> , 7, 87-8; author reply 89-90	3.7	2
49	Fabry disease and immunoglobulin A nephropathy. <i>Nephrology</i> , <b>2012</b> , 17, 782-3	2.2	4
48	Kidney function decline after a non-dialysis-requiring acute kidney injury is associated with higher long-term mortality in critically ill survivors. <i>Critical Care</i> , <b>2012</b> , 16, R123	10.8	53
47	Obstructed solitary ectopic pelvic kidney. <i>Clinical and Experimental Nephrology</i> , <b>2012</b> , 16, 813	2.5	1
46	Charcoal hemoperfusion for bupropion overdose with ventricular tachycardia and status epilepticus. <i>Journal of the Formosan Medical Association</i> , <b>2012</b> , 111, 51-2	3.2	3
45	Predialysis care: intertwined roles of nephrologists and dietitians. <i>American Journal of Kidney Diseases</i> , <b>2012</b> , 59, 316; author reply 316-7	7.4	
44	Risk factors for herpes zoster reactivation in maintenance hemodialysis patients. <i>European Journal of Internal Medicine</i> , <b>2012</b> , 23, 711-5	3.9	17
43	Foamy urine and stiffened blood vessels. <i>Internal and Emergency Medicine</i> , <b>2012</b> , 7, 485-6	3.7	
42	Successful resumption of peritoneal dialysis after <i>Aspergillus fumigatus</i> peritonitis. <i>American Journal of Kidney Diseases</i> , <b>2012</b> , 60, 1049-50	7.4	1
41	U-curve association between timing of renal replacement therapy initiation and in-hospital mortality in postoperative acute kidney injury. <i>PLoS ONE</i> , <b>2012</b> , 7, e42952	3.7	34
40	Preoperative proteinuria is associated with long-term progression to chronic dialysis and mortality after coronary artery bypass grafting surgery. <i>PLoS ONE</i> , <b>2012</b> , 7, e27687	3.7	24
39	Effect of diuretic use on 30-day postdialysis mortality in critically ill patients receiving acute dialysis. <i>PLoS ONE</i> , <b>2012</b> , 7, e30836	3.7	22
38	The impact of dialysis-requiring acute kidney injury on long-term prognosis of patients requiring prolonged mechanical ventilation: nationwide population-based study. <i>PLoS ONE</i> , <b>2012</b> , 7, e50675	3.7	36
37	Aliskiren for reninoma. <i>Nephrology</i> , <b>2012</b> , 17, 308-9	2.2	4
36	Advanced age affects the outcome-predictive power of RIFLE classification in geriatric patients with acute kidney injury. <i>Kidney International</i> , <b>2012</b> , 82, 920-7	9.9	51
35	Rasburicase for huge hepatocellular carcinoma with tumor lysis syndrome: case report. <i>Medical Principles and Practice</i> , <b>2012</b> , 21, 498-500	2.1	6
34	Dialysis elbow. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2012</b> , 105, 485-6	2.7	1

33	Asymptomatic green dialysate. <i>American Journal of the Medical Sciences</i> , <b>2012</b> , 344, 227	2.2	3
32	Safety issues of long-term glucose load in patients on peritoneal dialysis--a 7-year cohort study. <i>PLoS ONE</i> , <b>2012</b> , 7, e30337	3.7	34
31	Renal cell carcinoma with secondary hemophagocytic syndrome: A case report. <i>Canadian Urological Association Journal</i> , <b>2012</b> , 6, E64-6	1.2	2
30	Acute-on-chronic kidney injury at hospital discharge is associated with long-term dialysis and mortality. <i>Kidney International</i> , <b>2011</b> , 80, 1222-30	9.9	127
29	Steroid for gout: myth or elixir?. <i>American Journal of Medicine</i> , <b>2011</b> , 124, e17; author reply e19	2.4	
28	Combining body mass index and serum potassium to urine potassium clearance ratio is an alternative method to predict primary aldosteronism. <i>Clinica Chimica Acta</i> , <b>2011</b> , 412, 1637-42	6.2	4
27	When routine is wrong? The experience of chest radiography. <i>European Journal of Internal Medicine</i> , <b>2011</b> , 22, e141	3.9	
26	LUTS: A lot to be discerned. <i>Journal of the Formosan Medical Association</i> , <b>2011</b> , 110, 727	3.2	1
25	Mechanisms other than atherosclerosis in the partnership between chlamydia and stroke. <i>Southern Medical Journal</i> , <b>2011</b> , 104, 666; author reply 666-7	0.6	
24	Mixed connective tissue disease with protein-losing enteropathy: discussion of the treatment strategy. <i>Journal of Clinical Rheumatology</i> , <b>2011</b> , 17, 286-7	1.1	3
23	An isotopic diagnosis of seizure. <i>Internal Medicine</i> , <b>2011</b> , 50, 2919-22	1.1	
22	Behind intravenous iron therapy for heart failure: the downside?. <i>International Journal of Clinical Practice</i> , <b>2011</b> , 65, 1014	2.9	1
21	Ventricular arrhythmia: a new explanation for hemoglobin paradox in end-stage renal disease?. <i>Hemodialysis International</i> , <b>2011</b> , 15, 581-2	1.7	
20	Do the benefits of peritoneal dialysis for polycystic kidney disease wane with time?. <i>American Journal of Kidney Diseases</i> , <b>2011</b> , 58, 493-4; author reply 494	7.4	2
19	Renal reserve in the oldest old: calculation of concerns regarding creatinine clearance rate with cimetidine in the elderly. <i>International Urology and Nephrology</i> , <b>2011</b> , 43, 929-30; author reply 931	2.3	2
18	Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. <i>Critical Care</i> , <b>2011</b> , 15, R134	10.8	76
17	Creatinine and cystatin C: shooting at a flying target. <i>Upsala Journal of Medical Sciences</i> , <b>2011</b> , 116, 221-2; author reply 223	2.8	3
16	Preoperative proteinuria predicts adverse renal outcomes after coronary artery bypass grafting. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2011</b> , 22, 156-63	12.7	121

15	Metastatic cerebral calcification. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , <b>2011</b> , 72, 353	0.8	
14	Reninoma. <i>Kidney International</i> , <b>2011</b> , 79, 260	9.9	1
13	Caveats in the interpretation of natriuretic peptide levels. <i>Clinics</i> , <b>2011</b> , 66, 1479-80	2.3	
12	Disease-modifying medications in heart failure: more than ACE inhibitors and beta blockers. <i>Clinics</i> , <b>2011</b> , 66, 1275-6	2.3	
11	Diastolic dysfunction in end-stage renal disease patient: what the ticking clock has told us?. <i>Clinics</i> , <b>2011</b> , 66, 913-4	2.3	1
10	Nephrolithiasis: history counts. <i>Southern Medical Journal</i> , <b>2011</b> , 104, 462-3; author reply 463	0.6	
9	Huge haematoma causing chest wall compression from rupture of arteriovenous fistula. <i>Acta Clinica Belgica</i> , <b>2011</b> , 66, 242	1.8	1
8	Large bladder stone masquerading as foreign body. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , <b>2010</b> , 71, 713	0.8	
7	Risk factors for high dialysate glucose use in PD patients--a retrospective 5-year cohort study. <i>Peritoneal Dialysis International</i> , <b>2010</b> , 30, 448-55	2.8	17
6	Primary aldosteronism: diagnostic accuracy of the losartan and captopril tests. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 821-7	2.3	58
5	Rate of decline of residual renal function is associated with all-cause mortality and technique failure in patients on long-term peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , <b>2009</b> , 24, 2909-14	2.3	98
4	Initial glucose load predicts technique survival in patients on chronic peritoneal dialysis. <i>American Journal of Nephrology</i> , <b>2008</b> , 28, 765-71	4.6	24
3	Predictors of Faster Decline of Residual Renal Function in Taiwanese Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , <b>2008</b> , 28, 191-195	2.8	52
2	Predictors of faster decline of residual renal function in Taiwanese peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , <b>2008</b> , 28 Suppl 3, S191-5	2.8	24
1	Quality of Sleep and Psychosocial Factors for Patients Undergoing Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , <b>2007</b> , 27, 675-680	2.8	31