

Zhong-Ming Sun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8567188/publications.pdf>

Version: 2024-02-01

118
papers

5,177
citations

87723

38
h-index

91712

69
g-index

122
all docs

122
docs citations

122
times ranked

4315
citing authors

#	ARTICLE	IF	CITATIONS
1	[Cd(Sn ₉) ₂] ⁶⁺ and [Cd(Ni@Sn ₉) ₂] ⁶⁺ : Reactivity and coordination chemistry of empty and Ni-centered [Sn ₉] ₄ ⁺ Zintl ions. Chinese Chemical Letters, 2023, 34, 107207.	4.8	2
2	[(CrGe ₉)Cr ₂ (CO) ₁₃] ₄ ⁺ : A disubstituted case of ten-vertex closo cluster with spherical aromaticity. Chinese Chemical Letters, 2022, 33, 2139-2142.	4.8	10
3	Synthesis and Structure of Binary Copper/Silver-Arsenic Clusters Derived from Zintl Ion As ₇ ³⁻ . Chinese Journal of Chemistry, 2022, 40, 65-70.	2.6	7
4	[Co ₂](Ge ₁₇ Ni) ₄ ⁺ : the first edge-sharing double-cage endohedral germanide. Chemical Communications, 2022, 58, 3190-3193.	2.2	4
5	Ruthenium-mediated assembly and enhanced stability of heterometallic polystannides [Ru ₂ Sn ₁₉] ₄ ⁺ and [Ru ₂ Sn ₂₀] ₆ ⁺ . Nano Research, 2022, 15, 5705-5711.	5.8	1
6	Synthesis and Characterization of Ternary Clusters Containing the [As ₁₆] ₁₀ ⁺ Anion, [MM ² As ₁₆] ₄ ⁺ (M = Nb or Ta; M ² = Cu or Ag). Inorganic Chemistry, 2022, 61, 4421-4427.	6.1	8
7	Inorganic Ferrocene Analogue [Fe(P ₄) ₂] ₂ ⁺ . Journal of the American Chemical Society, 2022, 144, 6698-6702.	6.6	19
8	Symmetry collapse due to the presence of multiple local aromaticity in Ge ₂₄₄ ⁺ . Nature Communications, 2022, 13, 2149.	5.8	9
9	Missing Link in the Growth of Lead-Based Zintl Clusters: Isolation of the Dimeric Plumbaspherenes [Cu ₄ Pb ₂₂] ₄ ⁺ . Journal of the American Chemical Society, 2022, 144, 8007-8017.	6.6	2
10	Sn ₃₆ ₈ ⁺ : a 2.7 nm naked aromatic tin rod. Chemical Communications, 2022, 58, 6223-6226.	2.2	9
11	Synthesis and characterisation of the ternary intermetalloid clusters {M@[As ₈ (ZnMes) ₄] ₃ ⁺ (M = Nb, Ta) from binary [M@As ₈] ₃ ⁺ precursors. Chemical Science, 2022, 13, 6744-6748.	3.7	1
12	Synthesis, Structure and Bonding in Pentagonal Bipyramidal Cluster Compounds Containing a cyclo-Sn ₅ Ring, [(CO) ₃ MSn ₅ (CO) ₃] ₄ ⁺ (M = Cr, Mo). Inorganics, 2022, 10, 75.	1.2	5
13	[Bi ₆ Mo ₃ (CO) ₉] ₄ ⁺ : a multiple local f-aromatic cluster containing a distorted Bi ₆ triangular prism. Chemical Communications, 2021, 57, 3656-3659.	2.2	15
14	Spherical aromaticity in inorganic chemistry. , 2021, , 447-489.		1
15	Electronic structures and properties of dianionic pentacarbonyls [TM(CO) ₅] ₂ ²⁻ (TM = Cr, Mo, W). Physical Chemistry Chemical Physics, 2021, 23, 18640-18646.	1.3	1
16	Solution-Based Group 14 Zintl Anions: New Frontiers and Discoveries. Accounts of Chemical Research, 2021, 54, 1506-1516.	7.6	19
17	[Sn ₈] ₆ ⁺ Bridged Mixed-Valence Zn I /Zn II in {[K ₂ ZnSn ₈ (ZnMes) ₂] ₄ ⁺ Inverse Sandwich-Type Cluster Supported by a Zn I ⁺ Zn I Bond. Angewandte Chemie - International Edition, 2021, 60, 9990-9995.	7.2	9
18	Open Shells in Endohedral Clusters: Structure and Bonding in the [Fe ₂](Ge ₁₆) ₄ ⁺ Anion and Comparison to Isostructural [Co ₂](Ge ₁₆) ₄ ⁺ . Journal of Physical Chemistry A, 2021, 125, 4578-4588.	1.1	5

#	ARTICLE	IF	CITATIONS
19	[As_3M] (As_3Pb_3) ($\text{M} = \text{Nb}$) TjETQq11 0.784314 rgBT [Pb_3] $2\hat{\wedge}$. Chinese Journal of Chemistry, 2021, 39, 1953-1957.	2.6	8
20	Ternary aromatic and anti-aromatic clusters derived from the hypoh species $[\text{Sn}_2\text{Sb}_5]3\hat{\wedge}$. Nature Communications, 2021, 12, 4465.	5.8	14
21	Zintl chemistry: From Zintl ions to Zintl clusters. , 2021, , .		2
22	A fast and highly selective Congo red adsorption material based on a cadmium-phosphonate network. Dalton Transactions, 2020, 49, 3700-3705.	1.6	21
23	Recent Advances in Rare-Earth Polynictides. Chinese Journal of Chemistry, 2020, 38, 295-304.	2.6	6
24	Spherical Aromaticity of All-Metal $[\text{Bi}_{18}\text{Bi}_{12}]3\hat{\wedge}/5\hat{\wedge}$ Clusters. Chemistry - A European Journal, 2020, 26, 2073-2079.	1.7	21
25	A sandwich-type cluster containing $\text{Ge}@\text{Pd}_3$ planar fragment flanked by aromatic nonagermanide caps. Nature Communications, 2020, 11, 5286.	5.8	19
26	Efficient conversion of cellulose to 5-hydroxymethylfurfural catalyzed by a cobalt-phosphonate catalyst. Sustainable Energy and Fuels, 2020, 4, 5795-5801.	2.5	8
27	$[\text{Cu}_4@\text{E}_{18}]4\hat{\wedge}$ (E = Sn, Pb): Fused Derivatives of Endohedral Stannaspherenes and Plumbaspherenes. Journal of the American Chemical Society, 2020, 142, 13288-13293.	6.6	23
28	All-metal π -antiaromaticity in dimeric cluster anion $\{[\text{CuGe}_9\text{Mes}]_2\}4\hat{\wedge}$. Chemical Communications, 2020, 56, 6583-6586.	2.2	22
29	Site-Selective CO_2 Reduction over Highly Dispersed Ru-SnO Sites Derived from a $[\text{Ru}@\text{Sn}_9]6\hat{\wedge}$ Zintl Cluster. ACS Catalysis, 2020, 10, 7808-7819.	5.5	23
30	π -Aromaticity-Induced Stabilization of Heterometallic Supertetrahedral Clusters $[\text{Zn}_6\text{Ge}_{16}]4\hat{\wedge}$ and $[\text{Cd}_6\text{Ge}_{16}]4\hat{\wedge}$. Angewandte Chemie - International Edition, 2020, 59, 17286-17290.	7.2	31
31	A family of lead clusters with precious metal cores. Nature Communications, 2020, 11, 3477.	5.8	18
32	π -Aromaticity-Induced Stabilization of Heterometallic Supertetrahedral Clusters $[\text{Zn}_6\text{Ge}_{16}]4\hat{\wedge}$ and $[\text{Cd}_6\text{Ge}_{16}]4\hat{\wedge}$. Angewandte Chemie, 2020, 132, 17439-17443.	1.6	9
33	Record Low Ionization Potentials of Alkali Metal Complexes with Crown Ethers and Cryptands. ChemPhysChem, 2019, 20, 2013.	1.0	0
34	Recent advances in structural chemistry of Group 14 Zintl ions. Coordination Chemistry Reviews, 2019, 382, 32-56.	9.5	62
35	A Ni^{II} -cluster-based MOF as an efficient heterogeneous catalyst for the chemical transformation of CO_2 . Dalton Transactions, 2019, 48, 1246-1250.	1.6	17
36	Innentitelbild: Structure and Bonding in $[\text{Sb}_{18}\text{Sb}_{12}]3\hat{\wedge}$ and $[\text{Sb}_{18}\text{Sb}_{12}]5\hat{\wedge}$ (Angew. Chem. 25/2019). Angewandte Chemie, 2019, 131, 8330-8330.	1.6	0

#	ARTICLE	IF	CITATIONS
37	Structure and Bonding in [Sb@In ₈ Sb ₁₂] 3 ⁺ and [Sb@In ₈ Sb ₁₂] 5 ⁺ . <i>Angewandte Chemie</i> , 2019, 131, 8455-8459.	1.6	8
38	Record Low Ionization Potentials of Alkali Metal Complexes with Crown Ethers and Cryptands. <i>ChemPhysChem</i> , 2019, 20, 2060-2062.	1.0	21
39	Structure and Bonding in [Sb@In ₈ Sb ₁₂] 3 ⁺ and [Sb@In ₈ Sb ₁₂] 5 ⁺ . <i>Angewandte Chemie - International Edition</i> , 2019, 58, 8367-8371.	7.2	27
40	Synthesis, Crystal Structures, and Photochemical Properties of a Family of Heterometallic Titanium Oxo Clusters. <i>Inorganic Chemistry</i> , 2019, 58, 6312-6319.	1.9	47
41	Synthesis and structure of a family of rhodium polystannide clusters [Rh@Sn ₁₀] ³⁺ , [Rh@Sn ₁₂] ³⁺ , [Rh ₂ @Sn ₁₇] ⁶⁺ and the first triply-fused stannide, [Rh ₃ @Sn ₂₄] ⁵⁺ . <i>Chemical Science</i> , 2019, 10, 4394-4401.	3.7	38
42	Structural isomerism in the [(Ni@Sn ₉)In(Ni@Sn ₉)] ⁵⁺ Zintl ion. <i>Dalton Transactions</i> , 2019, 48, 15888-15895.	1.6	9
43	Reactivity Studies of [Co@Sn ₉] ⁴⁺ with Transition Metal Reagents: Bottom-Up Synthesis of Ternary Functionalized Zintl Clusters. <i>Inorganic Chemistry</i> , 2018, 57, 3025-3034.	1.9	32
44	Designed Cluster Assembly of Multidimensional Titanium Coordination Polymers: Syntheses, Crystal Structure and Properties. <i>Chemistry - A European Journal</i> , 2018, 24, 2952-2961.	1.7	42
45	A highly stable MnII phosphonate as a highly efficient catalyst for CO ₂ fixation under ambient conditions. <i>Chemical Communications</i> , 2018, 54, 1758-1761.	2.2	40
46	Porous Anionic Uranyl Organic Networks for Highly Efficient Cs ⁺ Adsorption and Investigation of the Mechanism. <i>Inorganic Chemistry</i> , 2018, 57, 4419-4426.	1.9	70
47	[Co ₂ @Ge ₁₆] ⁴⁺ : Localized versus Delocalized Bonding in Two Isomeric Intermetalloid Clusters. <i>Chemistry - A European Journal</i> , 2018, 24, 699-705.	1.7	51
48	Conformational 2-Fold Interpenetrated Uranyl Supramolecular Isomers Based on (6,3) Sheet Topology: Structure, Luminescence, and Ion Exchange. <i>Inorganic Chemistry</i> , 2018, 57, 15370-15378.	1.9	30
49	Symmetry Reduction upon Size Mismatch: The Nonicosahedral Intermetalloid Cluster [Co@Ge ₁₂] ³⁺ . <i>Chinese Journal of Chemistry</i> , 2018, 36, 1165-1168.	2.6	25
50	Frontispiece: Aromaticity and Antiaromaticity in Zintl Clusters. <i>Chemistry - A European Journal</i> , 2018, 24, .	1.7	0
51	Aromaticity and Antiaromaticity in Zintl Clusters. <i>Chemistry - A European Journal</i> , 2018, 24, 14583-14597.	1.7	52
52	Recent Advances in Aromatic Antimony Clusters. <i>Chinese Journal of Chemistry</i> , 2018, 36, 955-960.	2.6	8
53	Construction of Uranyl Organic Hybrids by Phosphonate and in Situ Generated Carboxyphosphonate Ligands. <i>Inorganic Chemistry</i> , 2017, 56, 1669-1678.	1.9	34
54	Fe ₃ O ₄ @ZIF-8: a magnetic nanocomposite for highly efficient UO ₂ ²⁺ adsorption and selective UO ₂ ²⁺ /Ln ³⁺ separation. <i>Chemical Communications</i> , 2017, 53, 4199-4202.	2.2	168

#	ARTICLE	IF	CITATIONS
55	Self-Assembly of Tunable Heterometallic Ln-Ru Coordination Polymers with Near-Infrared Luminescence and Magnetocaloric Effect. <i>Chemistry - A European Journal</i> , 2017, 23, 2852-2857.	1.7	26
56	Metal-organic frameworks constructed from a tetrahedral silicon-based linker for selective adsorption of methylene blue. <i>CrystEngComm</i> , 2017, 19, 1564-1570.	1.3	22
57	A copper-phosphonate network as a high-performance heterogeneous catalyst for the CO ₂ cycloaddition reactions and alcoholysis of epoxides. <i>Dalton Transactions</i> , 2017, 46, 6756-6761.	1.6	45
58	[Ge ₅ Ni ₂ (CO) ₃] ²⁺ : the first functionalized cluster of closo-[Ge ₅] ²⁺ . <i>Chemical Communications</i> , 2017, 53, 6315-6318.	2.2	21
59	A microporous Cd-MOF based on a hexavalent silicon-centred connector and luminescence sensing of small molecules. <i>New Journal of Chemistry</i> , 2017, 41, 1137-1141.	1.4	17
60	An ultrastable zirconium-phosphonate framework as bifunctional catalyst for highly active CO ₂ chemical transformation. <i>Chemical Communications</i> , 2017, 53, 1293-1296.	2.2	79
61	A cluster-based mesoporous Ti-MOF with sodalite supercages. <i>Chemical Communications</i> , 2017, 53, 11670-11673.	2.2	74
62	Interpenetrated Uranyl-Organic Frameworks with <i>bor</i> and <i>pts</i> Topology: Structure, Spectroscopy, and Computation. <i>Inorganic Chemistry</i> , 2017, 56, 14147-14156.	1.9	39
63	Synthesis, characterization and electronic properties of an endohedral plumbaspherenes [Au@Pb ₁₂] ³⁺ . <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 1393-1396.	3.0	26
64	All-Metal Antiaromaticity in Sb ₄ -Type Lanthanocene Anions. <i>Angewandte Chemie</i> , 2016, 128, 5621-5625.	1.6	11
65	[Sb ₄ Au ₄ Sb ₄] ²⁺ : A designer all-metal aromatic sandwich. <i>Journal of Chemical Physics</i> , 2016, 145, 044308.	1.2	8
66	Layered and three-dimensional uranyl-organic assemblies with 4,4'-oxidipthalic acid. <i>Chinese Chemical Letters</i> , 2016, 27, 325-329.	4.8	2
67	Entangled Uranyl Organic Frameworks with (10,3)- <i>b</i> Topology and Polythreading Network: Structure, Luminescence, and Computational Investigation. <i>Inorganic Chemistry</i> , 2016, 55, 5540-5548.	1.9	39
68	Photochromic Terbium Phosphonates with Photomodulated Luminescence and Metal Ion Sensitive Detection. <i>Chemistry - A European Journal</i> , 2016, 22, 15451-15457.	1.7	63
69	A microporous Cu-MOF with optimized open metal sites and pore spaces for high gas storage and active chemical fixation of CO ₂ . <i>Chemical Communications</i> , 2016, 52, 11147-11150.	2.2	119
70	A Multifunctional Mn ^{II} Phosphonate for Rapid Separation of Methyl Orange and Electron-Transfer Photochromism. <i>Chemistry - A European Journal</i> , 2016, 22, 11652-11659.	1.7	34
71	Peculiar All-Metal π -Aromaticity of the [Au ₂ Sb ₁₆] ⁴⁺ Anion in the Solid State. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 15344-15346.	7.2	52
72	Peculiar All-Metal π -Aromaticity of the [Au ₂ Sb ₁₆] ⁴⁺ Anion in the Solid State. <i>Angewandte Chemie</i> , 2016, 128, 15570-15572.	1.6	19

#	ARTICLE	IF	CITATIONS
73	All-metal Antiaromaticity in Sb_4 -type Lanthanocene Anions. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 5531-5535.	7.2	59
74	A niobium-necked cluster $[As_3Nb(As_3Sn_3)]^{3+}$ with aromatic Sn_3^{2+} . <i>Dalton Transactions</i> , 2016, 45, 3874-3879.	1.6	14
75	Structural Variations of the First Family of Heterometallic Uranyl Carboxyphosphinate Assemblies by Synergy between Carboxyphosphinate and Imidazole Ligands. <i>Crystal Growth and Design</i> , 2016, 16, 2011-2018.	1.4	19
76	Particular Handedness Excess through Symmetry-Breaking Crystallization of a 3D Cobalt Phosphonate. <i>Inorganic Chemistry</i> , 2016, 55, 537-539.	1.9	18
77	A Series of Multifunctional Metal-Organic Frameworks Showing Excellent Luminescent Sensing, Sensitization, and Adsorbent Abilities. <i>Chemistry - A European Journal</i> , 2015, 21, 11475-11482.	1.7	219
78	An ultrastable porous metal-organic framework luminescent switch towards aromatic compounds. <i>Materials Horizons</i> , 2015, 2, 245-251.	6.4	98
79	Structural chemistry of uranium phosphonates. <i>Coordination Chemistry Reviews</i> , 2015, 303, 86-109.	9.5	121
80	Polyoxometalates-based heterometallic organic-inorganic hybrid materials for rapid adsorption and selective separation of methylene blue from aqueous solutions. <i>Chemical Communications</i> , 2015, 51, 3336-3339.	2.2	158
81	Linearly bridging CO_2 in a metal-organic framework. <i>Chemical Communications</i> , 2015, 51, 8446-8449.	2.2	9
82	Heterometallic zinc uranium oxyfluorides incorporating imidazole ligands. <i>Chinese Chemical Letters</i> , 2015, 26, 641-645.	4.8	3
83	An All-Metal Aromatic Sandwich Complex $[Sb_3Au_3Sb_3]^{3+}$. <i>Journal of the American Chemical Society</i> , 2015, 137, 10954-10957.	6.6	82
84	A Nanoscale Multiresponsive Luminescent Sensor Based on a Terbium(III) Metal-Organic Framework. <i>Chemistry - an Asian Journal</i> , 2015, 10, 1703-1709.	1.7	31
85	Uranyl Carboxyphosphonates Derived from Hydrothermal in Situ Ligand Reaction: Syntheses, Structures, and Computational Investigations. <i>Inorganic Chemistry</i> , 2015, 54, 8617-8624.	1.9	24
86	The First Family of Actinide Carboxyphosphinates: Two- and Three-Dimensional Uranyl Coordination Polymers. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 5378-5384.	1.0	24
87	Syntheses, Structures, Luminescence, and Photocatalytic Properties of a Series of Uranyl Coordination Polymers. <i>Crystal Growth and Design</i> , 2014, 14, 5904-5911.	1.4	44
88	Structural Variation within Heterometallic Uranyl Hybrids Based on Flexible Alkyldiphosphonate Ligands. <i>Crystal Growth and Design</i> , 2014, 14, 1366-1374.	1.4	39
89	Fast response and highly selective sensing of amine vapors using a luminescent coordination polymer. <i>Chemical Communications</i> , 2014, 50, 10506-10509.	2.2	119
90	Dynamically controlled one-pot synthesis of heterogeneous core-shell MOF single crystals using guest molecules. <i>Chemical Communications</i> , 2014, 50, 11653-11656.	2.2	47

#	ARTICLE	IF	CITATIONS
91	A nanosized heterometallic {Zn ₂ Ru ₃ } coordination cage templated by various polyoxometalates. Dalton Transactions, 2014, 43, 17244-17247.	1.6	8
92	Isolation of a series of uranium organophosphinates. CrystEngComm, 2014, 16, 8073-8080.	1.3	9
93	A highly efficient $\text{metal}^{\text{II}}\text{-}^{\text{III}}\text{metal}^{\text{IV}}$ strategy for the synthesis of ternary Ln ^{III} -Ru ^{II} -W hybrids. Chemical Communications, 2013, 49, 7911.	2.2	24
94	MOF-76: from a luminescent probe to highly efficient U ^{VI} sorption material. Chemical Communications, 2013, 49, 10415-10417.	2.2	257
95	Synthesis, Structures, and Properties of Uranyl Hybrids Constructed by a Variety of Mono- and Polycarboxylic Acids. Inorganic Chemistry, 2013, 52, 12394-12402.	1.9	64
96	Syntheses and Structures of a Series of Uranyl Phosphonates and Sulfonates: An Insight into Their Correlations and Discrepancies. Inorganic Chemistry, 2013, 52, 2736-2743.	1.9	72
97	Flexible Diphosphonic Acids for the Isolation of Uranyl Hybrids with Heterometallic U ^{VI} -Zn ^{II} Cation-Cation Interactions. Inorganic Chemistry, 2013, 52, 8288-8290.	1.9	31
98	Construction of Cu(II) coordination polymers based on semi-rigid tetrahedral pyridine ligands. RSC Advances, 2013, 3, 25065.	1.7	14
99	Construction of porous Mn(II)-based metal-organic frameworks by flexible hexacarboxylic acid and rigid coligands. CrystEngComm, 2013, 15, 8320.	1.3	28
100	Bisactinyl halogenated complexes: relativistic density functional theory calculation and experimental synthesis. RSC Advances, 2013, 3, 1572-1582.	1.7	8
101	Syntheses and Structures of Uranyl Ethylenediphosphonates: From Layers to Elliptical Nanochannels. Inorganic Chemistry, 2013, 52, 7100-7106.	1.9	31
102	Lanthanide Metal-Organic Frameworks Showing Luminescence in the Visible and Near-Infrared Regions with Potential for Acetone Sensing. Chemistry - A European Journal, 2013, 19, 17172-17179.	1.7	127
103	3-Fold-Interpenetrated Uranium-Organic Frameworks: New Strategy for Rationally Constructing Three-Dimensional Uranyl Organic Materials. Inorganic Chemistry, 2012, 51, 3103-3107.	1.9	74
104	Chiral transformations of achiral porous metal-organic frameworks via a stepwise approach. Chemical Communications, 2012, 48, 10419.	2.2	30
105	Solvent-Controlled Syntheses, Structure, and Magnetic Properties of Trinuclear Mn(II)-Based Metal-Organic Frameworks. Crystal Growth and Design, 2012, 12, 5693-5700.	1.4	37
106	From 1D Chain to 3D Framework Uranyl Diphosphonates: Syntheses, Crystal Structures, and Selective Ion Exchange. Inorganic Chemistry, 2012, 51, 11458-11465.	1.9	78
107	Tailor-Made Zinc Uranyl Diphosphonates from Layered to Framework Structures. Crystal Growth and Design, 2012, 12, 4669-4675.	1.4	47
108	Tunable emission based on lanthanide(III) metal-organic frameworks: an alternative approach to white light. Journal of Materials Chemistry, 2012, 22, 8868.	6.7	158

#	ARTICLE	IF	CITATIONS
109	Luminescent lanthanide metal-organic frameworks with a large SHG response. <i>Chemical Communications</i> , 2012, 48, 11139.	2.2	61
110	A layer-structured Eu-MOF as a highly selective fluorescent probe for Fe ³⁺ detection through a cation-exchange approach. <i>Journal of Materials Chemistry</i> , 2012, 22, 16920.	6.7	433
111	Highly selective acetone fluorescent sensors based on microporous Cd(ii) metal-organic frameworks. <i>Journal of Materials Chemistry</i> , 2012, 22, 23201.	6.7	140
112	Solvents control over the degree of interpenetration in metal-organic frameworks and their high sensitivities for detecting nitrobenzene at ppm level. <i>Journal of Materials Chemistry</i> , 2012, 22, 15939.	6.7	173
113	Diversity of Functionalized Germanium Zintl Clusters: Syntheses and Theoretical Studies of [Ge ₉ PdPPh ₃] ³⁻ and [Ni@(Ge ₉ PdPPh ₃) ₂] ⁻ . <i>Journal of Cluster Science</i> , 2009, 20, 601-609.	1.7	34
114	Pd ₂ @Sn ₁₈ ⁴⁻: Fusion of Two Endohedral Stannaspherenes. <i>Journal of the American Chemical Society</i> , 2007, 129, 9560-9561.	6.6	116
115	Novel Corrugated In ₉ Anionic Layer in Li ₂ Y ₅ In ₉ : Square Pyramidal In ₅ Clusters Interconnected by Unusual Butterfly In ₄ Clusters. <i>Inorganic Chemistry</i> , 2005, 44, 6545-6549.	1.9	7
116	Ca ₆ Cu ₂ Sn ₇ : Novel 3D Open Framework with Unusual Sn ₄ Tetramers. <i>Inorganic Chemistry</i> , 2005, 44, 9242-9246.	1.9	14
117	Synthesis, Characterization, and Crystal Structures of Three New Divalent Metal Carboxylate-Sulfonates with a Layered and One-Dimensional Structure. <i>Inorganic Chemistry</i> , 2004, 43, 336-341.	1.9	109
118	Hydrothermal synthesis, characterization and crystal structures of two new layered lead(ii) diphosphonates. <i>New Journal of Chemistry</i> , 2003, 27, 1326.	1.4	36