S J O'brien Or Sarah J O'brien Or S O'brie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8568305/publications.pdf

Version: 2024-02-01

40881 57631 9,472 158 44 93 citations h-index g-index papers 160 160 160 9243 docs citations citing authors all docs times ranked

#	Article	IF	Citations
1	School Attendance Registers for the Syndromic Surveillance of Infectious Intestinal Disease in UK Children: Protocol for a Retrospective Analysis. JMIR Research Protocols, 2022, 11, e30078.	0.5	2
2	Cross-sectional household transmission study of Cryptosporidium shows that C. hominis infections are a key risk factor for spread. BMC Infectious Diseases, 2022, 22, 114.	1.3	8
3	Application of kernel smoothing to estimate the spatio-temporal variation in risk of STEC O157 in England. Spatial and Spatio-temporal Epidemiology, 2020, 32, 100305.	0.9	3
4	What proportion of care home outbreaks are caused by norovirus? An analysis of viral causes of gastroenteritis outbreaks in care homes, North East England, 2016–2018. BMC Infectious Diseases, 2020, 20, 2.	1.3	21
5	Using emergency department syndromic surveillance to investigate the impact of a national vaccination program: A retrospective observational study. PLoS ONE, 2020, 15, e0240021.	1.1	o
6	Neighbourhood unemployment and other socio-demographic predictors of emergency hospitalisation for infectious intestinal disease in England: A longitudinal ecological study. Journal of Infection, 2020, 81, 736-742.	1.7	9
7	Investigation of a foodborne outbreak of Shigella sonnei in Ireland and Northern Ireland, December 2016: the benefits of cross-border collaboration and commercial sales data. Public Health, 2020, 182, 19-25.	1.4	5
8	Increasing prevalence of a fluoroquinolone resistance mutation amongst Campylobacter jejuni isolates from four human infectious intestinal disease studies in the United Kingdom. PLoS ONE, 2020, 15, e0227535.	1.1	9
9	Norovirus strain types found within the second infectious intestinal diseases (IID2) study an analysis of norovirus circulating in the community. BMC Infectious Diseases, 2019, 19, 87.	1.3	10
10	Estimating the burden of care home gastroenteritis outbreaks in England, 2014–2016. BMC Infectious Diseases, 2019, 19, 12.	1.3	12
11	Control of norovirus infection. Current Opinion in Gastroenterology, 2019, 35, 14-19.	1.0	6
12	Transmission routes of rare seasonal diseases: the case of norovirus infections. Philosophical Transactions of the Royal Society B: Biological Sciences, 2019, 374, 20180267.	1.8	15
13	Estimating Disability-Adjusted Life Years (DALYs) in Community Cases of Norovirus in England. Viruses, 2019, 11, 184.	1.5	6
14	Climate, human behaviour or environment: individual-based modelling of Campylobacter seasonality and strategies to reduce disease burden. Journal of Translational Medicine, 2019, 17, 34.	1.8	11
15	Prospective cohort study to investigate the burden and transmission of acute gastroenteritis in care homes: epidemiological results. BMJ Open, 2019, 9, e033239.	0.8	1
16	Cross-sectional investigation of household transmission of Cryptosporidium England and Wales: the epiCrypt study protocol. BMJ Open, 2019, 9, e026116.	0.8	5
17	A real-time spatio-temporal syndromic surveillance system with application to small companion animals. Scientific Reports, 2019, 9, 17738.	1.6	6
18	Social patterning of telephone health-advice for diarrhoea and vomiting: analysis of 24 million telehealth calls in England. Journal of Infection, 2019, 78, 95-100.	1.7	4

#	Article	IF	CITATIONS
19	A Fully Integrated Real-Time Detection, Diagnosis, and Control of Community Diarrheal Disease Clusters and Outbreaks (the INTEGRATE Project): Protocol for an Enhanced Surveillance System. JMIR Research Protocols, 2019, 8, e13941.	0.5	4
20	How timely closure can reduce outbreak duration: gastroenteritis in care homes in North West England, 2012–2016. BMC Public Health, 2018, 18, 488.	1.2	9
21	A One-Year Survey of Norovirus in UK Oysters Collected at the Point of Sale. Food and Environmental Virology, 2018, 10, 278-287.	1.5	38
22	Spatio-temporal models to determine association between Campylobacter cases and environment. International Journal of Epidemiology, 2018, 47, 202-216.	0.9	5
23	Incidence of household transmission of acute gastroenteritis (AGE) in a primary care sentinel network (1992–2017): cross-sectional and retrospective cohort study protocol. BMJ Open, 2018, 8, e022524.	0.8	5
24	A spatial and temporal analysis of risk factors associated with sporadic Shiga toxin-producing <i>Escherichia coli</i> O157 infection in England between 2009 and 2015. Epidemiology and Infection, 2018, 146, 1928-1939.	1.0	15
25	Socioeconomic status and infectious intestinal disease in the community: a longitudinal study (IID2) Tj ETQq $1\ 1$	0.784314 0.1	rgBT /Overlo
26	Exposures associated with infection with Cryptosporidium in industrialised countries: a systematic review protocol. Systematic Reviews, 2018, 7, 70.	2.5	8
27	Foodborne and Food-Handler Norovirus Outbreaks: A Systematic Review. Foodborne Pathogens and Disease, 2018, 15, 589-597.	0.8	66
28	Relationship between socioeconomic status and gastrointestinal infections in developed countries: A systematic review and meta-analysis. PLoS ONE, 2018, 13, e0191633.	1.1	31
29	A randomised controlled trial, cost-effectiveness and process evaluation of the implementation of self-management for chronic gastrointestinal disorders in primary care, and linked projects on identification and risk assessment. Programme Grants for Applied Research, 2018, 6, 1-154.	0.4	4
30	"Catch 22†Biosecurity awareness, interpretation and practice amongst poultry catchers. Preventive Veterinary Medicine, 2017, 141, 22-32.	0.7	29
31	Novel Sampling Method for Assessing Human-Pathogen Interactions in the Natural Environment Using Boot Socks and Citizen Scientists, with Application to Campylobacter Seasonality. Applied and Environmental Microbiology, 2017, 83, .	1.4	12
32	The consequences of Campylobacter infection. Current Opinion in Gastroenterology, 2017, 33, 14-20.	1.0	37
33	Re-assessing the total burden of norovirus circulating in the United Kingdom population. Vaccine, 2017, 35, 853-855.	1.7	24
34	Prospective cohort study to investigate the burden and transmission of acute gastroenteritis in care homes: a study protocol. BMJ Open, 2017, 7, e018867.	0.8	1
35	Socioeconomic status is associated with symptom severity and sickness absence in people with infectious intestinal disease in the UK. BMC Infectious Diseases, 2017, 17, 447.	1.3	16
36	Developing a Multidisciplinary Syndromic Surveillance Academic Research Program in the United Kingdom: Benefits for Public Health Surveillance. Public Health Reports, 2017, 132, 111S-115S.	1.3	1

#	Article	IF	Citations
37	Estimating the prevalence of food risk increasing behaviours in UK kitchens. PLoS ONE, 2017, 12, e0175816.	1.1	30
38	An Ontology to Improve Transparency in Case Definition and Increase Case Finding of Infectious Intestinal Disease: Database Study in English General Practice. JMIR Medical Informatics, 2017, 5, e34.	1.3	12
39	Shiga Toxin–Producing <i>Escherichia coli</i> O157, England and Wales, 1983–2012. Emerging Infectious Diseases, 2016, 22, 590-597.	2.0	61
40	Restaurant Cooking Trends and Increased Risk for Campylobacter Infection. Emerging Infectious Diseases, 2016, 22, 1208-1215.	2.0	26
41	Early Detection of Epidemic GII-4 Norovirus Strains in UK and Malawi: Role of Surveillance of Sporadic Acute Gastroenteritis in Anticipating Global Epidemics. PLoS ONE, 2016, 11, e0146972.	1.1	22
42	Modelling study to estimate the health burden of foodborne diseases: cases, general practice consultations and hospitalisations in the UK, 2009. BMJ Open, 2016, 6, e011119.	0.8	25
43	Foodborne viral infections. Current Opinion in Infectious Diseases, 2016, 29, 495-501.	1.3	29
44	Age-Specific Incidence Rates for Norovirus in the Community and Presenting to Primary Healthcare Facilities in the United Kingdom. Journal of Infectious Diseases, 2016, 213, S15-S18.	1.9	37
45	Economic Cost of Campylobacter, Norovirus and Rotavirus Disease in the United Kingdom. PLoS ONE, 2016, 11, e0138526.	1.1	77
46	Estimating the Incidence of Acute Infectious Intestinal Disease in the Community in the UK: A Retrospective Telephone Survey. PLoS ONE, 2016, 11, e0146171.	1.1	11
47	The potential impact of media reporting in syndromic surveillance: an example using a possible Cryptosporidium exposure in North West England, August to September 2015. Eurosurveillance, 2016, 21, .	3.9	9
48	Case-Control Study of Risk Factors for Sporadic Giardiasis and Parasite Assemblages in North West England. Journal of Clinical Microbiology, 2015, 53, 3133-3140.	1.8	38
49	Assessing the Likely Impact of a Rotavirus Vaccination Program in England: The Contribution of Syndromic Surveillance. Clinical Infectious Diseases, 2015, 61, 77-85.	2.9	29
50	Management of suspected infectious diarrhoea by English GPs: are they right?. British Journal of General Practice, 2014, 64, e24-e30.	0.7	8
51	To close or not to close? Analysis of 4â€year's data from national surveillance of norovirus outbreaks in hospitals in England. BMJ Open, 2014, 4, e003919.	0.8	21
52	The Authors Reply. American Journal of Epidemiology, 2014, 179, 262-263.	1.6	3
53	McCarthy et al. Respond to "Evaluating Case-Chaos for Outbreaks Investigations". American Journal of Epidemiology, 2014, 180, 412-413.	1.6	0
54	A qualitative risk assessment for visual-only post-mortem meat inspection of cattle, sheep, goats and farmed/wild deer. Food Control, 2014, 38, 96-103.	2.8	27

#	Article	IF	CITATIONS
55	Comparison of several prognostic tools in traumatic brain injury including S100B. Brain Injury, 2014, 28, 987-994.	0.6	12
56	GP perspectives of irritable bowel syndrome – an accepted illness, but management deviates from guidelines: a qualitative study. BMC Family Practice, 2013, 14, 92.	2.9	26
57	Models of Mortality Probability in Severe Traumatic Brain Injury: Results of the Modelling by the UK Trauma Registry. Journal of Neurotrauma, 2013, 30, 2021-2030.	1.7	10
58	The second study of infectious intestinal disease (IID2): increased rates of recurrent diarrhoea in individuals aged 65Âyears and above. BMC Public Health, 2013, 13, 739.	1.2	14
59	Using read codes to identify patients with irritable bowel syndrome in general practice: a database study. BMC Family Practice, 2013, 14, 183.	2.9	12
60	Comparing Model Performance for Survival Prediction Using Total Glasgow Coma Scale and Its Components in Traumatic Brain Injury. Journal of Neurotrauma, 2013, 30, 17-22.	1.7	33
61	Three Authors Rreply. American Journal of Epidemiology, 2013, 177, 1022-1022.	1.6	3
62	Does spatial proximity drive norovirus transmission during outbreaks in hospitals?. BMJ Open, 2013, 3, e003060.	0.8	26
63	The "Decline and Fall" of Nontyphoidal Salmonella in the United Kingdom. Clinical Infectious Diseases, 2013, 56, 705-710.	2.9	124
64	Characterization of water and wildlife strains as a subgroup of <i><scp>C</scp>ampylobacter jejuni</i> using <scp>DNA</scp> microarrays. Environmental Microbiology, 2013, 15, 2371-2383.	1.8	16
65	Identifying the seasonal origins of human campylobacteriosis. Epidemiology and Infection, 2013, 141, 1267-1275.	1.0	36
66	Community incidence of pathogen-specific gastroenteritis: reconstructing the surveillance pyramid for seven pathogens in seven European Union member states. Epidemiology and Infection, 2013, 141, 1625-1639.	1.0	58
67	Existing medications among non-pregnancy-related listeriosis patients in England, 2007–2009. Epidemiology and Infection, 2013, 141, 36-44.	1.0	9
68	Influenza Aerosols in UK Hospitals during the H1N1 (2009) Pandemic – The Risk of Aerosol Generation during Medical Procedures. PLoS ONE, 2013, 8, e56278.	1.1	108
69	Campylobacter Infection in Children in Malawi Is Common and Is Frequently Associated with Enteric Virus Co-Infections. PLoS ONE, 2013, 8, e59663.	1.1	47
70	The public health impact of food-related illness. Current Opinion in Infectious Diseases, 2012, 25, 537-545.	1.3	11
71	Longitudinal study of infectious intestinal disease in the UK (IID2 study): incidence in the community and presenting to general practice. Gut, 2012, 61, 69-77.	6.1	470
72	Case-Control Studies of Sporadic Enteric Infections: A Review and Discussion of Studies Conducted Internationally from 1990 to 2009. Foodborne Pathogens and Disease, 2012, 9, 281-292.	0.8	12

#	Article	IF	CITATIONS
73	The "Case-Chaos Study―as an Adjunct or Alternative to Conventional Case-Control Study Methodology. American Journal of Epidemiology, 2012, 176, 497-505.	1.6	13
74	Changes in Causes of Acute Gastroenteritis in the United Kingdom Over 15 Years: Microbiologic Findings From 2 Prospective, Population-Based Studies of Infectious Intestinal Disease. Clinical Infectious Diseases, 2012, 54, 1275-1286.	2.9	145
75	Molecular epidemiology of humanCampylobacter jejunishows association between seasonal and international patterns of disease. Epidemiology and Infection, 2012, 140, 2247-2255.	1.0	38
76	Stool submission by general practitioners in SW England - when, why and how? A qualitative study. BMC Family Practice, 2012, 13, 77.	2.9	11
77	Prognostic value of various intracranial pathologies in traumatic brain injury. European Journal of Trauma and Emergency Surgery, 2012, 38, 25-32.	0.8	9
78	Atâ€Risk Marriages after Compulsory Premarital Testing and Counseling for βâ€Thalassemia and Sickle Cell Disease in Saudi Arabia, 2005–2006. Journal of Genetic Counseling, 2012, 21, 243-255.	0.9	43
79	Urinary DAP metabolite levels in Thai farmers and their families and exposure to pesticides from agricultural pesticide spraying. Occupational and Environmental Medicine, 2011, 68, 625-627.	1.3	23
80	How does frontâ€line staff feel about the quality and accessibility of mental health services for adults with learning disabilities?. Journal of Evaluation in Clinical Practice, 2011, 17, 196-198.	0.9	4
81	Concurrent Conditions and Human Listeriosis, England, 1999–2009. Emerging Infectious Diseases, 2011, 17, 38-43.	2.0	91
82	The Occurrence and Prevention of Foodborne Disease in Vulnerable People. Foodborne Pathogens and Disease, 2011, 8, 961-973.	0.8	153
83	Predictors of persistent gastrointestinal symptoms among new presenters to primary care. European Journal of Gastroenterology and Hepatology, 2010, 22, 296-305.	0.8	15
84	Infection control measures for norovirus: a systematic review of outbreaks in semi-enclosed settings. Journal of Hospital Infection, 2010, 74, 1-9.	1.4	109
85	Corrigendum to "Microbiological safety of food in hospitals and other healthcare settings―[Journal of Hospital Infection, 2010, 74, 412.	1.4	O
86	Methods for determining disease burden and calibrating national surveillance data in the United Kingdom: the second study of infectious intestinal disease in the community (IID2 study). BMC Medical Research Methodology, 2010, 10, 39.	1.4	42
87	Using Abbreviated Injury Scale (AIS) codes to classify Computed Tomography (CT) features in the Marshall System. BMC Medical Research Methodology, 2010, 10, 72.	1.4	42
88	Is there a need to include HIV, HBV and HCV viruses in the Saudi premarital screening program on the basis of their prevalence and transmission risk factors?. Journal of Epidemiology and Community Health, 2010, 64, 989-997.	2.0	46
89	Recommended Summer Sunlight Exposure Levels Can Produce Sufficient (≥20ngmlâ^'1) but Not the Proposed Optimal (≥32ngmlâ^'1) 25(OH)D Levels at UK Latitudes. Journal of Investigative Dermatology, 2010, 130, 1411-1418.	0.3	132
90	The Global Burden of Nontyphoidal <i>Salmonella </i> Gastroenteritis. Clinical Infectious Diseases, 2010, 50, 882-889.	2.9	1,922

#	Article	IF	Citations
91	Changing Patterns of Human Campylobacteriosis, England and Wales, 1990–2007. Emerging Infectious Diseases, 2009, 15, 2046-2048.	2.0	19
92	Disease Presentation in Relation to Infection Foci for Non-Pregnancy-Associated Human Listeriosis in England and Wales, 2001 to 2007. Journal of Clinical Microbiology, 2009, 47, 3301-3307.	1.8	52
93	Chicken Consumption and Use of Acid-Suppressing Medications as Risk Factors for <i>Campylobacter < /i> Enteritis, England. Emerging Infectious Diseases, 2009, 15, 1402-1408.</i>	2.0	65
94	Microbiological safety of food in hospitals and other healthcare settings. Journal of Hospital Infection, 2009, 73, 109-120.	1.4	37
95	A review of injury epidemiology in the UK and Europe: some methodological considerations in constructing rates. BMC Public Health, 2009, 9, 226.	1.2	61
96	Premarital screening programmes for haemoglobinopathies, HIV and hepatitis viruses: review and factors affecting their success. Journal of Medical Screening, 2009, 16, 22-28.	1.1	78
97	A proposed approach in defining population-based rates of major injury from a trauma registry dataset: Delineation of hospital catchment areas (I). BMC Health Services Research, 2008, 8, 80.	0.9	16
98	Psychosocial risk markers for new onset irritable bowel syndrome – Results of a large prospective population-based study. Pain, 2008, 137, 147-155.	2.0	148
99	A common, symptom-based case definition for gastroenteritis. Epidemiology and Infection, 2008, 136, 886-894.	1.0	93
100	Demographic determinants for <i>Campylobacter</i> infection in England and Wales: implications for future epidemiological studies. Epidemiology and Infection, 2008, 136, 1717-1725.	1.0	48
101	Operational Practices Associated with Foodborne Disease Outbreaks in the Catering Industry in England and Wales. Journal of Food Protection, 2008, 71, 1659-1665.	0.8	11
102	Are Staff Management Practices and Inspection Risk Ratings Associated with Foodborne Disease Outbreaks in the Catering Industry in England and Wales?. Journal of Food Protection, 2008, 71, 550-557.	0.8	18
103	Guillain-Barré Syndrome and Preceding Infection with Campylobacter, Influenza and Epstein-Barr Virus in the General Practice Research Database. PLoS ONE, 2007, 2, e344.	1.1	155
104	The magnitude and distribution of infectious intestinal disease in Malta: a population-based study. Epidemiology and Infection, 2007, 135, 1282-1289.	1.0	26
105	Estimating the burden and cost of infectious intestinal disease in the Maltese community. Epidemiology and Infection, 2007, 135, 1290-1298.	1.0	8
106	Foodborne transmission of infectious intestinal disease in England and Wales, 1992–2003. Food Control, 2007, 18, 766-772.	2.8	42
107	GI Epidemiology: infection epidemiology and acute gastrointestinal infections. Alimentary Pharmacology and Therapeutics, 2007, 25, 669-674.	1.9	9
108	Public health investigations of Salmonella Enteritidis in catering raw shell eggs, 2002?2004. Letters in Applied Microbiology, 2007, 44, 595-601.	1.0	34

#	Article	IF	CITATIONS
109	Campylobacters as zoonotic pathogens: A food production perspective. International Journal of Food Microbiology, 2007, 117, 237-257.	2.1	612
110	Temperature dependence of reportedCampylobacterinfection in England, 1989–1999. Epidemiology and Infection, 2006, 134, 119-125.	1.0	60
111	Publication bias in foodborne outbreaks of infectious intestinal disease and its implications for evidence-based food policy. England and Wales 1992–2003. Epidemiology and Infection, 2006, 134, 667-674.	1.0	46
112	Influenza, <i>Campylobacter </i> and <i>Mycoplasma </i> Infections, and Hospital Admissions for Guillain-Barré Syndrome, England. Emerging Infectious Diseases, 2006, 12, 1880-1887.	2.0	42
113	Distribution of molecular subtypes within Salmonella enterica serotype Enteritidis phage type 4 and S. Typhimurium definitive phage type 104 in nine European countries, 2000–2004: results of an international multi-centre study. Epidemiology and Infection, 2006, 134, 729-736.	1.0	49
114	Challenges in identifying the methodology to estimate the prevalence of infectious intestinal disease in Malta. Epidemiology and Infection, 2006, 134, 393-399.	1.0	7
115	Can syndromic surveillance data detect local outbreaks of communicable disease? A model using a historical cryptosporidiosis outbreak. Epidemiology and Infection, 2006, 134, 13-20.	1.0	39
116	Investigating vomiting and/or bloody diarrhoea in Campylobacter jejuni infection. Journal of Medical Microbiology, 2006, 55, 741-746.	0.7	29
117	Incidence of Guillainâ€Barré Syndrome among Patients withCampylobacterInfection: A General Practice Research Database Study. Journal of Infectious Diseases, 2006, 194, 95-97.	1.9	94
118	Foodborne general outbreaks of Shiga toxin-producing Escherichia coli O157 in England and Wales 1992–2002: where are the risks?. Epidemiology and Infection, 2005, 133, 803-808.	1.0	33
119	Is Campylobacter jejuni enteritis a weekend disease?. Journal of Infection, 2005, 50, 265-267.	1.7	3
120	Climate variability and campylobacter infection: an international study. International Journal of Biometeorology, 2005, 49, 207-214.	1.3	170
121	Childhood Hemolytic Uremic Syndrome, United Kingdom and Ireland. Emerging Infectious Diseases, 2005, 11, 590-596.	2.0	176
122	Disease Risks from Foods, England and Wales, 1996–2000. Emerging Infectious Diseases, 2005, 11, 365-372.	2.0	232
123	Temperature-Driven Campylobacter Seasonality in England and Wales. Applied and Environmental Microbiology, 2005, 71, 85-92.	1.4	108
124	Foodborne zoonoses. BMJ: British Medical Journal, 2005, 331, 1217-1218.	2.4	9
125	Foodborne general outbreaks of Salmonella Enteritidis phage type 4 infection, England and Wales, 1992–2002: where are the risks?. Epidemiology and Infection, 2005, 133, 795-801.	1.0	92
126	A case of infant botulism with a possible link to infant formula milk powder: evidence for the presence of more than one strain of Clostridium botulinum in clinical specimens and food. Journal of Medical Microbiology, 2005, 54, 769-776.	0.7	71

#	Article	IF	CITATIONS
127	Enhanced Surveillance of Campylobacter Infection in the North West of England 1997–1999. Journal of Infection, 2003, 46, 35-45.	1.7	43
128	What can Analysis of Calls to NHS Direct Tell us about the Epidemiology of Gastrointestinal Infections in the Community?. Journal of Infection, 2003, 46, 101-105.	1.7	30
129	A European outbreak of Salmonella enterica serotype Typhimurium definitive phage type 204b in 2000. Clinical Microbiology and Infection, 2003, 9, 839-845.	2.8	48
130	Campylobacter coliâ€"an important foodborne pathogen. Journal of Infection, 2003, 47, 28-32.	1.7	115
131	The study of infectious intestinal disease in England: what risk factors for presentation to general practice tell us about potential for selection bias in case-control studies of reported cases of diarrhoea. International Journal of Epidemiology, 2003, 32, 99-105.	0.9	88
132	Guillain-Barre Syndrome Associated with Campylobacter jejuni Infection in England, 2000-2001. Clinical Infectious Diseases, 2003, 37, 307-310.	2.9	30
133	A national outbreak of multi-resistant Salmonella enterica serovar Typhimurium definitive phage type (DT) 104 associated with consumption of lettuce. Epidemiology and Infection, 2003, 130, 169-178.	1.0	138
134	Mortality associated with foodborne bacterial gastrointestinal infections: Case selection and clinical data are important. BMJ: British Medical Journal, 2003, 326, 1265-a-1265.	2.4	2
135	Public health implications of campylobacter outbreaks in England and Wales, 1995–9: epidemiological and microbiological investigations. Epidemiology and Infection, 2002, 128, 111-118.	1.0	87
136	Escherichia coliO157:H7 — Piecing Together the Jigsaw Puzzle. New England Journal of Medicine, 2002, 347, 608-609.	13.9	6
137	Trends in indigenous foodborne disease and deaths, England and Wales: 1992 to 2000. Gut, 2002, 51, 832-841.	6.1	382
138	Surveillance of foodborne outbreaks of infectious intestinal disease in England and Wales 1992–1999. Public Health, 2002, 116, 75-80.	1.4	26
139	Role of Electronic Data Exchange in an International Outbreak Caused by <i>Salmonella enterica < /i> Serotype Typhimurium DT204b. Emerging Infectious Diseases, 2002, 8, 732-734.</i>	2.0	23
140	A Case-Case Comparison of <i>Campylobacter coli </i> for Generating Hypotheses. Emerging Infectious Diseases, 2002, 8, 937-942.	2.0	270
141	A foodborne outbreak of Vero cytotoxin-producing Escherichia coli O157:H-phage type 8 in hospital. Journal of Hospital Infection, 2001, 49, 167-172.	1.4	21
142	Contact with Farming Environment as a Major Risk Factor for Shiga Toxin (Vero Cytotoxin)-Producing Escherichia coli O157 Infection in Humans. Emerging Infectious Diseases, 2001, 7, 1049-1051.	2.0	122
143	General outbreaks of infectious intestinal diseases linked with private residences in England and Wales, 1992-9: questionnaire study. BMJ: British Medical Journal, 2001, 323, 1097-1098.	2.4	11
144	Gastrointestinal Disease in the Domestic Setting: What can We Deduce from Surveillance Data?. Journal of Infection, 2001, 43, 36-37.	1.7	2

#	Article	IF	Citations
145	Use of strain typing to provide evidence for specific interventions in the transmission of VTEC O157 infections. International Journal of Food Microbiology, 2001, 66, 39-46.	2.1	26
146	Verocytotoxin-producing Escherichia coli (VTEC) O157 and other VTEC from human infections in England and Wales: 1995–1998. Journal of Medical Microbiology, 2001, 50, 135-142.	0.7	106
147	Management of hospital outbreaks of gastro-enteritis due to small roundstructured viruses. Journal of Hospital Infection, 2000, 45, 1-10.	1.4	119
148	Invasive meningococcal disease among university undergraduates: association with universities providing relatively large amounts of catered hall accommodation. Epidemiology and Infection, 1999, 122, 351-357.	1.0	61
149	European politicans need epidemiologists. Public Health, 1998, 112, 287-288.	1.4	1
150	Methicillin-resistant Staphylococcus aureus (MRSA) in nursing homes in a major UK city: an anonymized point prevalence survey. Epidemiology and Infection, 1997, 118, 1-5.	1.0	94
151	Hepatitis and Travel Abroad: A Case Report. Journal of Travel Medicine, 1997, 4, 187-188.	1.4	6
152	How long is too long? Determining the early management ofmeningococcal disease in Birmingham. Public Health, 1996, 110, 237-239.	1.4	12
153	Methicillin-resistant Staphylococcus aureus in the community. Lancet, The, 1995, 346, 850.	6.3	5
154	Hospital bed usage by people with HIV disease: Experience in a provincial setting. Public Health, 1993, 107, 355-362.	1.4	3
155	The controversy surrounding epilepsy and Driving: Areview. Public Health, 1986, 100, 21-27.	1.4	9
156	Infection Epidemiology and Acute Gastrointestinal Infections. , 0, , 92-96.		1
157	The Challenge of Estimating the Burden of an Underreported Disease. , 0, , 87-115.		3
158	Outbreaks of Food-Borne Diseases Related to the International Food Trade., 0,, 69-112.		7