
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8568525/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Measures of abstinence in clinical trials: issues and recommendations. Nicotine and Tobacco Research, 2003, 5, 13-26.	2.6	602
2	Measures of abstinence in clinical trials: issues and recommendations. Nicotine and Tobacco Research, 2003, 5, 13-25.	2.6	602
3	A Randomized Controlled Trial of a Smoking Cessation Intervention Among People With a Psychotic Disorder. American Journal of Psychiatry, 2006, 163, 1934-1942.	7.2	205
4	Effects of brief counselling among male heavy drinkers identified on general hospital wards*. Drug and Alcohol Review, 1996, 15, 29-38.	2.1	204
5	Multivariate models for predicting abstention following intervention to stop smoking by general practitioners. Addiction, 1993, 88, 1127-1135.	3.3	171
6	Are higher doses of nicotine replacement more effective for smoking cessation?. Nicotine and Tobacco Research, 1999, 1, 169-174.	2.6	139
7	Review of bupropion for smoking cessation. Drug and Alcohol Review, 2003, 22, 203-220.	2.1	131
8	Stage Distributions for Five Health Behaviors in the United States and Australia. Preventive Medicine, 1999, 28, 61-74.	3.4	124
9	Where there's smoke, there's fire: high prevalence of smoking among some sub-populations and recommendations for intervention. Drug and Alcohol Review, 2006, 25, 85-96.	2.1	105
10	Controlled evaluation of a general practice-based brief intervention for excessive drinking. Addiction, 1995, 90, 119-132.	3.3	104
11	Improving early detection of breast cancer in sub-Saharan Africa: why mammography may not be the way forward. Globalization and Health, 2019, 15, 3.	4.9	99
12	Reasons for substance use among people with mental disorders. Addictive Behaviors, 2012, 37, 427-434.	3.0	91
13	Teaching about tobacco in medical schools: A worldwide study. Drug and Alcohol Review, 2009, 28, 484-497.	2.1	86
14	Teaching medical students about tobacco. Thorax, 1999, 54, 70-78.	5.6	85
15	A smoking cessation programme for use in general practice. Medical Journal of Australia, 1985, 142, 190-194.	1.7	81
16	Prevention of Cervical Cancer in Sub-Saharan Africa: The Advantages and Challenges of HPV Vaccination. Vaccines, 2018, 6, 61.	4.4	80
17	How healthy are the police? A survey of life-style factors. Addiction, 1998, 93, 1729-1737.	3.3	79
18	<scp>COVID</scp> â€19 and alcohol in Australia: Industry changes and public health impacts. Drug and Alcohol Review, 2020, 39, 435-440.	2.1	76

#	Article	IF	CITATIONS
19	Role of the general practitioner in smoking cessation. Drug and Alcohol Review, 2006, 25, 21-26.	2.1	75
20	Barriers and facilitators to uptake of cervical cancer screening among women in Uganda: a systematic review. BMC Women's Health, 2019, 19, 108.	2.0	75
21	Supporting smoking cessation. BMJ, The, 2014, 348, f7535-f7535.	6.0	73
22	Characteristics of smokers with a psychotic disorder and implications for smoking interventions. Psychiatry Research, 2007, 150, 141-152.	3.3	72
23	A Randomized Controlled Trial of a Smoking Cessation Intervention Among People With a Psychotic Disorder. American Journal of Psychiatry, 2006, 163, 1934.	7.2	66
24	General practitioners' promotion of healthy life styles: what patients think. Australian and New Zealand Journal of Public Health, 1996, 20, 195-200.	1.8	64
25	Smartphone apps for managing alcohol consumption: a literature review. Addiction Science & Clinical Practice, 2020, 15, 17.	2.6	63
26	Research in general practice for smokers and excessive drinkers in Australia and the UK. III. Dissemination of interventions. Addiction, 1994, 89, 49-62.	3.3	59
27	Worldwide survey of education on tobacco in medical schools. Tobacco Control, 1998, 7, 247-252.	3.2	59
28	The general practitioner's role in AOD issues: overcoming individual, professional and systemic barriers. Drug and Alcohol Review, 2002, 21, 223-230.	2.1	56
29	The transdermal nicotine patch: results of a randomised placebo ontrolled trial. Medical Journal of Australia, 1994, 161, 130-135.	1.7	55
30	One-year evaluation of three smoking cessation interventions adminidtered by general practitioners. Addictive Behaviors, 1993, 18, 187-199.	3.0	54
31	Should smoking be banned in prisons?. Tobacco Control, 2007, 16, 291-293.	3.2	52
32	Randomized Controlled Trial of a Healthy Lifestyle Intervention Among Smokers With Psychotic Disorders. Nicotine and Tobacco Research, 2015, 17, 946-954.	2.6	50
33	Quantitative and qualitative evaluations of brief interventions to change excessive drinking, smoking and stress in the police force. Addiction, 1999, 94, 1509-1521.	3.3	49
34	Tobacco in prisons: a focus group study. Tobacco Control, 2009, 18, 176-182.	3.2	49
35	The Sydney Centenarian Study: methodology and profile of centenarians and near-centenarians. International Psychogeriatrics, 2013, 25, 993-1005.	1.0	49
36	Evaluation of General Practitioners' Use of a Smoking Intervention Programme. International Journal of Epidemiology, 1985, 14, 396-401.	1.9	47

#	Article	IF	CITATIONS
37	Smoking and its correlates in an Australian prisoner population. Drug and Alcohol Review, 2006, 25, 343-348.	2.1	47
38	Higher Blood Pressure Associated With Higher Cognition and Functionality Among Centenarians in Australia. American Journal of Hypertension, 2011, 24, 299-303.	2.0	47
39	Evaluation of a Workplace Brief Intervention for Excessive Alcohol Consumption: The Workscreen Project. Preventive Medicine, 2000, 30, 51-63.	3.4	44
40	Study protocol: a randomised controlled trial investigating the effect of a healthy lifestyle intervention for people with severe mental disorders. BMC Public Health, 2011, 11, 10.	2.9	43
41	Depression, smoking and smoking cessation: a qualitative study. Family Practice, 2013, 30, 587-592.	1.9	43
42	Promoting smoking cessation among prisoners: feasibility of a multiâ€component intervention. Australian and New Zealand Journal of Public Health, 2006, 30, 474-478.	1.8	42
43	Physical, Mental, and Cognitive Function in a Convenience Sample of Centenarians in Australia. Journal of the American Geriatrics Society, 2011, 59, 1080-1086.	2.6	42
44	Plasma apolipoproteins and physical and cognitive health in very old individuals. Neurobiology of Aging, 2017, 55, 49-60.	3.1	42
45	Family Physicians' Utilization of a Brief Smoking Cessation Program Following Reinforcement Contact after Training: A Randomized Trial. Preventive Medicine, 1998, 27, 77-83.	3.4	39
46	Smoking, nutrition, alcohol and physical activity interventions targeting Indigenous Australians: rigorous evaluations and new directions needed. Australian and New Zealand Journal of Public Health, 2011, 35, 38-46.	1.8	39
47	Evaluation of a multiâ€component community tobacco intervention in three remote Australian Aboriginal communities. Australian and New Zealand Journal of Public Health, 2006, 30, 132-136.	1.8	37
48	Smoking behaviour and attitudes among Australian medical students. Medical Education, 1997, 31, 169-176.	2.1	36
49	A study of the use of free nicotine patches by Indigenous people. Australian and New Zealand Journal of Public Health, 2003, 27, 486-490.	1.8	35
50	Age-associated differences on structural brain MRI in nondemented individuals from 71 to 103 years. Neurobiology of Aging, 2016, 40, 86-97.	3.1	35
51	General Practitioner Interventions for Smoking Cessation: Past Results and Future Prospects. Behaviour Change, 1990, 7, 110-119.	1.3	33
52	A randomized controlled trial of a smoking cessation intervention conducted among prisoners. Addiction, 2013, 108, 966-974.	3.3	32
53	Research in general practice for smokers and excessive drinkers in Australia and the UK. I. Interpretation of results. Addiction, 1994, 89, 35-40.	3.3	31
54	Coronary Heart Disease Risk Reduction Intervention Among Overweight Smokers with a Psychotic Disorder: Pilot Trial. Australian and New Zealand Journal of Psychiatry, 2009, 43, 129-135.	2.3	31

#	Article	IF	CITATIONS
55	Controlled drinking as a treatment goal in Australian alcohol treatment agencies. Journal of Substance Abuse Treatment, 1997, 14, 81-86.	2.8	30
56	The changing face of the Australian population: growth in centenarians. Medical Journal of Australia, 2008, 188, 720-723.	1.7	30
57	You've come a long way baby: women and the tobacco epidemic. Addiction, 2003, 98, 553-557.	3.3	29
58	A time series investigation of three nicotine regulation models. Addictive Behaviors, 1992, 17, 325-345.	3.0	28
59	Grey Lungs and Blue Moods: Smoking Cessation in the Context of Lifetime Depression History. Australian and New Zealand Journal of Psychiatry, 2004, 38, 896-905.	2.3	28
60	Comparisons between psychosis samples with different patterns of substance use recruited for clinical and epidemiological studies. Psychiatry Research, 2005, 134, 241-250.	3.3	28
61	ICC-dementia (International Centenarian Consortium - dementia): an international consortium to determine the prevalence and incidence of dementia in centenarians across diverse ethnoracial and sociocultural groups. BMC Neurology, 2016, 16, 52.	1.8	28
62	Quit in General Practice: a cluster randomised trial of enhanced in-practice support for smoking cessation. BMC Family Practice, 2010, 11, 59.	2.9	27
63	Randomised controlled trial of a healthy lifestyle intervention among smokers with psychotic disorders: Outcomes to 36 months. Australian and New Zealand Journal of Psychiatry, 2018, 52, 239-252.	2.3	27
64	Quit in general practice: a cluster randomized trial of enhanced in-practice support for smoking cessation. Family Practice, 2015, 32, 173-180.	1.9	26
65	Secondary prevention of excessive alcohol use: assessing the prospects of implementation. Family Practice, 1996, 13, 182-193.	1.9	25
66	Morbidity profiles and lifetime health of Australian centenarians. Australasian Journal on Ageing, 2012, 31, 227-232.	0.9	25
67	Research in general practice for smokers and excessive drinkers in Australia and the UK. II. Representativeness of the results. Addiction, 1994, 89, 41-47.	3.3	24
68	Effect of training on general practitioners' use of a brief intervention for excessive drinkers. Australian and New Zealand Journal of Public Health, 1998, 22, 206-209.	1.8	24
69	Postgraduate education for doctors in smoking cessation. Drug and Alcohol Review, 2009, 28, 466-473.	2.1	24
70	Cigarette Smoking And Psychosis: Naturalistic Follow up 4 Years After an Intervention Trial. Australian and New Zealand Journal of Psychiatry, 2010, 44, 342-350.	2.3	24
71	No smoker left behind: it's time to tackle tobacco in Australian priority populations. Medical Journal of Australia, 2017, 207, 141-142.	1.7	24
72	Disseminating best-evidence health-care to Indigenous health-care settings and programs in Australia: identifying the gaps. Health Promotion International, 2009, 24, 404-415.	1.8	23

#	Article	IF	CITATIONS
73	The process of introducing a tobacco curriculum in medical school. Respirology, 2004, 9, 165-172.	2.3	22
74	Cost-Effectiveness Analysis of a Family Physician Delivered Smoking Cessation Program. Preventive Medicine, 2000, 31, 641-648.	3.4	20
75	Past alcohol problems do not predict worse smoking cessation outcomes. Drug and Alcohol Dependence, 2003, 71, 269-273.	3.2	20
76	The contribution of personality to longevity: Findings from the Australian Centenarian Study. Archives of Gerontology and Geriatrics, 2014, 59, 528-535.	3.0	19
77	Predicting Abstainers in a Smoking Cessation Programme Administered by General Practitioners. International Journal of Epidemiology, 1988, 17, 530-534.	1.9	18
78	Screening for unhealthy lifestyle factors in the workplace. Australian and New Zealand Journal of Public Health, 1998, 22, 324-331.	1.8	18
79	No smoker left behind: it's time to tackle tobacco in Australian priority populations. Medical Journal of Australia, 2018, 208, 52-52.	1.7	18
80	Physicians can make a difference with smokers: evidence-based clinical approaches. Presentation given during the Symposium on Smoking Cessation at the 29th World Conference of the IUATLD/UICTMR and Global Congress on Lung Health, Bangkok, Thailand, 23-26 November 1998. International Union Against Tuberculosis and Lung Disease. International Journal of Tuberculosis and Lung Disease, 1999, 3, 100-12.	1.2	18
81	Effectiveness of a 24-hour transdermal nicotine patch in conjunction with a cognitive behavioural programme: one year outcome. Addiction, 1997, 92, 27-31.	3.3	17
82	Television and delivery of health promotion programs to remote Aboriginal communities. Health Promotion Journal of Australia, 2005, 16, 155-158.	1.2	17
83	Feasibility and effectiveness of nurse-delivered smoking cessation counselling combined with nicotine replacement in Australian general practice. Drug and Alcohol Review, 2011, 30, 583-588.	2.1	17
84	Gender differences in characteristics and outcomes of smokers diagnosed with psychosis participating in a smoking cessation intervention. Psychiatry Research, 2014, 215, 586-593.	3.3	17
85	Expanding knowledge among Aboriginal service providers on treatment options for excessive alcohol use. Drug and Alcohol Review, 1998, 17, 69-76.	2.1	16
86	Health behaviour risk factors for coronary heart disease (CHD) in smokers with a psychotic disorder: baseline results. Mental Health and Substance Use: Dual Diagnosis, 2011, 4, 158-171.	0.5	16
87	Process evaluation of a practice nurse-led smoking cessation trial in Australian general practice: views of general practitioners and practice nurses. Family Practice, 2015, 32, cmv041.	1.9	16
88	Content analysis of websites selling alcohol online in Australia. Drug and Alcohol Review, 2020, 39, 162-169.	2.1	15
89	A summary of the recommendations for smoking cessation interventions: the quality assurance in the treatment of drug dependence project. Drug and Alcohol Review, 1994, 13, 171-177.	2.1	14
90	Retracing the steps of marco polo: From clinical trials to diffusion of interventions for smokers. Addictive Behaviors, 1996, 21, 683-697.	3.0	14

#	Article	IF	CITATIONS
91	The perceived risks and benefits of quitting in smokers diagnosed with severe mental illness participating in a smoking cessation intervention: Gender differences and comparison to smokers without mental illness. Drug and Alcohol Review, 2014, 33, 78-85.	2.1	13
92	Nutrition among men and household food security in an internally displaced persons camp in Kenya. Public Health Nutrition, 2015, 19, 723-731.	2.2	13
93	Early Therapeutic Alliance, Treatment Retention, and 12-Month Outcomes in a Healthy Lifestyles Intervention for People with Psychotic Disorders. Journal of Nervous and Mental Disease, 2016, 204, 894-902.	1.0	13
94	Physicians' Views of Programs Incorporating Stages of Change to Reduce Smoking and Excessive Alcohol Consumption. American Journal of Health Promotion, 1998, 12, 254-257.	1.7	12
95	The challenges of reducing tobacco use among prisoners. Drug and Alcohol Review, 2012, 31, 625-630.	2.1	12
96	Structural MRI Biomarkers of Mild Cognitive Impairment from Young Elders to Centenarians. Current Alzheimer Research, 2016, 13, 256-267.	1.4	12
97	Cardiovascular risk among Aboriginal and non-Aboriginal smoking male prisoners: inequalities compared to the wider community. BMC Public Health, 2011, 11, 783.	2.9	11
98	The effectiveness, safety and costâ€effectiveness of cytisine versus varenicline for smoking cessation in an Australian population: a study protocol for a randomized controlled nonâ€inferiority trial. Addiction, 2019, 114, 923-933.	3.3	11
99	Opening the window of opportunity: encouraging patients to stop smoking. Heart, 1999, 81, 456-458.	2.9	10
100	Healthy lifestyle intervention for people with severe mental disorders. Mental Health and Substance Use: Dual Diagnosis, 2011, 4, 144-157.	0.5	10
101	Turning of the tide: changing systems to address smoking for people with a mental illness. Mental Health and Substance Use: Dual Diagnosis, 2011, 4, 116-129.	O.5	10
102	Global dissemination of a tobacco curriculum in medical schools. International Journal of Tuberculosis and Lung Disease, 2006, 10, 750-5.	1.2	10
103	Results of screening for excessive drinkers in four Sydney teaching hospitals. Drug and Alcohol Review, 1994, 13, 179-184.	2.1	9
104	A comparison of measures used to assess effectiveness of the transdermal nicotine patch at 1 year. Addictive Behaviors, 1997, 22, 753-757.	3.0	9
105	Using AUDIT to classify patients into Australian Alcohol Guideline categories. Medical Journal of Australia, 2004, 180, 598-598.	1.7	9
106	Self-Reported Reasons for Smoking: Predicting Abstinence and Implications for Smoking Cessation Treatments Among Those With a Psychotic Disorder. Journal of Dual Diagnosis, 2017, 13, 6-14.	1.2	9
107	Intimate partner violence in pregnancy: a cross-sectional study from post-conflict northern Uganda. BMJ Open, 2019, 9, e027541.	1.9	9
108	Utilization of "Smokescreen―smoking essation programme. Medical Journal of Australia, 1989, 151, 486-486.	1.7	9

#	Article	IF	CITATIONS
109	Thiamin fortification and alcohol. Medical Journal of Australia, 1990, 152, 97-99.	1.7	9
110	Education and prevalence of smoking in Italian men and women. International Journal of Epidemiology, 1986, 15, 279-279.	1.9	8
111	Screening for smokers in four Sydney teaching hospitals. European Journal of Cardiovascular Prevention and Rehabilitation, 1996, 3, 199-203.	1.5	8
112	A study protocol for a cluster randomised trial for the prevention of chronic suppurative otitis media in children in Jumla, Nepal. BMC Ear, Nose and Throat Disorders, 2015, 15, 4.	2.6	8
113	Reducing smoking reduces suicidality among individuals with psychosis: Complementary outcomes from a Healthy Lifestyles intervention study. Psychiatry Research, 2016, 243, 407-412.	3.3	8
114	Addressing the arguments against implementation of smokeâ€free policies in psychiatric facilities. Journal of Psychiatric and Mental Health Nursing, 2017, 24, 322-331.	2.1	8
115	Smoking Bans in Psychiatric Units: An Issue of Medical Ethics. Frontiers in Psychiatry, 2019, 10, 134.	2.6	8
116	Varenicline plus healthy lifestyle intervention for smoking cessation in psychotic disorders. Annals of Clinical Psychiatry, 2012, 24, 285-91.	0.6	8
117	Patientâ€driven computers in primary care: their use and feasibility. Health Education, 2006, 106, 400-411.	0.9	7
118	Smokeâ€free outdoor areas: supporting local government to introduce tobacco control policies. Australian and New Zealand Journal of Public Health, 2014, 38, 518-523.	1.8	7
119	The experiences of smoking cessation among patients with chronic obstructive pulmonary disease in Australian general practice: a qualitative descriptive study. Family Practice, 2016, 33, 715-720.	1.9	7
120	Provision of cervical cancer prevention services in Northern Uganda: a survey of health workers from rural health centres. BMC Health Services Research, 2021, 21, 794.	2.2	7
121	Smoking cessation for Australian general practice: evaluation of best practice guidelines. Australian Family Physician, 2005, 34, 505-7.	0.5	7
122	GPs can help patients to stop smoking. Medical Journal of Australia, 1992, 157, 463-467.	1.7	6
123	The role of remote community stores in reducing the harm resulting from tobacco to Aboriginal people. Drug and Alcohol Review, 2006, 25, 195-199.	2.1	6
124	Ten-year survival outcome of the nicotine transdermal patch with cognitive behavioural therapy. Australian and New Zealand Journal of Public Health, 2007, 31, 282-285.	1.8	6
125	Weight change after smoking cessation in general practice. Medical Journal of Australia, 1993, 158, 821-822.	1.7	6
126	Beneficial effects of nicotine: fact or fiction?. Addiction, 1994, 89, 139-140.	3.3	5

#	Article	IF	CITATIONS
127	Education and training for health professionals and students in tobacco, alcohol and other drugs. Drug and Alcohol Review, 2009, 28, 463-465.	2.1	5
128	Brief intervention resource kits for Indigenous Australians: generally evidenceâ€based, but missing important components. Australian and New Zealand Journal of Public Health, 2010, 34, S80-S86.	1.8	5
129	Smoking and Other Drug Characteristics of Aboriginal and Non-Aboriginal Prisoners in Australia. Journal of Addiction, 2013, 2013, 1-9.	0.9	5
130	Smokeâ€free mental health inpatient facility policies in Australia: variation across states and territories. Australian and New Zealand Journal of Public Health, 2017, 41, 329-332.	1.8	5
131	Risky alcohol consumption prior to incarceration: A crossâ€sectional study of drinking patterns among Australian prison entrants. Drug and Alcohol Review, 2020, 39, 694-703.	2.1	4
132	Ethical dilemmas in providing tobacco to developing countries: the case of China. Addiction, 1997, 92, 1137-1142.	3.3	4
133	Which antiâ€smoking programme?. Medical Journal of Australia, 1990, 153, 500-500.	1.7	4
134	Which antiâ€smoking programme. Medical Journal of Australia, 1991, 154, 367-367.	1.7	4
135	Research into Brief Interventions for Excessive Alcohol Consumers and Cigarette Smokers in Australia. Journal of Drug Issues, 1992, 22, 641-660.	1.2	3
136	Programmes for tobacco and alcohol users in Australian work-places. Drug and Alcohol Review, 1996, 15, 385-392.	2.1	3
137	Reflections on smoking cessation research. Drug and Alcohol Review, 2006, 25, 1-3.	2.1	3
138	Effect of a participatory intervention in women's self-help groups for the prevention of chronic suppurative otitis media in their children in Jumla Nepal: a cluster-randomised trial. BMC Pediatrics, 2019, 19, 163.	1.7	3
139	Identifying significant contributors for smoking cessation among male prisoners in Australia: results from a randomised clinical trial. BMJ Open, 2020, 10, e034046.	1.9	3
140	Grey lungs and blue moods: smoking cessation in the context of lifetime depression history. Australian and New Zealand Journal of Psychiatry, 2004, 38, 896-905.	2.3	3
141	General practice patientstheir readiness to quit smoking. Australian Family Physician, 2008, 37, 81-3.	0.5	3
142	Increasing resource allocation and research into tobacco control activities: a comprehensive approach including primary prevention, treatment and brief intervention. Drug and Alcohol Review, 1993, 12, 205-215.	2.1	2
143	Cross-national studies: problems in standardizing methodologies. Addiction, 1994, 89, 662-663.	3.3	2
144	Restrictions on tobacco and alcohol use in Australian work-places. Drug and Alcohol Review, 1996, 15, 377-383.	2.1	2

9

#	Article	IF	CITATIONS
145	Ethical dilemmas in providing tobacco to developing countries: the case of China. Addiction, 1997, 92, 1137-1142.	3.3	2
146	Where should alcohol and tobacco interventions be provided?. Australian and New Zealand Journal of Public Health, 1998, 22, 745-746.	1.8	2
147	Heroin use impairs smoking cessation among Australian prisoners. BMC Public Health, 2013, 13, 1200.	2.9	2
148	Treatment of tobacco dependence. , 2010, , 653-674.		2
149	From research to policy: when cutting edge meets coalface. Addiction, 1996, 91, 35-37.	3.3	1
150	Prevalence of the Longâ€Allele Genotype of the Serotonin Transporterâ€Linked Gene in Female Centenarians. Journal of the American Geriatrics Society, 2012, 60, 1786-1788.	2.6	1
151	From research to policy: when cutting edge meets coalface. Addiction, 1996, 91, 35-37.	3.3	1
152	Dynamic Cushioning: Obesity and Trauma Patients Undergoing Exploratory Laparotomy. Journal of Surgical Research, 2022, 270, 68-73.	1.6	1
153	AN OVERVIEW OF SMOKING CESSATION. Australian Alcohol/Drug Review, 1985, 4, 143-150.	0.1	0
154	The Politics of Prevention: The Case of Smoking. Drug and Alcohol Review, 1989, 8, 19-27.	2.1	0
155	The pros and cons of transdermal nicotine therapy. Medical Journal of Australia, 1994, 160, 803-803.	1.7	0
156	Significance of reduced number of cigarettes smoked after release from smoke-free prisons. Drug and Alcohol Dependence, 2019, 194, 195-196.	3.2	0
157	Tobacco and Cardiovascular Disease. Fundamental and Clinical Cardiology, 2006, , 647-688.	0.0	0
158	Interventions for Smokers in General Practice: Translating Theory and Research into Practice. , 1995, , 477-480.		0
159	Smoking Beyond Prison Bans: The Impact of Prison Tobacco Bans on Smoking Among Prison Entrants. Journal of Correctional Health Care, 2021, 27, 280-288.	0.5	0