Robyn L Richmond

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8568525/publications.pdf

Version: 2024-02-01

159 papers 6,012 citations

76326 40 h-index 72 g-index

161 all docs

161 docs citations

times ranked

161

5590 citing authors

#	Article	IF	CITATIONS
1	Dynamic Cushioning: Obesity and Trauma Patients Undergoing Exploratory Laparotomy. Journal of Surgical Research, 2022, 270, 68-73.	1.6	1
2	Provision of cervical cancer prevention services in Northern Uganda: a survey of health workers from rural health centres. BMC Health Services Research, 2021, 21, 794.	2.2	7
3	Smoking Beyond Prison Bans: The Impact of Prison Tobacco Bans on Smoking Among Prison Entrants. Journal of Correctional Health Care, 2021, 27, 280-288.	0.5	0
4	Identifying significant contributors for smoking cessation among male prisoners in Australia: results from a randomised clinical trial. BMJ Open, 2020, 10, e034046.	1.9	3
5	Risky alcohol consumption prior to incarceration: A crossâ€sectional study of drinking patterns among Australian prison entrants. Drug and Alcohol Review, 2020, 39, 694-703.	2.1	4
6	Smartphone apps for managing alcohol consumption: a literature review. Addiction Science & Clinical Practice, 2020, 15, 17.	2.6	63
7	<scp>COVID</scp> â€19 and alcohol in Australia: Industry changes and public health impacts. Drug and Alcohol Review, 2020, 39, 435-440.	2.1	76
8	Content analysis of websites selling alcohol online in Australia. Drug and Alcohol Review, 2020, 39, 162-169.	2.1	15
9	Barriers and facilitators to uptake of cervical cancer screening among women in Uganda: a systematic review. BMC Women's Health, 2019, 19, 108.	2.0	75
10	Effect of a participatory intervention in women's self-help groups for the prevention of chronic suppurative otitis media in their children in Jumla Nepal: a cluster-randomised trial. BMC Pediatrics, 2019, 19, 163.	1.7	3
11	Smoking Bans in Psychiatric Units: An Issue of Medical Ethics. Frontiers in Psychiatry, 2019, 10, 134.	2.6	8
12	Intimate partner violence in pregnancy: a cross-sectional study from post-conflict northern Uganda. BMJ Open, 2019, 9, e027541.	1.9	9
13	The effectiveness, safety and costâ€effectiveness of cytisine versus varenicline for smoking cessation in an Australian population: a study protocol for a randomized controlled nonâ€inferiority trial. Addiction, 2019, 114, 923-933.	3.3	11
14	Significance of reduced number of cigarettes smoked after release from smoke-free prisons. Drug and Alcohol Dependence, 2019, 194, 195-196.	3.2	0
15	Improving early detection of breast cancer in sub-Saharan Africa: why mammography may not be the way forward. Globalization and Health, 2019, 15, 3.	4.9	99
16	Randomised controlled trial of a healthy lifestyle intervention among smokers with psychotic disorders: Outcomes to 36 months. Australian and New Zealand Journal of Psychiatry, 2018, 52, 239-252.	2.3	27
17	Prevention of Cervical Cancer in Sub-Saharan Africa: The Advantages and Challenges of HPV Vaccination. Vaccines, 2018, 6, 61.	4.4	80
18	No smoker left behind: it's time to tackle tobacco in Australian priority populations. Medical Journal of Australia, 2018, 208, 52-52.	1.7	18

#	Article	IF	Citations
19	Self-Reported Reasons for Smoking: Predicting Abstinence and Implications for Smoking Cessation Treatments Among Those With a Psychotic Disorder. Journal of Dual Diagnosis, 2017, 13, 6-14.	1.2	9
20	Smokeâ€free mental health inpatient facility policies in Australia: variation across states and territories. Australian and New Zealand Journal of Public Health, 2017, 41, 329-332.	1.8	5
21	Plasma apolipoproteins and physical and cognitive health in very old individuals. Neurobiology of Aging, 2017, 55, 49-60.	3.1	42
22	Addressing the arguments against implementation of smokeâ€free policies in psychiatric facilities. Journal of Psychiatric and Mental Health Nursing, 2017, 24, 322-331.	2.1	8
23	No smoker left behind: it's time to tackle tobacco in Australian priority populations. Medical Journal of Australia, 2017, 207, 141-142.	1.7	24
24	Reducing smoking reduces suicidality among individuals with psychosis: Complementary outcomes from a Healthy Lifestyles intervention study. Psychiatry Research, 2016, 243, 407-412.	3.3	8
25	The experiences of smoking cessation among patients with chronic obstructive pulmonary disease in Australian general practice: a qualitative descriptive study. Family Practice, 2016, 33, 715-720.	1.9	7
26	Early Therapeutic Alliance, Treatment Retention, and 12-Month Outcomes in a Healthy Lifestyles Intervention for People with Psychotic Disorders. Journal of Nervous and Mental Disease, 2016, 204, 894-902.	1.0	13
27	ICC-dementia (International Centenarian Consortium - dementia): an international consortium to determine the prevalence and incidence of dementia in centenarians across diverse ethnoracial and sociocultural groups. BMC Neurology, 2016, 16, 52.	1.8	28
28	Age-associated differences on structural brain MRI in nondemented individuals from 71 to 103 years. Neurobiology of Aging, 2016, 40, 86-97.	3.1	35
29	Structural MRI Biomarkers of Mild Cognitive Impairment from Young Elders to Centenarians. Current Alzheimer Research, 2016, 13, 256-267.	1.4	12
30	Nutrition among men and household food security in an internally displaced persons camp in Kenya. Public Health Nutrition, 2015, 19, 723-731.	2.2	13
31	A study protocol for a cluster randomised trial for the prevention of chronic suppurative otitis media in children in Jumla, Nepal. BMC Ear, Nose and Throat Disorders, 2015, 15, 4.	2.6	8
32	Process evaluation of a practice nurse-led smoking cessation trial in Australian general practice: views of general practitioners and practice nurses. Family Practice, 2015, 32, cmv041.	1.9	16
33	Randomized Controlled Trial of a Healthy Lifestyle Intervention Among Smokers With Psychotic Disorders. Nicotine and Tobacco Research, 2015, 17, 946-954.	2.6	50
34	Quit in general practice: a cluster randomized trial of enhanced in-practice support for smoking cessation. Family Practice, 2015, 32, 173-180.	1.9	26
35	The perceived risks and benefits of quitting in smokers diagnosed with severe mental illness participating in a smoking cessation intervention: Gender differences and comparison to smokers without mental illness. Drug and Alcohol Review, 2014, 33, 78-85.	2.1	13
36	Supporting smoking cessation. BMJ, The, 2014, 348, f7535-f7535.	6.0	73

3

#	Article	IF	Citations
37	The contribution of personality to longevity: Findings from the Australian Centenarian Study. Archives of Gerontology and Geriatrics, 2014, 59, 528-535.	3.0	19
38	Gender differences in characteristics and outcomes of smokers diagnosed with psychosis participating in a smoking cessation intervention. Psychiatry Research, 2014, 215, 586-593.	3.3	17
39	Smokeâ€free outdoor areas: supporting local government to introduce tobacco control policies. Australian and New Zealand Journal of Public Health, 2014, 38, 518-523.	1.8	7
40	Heroin use impairs smoking cessation among Australian prisoners. BMC Public Health, 2013, 13, 1200.	2.9	2
41	The Sydney Centenarian Study: methodology and profile of centenarians and near-centenarians. International Psychogeriatrics, 2013, 25, 993-1005.	1.0	49
42	A randomized controlled trial of a smoking cessation intervention conducted among prisoners. Addiction, 2013, 108, 966-974.	3.3	32
43	Depression, smoking and smoking cessation: a qualitative study. Family Practice, 2013, 30, 587-592.	1.9	43
44	Smoking and Other Drug Characteristics of Aboriginal and Non-Aboriginal Prisoners in Australia. Journal of Addiction, 2013, 2013, 1-9.	0.9	5
45	Prevalence of the Longâ€Allele Genotype of the Serotonin Transporterâ€Linked Gene in Female Centenarians. Journal of the American Geriatrics Society, 2012, 60, 1786-1788.	2.6	1
46	Reasons for substance use among people with mental disorders. Addictive Behaviors, 2012, 37, 427-434.	3.0	91
47	Morbidity profiles and lifetime health of Australian centenarians. Australasian Journal on Ageing, 2012, 31, 227-232.	0.9	25
48	The challenges of reducing tobacco use among prisoners. Drug and Alcohol Review, 2012, 31, 625-630.	2.1	12
49	Varenicline plus healthy lifestyle intervention for smoking cessation in psychotic disorders. Annals of Clinical Psychiatry, 2012, 24, 285-91.	0.6	8
50	Feasibility and effectiveness of nurse-delivered smoking cessation counselling combined with nicotine replacement in Australian general practice. Drug and Alcohol Review, 2011, 30, 583-588.	2.1	17
51	Physical, Mental, and Cognitive Function in a Convenience Sample of Centenarians in Australia. Journal of the American Geriatrics Society, 2011, 59, 1080-1086.	2.6	42
52	Smoking, nutrition, alcohol and physical activity interventions targeting Indigenous Australians: rigorous evaluations and new directions needed. Australian and New Zealand Journal of Public Health, 2011, 35, 38-46.	1.8	39
53	Study protocol: a randomised controlled trial investigating the effect of a healthy lifestyle intervention for people with severe mental disorders. BMC Public Health, 2011, 11, 10.	2.9	43
54	Cardiovascular risk among Aboriginal and non-Aboriginal smoking male prisoners: inequalities compared to the wider community. BMC Public Health, 2011, 11, 783.	2.9	11

#	Article	IF	CITATIONS
55	Healthy lifestyle intervention for people with severe mental disorders. Mental Health and Substance Use: Dual Diagnosis, 2011, 4, 144-157.	0.5	10
56	Higher Blood Pressure Associated With Higher Cognition and Functionality Among Centenarians in Australia. American Journal of Hypertension, 2011, 24, 299-303.	2.0	47
57	Turning of the tide: changing systems to address smoking for people with a mental illness. Mental Health and Substance Use: Dual Diagnosis, 2011, 4, 116-129.	0.5	10
58	Health behaviour risk factors for coronary heart disease (CHD) in smokers with a psychotic disorder: baseline results. Mental Health and Substance Use: Dual Diagnosis, 2011, 4, 158-171.	0.5	16
59	Quit in General Practice: a cluster randomised trial of enhanced in-practice support for smoking cessation. BMC Family Practice, 2010, 11, 59.	2.9	27
60	Brief intervention resource kits for Indigenous Australians: generally evidenceâ€based, but missing important components. Australian and New Zealand Journal of Public Health, 2010, 34, S80-S86.	1.8	5
61	Cigarette Smoking And Psychosis: Naturalistic Follow up 4 Years After an Intervention Trial. Australian and New Zealand Journal of Psychiatry, 2010, 44, 342-350.	2.3	24
62	Treatment of tobacco dependence. , 2010, , 653-674.		2
63	Disseminating best-evidence health-care to Indigenous health-care settings and programs in Australia: identifying the gaps. Health Promotion International, 2009, 24, 404-415.	1.8	23
64	Tobacco in prisons: a focus group study. Tobacco Control, 2009, 18, 176-182.	3.2	49
65	Coronary Heart Disease Risk Reduction Intervention Among Overweight Smokers with a Psychotic Disorder: Pilot Trial. Australian and New Zealand Journal of Psychiatry, 2009, 43, 129-135.	2.3	31
66	Postgraduate education for doctors in smoking cessation. Drug and Alcohol Review, 2009, 28, 466-473.	2.1	24
67	Teaching about tobacco in medical schools: A worldwide study. Drug and Alcohol Review, 2009, 28, 484-497.	2.1	86
68	Education and training for health professionals and students in tobacco, alcohol and other drugs. Drug and Alcohol Review, 2009, 28, 463-465.	2.1	5
69	The changing face of the Australian population: growth in centenarians. Medical Journal of Australia, 2008, 188, 720-723.	1.7	30
70	General practice patients-their readiness to quit smoking. Australian Family Physician, 2008, 37, 81-3.	0.5	3
71	Should smoking be banned in prisons?. Tobacco Control, 2007, 16, 291-293.	3.2	52
72	Characteristics of smokers with a psychotic disorder and implications for smoking interventions. Psychiatry Research, 2007, 150, 141-152.	3.3	72

#	Article	IF	Citations
73	Ten-year survival outcome of the nicotine transdermal patch with cognitive behavioural therapy. Australian and New Zealand Journal of Public Health, 2007, 31, 282-285.	1.8	6
74	Patientâ€driven computers in primary care: their use and feasibility. Health Education, 2006, 106, 400-411.	0.9	7
75	A Randomized Controlled Trial of a Smoking Cessation Intervention Among People With a Psychotic Disorder. American Journal of Psychiatry, 2006, 163, 1934-1942.	7.2	205
76	Evaluation of a multiâ€component community tobacco intervention in three remote Australian Aboriginal communities. Australian and New Zealand Journal of Public Health, 2006, 30, 132-136.	1.8	37
77	Promoting smoking cessation among prisoners: feasibility of a multiâ€component intervention. Australian and New Zealand Journal of Public Health, 2006, 30, 474-478.	1.8	42
78	Role of the general practitioner in smoking cessation. Drug and Alcohol Review, 2006, 25, 21-26.	2.1	75
79	Where there's smoke, there's fire: high prevalence of smoking among some sub-populations and recommendations for intervention. Drug and Alcohol Review, 2006, 25, 85-96.	2.1	105
80	Reflections on smoking cessation research. Drug and Alcohol Review, 2006, 25, 1-3.	2.1	3
81	The role of remote community stores in reducing the harm resulting from tobacco to Aboriginal people. Drug and Alcohol Review, 2006, 25, 195-199.	2.1	6
82	Smoking and its correlates in an Australian prisoner population. Drug and Alcohol Review, 2006, 25, 343-348.	2.1	47
83	A Randomized Controlled Trial of a Smoking Cessation Intervention Among People With a Psychotic Disorder. American Journal of Psychiatry, 2006, 163, 1934.	7.2	66
84	Tobacco and Cardiovascular Disease. Fundamental and Clinical Cardiology, 2006, , 647-688.	0.0	0
85	Global dissemination of a tobacco curriculum in medical schools. International Journal of Tuberculosis and Lung Disease, 2006, 10, 750-5.	1.2	10
86	Television and delivery of health promotion programs to remote Aboriginal communities. Health Promotion Journal of Australia, 2005, 16, 155-158.	1.2	17
87	Comparisons between psychosis samples with different patterns of substance use recruited for clinical and epidemiological studies. Psychiatry Research, 2005, 134, 241-250.	3.3	28
88	Smoking cessation for Australian general practice: evaluation of best practice guidelines. Australian Family Physician, 2005, 34, 505-7.	0.5	7
89	Using AUDIT to classify patients into Australian Alcohol Guideline categories. Medical Journal of Australia, 2004, 180, 598-598.	1.7	9
90	Grey Lungs and Blue Moods: Smoking Cessation in the Context of Lifetime Depression History. Australian and New Zealand Journal of Psychiatry, 2004, 38, 896-905.	2.3	28

#	Article	IF	Citations
91	The process of introducing a tobacco curriculum in medical school. Respirology, 2004, 9, 165-172.	2.3	22
92	Grey lungs and blue moods: smoking cessation in the context of lifetime depression history. Australian and New Zealand Journal of Psychiatry, 2004, 38, 896-905.	2.3	3
93	Review of bupropion for smoking cessation. Drug and Alcohol Review, 2003, 22, 203-220.	2.1	131
94	You've come a long way baby: women and the tobacco epidemic. Addiction, 2003, 98, 553-557.	3.3	29
95	A study of the use of free nicotine patches by Indigenous people. Australian and New Zealand Journal of Public Health, 2003, 27, 486-490.	1.8	35
96	Past alcohol problems do not predict worse smoking cessation outcomes. Drug and Alcohol Dependence, 2003, 71, 269-273.	3.2	20
97	Measures of abstinence in clinical trials: issues and recommendations. Nicotine and Tobacco Research, 2003, 5, 13-26.	2.6	602
98	Measures of abstinence in clinical trials: issues and recommendations. Nicotine and Tobacco Research, 2003, 5, 13-25.	2.6	602
99	The general practitioner's role in AOD issues: overcoming individual, professional and systemic barriers. Drug and Alcohol Review, 2002, 21, 223-230.	2.1	56
100	Evaluation of a Workplace Brief Intervention for Excessive Alcohol Consumption: The Workscreen Project. Preventive Medicine, 2000, 30, 51-63.	3.4	44
101	Cost-Effectiveness Analysis of a Family Physician Delivered Smoking Cessation Program. Preventive Medicine, 2000, 31, 641-648.	3.4	20
102	Are higher doses of nicotine replacement more effective for smoking cessation?. Nicotine and Tobacco Research, 1999, 1, 169-174.	2.6	139
103	Teaching medical students about tobacco. Thorax, 1999, 54, 70-78.	5.6	85
104	Opening the window of opportunity: encouraging patients to stop smoking. Heart, 1999, 81, 456-458.	2.9	10
105	Quantitative and qualitative evaluations of brief interventions to change excessive drinking, smoking and stress in the police force. Addiction, 1999, 94, 1509-1521.	3.3	49
106	Stage Distributions for Five Health Behaviors in the United States and Australia. Preventive Medicine, 1999, 28, 61-74.	3.4	124
107	Physicians can make a difference with smokers: evidence-based clinical approaches. Presentation given during the Symposium on Smoking Cessation at the 29th World Conference of the IUATLD/UICTMR and Global Congress on Lung Health, Bangkok, Thailand, 23-26 November 1998. International Union Against Tuberculosis and Lung Disease. International Journal of Tuberculosis and Lung Disease. 1999. 3. 100-12.	1.2	18
108	Expanding knowledge among Aboriginal service providers on treatment options for excessive alcohol use. Drug and Alcohol Review, 1998, 17, 69-76.	2.1	16

#	Article	IF	Citations
109	Effect of training on general practitioners' use of a brief intervention for excessive drinkers. Australian and New Zealand Journal of Public Health, 1998, 22, 206-209.	1.8	24
110	Screening for unhealthy lifestyle factors in the workplace. Australian and New Zealand Journal of Public Health, 1998, 22, 324-331.	1.8	18
111	Where should alcohol and tobacco interventions be provided?. Australian and New Zealand Journal of Public Health, 1998, 22, 745-746.	1.8	2
112	How healthy are the police? A survey of life-style factors. Addiction, 1998, 93, 1729-1737.	3.3	79
113	Family Physicians' Utilization of a Brief Smoking Cessation Program Following Reinforcement Contact after Training: A Randomized Trial. Preventive Medicine, 1998, 27, 77-83.	3.4	39
114	Worldwide survey of education on tobacco in medical schools. Tobacco Control, 1998, 7, 247-252.	3.2	59
115	Physicians' Views of Programs Incorporating Stages of Change to Reduce Smoking and Excessive Alcohol Consumption. American Journal of Health Promotion, 1998, 12, 254-257.	1.7	12
116	Controlled drinking as a treatment goal in Australian alcohol treatment agencies. Journal of Substance Abuse Treatment, 1997, 14, 81-86.	2.8	30
117	A comparison of measures used to assess effectiveness of the transdermal nicotine patch at 1 year. Addictive Behaviors, 1997, 22, 753-757.	3.0	9
118	Effectiveness of a 24-hour transdermal nicotine patch in conjunction with a cognitive behavioural programme: one year outcome. Addiction, 1997, 92, 27-31.	3.3	17
119	Ethical dilemmas in providing tobacco to developing countries: the case of China. Addiction, 1997, 92, 1137-1142.	3.3	2
120	Smoking behaviour and attitudes among Australian medical students. Medical Education, 1997, 31, 169-176.	2.1	36
121	Ethical dilemmas in providing tobacco to developing countries: the case of China. Addiction, 1997, 92, 1137-1142.	3.3	4
122	Retracing the steps of marco polo: From clinical trials to diffusion of interventions for smokers. Addictive Behaviors, 1996, 21, 683-697.	3.0	14
123	Screening for smokers in four Sydney teaching hospitals. European Journal of Cardiovascular Prevention and Rehabilitation, 1996, 3, 199-203.	1.5	8
124	Effects of brief counselling among male heavy drinkers identified on general hospital wards*. Drug and Alcohol Review, 1996, 15, 29-38.	2.1	204
125	Restrictions on tobacco and alcohol use in Australian work-places. Drug and Alcohol Review, 1996, 15, 377-383.	2.1	2
126	Programmes for tobacco and alcohol users in Australian work-places. Drug and Alcohol Review, 1996, 15, 385-392.	2.1	3

#	Article	IF	Citations
127	From research to policy: when cutting edge meets coalface. Addiction, 1996, 91, 35-37.	3.3	1
128	General practitioners' promotion of healthy life styles: what patients think. Australian and New Zealand Journal of Public Health, 1996, 20, 195-200.	1.8	64
129	Secondary prevention of excessive alcohol use: assessing the prospects of implementation. Family Practice, 1996, 13, 182-193.	1.9	25
130	From research to policy: when cutting edge meets coalface. Addiction, 1996, 91, 35-37.	3.3	1
131	Controlled evaluation of a general practice-based brief intervention for excessive drinking. Addiction, 1995, 90, 119-132.	3.3	104
132	Interventions for Smokers in General Practice: Translating Theory and Research into Practice. , 1995 , , $477-480$.		0
133	The pros and cons of transdermal nicotine therapy. Medical Journal of Australia, 1994, 160, 803-803.	1.7	0
134	The transdermal nicotine patch: results of a randomised placebo ontrolled trial. Medical Journal of Australia, 1994, 161, 130-135.	1.7	55
135	Research in general practice for smokers and excessive drinkers in Australia and the UK. I. Interpretation of results. Addiction, 1994, 89, 35-40.	3.3	31
136	Research in general practice for smokers and excessive drinkers in Australia and the UK. II. Representativeness of the results. Addiction, 1994, 89, 41-47.	3.3	24
137	Research in general practice for smokers and excessive drinkers in Australia and the UK. III. Dissemination of interventions. Addiction, 1994, 89, 49-62.	3.3	59
138	Beneficial effects of nicotine: fact or fiction?. Addiction, 1994, 89, 139-140.	3.3	5
139	Cross-national studies: problems in standardizing methodologies. Addiction, 1994, 89, 662-663.	3.3	2
140	A summary of the recommendations for smoking cessation interventions: the quality assurance in the treatment of drug dependence project. Drug and Alcohol Review, 1994, 13, 171-177.	2.1	14
141	Results of screening for excessive drinkers in four Sydney teaching hospitals. Drug and Alcohol Review, 1994, 13, 179-184.	2.1	9
142	Multivariate models for predicting abstention following intervention to stop smoking by general practitioners. Addiction, 1993, 88, 1127-1135.	3.3	171
143	Increasing resource allocation and research into tobacco control activities: a comprehensive approach including primary prevention, treatment and brief intervention. Drug and Alcohol Review, 1993, 12, 205-215.	2.1	2
144	One-year evaluation of three smoking cessation interventions adminidtered by general practitioners. Addictive Behaviors, 1993, 18, 187-199.	3.0	54

#	Article	IF	CITATIONS
145	Weight change after smoking cessation in general practice. Medical Journal of Australia, 1993, 158, 821-822.	1.7	6
146	Research into Brief Interventions for Excessive Alcohol Consumers and Cigarette Smokers in Australia. Journal of Drug Issues, 1992, 22, 641-660.	1.2	3
147	A time series investigation of three nicotine regulation models. Addictive Behaviors, 1992, 17, 325-345.	3.0	28
148	GPs can help patients to stop smoking. Medical Journal of Australia, 1992, 157, 463-467.	1.7	6
149	Which antiâ€smoking programme. Medical Journal of Australia, 1991, 154, 367-367.	1.7	4
150	General Practitioner Interventions for Smoking Cessation: Past Results and Future Prospects. Behaviour Change, 1990, 7, 110-119.	1.3	33
151	Thiamin fortification and alcohol. Medical Journal of Australia, 1990, 152, 97-99.	1.7	9
152	Which antiâ€smoking programme?. Medical Journal of Australia, 1990, 153, 500-500.	1.7	4
153	The Politics of Prevention: The Case of Smoking. Drug and Alcohol Review, 1989, 8, 19-27.	2.1	0
154	Utilization of "Smokescreen―smoking essation programme. Medical Journal of Australia, 1989, 151, 486-486.	1.7	9
155	Predicting Abstainers in a Smoking Cessation Programme Administered by General Practitioners. International Journal of Epidemiology, 1988, 17, 530-534.	1.9	18
156	Education and prevalence of smoking in Italian men and women. International Journal of Epidemiology, 1986, 15, 279-279.	1.9	8
157	AN OVERVIEW OF SMOKING CESSATION. Australian Alcohol/Drug Review, 1985, 4, 143-150.	0.1	0
158	A smoking cessation programme for use in general practice. Medical Journal of Australia, 1985, 142, 190-194.	1.7	81
159	Evaluation of General Practitioners' Use of a Smoking Intervention Programme. International Journal of Epidemiology, 1985, 14, 396-401.	1.9	47