

Kenjiro Higashi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8569471/kenjiro-higashi-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

1,923
citations

25
h-index

36
g-index

122
ext. papers

2,288
ext. citations

5
avg, IF

4.95
L-index

#	Paper	IF	Citations
113	Computational approach to elucidate the formation and stabilization mechanism of amorphous formulation using molecular dynamics simulation and fragment molecular orbital calculation.. <i>International Journal of Pharmaceutics</i> , 2022 , 615, 121477	6.5	
112	Salt Cocrystallization of Loxoprofen Sodium with Sugar: Reduction of the Propensity for Hydrate Formation by Forming a Continuous One-Dimensional Chain Structure of Sodium and Sugar. <i>Crystal Growth and Design</i> , 2022 , 22, 1094-1103	3.5	1
111	Preparation of redispersible dry nanoemulsion using chitosan-octenyl succinic anhydride starch polyelectrolyte complex as stabilizer. <i>Journal of Drug Delivery Science and Technology</i> , 2022 , 73, 103433	4.5	
110	Nanostructure and Molecular-Level Characterization of Aminoalkyl Methacrylate Copolymer and the Impact on Drug Solubilization Ability. <i>Molecular Pharmaceutics</i> , 2021 , 18, 4111-4121	5.6	0
109	Formation mechanism of amorphous drug nanoparticles using the antisolvent precipitation method elucidated by varying the preparation temperature. <i>International Journal of Pharmaceutics</i> , 2021 , 610, 121210	6.5	0
108	Enteric complex layer-coated controlled release of capsaicin from phytosterol/β-cyclodextrin microparticles via guest exchange reaction with taurocholic acid. <i>European Journal of Pharmaceutical Sciences</i> , 2021 , 168, 106038	5.1	1
107	Stabilization mechanism of amorphous carbamazepine by transglycosylated rutin, a non-polymeric amorphous additive with a high glass transition temperature. <i>International Journal of Pharmaceutics</i> , 2021 , 600, 120491	6.5	3
106	Effect of drug-coformer interactions on drug dissolution from a coamorphous in mesoporous silica. <i>International Journal of Pharmaceutics</i> , 2021 , 600, 120492	6.5	7
105	Amorphous Drug Solubility and Maximum Free Drug Concentrations in Cyclodextrin Solutions: A Quantitative Study Using NMR Diffusometry. <i>Molecular Pharmaceutics</i> , 2021 , 18, 2764-2776	5.6	3
104	The nanostructure of rod-like ascorbyl dipalmitate nanoparticles stabilized by a small amount of DSPE-PEG. <i>International Journal of Pharmaceutics</i> , 2021 , 602, 120599	6.5	0
103	Unveiling the Interaction Potential Surface between Drug-Entrapped Polymeric Micelles Clarifying the High Drug Nanocarrier Efficiency. <i>Nano Letters</i> , 2021 , 21, 1303-1310	11.5	4
102	Revealing the mechanism of morphological variation of amorphous drug nanoparticles formed by aqueous dispersion of ternary solid dispersion. <i>International Journal of Pharmaceutics</i> , 2021 , 607, 120984	6.5	0
101	Self-Degradable Lipid-Like Materials Based on Hydrolysis accelerated by the intra-Particle Enrichment of Reactant (HyPER) For Messenger RNA Delivery. <i>Advanced Functional Materials</i> , 2020 , 30, 1910575	15.6	28
100	Application of solid-state C relaxation time to prediction of the recrystallization inhibition strength of polymers on amorphous felodipine at low polymer loading. <i>International Journal of Pharmaceutics</i> , 2020 , 581, 119300	6.5	5
99	Correlation between drug dissolution and resistance to water-induced phase separation in solid dispersion formulations revealed by solid-state NMR spectroscopy. <i>International Journal of Pharmaceutics</i> , 2020 , 577, 119086	6.5	6
98	Clarification of the Dissolution Mechanism of an Indomethacin/Saccharin/Polyvinylpyrrolidone Ternary Solid Dispersion by NMR Spectroscopy. <i>Journal of Pharmaceutical Sciences</i> , 2020 , 109, 3617-3624	2.9	2
97	Enhanced Antipsoriatic Activity of Mycophenolic Acid Against the TNF-Induced HaCaT Cell Proliferation by Conjugated Poloxamer Micelles. <i>Journal of Pharmaceutical Sciences</i> , 2020 , 109, 1153-1160	2.9	6

96	Mechanistic study of preparation of drug/polymer/surfactant ternary hot extrudates to obtain small and stable drug nanocrystal suspensions. <i>International Journal of Pharmaceutics</i> , 2020 , 591, 120003	6.5	1
95	Intermolecular Interactions between Drugs and Aminoalkyl Methacrylate Copolymer in Solution to Enhance the Concentration of Poorly Water-Soluble Drugs. <i>Chemical and Pharmaceutical Bulletin</i> , 2019 , 67, 906-914	1.9	5
94	Development of nobiletin-methyl hesperidin amorphous solid dispersion: Novel application of methyl hesperidin as an excipient for hot-melt extrusion. <i>International Journal of Pharmaceutics</i> , 2019 , 558, 215-224	6.5	10
93	A Novel Drug-Drug Cocrystal of Levofloxacin and Metacetamol: Reduced Hygroscopicity and Improved Photostability of Levofloxacin. <i>Journal of Pharmaceutical Sciences</i> , 2019 , 108, 2383-2390	3.9	33
92	Effect of Drug-Polymer Interactions through Hypromellose Acetate Succinate Substituents on the Physical Stability on Solid Dispersions Studied by Fourier-Transform Infrared and Solid-State Nuclear Magnetic Resonance. <i>Molecular Pharmaceutics</i> , 2019 , 16, 2785-2794	5.6	20
91	Effect of molecular weight of hypromellose on mucin diffusion and oral absorption behavior of fenofibrate nanocrystal. <i>International Journal of Pharmaceutics</i> , 2019 , 564, 39-47	6.5	11
90	Mechanistic elucidation of formation of drug-rich amorphous nanodroplets by dissolution of the solid dispersion formulation. <i>International Journal of Pharmaceutics</i> , 2019 , 561, 82-92	6.5	20
89	Cryo-TEM and AFM Observation of the Time-Dependent Evolution of Amorphous Probuocol Nanoparticles Formed by the Aqueous Dispersion of Ternary Solid Dispersions. <i>Molecular Pharmaceutics</i> , 2019 , 16, 2184-2198	5.6	18
88	Molecular Mobility Suppression of Ibuprofen-Rich Amorphous Nanodroplets by HPMC Revealed by NMR Relaxometry and Its Significance with Respect to Crystallization Inhibition. <i>Molecular Pharmaceutics</i> , 2019 , 16, 4968-4977	5.6	15
87	Morphological and Physicochemical Evaluation of Two Distinct Glibenclamide/Hypromellose Amorphous Nanoparticles Prepared by the Antisolvent Method. <i>Molecular Pharmaceutics</i> , 2018 , 15, 1587-1597	5.6 ¹⁰	10
86	Molecular-level elucidation of saccharin-assisted rapid dissolution and high supersaturation level of drug from Eudragit E solid dispersion. <i>International Journal of Pharmaceutics</i> , 2018 , 538, 57-64	6.5	9
85	Nano-scale and molecular-level understanding of wet-milled indomethacin/poloxamer 407 nanosuspension with TEM, suspended-state NMR, and Raman measurements. <i>International Journal of Pharmaceutics</i> , 2018 , 537, 30-39	6.5	23
84	Cancer-Type OATP1B3 mRNA in Extracellular Vesicles as a Promising Candidate for a Serum-Based Colorectal Cancer Biomarker. <i>Biological and Pharmaceutical Bulletin</i> , 2018 , 41, 445-449	2.3	6
83	Mechanism of Enhanced Nifedipine Dissolution by Polymer-Blended Solid Dispersion through Molecular-Level Characterization. <i>Molecular Pharmaceutics</i> , 2018 , 15, 4099-4109	5.6	21
82	Evaluation of Drug Nanosuspension and Its Interface Structure by NMR. <i>Journal of the Society of Powder Technology, Japan</i> , 2018 , 55, 381-388	0.3	
81	Determination of Nonspherical Morphology of Doxorubicin-Loaded Liposomes by Atomic Force Microscopy. <i>Journal of Pharmaceutical Sciences</i> , 2018 , 107, 717-726	3.9	10
80	Combination of Roll Grinding and High-Pressure Homogenization Can Prepare Stable Bicelles for Drug Delivery. <i>Nanomaterials</i> , 2018 , 8,	5.4	4
79	An Insight into Stabilization Mechanism of a Solid Dispersion of Indomethacin/Partially Hydrolyzed Polyvinyl Alcohol Prepared by Hot-Melt Extrusion. <i>Chemical and Pharmaceutical Bulletin</i> , 2018 , 66, 859-865	1.9	3

78	DNA-loaded nano-adjuvant formed with a vitamin E-scaffold intracellular environmentally-responsive lipid-like material for cancer immunotherapy. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2018 , 14, 2587-2597	6	24
77	Combined effects of the drug distribution and mucus diffusion properties of self-microemulsifying drug delivery systems on the oral absorption of fenofibrate. <i>International Journal of Pharmaceutics</i> , 2018 , 546, 263-271	6.5	15
76	Solid-Phase Mediated Methodology To Incorporate Drug into Intermolecular Spaces of Cyclodextrin Columns in Polyethylene Glycol/Cyclodextrin-Polypseudorotaxanes by Cogrinding and Subsequent Heating. <i>Crystal Growth and Design</i> , 2017 , 17, 1055-1068	3.5	6
75	Effect of guest drug character encapsulated in the cavity and intermolecular spaces of Cyclodextrins on the dissolution property of ternary Cyclodextrin complex. <i>International Journal of Pharmaceutics</i> , 2017 , 531, 543-549	6.5	8
74	Effects of wet-granulation process parameters on the dissolution and physical stability of a solid dispersion. <i>International Journal of Pharmaceutics</i> , 2017 , 524, 304-311	6.5	11
73	Structural elucidation of a novel transglycosylated compound β -glucosyl rhoifolin and of β -glucosyl rutin by NMR spectroscopy. <i>Carbohydrate Research</i> , 2017 , 443-444, 37-41	2.9	5
72	Recent progress of structural study of polymorphic pharmaceutical drugs. <i>Advanced Drug Delivery Reviews</i> , 2017 , 117, 71-85	18.5	46
71	Composition-dependent structural changes and antitumor activity of ASC-DP/DSPE-PEG nanoparticles. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 99, 24-31	5.1	6
70	Synergetic Role of Hypromellose and Methacrylic Acid Copolymer in the Dissolution Improvement of Amorphous Solid Dispersions. <i>Journal of Pharmaceutical Sciences</i> , 2017 , 106, 1042-1050	3.9	30
69	Direct NMR Monitoring of Phase Separation Behavior of Highly Supersaturated Nifedipine Solution Stabilized with Hypromellose Derivatives. <i>Molecular Pharmaceutics</i> , 2017 , 14, 2314-2322	5.6	27
68	Crystal Structure Determination of Dimenhydrinate after More than 60 Years: Solving Salt-Cocrystal Ambiguity via Solid-State Characterizations and Solubility Study. <i>Crystal Growth and Design</i> , 2016 , 16, 5223-5229	3.5	26
67	Poly-ion Complex of Chondroitin Sulfate and Spermine and Its Effect on Oral Chondroitin Sulfate Bioavailability. <i>Chemical and Pharmaceutical Bulletin</i> , 2016 , 64, 390-8	1.9	6
66	PB-02AFM observation of morphological changes of doxorubicin-loaded liposomes. <i>Microscopy (Oxford, England)</i> , 2016 , 65, i24.2-i24	1.3	
65	Morphological changes of doxorubicin-loaded liposomes observed by atomic force microscopy. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016 , 11, 60-61	9	1
64	Application of Solid-State NMR Relaxometry for Characterization and Formulation Optimization of Grinding-Induced Drug Nanoparticle. <i>Molecular Pharmaceutics</i> , 2016 , 13, 852-62	5.6	11
63	Mechanistic insight into the dramatic improvement of probucol dissolution in neutral solutions by solid dispersion in Eudragit E PO with saccharin. <i>Journal of Pharmacy and Pharmacology</i> , 2016 , 68, 655-64 ^{4.8}	4.8	22
62	A novel capsule-like structure of micro-sized particles formed by phytosterol ester and Cyclodextrin in water. <i>Food Chemistry</i> , 2016 , 210, 269-75	8.5	6
61	Stabilization mechanism of nitrazepam supersaturated state in nitrazepam/Eudragit EPO/saccharin solution revealed by NMR measurements. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016 , 11, 58-59	9	2

60	Molecular-Level Understanding of the Encapsulation and Dissolution of Poorly Water-Soluble Ibuprofen by Functionalized Organic Nanotubes Using Solid-State NMR Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2016 , 120, 4496-507	3.4	19
59	Equilibrium state at supersaturated drug concentration achieved by hydroxypropyl methylcellulose acetate succinate: molecular characterization using (1)H NMR technique. <i>Molecular Pharmaceutics</i> , 2015 , 12, 1096-104	5.6	20
58	The effect of drug and EUDRAGIT [®] S 100 miscibility in solid dispersions on the drug and polymer dissolution rate. <i>International Journal of Pharmaceutics</i> , 2015 , 494, 9-16	6.5	44
57	Effects of the PEG molecular weight of a PEG-lipid and cholesterol on PEG chain flexibility on liposome surfaces. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 474, 63-70	5.1	45
56	Direct evaluation of molecular States of piroxicam/poloxamer nanosuspension by suspended-state NMR and Raman spectroscopies. <i>Molecular Pharmaceutics</i> , 2015 , 12, 1564-72	5.6	30
55	Design of one-dimensional power spectrum using two-dimensional fast Fourier transform for discrimination of paper-based kraft tapes. <i>Forensic Science International</i> , 2015 , 257, 329-336	2.6	1
54	Characterization of a riboflavin non-aqueous nanosuspension prepared by bead milling for cutaneous application. <i>Chemical and Pharmaceutical Bulletin</i> , 2015 , 63, 88-94	1.9	3
53	An Insight into Different Stabilization Mechanisms of Phenytoin Derivatives Supersaturation by HPMC and PVP. <i>Journal of Pharmaceutical Sciences</i> , 2015 , 104, 2574-82	3.9	26
52	Nanocrystal formulation of poorly water-soluble drug. <i>Drug Delivery System</i> , 2015 , 30, 92-99	0	5
51	In situ molecular elucidation of drug supersaturation achieved by nano-sizing and amorphization of poorly water-soluble drug. <i>European Journal of Pharmaceutical Sciences</i> , 2015 , 77, 79-89	5.1	19
50	Crystallization of ProbucoL in Nanoparticles Revealed by AFM Analysis in Aqueous Solution. <i>Molecular Pharmaceutics</i> , 2015 , 12, 2972-80	5.6	13
49	The effect of HPMCAS functional groups on drug crystallization from the supersaturated state and dissolution improvement. <i>International Journal of Pharmaceutics</i> , 2014 , 464, 205-13	6.5	76
48	Encapsulation of poorly water-soluble drugs into organic nanotubes for improving drug dissolution. <i>International Journal of Pharmaceutics</i> , 2014 , 469, 190-6	6.5	21
47	Insights into atomic-level interaction between mefenamic acid and eudragit EPO in a supersaturated solution by high-resolution magic-angle spinning NMR spectroscopy. <i>Molecular Pharmaceutics</i> , 2014 , 11, 351-7	5.6	40
46	Structural Determination of a Novel Polymorph of Sulfathiazole Oxalic Acid Complex in Powder Form by Solid-State NMR Spectroscopy on the Basis of Crystallographic Structure of Another Polymorph. <i>Crystal Growth and Design</i> , 2014 , 14, 4510-4518	3.5	14
45	Drug solubilization mechanism of β -glucosyl stevia by NMR spectroscopy. <i>International Journal of Pharmaceutics</i> , 2014 , 465, 255-61	6.5	25
44	Inhibition mechanism of hydroxypropyl methylcellulose acetate succinate on drug crystallization in gastrointestinal fluid and drug permeability from a supersaturated solution. <i>European Journal of Pharmaceutical Sciences</i> , 2014 , 62, 293-300	5.1	25
43	Application of Intermolecular Spaces between Polyethylene Glycol/ β -Cyclodextrin-Polypseudorotaxanes as a Host for Various Guest Drugs. <i>Crystal Growth and Design</i> , 2014 , 14, 2773-2781	3.5	22

42	Characterization of as-synthesized mesoporous silica using NMR and solid-state fluorescence spectroscopy. <i>Journal of Drug Delivery Science and Technology</i> , 2014 , 24, 673-677	4.5	3
41	Characterization of cromolyn sodium hydrates and its formulation by (23) Na-multi-quantum and magic-angle spinning nuclear magnetic resonance spectroscopy. <i>Journal of Pharmaceutical Sciences</i> , 2013 , 102, 2738-47	3.9	3
40	Inhibitory effect of hydroxypropyl methylcellulose acetate succinate on drug recrystallization from a supersaturated solution assessed using nuclear magnetic resonance measurements. <i>Molecular Pharmaceutics</i> , 2013 , 10, 3801-11	5.6	80
39	Nano-sized crystalline drug production by milling technology. <i>Current Pharmaceutical Design</i> , 2013 , 19, 6246-58	3.3	14
38	Molecular-level characterization of probucol nanocrystal in water by in situ solid-state NMR spectroscopy. <i>International Journal of Pharmaceutics</i> , 2012 , 423, 571-6	6.5	26
37	Structural evaluation of probucol nanoparticles in water by atomic force microscopy. <i>International Journal of Pharmaceutics</i> , 2012 , 427, 365-71	6.5	2
36	Yellow coloration phenomena of incorporated indomethacin into folded sheet mesoporous materials. <i>International Journal of Pharmaceutics</i> , 2012 , 429, 38-45	6.5	22
35	Formation mechanism of a new carbamazepine/malonic acid cocrystal polymorph. <i>International Journal of Pharmaceutics</i> , 2012 , 431, 237-40	6.5	23
34	Unique indomethacin nanoparticles formation by cogrinding with dextrin under defined moisture conditions. <i>Powder Technology</i> , 2012 , 221, 213-219	5.2	7
33	Mechanistic differences in permeation behavior of supersaturated and solubilized solutions of carbamazepine revealed by nuclear magnetic resonance measurements. <i>Molecular Pharmaceutics</i> , 2012 , 9, 3023-33	5.6	52
32	Stabilization of a supersaturated solution of mefenamic acid from a solid dispersion with EUDRAGIT(®) EPO. <i>Pharmaceutical Research</i> , 2012 , 29, 2777-91	4.5	102
31	Discrimination of paper-based kraft tapes using Fourier transform of transmitted light images. <i>Forensic Science International</i> , 2012 , 220, 59-66	2.6	3
30	Transglycosylated rutin-specific non-surface-active nanostructure affects absorption enhancement of flurbiprofen. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012 , 82, 120-6	5.7	25
29	Mechanism of nanoparticle formation from ternary coground phenytoin and its derivatives. <i>Journal of Pharmaceutical Sciences</i> , 2012 , 101, 3413-24	3.9	10
28	Physicochemical characterization and structural evaluation of a specific 2:1 cocrystal of naproxen-nicotinamide. <i>Journal of Pharmaceutical Sciences</i> , 2012 , 101, 3214-21	3.9	43
27	Optimization and characterization of direct coating for ibuprofen particles using a composite fluidized bed. <i>Advanced Powder Technology</i> , 2012 , 23, 40-45	4.6	6
26	Enhanced skin permeation of piroxicam and pranoprofen induced from nanoparticles dispersed in propylene glycol aqueous solution. <i>Journal of Drug Delivery Science and Technology</i> , 2012 , 22, 131-137	4.5	8
25	Formation of stable hydrophilic C60 nanoparticles by 2-hydroxypropyl-β-cyclodextrin. <i>Molecular Pharmaceutics</i> , 2011 , 8, 1276-84	5.6	26

24	Molecular states of p-dimethylaminobenzonitrile coground with β -cyclodextrin investigated using solid-state fluorescence spectroscopy. <i>Chemical and Pharmaceutical Bulletin</i> , 2011 , 59, 1299-302	1.9	3
23	Guest molecular size-dependent inclusion complexation of parabens with cholic acid by cogrinding. <i>International Journal of Pharmaceutics</i> , 2011 , 420, 191-7	6.5	5
22	Characterization and evaluation of miconazole salts and cocrystals for improved physicochemical properties. <i>International Journal of Pharmaceutics</i> , 2011 , 421, 230-6	6.5	53
21	Structural evaluation of crystalline ternary β -cyclodextrin complex. <i>Journal of Pharmaceutical Sciences</i> , 2011 , 100, 325-33	3.9	14
20	NMR investigation of a novel excipient, β -glucosylhesperidin, as a suitable solubilizing agent for poorly water-soluble drugs. <i>Journal of Pharmaceutical Sciences</i> , 2011 , 100, 4421-31	3.9	23
19	Drug nanoparticle formulation using ascorbic Acid derivatives. <i>Journal of Drug Delivery</i> , 2011 , 2011, 1389-92	2.9	25
18	Effect of particle size on skin permeation and retention of piroxicam in aqueous suspension. <i>Chemical and Pharmaceutical Bulletin</i> , 2010 , 58, 1096-9	1.9	12
17	Coloration phenomenon of mefenamic acid in mesoporous silica FSM-16. <i>Chemical and Pharmaceutical Bulletin</i> , 2010 , 58, 214-8	1.9	5
16	Development of sarpogrelate external preparation for intractable pain control. I. Pre-formulation study on application of modified beta-cyclodextrins. <i>Chemical and Pharmaceutical Bulletin</i> , 2010 , 58, 45-50	1.9	4
15	Simultaneous dissolution of naproxen and flurbiprofen from a novel ternary gamma-cyclodextrin complex. <i>Chemical and Pharmaceutical Bulletin</i> , 2010 , 58, 769-72	1.9	14
14	Salicylic acid/gamma-cyclodextrin 2:1 and 4:1 complex formation by sealed-heating method. <i>Journal of Pharmaceutical Sciences</i> , 2010 , 99, 4192-200	3.9	33
13	Effects of cogrinding with β -cyclodextrin on the solid state fentanyl. <i>Journal of Pharmaceutical Sciences</i> , 2010 , 99, 5019-29	3.9	24
12	Prediction of recrystallization behavior of troglitazone/polyvinylpyrrolidone solid dispersion by solid-state NMR. <i>International Journal of Pharmaceutics</i> , 2010 , 383, 18-23	6.5	30
11	Ascorbyl dipalmitate/PEG-lipid nanoparticles as a novel carrier for hydrophobic drugs. <i>International Journal of Pharmaceutics</i> , 2010 , 387, 236-43	6.5	22
10	Adsorption state of naphthoic acids on folded sheets mesoporous materials with different pore sizes. <i>Journal of Drug Delivery Science and Technology</i> , 2009 , 19, 401-404	4.5	5
9	Prednisolone multicomponent nanoparticle preparation by aerosol solvent extraction system. <i>International Journal of Pharmaceutics</i> , 2009 , 380, 201-5	6.5	22
8	Nanoparticle formation from probucol/PVP/sodium alkyl sulfate co-ground mixture. <i>International Journal of Pharmaceutics</i> , 2009 , 376, 169-75	6.5	30
7	Molecular states of prednisolone dispersed in folded sheet mesoporous silica (FSM-16). <i>International Journal of Pharmaceutics</i> , 2009 , 378, 17-22	6.5	20

6	Characterization of ofloxacin-oxalic acid complex by PXRD, NMR, and THz spectroscopy. <i>International Journal of Pharmaceutics</i> , 2009 , 382, 50-5	6.5	23
5	Improved chemical stability of ascorbic acid and thiamine nitrate in L-HPC granules. <i>Advanced Powder Technology</i> , 2009 , 20, 576-581	4.6	
4	Incorporation of Salicylic Acid Molecules into the Intermolecular Spaces of β -Cyclodextrin-Polypseudorotaxane. <i>Crystal Growth and Design</i> , 2009 , 9, 4243-4246	3.5	35
3	Morphology and surface States of colloidal probucol nanoparticles evaluated by atomic force microscopy. <i>Chemical and Pharmaceutical Bulletin</i> , 2008 , 56, 878-80	1.9	18
2	Stabilization mechanism of limaprost in solid dosage form. <i>International Journal of Pharmaceutics</i> , 2007 , 338, 1-6	6.5	9
1	Molecular interaction among probucol/PVP/SDS multicomponent system investigated by solid-state NMR. <i>Pharmaceutical Research</i> , 2006 , 23, 2566-74	4.5	48