

Takumi Hirata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8569568/publications.pdf>

Version: 2024-02-01

34
papers

512
citations

949033

11
h-index

799663

21
g-index

36
all docs

36
docs citations

36
times ranked

707
citing authors

#	ARTICLE	IF	CITATIONS
1	Combined Associations of Liver Enzymes and Obesity With Diabetes Mellitus Prevalence: The Tohoku Medical Megabank Community-based Cohort Study. <i>Journal of Epidemiology</i> , 2022, 32, 221-227.	1.1	9
2	Association between fat mass index, fat-free mass index and hemoglobin A1c in a Japanese population: The Tohoku Medical Megabank Community-based Cohort Study. <i>Journal of Diabetes Investigation</i> , 2022, 13, 858-867.	1.1	13
3	Consideration of the reference value and number of measurements of the urinary sodium-to-potassium ratio based on the prevalence of untreated home hypertension: TMM Cohort Study. <i>Hypertension Research</i> , 2022, 45, 866-875.	1.5	8
4	Green Tea Consumption and Risk of Depression Symptoms: A Systematic Review and Meta-Analysis of Observational Studies. <i>Journal of Nutritional Science and Vitaminology</i> , 2022, 68, 155-161.	0.2	1
5	Study Profile of the Tohoku Medical Megabank Community-Based Cohort Study. <i>Journal of Epidemiology</i> , 2021, 31, 65-76.	1.1	81
6	Sodium/potassium ratio change was associated with blood pressure change: possibility of population approach for sodium/potassium ratio reduction in health checkup. <i>Hypertension Research</i> , 2021, 44, 225-231.	1.5	23
7	Relationship Between Calcium Intake and Impaired Activities of Daily Living in a Japanese Population: NIPPON DATA90. <i>Journal of Epidemiology</i> , 2021, 31, 119-124.	1.1	3
8	Impacts of the urinary sodium-to-potassium ratio, sleep efficiency, and conventional risk factors on home hypertension in a general Japanese population. <i>Hypertension Research</i> , 2021, 44, 858-865.	1.5	9
9	Risk factors of vaginal cuff infection in women undergoing laparoscopic hysterectomy for benign gynecological diseases. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 1502-1509.	0.6	3
10	Association between the combined fat mass and fat-free mass index and hypertension: The Tohoku Medical Megabank Community-based Cohort Study. <i>Clinical and Experimental Hypertension</i> , 2021, 43, 610-621.	0.5	15
11	Fecal short-chain fatty acids and obesity in a community-based Japanese population: The DOSANCO Health Study. <i>Obesity Research and Clinical Practice</i> , 2021, 15, 345-350.	0.8	8
12	Time in range correlates glycated albumin measured immediately after 2 weeks of continuous glucose monitoring. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107962.	1.2	5
13	Sodium/potassium ratio change was associated with blood pressure change: finding from health check-up data. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
14	Association of dietary diversity with all-cause mortality by body mass index in Japanese older adults. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
15	Association between Protein Intake and Skeletal Muscle Mass among Community-Dwelling Older Japanese: Results from the DOSANCO Health Study: A Cross-Sectional Study. <i>Nutrients</i> , 2021, 13, 187.	1.7	7
16	Lifestyle behaviors associated with the initiation of renal replacement therapy in Japanese patients with chronic kidney disease: a retrospective cohort study using a claims database linked with specific health checkup results. <i>Environmental Health and Preventive Medicine</i> , 2021, 26, 102.	1.4	3
17	Association of dietary protein intake with skeletal muscle mass in older adults: A systematic review. <i>Geriatrics and Gerontology International</i> , 2021, 21, 1077-1083.	0.7	2
18	Prediction of Lifetime Risk of Cardiovascular Disease Deaths Stratified by Sex in the Japanese Population. <i>Journal of the American Heart Association</i> , 2021, 10, e021753.	1.6	4

#	ARTICLE	IF	CITATIONS
19	Reduced sleep efficiency, measured using an objective device, was related to an increased prevalence of home hypertension in Japanese adults. <i>Hypertension Research</i> , 2020, 43, 23-29.	1.5	15
20	Multiple measurements of the urinary sodium-to-potassium ratio strongly related home hypertension: TMM Cohort Study. <i>Hypertension Research</i> , 2020, 43, 62-71.	1.5	19
21	Cohort Profile: Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study (TMM) Tj ETQq1 1 0.784314 rgBT /Overlo 2020, 49, 18-19m.	0.9	107
22	Low birth weight and abnormal pre-pregnancy body mass index were at higher risk for hypertensive disorders of pregnancy. <i>Pregnancy Hypertension</i> , 2020, 22, 119-125.	0.6	5
23	Hypertensive disorders of pregnancy, obesity, and hypertension in later life by age group: a cross-sectional analysis. <i>Hypertension Research</i> , 2020, 43, 1277-1283.	1.5	14
24	Impact of hypertension stratified by diabetes on the lifetime risk of cardiovascular disease mortality in Japan: a pooled analysis of data from the Evidence for Cardiovascular Prevention from Observational Cohorts in Japan study. <i>Hypertension Research</i> , 2020, 43, 1437-1444.	1.5	7
25	Association Between Glycemic Control and Incident Stroke Overview From an Epidemiologic Study <i>Circulation Journal</i> , 2018, 82, 1499-1500.	0.7	1
26	Fasting but not casual blood glucose is associated with pancreatic cancer mortality in Japanese: EPOCH-JAPAN. <i>Cancer Causes and Control</i> , 2017, 28, 625-633.	0.8	15
27	A pooled analysis of the association of isolated low levels of high-density lipoprotein cholesterol with cardiovascular mortality in Japan. <i>European Journal of Epidemiology</i> , 2017, 32, 547-557.	2.5	20
28	Factors associated with GAD antibody titer in subtypes of type 1 diabetes. <i>Diabetology International</i> , 2015, 6, 98-103.	0.7	0
29	Palmitic acid-rich diet suppresses glucose-stimulated insulin secretion (GSIS) and induces endoplasmic reticulum (ER) stress in pancreatic islets in mice. <i>Endocrine Research</i> , 2015, 41, 1-8.	0.6	13
30	Body mass index negatively regulates glycated albumin through insulin secretion in patients with type 2 diabetes mellitus. <i>Clinica Chimica Acta</i> , 2015, 438, 19-23.	0.5	30
31	Glycated albumin is not significantly correlated with body mass index in patients with acute-onset type 1 diabetes. <i>Clinica Chimica Acta</i> , 2015, 438, 248-251.	0.5	5
32	Erratum to "Effect of Telmisartan or Losartan for Treatment of Nonalcoholic Fatty Liver Disease: Fatty Liver Protection Trial by Telmisartan or Losartan Study (FANTASY)" <i>International Journal of Endocrinology</i> , 2014, 2014, 1-1.	0.6	1
33	Effects of concomitant drugs on sitagliptin-mediated improvement in glycemic control in Japanese patients with type 2 diabetes. <i>Primary Care Diabetes</i> , 2014, 8, 265-270.	0.9	1
34	Effect of Telmisartan or Losartan for Treatment of Nonalcoholic Fatty Liver Disease: Fatty Liver Protection Trial by Telmisartan or Losartan Study (FANTASY). <i>International Journal of Endocrinology</i> , 2013, 2013, 1-9.	0.6	62