

Francesco Greco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8569648/publications.pdf>

Version: 2024-02-01

64
papers

2,651
citations

279487

23
h-index

182168

51
g-index

69
all docs

69
docs citations

69
times ranked

3876
citing authors

#	ARTICLE	IF	CITATIONS
1	Temporary Tattoo pH Sensor with pH-Responsive Hydrogel via Initiated Chemical Vapor Deposition. <i>Advanced Materials Technologies</i> , 2022, 7, 2100717.	3.0	16
2	Laser-Induced Graphene and Its Applications in Soft (Bio)Sensors. <i>Carbon Materials</i> , 2022, , 111-133.	0.2	1
3	Ultraconformable organic devices. , 2021, , 437-478.		3
4	Ultrathin, Ultra-Conformable, and Free-Standing Tattooable Organic Light-Emitting Diodes. <i>Advanced Electronic Materials</i> , 2021, 7, 2001145.	2.6	19
5	Toward the Use of Temporary Tattoo Electrodes for Impedance-metric Respiration Monitoring and Other Electrophysiological Recordings on Skin. <i>Sensors</i> , 2021, 21, 1197.	2.1	20
6	All-Polymer Printed Low-Cost Regenerative Nerve Cuff Electrodes. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 615218.	2.0	6
7	Multiresponsive Soft Actuators Based on a Thermoresponsive Hydrogel and Embedded Laser-Induced Graphene. <i>ACS Applied Polymer Materials</i> , 2021, 3, 1809-1818.	2.0	25
8	Three-Dimensional (3D) Laser-Induced Graphene: Structure, Properties, and Application to Chemical Sensing. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 30245-30260.	4.0	128
9	Temporary Tattoo Approach for a Transferable Printed Organic Photodiode. <i>ACS Applied Electronic Materials</i> , 2021, 3, 2652-2660.	2.0	5
10	Capacitive Coupling of Conducting Polymer Tattoo Electrodes with the Skin. <i>Advanced Materials Interfaces</i> , 2021, 8, 2100352.	1.9	8
11	Printed and Laser-Scribed Stretchable Conductors on Thin Elastomers for Soft and Wearable Electronics. <i>Frontiers in Materials</i> , 2021, 8, .	1.2	2
12	UStEMG: an Ultrasound Transparent Tattoo-based sEMG System for Unobtrusive Parallel Acquisitions of Muscle Electro-mechanics. , 2021, 2021, 7077-7082.		3
13	Applicability of Vapor-Deposited Thermoresponsive Hydrogel Thin Films in Ultrafast Humidity Sensors/Actuators. <i>ACS Applied Polymer Materials</i> , 2020, 2, 1160-1168.	2.0	23
14	Temporary tattoo as unconventional substrate for conformable and transferable electronics on skin and beyond. <i>Multifunctional Materials</i> , 2020, 3, 032003.	2.4	25
15	Conducting polymer tattoo electrodes in clinical electro- and magneto-encephalography. <i>Npj Flexible Electronics</i> , 2020, 4, .	5.1	69
16	Stretchable and Skin-Conformable Conductors Based on Polyurethane/Laser-Induced Graphene. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 19855-19865.	4.0	71
17	Inkjet-printed PEDOT:PSS multi-electrode arrays for low-cost <i>in vitro</i> electrophysiology. <i>Lab on A Chip</i> , 2019, 19, 3776-3786.	3.1	71
18	Tattoo-Paper Transfer as a Versatile Platform for All-Printed Organic Edible Electronics. <i>Advanced Materials</i> , 2018, 30, e1706091.	11.1	92

#	ARTICLE	IF	CITATIONS
19	Tattoo-Like Transferable Hole Selective Electrodes for Highly Efficient, Solution-Processed Organic Indoor Photovoltaics. <i>Advanced Electronic Materials</i> , 2018, 4, 1700325.	2.6	19
20	Ultraconformable Temporary Tattoo Electrodes for Electrophysiology. <i>Advanced Science</i> , 2018, 5, 1700771.	5.6	136
21	Approximating gecko setae via direct laser lithography. <i>Smart Materials and Structures</i> , 2018, 27, 075009.	1.8	16
22	Mechanical and electro-mechanical properties of EAP actuators with inkjet printed electrodes. <i>Synthetic Metals</i> , 2018, 246, 122-127.	2.1	8
23	Ultraconformable Freestanding Capacitors Based on Ultrathin Polyvinyl Formal Films. <i>Advanced Electronic Materials</i> , 2018, 4, 1800215.	2.6	10
24	Low-voltage dielectric elastomer actuators with stretchable electrodes fabricated by supersonic cluster beam implantation. <i>Journal of Applied Physics</i> , 2018, 124, .	1.1	12
25	Ionic Strength Responsive Sulfonated Polystyrene Opals. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 4818-4827.	4.0	34
26	Ultra-conformable Organic Field-Effect Transistors and circuits for epidermal electronic applications. <i>Organic Electronics</i> , 2017, 46, 60-67.	1.4	44
27	Topographical and Electrical Stimulation of Neuronal Cells through Microwrinkled Conducting Polymer Biointerfaces. <i>Macromolecular Bioscience</i> , 2017, 17, 1700128.	2.1	17
28	Air Trapping Mechanism in Artificial Salvinia-Like Micro-Hairs Fabricated via Direct Laser Lithography. <i>Micromachines</i> , 2017, 8, 366.	1.4	8
29	Dry Adhesion of Artificial Gecko Setae Fabricated via Direct Laser Lithography. <i>Lecture Notes in Computer Science</i> , 2017, , 631-636.	1.0	6
30	Back Cover: Plasma Process. <i>Polym. 12</i> 2016. <i>Plasma Processes and Polymers</i> , 2016, 13, 1250-1250.	1.6	0
31	Plasma assisted deposition of free-standing nanofilms for biomedical applications. <i>Plasma Processes and Polymers</i> , 2016, 13, 1224-1229.	1.6	9
32	Neuronal Alignment and Outgrowth on Microwrinkled Conducting Polymer Substrates. <i>Materials Research Society Symposia Proceedings</i> , 2015, 1795, 13-18.	0.1	0
33	Tattoo Conductive Polymer Nanosheets for Skin-Contact Applications. <i>Advanced Healthcare Materials</i> , 2015, 4, 983-990.	3.9	79
34	3D Micropatterned Surface Inspired by <i>Salvinia molesta</i> via Direct Laser Lithography. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 25560-25567.	4.0	103
35	Toward a New Generation of Electrically Controllable Hygromorphic Soft Actuators. <i>Advanced Materials</i> , 2015, 27, 1668-1675.	11.1	267
36	Electrically responsive photonic crystals: a review. <i>Journal of Materials Chemistry C</i> , 2015, 3, 8449-8467.	2.7	116

#	ARTICLE	IF	CITATIONS
37	A soft, stretchable and conductive biointerface for cell mechanobiology. <i>Biomedical Microdevices</i> , 2015, 17, 46.	1.4	17
38	Roll to roll processing of ultraconformable conducting polymer nanosheets. <i>Journal of Materials Chemistry C</i> , 2015, 3, 6539-6548.	2.7	68
39	Conducting Shrinkable Nanocomposite Based on Au-Nanoparticle Implanted Plastic Sheet: Tunable Thermally Induced Surface Wrinkling. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 7060-7065.	4.0	33
40	Fabrication of layered polydimethylsiloxane/perfluoropolyether microfluidic devices with solvent compatibility and valve functionality. <i>Microfluidics and Nanofluidics</i> , 2013, 15, 753-762.	1.0	7
41	Patterned Free-Standing Conductive Nanofilms for Ultraconformable Circuits and Smart Interfaces. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 9461-9469.	4.0	35
42	Liquid single crystal elastomer/conducting polymer bilayer composite actuator: modelling and experiments. <i>Soft Matter</i> , 2013, 9, 11405.	1.2	42
43	Microwrinkled Conducting Polymer Interface for Anisotropic Multicellular Alignment. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 573-584.	4.0	106
44	Characterization of Free-Standing PEDOT:PSS/Iron Oxide Nanoparticle Composite Thin Films and Application As Conformable Humidity Sensors. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 6324-6332.	4.0	106
45	Thin film free-standing PEDOT:PSS/SU8 bilayer microactuators. <i>Journal of Micromechanics and Microengineering</i> , 2013, 23, 117004.	1.5	29
46	Soft, Stretchable and Conductive Biointerfaces for Bio-hybrid Tactile Sensing Investigation. <i>Lecture Notes in Computer Science</i> , 2013, , 353-355.	1.0	2
47	Free-Standing PEDOT:PSS/PLA Bilayer Nanosheets with Ink-Jet Patterned Microelectrodes: Towards the Development of Ultra-Thin, Conformable, Floating Circuits and Smart Biointerfaces.. <i>Materials Research Society Symposia Proceedings</i> , 2013, 1530, 1.	0.1	1
48	Reversible Heat-Induced Microwrinkling of PEDOT:PSS Nanofilm Surface Over a Monodomain Liquid Crystal Elastomer. <i>Molecular Crystals and Liquid Crystals</i> , 2013, 572, 40-49.	0.4	12
49	Bioinspired Design and Energetic Feasibility of an Autonomous Swimming Microrobot. <i>Lecture Notes in Computer Science</i> , 2013, , 415-417.	1.0	0
50	Anisotropic Cellular Alignment on Nano-Wrinkled Polymeric Surface. <i>Materials Research Society Symposia Proceedings</i> , 2012, 1415, 54.	0.1	2
51	Sacrificial Layer and Supporting Layer Techniques for the Fabrication of Ultra-Thin Free-Standing PEDOT:PSS Nanosheets. <i>Materials Research Society Symposia Proceedings</i> , 2012, 1403, 55.	0.1	5
52	Micro and Nanowrinkled Conductive Polymer Surfaces on Shape-memory Polymer Substrates: Tuning of Surface Microfeatures Towards Smart Biointerfaces.. <i>Materials Research Society Symposia Proceedings</i> , 2012, 1411, 13.	0.1	2
53	Bending actuation of a composite liquid crystal elastomer via direct Joule heating. , 2012, , .		2
54	Introduction to Active Smart Materials for Biomedical Applications. <i>Nanomedicine and Nanotoxicology</i> , 2012, , 1-27.	0.1	9

#	ARTICLE	IF	CITATIONS
55	Micro-wrinkled palladium surface for hydrogen sensing and switched detection of lower flammability limit. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 17529-17539.	3.8	31
56	Ultra-thin conductive free-standing PEDOT/PSS nanofilms. <i>Soft Matter</i> , 2011, 7, 10642.	1.2	173
57	Freestanding Functionalized Nanofilms for Biomedical Applications. <i>Procedia Computer Science</i> , 2011, 7, 337-339.	1.2	6
58	The Relevance of the Collaborative Effect in Determining the Performances of Photorefractive Polymer Materials. <i>ChemPhysChem</i> , 2010, 11, 460-465.	1.0	5
59	A very efficient and stable supramolecular organic blend having a very high value of the optical gain for photorefractivity applications. <i>IOP Conference Series: Materials Science and Engineering</i> , 2009, 6, 012034.	0.3	0
60	Unconditionally stable indole-derived glass blends having very high photorefractive gain: the role of intermolecular interactions. <i>Applied Optics</i> , 2008, 47, 6680.	2.1	6
61	Photorefractivity of poly-N-vinylindole-based materials as compared with that of poly-N-vinylcarbazole-based blends. <i>Applied Optics</i> , 2006, 45, 7928.	2.1	12
62	An indole-based low molecular weight glass-former giving materials with high cooperative photorefractive optical gain. , 2006, 6192, 483.		1
63	Synthesis and electrooptical characterization of polysiloxanes containing indolyl groups acting as photoconductive substrates for photorefractive materials. <i>E-Polymers</i> , 2004, 4, .	1.3	1
64	Hepatitis C virus infection in patients with non-Hodgkin's lymphoma. <i>British Journal of Haematology</i> , 1994, 88, 392-394.	1.2	455